

permitting the industry to operate or should it be directed to take preventive and controlling measures in relation to the pollution first.

The unit is permitted to start its operation today and must attain its optimum capacity by Friday. The learned Local Commissioner shall pay visit to the site in question and prepare a comprehensive report as to the correctness of the photographs, where the unit discharge its effluents, what is the status, manner in which the fly ash or sludge is being stored, whether the photographs which show black liquor/spots at various parts around or inside the industry should be confirmed and all other matters directly or indirectly and the activity of the unit should be reported by the Local Commissioner.

The Officer of the UPPCB shall accompany the Learned Local Commissioner, the industry shall provide all assistance and co-operate in execution of the operation. Initially, fee of the learned Local Commissioner is fixed Rs. 30,000/- in addition to the expenses that he will incur. All facilities will be provided by the Company to the Local Commissioner.

The Applicant who has made these allegations against the industry is clearly warned that if upon inspection, the averments of the photographs are found to be false, he shall be liable to be proceeded against in accordance with law and would be liable to pay entire cost of the Local Commissioner.

The Applicant is granted permission to be present at the time of inspection. The commission shall be executed at 12.00 P.M. on Friday onwards.

		<p>List the matter on 15th June, 2015.</p> <p>.....,CP (Swatanter Kumar)</p> <p>.....,JM (Dalip Singh)</p> <p>.....,EM (Dr. D. K. Agrawal)</p> <p>.....,EM (Dr. A.A. Deshpande)</p>
--	--	--

