

the site which is stated to be approved by all the concerned authorities.

- b) The Committee shall further visit the present temporary dumping site as well as any other temporary site which may be available to Corporation for dumping the MSW temporarily.
- c) The Committee shall report whether the STP plant set up by the Corporation is functional or not?
- d) The Committee shall take samples from the drain shown in the photographs as well as the discharge point of the STP plant and submit the analysis Report before the Tribunal on the next date of hearing.
- e) It shall also Report whether any trade effluent is being discharged into the drain or not and whether any water is sipping to the place where the municipal waste is being dumped?

In the meanwhile the Corporation shall ensure that MSW that is being dumped at the present temporary site is properly covered by soil and is sprayed regularly and is also covered by polythene in accordance with the MSW Rules, 2006.

The Commissioner of the Corporation shall be personally liable for compliance of this Order and shall also act as the Nodal Officer for this purpose and submit the Report positively before the next date of hearing.

At the time of visit the Applicant is permitted to be present.

List this matter for hearing on 10th September,
2014.

.....,CP
(Swatanter Kumar)

.....,JM
(M.S. Nambiar)

.....,EM
(Dr. D.K. Agrawal)

.....,EM
(Prof. A.R. Yousuf)

.....,EM
(Dr. R.C. Trivedi)

