

BEFORE THE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI

M.A. NO. 808 OF 2013  
IN  
Original Application No. 94 of 2013

Vikrant Kumar Tongad Vs. Delhi Metro Rail Corporation Ltd.

**CORAM :** HON'BLE MR. JUSTICE SWATANTER KUMAR, CHAIRPERSON  
HON'BLE MR. JUSTICE U.D. SALVI, JUDICIAL MEMBER  
HON'BLE DR. D.K. AGRAWAL, EXPERT MEMBER  
HON'BLE DR. B.S. SAJWAN, EXPERT MEMBER  
HON'BLE DR. R.C. TRIVEDI, EXPERT MEMBER

**Present:** **Applicant:** Mr. Rahul Choudhary, Advocate  
**Applicant in M.A. No. 808/2013:** Mr. Mukesh Verma and Mr. Pawan Shukla, Advocates  
**Respondent No. 1:** Mr. Ankur Gupta  
**Respondent No. 2:** Mr. B.V. Niren, CGSC  
**Respondent No. 3:** Mr. N. Jyothi Kumar, Advocate  
**Respondent No. 6:** Ms. Reena Singh, AAG of U.P. with Mr. Devesh Kumar.  
**Respondent No. 7:** Mr. Narender Hooda, Sr. Advocate with Devender Pratap Singh Advocate and Mr. S.S. Hooda, Advocate  
Mr. Ravikesh K. Sinha, Advocate for non-Applicant No. 15  
Mr. Sanjiv Rathi and Dinesh Jindal, DPCC and Mr. Manu Parashan, Adv.  
Mr. P.L. Gautam, Adv. For NDMC  
Mr. Bibhakar Misra, Advocate for National Highways Authority of India  
Mr. Sanjay Dewan for Noticee No. 6 & 18  
Mr. Vivek Kr. Tondon, Advocate for PWD  
Mr. Mohit Kr. Gupta, Adv. For DJB  
Mr. Ashwani Kr. Dhatwalia, Advocate for DDA  
Mr. Balendu Shekhar, for EDMC & NDMC  
Mr. Ajay Arora, Advocate for SDMC  
Mr. Sunil Gupta, Advocate  
Mr. Sumit Dubey, Law Officer for Batra Hospital

<b>Date and Remarks</b>	<b>Orders of the Tribunal</b>
<b>Item No. 2 January 16, 2014</b>	<p>Learned counsel appearing for the Respondent Nos. 5 and 18 submits that the Report shall be filed within two weeks from today. Let the Report be filed within two weeks from today and copies of the same be furnished to the Learned counsel appearing in the case.</p> <p>Liberty is granted to the parties to file Objections, if any, to the said Report within one week thereafter.</p> <p>Learned counsel appearing for Delhi Pollution Control Committee submits that they would complete the inspection and file the Report before the Tribunal on the next date of hearing.</p> <p>Learned counsel appearing for the DMRC submits that the Corporation has carried out further inspection of its own and it has been found that it is possible for the</p>

Corporation to install rain water harvesting systems on 17 more Metro Stations. He further submits that the Corporation will start taking action in accordance with law to initiate the process of construction of rain water harvesting systems on the said 17 Metro Stations. He further submits that it is not possible to install rain water harvesting system on the remaining 27 Metro Stations. The DMRC to file an Affidavit in that regard to explain as to why such systems cannot be installed on the remaining Metro Stations. An advance copy of the Affidavit to be furnished to the Applicant.

The Applicant may examine this aspect and make submissions on the next date of hearing.

Respondent No. 3 is hereby directed to also examine this aspect.

List on 20<sup>th</sup> February, 2014.

.....,CP  
(Swatanter Kumar)

.....,JM  
(U.D. Salvi)

.....,EM  
(Dr. D.K. Agrawal)

.....,EM  
(B.S. Sajwan)

.....,EM  
(Dr. R.C. Trivedi)