


BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH AT NEW DELHI

ORIGINAL APPLICATION NO. 496/2022



Babulal Sahu

Applicant

Versus

State of Rajasthan & Ors.

Respondent

INDEX

| S.No. | Particulars | Page No. |
|-------|--|----------|
| 1. | Memo of reply cum affidavit (03 Pages) | |
| 2. | Affidavit in support of reply (02 Pages) | |
| | Documents | |
| 3. | Annexure-R/1 Photo copy of inspection report dated 08.09.2022 | |
| 4. | Annexure-R/2 Photo copy of the notice dated 01.09.2022 & 20.09.2022 | |
| 5. | Annexure-R/3 Photo copy of the sample analysis report | |
| 6. | Annexure-R/4 Photo copy of the minutes of meeting dated 06.10.2022 | |
| 6. | Affidavit in support of documents | |

Deepak Kumar,

दीपक कुमार
क्षेत्रीय अधिकारी
राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किसानगढ़ (अजमेर)

Nishant Awana

NISHANT AWANA (ADVOCATE)
COUNSEL FOR THE RESPONDENT
RAJASTHAN STATE POLLUTION CONTROL BOARD

[Signature]
ATTESTED
20/11/2022
NOTARY
RASHID ALI
ADVOCATE
KISHANGARH (AJMER)

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH AT NEW DELHI**

ORIGINAL APPLICATION NO. 496/2022

Babulal Sahu

Applicant

Versus

State of Rajasthan & Ors.

Respondent



**AFFIDAVIT CUM REPLY TO ORIGINAL APPLICATION ON BEHALF
OF RAJASTHAN STATE POLLUTION CONTROL BOARD I.E.
RESPONDENT NO. 2 IN COMPLIANCE OF HON'BLE TRIBUNAL
ORDER DATED 29.08.2022**

MAY IT PLEASE THIS HON'BLE TRIBUNAL:

The humble answering-respondent most respectfully submit this reply to the original application as under:-

1. That the Hon'ble Rajasthan High Court at Jaipur has taken Suo Motto Cognizance of the issue in DBCW No. 11153/2011 Suo Moto Vs State of Rajasthan & Others and has passed various directions. The said writ petition is sub-judice before the Hon'ble High Court at Jaipur.
2. That the Sewage Treatment Plant of 13 MLD was installed in the year 2014 for treatment of waste water generated from household activities of the residential colonies of Ajmer city. During the latest visit of officials of RSPCB in the month of September 2022, it was observed that out of 11 nallahs, only two nallahs are connected with

STP located at Anasagar Lake, while on the other hand, nine

Deepak Tanwar


दीपक तँवर

क्षेत्रीय अधिकारी

राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किशनगढ़ (अजमेर)

(Signature)
**NOTARY
RASHID ALI
ADVOCATE
KISHANGARH (AJMER)
Reg. No. 13955**

nallahs are directly discharging waste water into Anasagar Lake without any treatment. Thereby, deteriorating the water quality of Anasagar lake. The photo copy of the inspection report dated 08.09.2022 is annexed herewith and marked as **Annexure-1**.



It is further submitted that the answering respondent has issued Notice for submission of action plan for upgradation of Sewage Treatment Plant (STP) in accordance to Hon'ble NGT order dated 30.04.2019 to Municipal Corporation, Ajmer and also for making adequate arrangement for providing aeration facilities within Anasagar Lake. The photo copy of the notice dated 01.09.2022 & 20.09.2022 are annexed herewith and marked as **Annexure-2**. However, no replies to the notices have been received.


3. That a legal proceeding (Case No. 250/2018, RSPCB V/s Namit Mehta and next date of hearing in the matter is 18.11.2022) was made against Ajmer Development Authority, Ajmer and Nagar Nigam, Ajmer in Civil Court, Ajmer on dated 22.10.2018.
4. That the answering respondent is carrying out monthly sampling and analysis of TC/FC of water samples from Anasagar lake and from 10 earmarked locations. Apart from the monthly water sampling, water samples from Anasagar Lake are also collected and analysed quarterly under National Water Monitoring Programme (NWMP) of CPCB. The photo copy of the sample analysis report is annexed herewith and marked as **Annexure-3**.

5. That the officials of Nagar Nigam, Ajmer informed that 10 percent

NOTICE
RASHID ALI
ADVOCATE
AJMER (AJMER)

Deepa Sarwal
दीपक तैवर
क्षेत्रीय अधीक्षक
राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किशनगढ़ (अजमेर)

completed upto March, 2023 after which discharge of untreated waste water through aforementioned nine nallahs shall be stopped. The photo copy of the minutes of meeting dated 06.10.2022 is annexed herewith and marked as **Annexure-4**.



That the Hon'ble Tribunal in OA No. 63/2021 passed directions by order dated 13.12.2021, inter-alia as follows:-

"9. In view of above, the State Wetland Authority, Environment Department of Rajasthan and the District Magistrate, Ajmer may take further remedial action in accordance with law."

Prayer


It is, therefore, most humbly prayed that in view of submission mentioned herein above the affidavit cum reply on behalf of respondent no. 2 may kindly be taken on record and the original application be dismissed.

Deepak Tanwar
दीपक तैवर
क्षेत्रीय अधिकारी
राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किशनगढ़ (अजमेर)

HUMBLE RESPONDENT
THROUGH HIS COUNSELS
(Signature)
(Nishant Awana)
ADVOCATE

ATTESTED
(Signature)
NOTARY
RASHID ALI
ADVOCATE
KISHANGARH (AJMER)

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH AT NEW DELHI
ORIGINAL APPLICATION NO. 496/2022



Babulal Sahu

Applicant

Versus

State of Rajasthan & Ors.

Respondent

AFFIDAVIT IN SUPPORT OF REPLY TO ORIGINAL APPLICATION

I, Deepak Tanwar S/o Shri Suraj Mal Tanwar, aged about 38 years, at present working as Regional Officer, Rajasthan State Pollution Control Board, Kishangarh, do hereby take oath and state as under: -

- 1) That I am Officer-in-Charge of the answering-respondent. Hence, being officer-in-charge, I am well conversant with the facts and circumstances of the present case.
- 2) That the annexed affidavit cum reply to original application has been drafted by my counsel under my instructions and I have carefully read over and understood the contents thereof.
- 3) That the contents of reply to original application are true and correct on the basis of the official records.

Deepak Tanwar

DEPONENT

क्षेत्रीय अधिकारी

राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किशनगढ़ (अजमेर)

VERIFICATION:-

I, the above named deponent do solemnly take oath and state that the contents of Para No.1 to 3 of my above affidavit are true and correct on the basis of official records and no part of it is in correct or false nor any material has been concealed there from. SO HELP ME GOD.

Tr. No. 824 Dt. 01/11/2022 Time 8:00 AM
Documents. Affidavit
Executed or execution admitted in my presence by Deepak Tanwar S/o Sh. Suraj Mal
Identified by Self

ATTESTED
NOTARY
RASHID ALI
ADVOCATE
KISHANGARH (AJMER),

Deepak Tanwar

DEPONENT


दीपक तैवर

क्षेत्रीय अधिकारी

राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किशनगढ़ (अजमेर)

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH AT NEW DELHI

ORIGINAL APPLICATION NO. 496/2022



Babulal Sahu

Applicant

Versus

State of Rajasthan & Ors.

Respondent

AFFIDAVIT IN SUPPORT OF DOCUMENTS

I, Deepak Tanwar S/o Shri Suraj Mal Tanwar, aged about 38 years, at present working as Regional Officer, Rajasthan State Pollution Control Board, Kishangarh, do hereby take oath and state as under: -

- 1) That I am Officer-in-Charge of the answering-respondent. Hence, being officer-in-charge, I am well conversant with the facts and circumstances of the present case.
- 2) That the documents annexed with the reply are true and correct photo copies of their respective originals.

Deepak Tanwar.

DEPONENT

क्षेत्रीय अधिकारी
राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किशनगढ़ (अजमेर)

VERIFICATION:-

I, the above named deponent do solemnly take oath and state that the contents of Para No.1 to 3 of my above affidavit are true and correct on the basis of official records and no part of it is in correct or false nor any material has been concealed there from. SO HELP ME GOD.

Deepak Tanwar.

DEPONENT

दीपक तैवर
क्षेत्रीय अधिकारी
राजस्थान राज्य प्रदूषण नियंत्रण मण्डल
किशनगढ़ (अजमेर)

Sr. No. 825 Dt. 01.12.2022 Time 8:05 PM
Documents Affidavit
Executed or execution admitted in my
presence by Deepak Tanwar S/o Shri Suraj Mal
Identified by Self

ATTESTED

NOTARY
RASHID ALI
ADVOCATE
KISHANGARH (AJMER)



REGIONAL OFFICE
RAJASTHAN STATE POLLUTION CONTROL BOARD
SPL-2, 5th Phase, RHCO Ind. Area, Kishangarh, Dist-Ajmer
E-mail:- rmpcb,kishangarh@gmail.com, Website:- rpcb.nic.in

ANNEXURE- 1

75
Azadi Ka
Amrit Mahotsav

भीम
Bhim
जय हिन्द जय भारत

Inspection Report of Sewage Treatment Plant

| | | |
|-----|---|--|
| 1. | a. Name of the STP: | M/s M/s Municipal Corporation (Old Name Urban Improvement Trust), Ajmer (Sewage Treatment Plant, Anasagar, 13 MLD) |
| | b. Address of the STP: | Prithivi Raj Marg, Tehsil:Ajmer District:Ajmer |
| | c. E-mail: | --- |
| | d. Fax: | --- |
| | e. Mobile: | 7737327356 |
| | f. Telephone: | --- |
| 2. | Date of Inspection: | 08.09.2022 |
| 3. | Name and Designation of the person contacted: | Shri Surendra Kumar, (Plant operator) |
| 4. | Date of commencement of the STP: | - |
| 5. | Capacity of the STP (in MLD): | 13 MLD |
| 6. | Category of Industry: Red/Orange/Green/Others | Red |
| 7. | Status of Operation: Operational/Non-operational/Closed/Any other | Operational. |
| 8. | List of Trustee/Directors/Office bearers with addresses: | Currently, Operation and maintenance is done by agency: M/s Mohit Kumar Contractor. |
| 9. | Status of consent under Water Act, 1974: | Consent to Operate under Water Act, 1974 was issued by HO vide letter dated 26.07.2021 which is valid upto 29.02.2024. |
| 10. | Status of consent under Air Act, 1981: | Consent to Operate under Air Act, 1981 was issued by HO vide letter dated 26.07.2021 which is valid upto 29.02.2024. |
| 11. | Status of Authorization under H.W. (M and H) Rules-2009: | Not applicable |
| 12. | Main areas of city being catered by this STP: | Unit's representative reported that sewage/domestic waste water generated from households lying in the area of Vaishali Nagar, Kotda, Gyan Vihar, and nearby areas is treated by this STP and STP is currently receiving 12-13 MLD of waste water. |
| 13. | a. Sewage Treatment Plant(STP) Unit operation/ processes with | The treatment plant comprises of the following collection sump, Coarse |

Drg



REGIONAL OFFICE

RAJASTHAN STATE POLLUTION CONTROL BOARD

SPL-2, 5th Phase, RIICO Ind. Area, Kishangarh, Dist-Ajmer

E-mail:- rorpcb.kishangarh@gmail.com, Website:- rpcb.nic.in

75
Azadi Ka
Amrit Mahotsav

भीम
Bhim
मान इतिमान विमान

| | | |
|-----|---|---|
| | details and status (Enclose Flow Sheet) | Screens along with conveyor separators, Fine Screens, grit chamber, SBR 1 and SBR 2 along with mechanical mixing, mechanically diffused aeration and baffle walls etc (making it as plug flow/ completely mixed flow process), sludge holding tank, Chlorine/Chemical addition Mechanism, centrifuge. |
| b. | Operational Status of STP units at the time of inspection | Operational |
| c. | Metering system for incoming waste water | Not installed. |
| d. | Metering system for treated waste water | Not installed. |
| e. | Status and verification of logbooks for operation, electric meter/water meters/chemical consumption. | Log books is being maintained. |
| f. | Status and verification of chemical dosing | Arrangement for chemical/Chlorine dosing /treatment was available at the time of inspection but the same was not in working condition. |
| g. | Characteristics of waste water (as per site observation) pH, Temperature, Conductivity, Dissolved oxygen | Sample of treated water was collected at time of inspection, as per the monthly samples analysis. |
| 14. | Status and verification of recycle arrangement? If provided, details thereof with quantity, metering arrangement etc. | No arrangement provided for reutilization of treated waste water. Treated waste water is being discharged in Anasagar lake. |
| 15. | Total discharge per day: | No meter has been installed at the outlet of STP. So, quantity of discharge of treated waste water are could not be assessed. |
| 16. | Point of treated waste water discharge and ultimate receiving body | Treated waste water was directly discharged into Anasagar lake. |
| 17. | Details of D.G. set(Capacity in KVA) | D.G. set - 01 (250 KVA) |
| 18. | Air and Noise pollution control measures on the D.G. sets | Installed with acoustic enclosure and adequate stack height. |
| 19. | Details of water/waste water sample collected during inspection | Sample of treated water was collected at time of inspection, as per the monthly samples analysis. |
| 20. | Details of air/emission sample collected during inspection | NA |
| 21. | Electric Service number | --- |

Page



REGIONAL OFFICE
RAJASTHAN STATE POLLUTION CONTROL BOARD
SPL-2, 5th Phase, RIICO Ind. Area, Kishangarh, Dist-Ajmer
E-mail:- rorpcb.kishangarh@gmail.com, Website:- rpcb.nic.in

75
Azadi Ka
Amrit Mahotsav



| | | |
|-----|---|--|
| 22. | Water Service number | --- |
| 23. | Compliance of CTE/ CTO/ Undertaking/ Bank Guarantee if any | --- |
| 24. | Any deviation from observations from previous inspection report in permanent features | --- |
| 25. | Specific non-compliances, (if any) observed during inspection: | <ul style="list-style-type: none">➤ Electro-magnetic flow meter at inlet and outlet have not been installed, Data related to treatment cannot be adjudged.➤ OCEMS have not been installed.➤ Treated waste water is not being utilized for any gainful purpose, instead is being discharged in Khanpura talab Anasagar Lake.➤ No gainful utilization of sludge in the form of manure is being done.➤ No action plan for upgradation of STP in accordance to Hon'ble NGT's order dated 30.04.2019 have been received. |

Prakash

(Prakash Chand Baliwal)
JEE, RSPCB, Kishangarh

Recommendations:-

Issue SCF for the observed discrepancies.

Deepak Tanwar

(Deepak Tanwar)
Environmental Engineer & Regional Officer









REGIONAL OFFICE
RAJASTHAN STATE POLLUTION CONTROL BOARD
SPL-2, 5th Phase, RIICO Ind. Area, Kishangarh
Email: rorpcb.kishangarh@gmail.com



75
Azadi Ka
Amrit Mahotsav

REGISTERED

RPCB/RO KSG/AJM/Legal-33/16 SU-51

Date: 01.09.2022

Commissioner,
Nagar Nigam, Ajmer

Sub: Regarding degrading quality of water in Anasagar Lake.
Ref: Analysis reports of Anasagar Lake for the past 04 Quarters.

Sir,

With reference to above cited matter water quality of Anasagar Lake analysed in Board Laboratory and it is found that dissolved oxygen level is degrading and not adequate for most of the aquatic species flourishing in Anasagar Lake.

After several reminders, no action has been taken regarding in the matter. You are required to take action for adequate aeration in Anasagar Lake at the earliest.

Yours sincerely

(Deepak Tanwar)

EE & Regional Officer

Copy to – Collectorate Ajmer

EE & Regional Officer



REGIONAL OFFICE
RAJASTHAN STATE POLLUTION CONTROL BOARD

SPL-2, 5th Phase, RIICO Ind. Area, Kishangarh

Email : rorpcb.kishangarh@gmail.com

Regd. Post

ANNEXURE-2

48
7/9/22
17/9/22
17/9/22

7/9/22
17/9/22
17/9/22

RPCB/RO/KSG/AJM/S-724/ 1744-1745


Date : 20.09.2022

Dy. Commissioner,
Nagar Nigam,
Ajmer.

Subj. : Show cause notice for intended legal prosecution under section 43 and 44 of the Water (Prevention & Control of Pollution) Act, 1974 for 13.0 MLD STP Anasagar, Ajmer.

Ref. : (i). Inspection was conducted on dated 08.09.2022.
(ii) Head office letter dated 15.09.2022.
(iii) Compliance of Hon'ble NGT order in the matter of O.A. 673/2018.

1. Whereas, the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter called as the "Water Act") came in to force in the whole of the State of Rajasthan with effect from 23.03.1974.
2. And whereas, Water Act to provide for the prevention and control of water pollution and for maintaining and restoring the wholesomeness of water.
3. And whereas, keeping this in view, The Rajasthan State Pollution Control Board (hereinafter called as the "Board") has been conferred power to take such steps as are necessary for the prevention control & abatement of water pollution.
4. And whereas, Nagar Nigam, Ajmer (hereinafter called as the "project proponent") is operating M/s 13 MLD STP Anasagar, Ajmer.
5. And whereas, Consent to Operate was issued by the Board under provisions of Water Act, 1974 and Air Act 1981 vide letter dated 26/07/2021 with certain conditions, which stands valid upto 29.02.2024.
6. And whereas the STP was inspected by the officials of this office on dated 08.09.2022 & following observations were made: -
 - i. Electro-magnetic flow meters at inlet and outlet have not been installed, Data related to treatment cannot be adjudged.
 - ii. Online Continuous Effluent Monitoring Sysytem (OCEMS) have not been installed till now.
 - iii. Treated waste water is not being utilized for any gainful purpose, instead is being discharged in Anasagar Lake.
 - iv. No gainful utilization of sludge in the form of manure is being done.
 - v. No action plan for upgradation of STP in accordance to Hon'ble NGT's order dated 30.04.2019 have been received.



REGIONAL OFFICE
RAJASTHAN STATE POLLUTION CONTROL BOARD
SPL-2, 5th Phase, RIICO Ind. Area, Kishangarh
Email : rorpcb.kishangarh@gmail.com

7. And whereas, 09 number of open nullahs are discharging waste water without any treatment and thereby polluting the water quality of Anasagar lake.
8. And whereas, no action plan for gainful utilization of treated waste water from STP has been submitted to RSPCB, till date.
9. And whereas, above stated violations of the provisions of the Water Act have been viewed seriously by the Board.

In view of the above, this Show Cause Notice is being issued as to why the legal action be not initiated against your facility for the violation of provisions of Water Act. In case, if you wish to submit any objection/clarification to above intended legal action, you may submit your reply along with the evidence based supporting document by 30.09.2022 to this office failing which the Board may proceed further to initiate proceedings against the you in accordance with law.

Yours Sincerely


(Deepak Tanwar)
EE & Regional Officer

Copy to: - 1. Group Incharge, Liquid Waste, RSPCB, Jaipur for information.
2. Master file.


EE & Regional Officer

o/c

Annerure-A

Data Sheet of STP Anasagar Analysis Report

| | pH | COD | BOD | TSS | Oil & Grease |
|-------------|------|-----|-----|-----|--------------|
| Jan, 2022 | 6.7 | 111 | 23 | 34 | 1.0 |
| March, 2022 | 6.66 | 96 | 19 | 30 | 1.0 |
| April, 2022 | 7.2 | 82 | 20 | 31 | 1.0 |
| May, 2022 | 7.68 | 88 | 23 | 28 | 1.0 |
| June, 2022 | 7.06 | 79 | 28 | 26 | 0.5 |
| July, 2022 | 7.47 | 52 | 17 | 18 | Not Tracable |
| Aug, 2022 | 7.59 | 72 | 30 | 37 | Not Tracable |
| Sep, 2022 | 7.91 | 82 | 29 | 43 | Not Tracable |

Datasheet of analysis result of bacteriological parameters at various points of Anasagar Lake, Ajmer

| S. No. | Point of sample collection | | 08.03.22 | 07.04.22 | 04.05.22 | 07.06.22 | 11.07.22 | 16.8.22 | 20.09.22 |
|--------|-------------------------------------|----|----------|----------|----------|----------|----------|---------|----------|
| 1 | From Centre of lake at The Island | TC | 430 | 540 | 430 | 430 | 350 | 280 | 350 |
| | | FC | 170 | 140 | 150 | 170 | 150 | 170 | 170 |
| 2 | Behind NCC Office | TC | 540 | 540 | 540 | 430 | 350 | 350 | 430 |
| | | FC | 140 | 240 | 220 | 220 | 210 | 170 | 150 |
| 3 | Behind Cinemall | TC | 920 | 920 | 920 | 920 | 540 | 540 | 430 |
| | | FC | 540 | 350 | 240 | 240 | 240 | 220 | 280 |
| 4 | At Banwal Mata Temple | TC | 280 | 350 | 280 | 350 | 280 | 350 | 280 |
| | | FC | 140 | 140 | 130 | 120 | 140 | 110 | 120 |
| 5 | Infront of Regional College Ajmer | TC | 920 | 920 | 920 | 540 | 540 | 540 | 920 |
| | | FC | 350 | 350 | 280 | 240 | 220 | 240 | 280 |
| 6 | At Vishram Sthali | TC | 920 | 920 | 920 | 920 | 540 | 540 | 540 |
| | | FC | 280 | 220 | 240 | 280 | 240 | 350 | 350 |
| 7 | At Baradari | TC | 540 | 540 | 430 | 350 | 280 | 280 | 350 |
| | | FC | 130 | 240 | 170 | 210 | 170 | 220 | 220 |
| 8 | Behind Rishi Udhyan | TC | 350 | 350 | 350 | 430 | 430 | 350 | 350 |
| | | FC | 280 | 250 | 220 | 220 | 210 | 240 | 220 |
| 9 | Opposite Shree Chamunda Mata Temple | TC | 430 | 350 | 280 | 280 | 220 | 210 | 220 |
| | | FC | 170 | 170 | 170 | 140 | 110 | 120 | 130 |
| 10 | Behind Chandak Hospital | TC | 920 | 540 | 430 | 540 | 430 | 430 | 540 |
| | | FC | 220 | 350 | 280 | 240 | 210 | 220 | 240 |

Comparative result of Anasagar Lake, Ajmer

| Sr. No. | Parameters | Result as per date of sample collection | | | |
|---------|--|---|------------|------------|------------|
| | | 11.10.2021 | 19.01.2022 | 07.04.2022 | 11.07.2022 |
| 1 | Ammonical Nitrogen as N mg/l | 1.26 | 0.86 | 1.06 | 0.69 |
| 2 | Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l | 3.8 | 4.1 | 4.56 | 3.36 |
| 3 | Boron as B mg/l | 0.3 | 0.26 | 0.38 | 0.22 |
| 4 | Calcium (Titrimetric) as Ca mg/l | 43.2 | 44.8 | 43.2 | 40 |
| 5 | Chemical Oxygen Demand (COD) mg/l | 32.45 | 48.63 | 54.63 | 36.52 |
| 6 | Chloride as Cl mg/l | 228 | 359 | 316 | 332 |
| 7 | Conductivity at 25° C μ mho/cm ₂ | 1370 | 1893 | 2450 | 2460 |
| 8 | Dissolved Oxygen mg/l | 3.3 | 4.2 | 2.11 | 3.26 |
| 9 | Faecal Coliform (MPN Technique)/100ml | 93 | 240 | 280 | 220 |
| 10 | Fluoride as F mg/l | 0.7 | 0.67 | 1.06 | 0.84 |
| 11 | Hardness (Calcium) as CaCO ₃ mg/l | 108 | 112 | 108 | 100 |
| 12 | Hardness (Total) as CaCO ₃ mg/l | 252 | 188 | 196 | 208 |
| 13 | Magnesium as Mg mg/l | 35.136 | 18.544 | 21.47 | 26.35 |
| 14 | Magnesium Hardness as CaCO ₃ mg/l | 144 | 76 | 88 | 108 |
| 15 | Nitrate as N mg/l | 3.64 | 3.56 | 3.4 | 3.96 |
| 16 | pH | 8.83 | 8.68 | 9.03 | 8.82 |
| 17 | Phenolphthalin Alkalinity mg/l | 20 | 16 | 20 | 24 |
| 18 | Phosphate as PO ₄ mg/l | 1.73 | 1.95 | 2.25 | 2.68 |
| 19 | Phosphate as PO ₄ mg/l | 10.3 | 28.9 | 34.2 | 35.7 |
| 20 | Potassium as K mg/l | 176 | 198 | 206 | 167 |
| 21 | Sodium as Na mg/l | 98 | 110 | 72 | 95 |
| 22 | Sulphate as SO ₄ mg/l | 28 | 20 | 26 | 26 |
| 23 | Temperature °C | 120 | 180 | 208 | 284 |
| 24 | Total Alkalinity as CaCO ₃ mg/l | 240 | 1100 | 920 | 430 |
| 25 | Total Coliform (MPN Technique)/100 ml | 894 | 1230 | 1593 | 1599 |
| 26 | Total Dissolved Solids mg/l | 7.84 | 11.2 | 5.6 | 6.72 |
| 27 | Total Kjeldahl Nitrogen (TKN) as N mg/l | 17 | 31 | 64 | 26 |
| 28 | Total Suspended Solids mg/l | 3.16 | 18.58 | 46.2 | 12.16 |
| 28 | Turbidity NTU | | | | |

कार्यालय अधीक्षण अभियन्ता, जल संसाधन वृत्त, अजमेर

E-mail seajmer98@gmail.com

Tel. 0145-2627498

क्रमांक : 2867-80

वैठक पारंपारी विवरण

दिनांक : 06/10/22

माननीय उच्च न्यायालय जयपुर में दाखल रिट पिटिशन संख्या 11153/2011 (Suo moto v/s State of Rajasthan) के संबंध में श्रीमान अतिरिक्त सचिव एवं मुख्य अभियंता जल संसाधन विभाग राजस्थान को पत्रांक 14-S (03)/CE, W/R/SE (W) / Suomoto/ Rangarh-3348 Date 02-09-2022 के क्रम में दिनांक 28.09.2022, बुधवार को प्रातः 11.00 बजे कलक्ट्रेट सभागार अजमेर में निम्नलिखित बिन्दुओं पर चर्चा/प्रगति हेतु श्रीमान जिला कलक्टर महोदय अजमेर की अध्यक्षता में बैठक आयोजित की गई है। बैठक में निम्न अधिकारी उपस्थित रहे :-

- | | |
|--------------------------|---|
| 1. श्री आलोक जैन | प्रोटोकॉल अधिकारी सामान्य प्रशासन विभाग, अजमेर |
| 2. श्री महेश राठी | अधीक्षण अभियन्ता, जल संसाधन वृत्त, अजमेर |
| 3. श्री धर्मवीर | अतिरिक्त पुलिस अधीक्षक, अजमेर |
| 4. श्री रमेश चंद अग्रवाल | अधिक्षापी अभियन्ता एवं तक. सहा. वास्ते अधीक्षण अभियन्ता, जल संसाधन वृत्त, अजमेर |
| 5. श्री आनन्द त्रिपाठी | अधिक्षापी अभियन्ता, जल संसाधन खण्ड द्वितीय, अजमेर |
| 6. श्री अनिल थालोर | अधिक्षापी अभियन्ता, जल संसाधन खण्ड प्रथम, अजमेर |
| 7. श्री अशोक रावर | अधीक्षण अभियन्ता, सार्वजनिक निर्माण विभाग, अजमेर |
| 8. श्री कपूर अस्कर | अधिक्षापी अभियन्ता, जिला परिषद, अजमेर |
| 9. श्री हरीश वर्मा | अधिक्षापी अभियन्ता, जिला परिषद, अजमेर |
| 10. डॉ. कृति शर्मा | एस.एस.ओ., सार्वजनिक नियंत्रण किशनगढ़ |
| 11. श्री भादुर सिंह | अधिक्षापी अभियन्ता, नगर निगम अजमेर |
| 12. श्री अजय कुमार | पटवारी, नगर परिषद, किशनगढ़ |
| 13. श्री संदीप कुमार | सहायक अभियन्ता, नगर परिषद, किशनगढ़ |
| 14. श्री वी.पी. शर्मा | अधिक्षापी अभियन्ता, जन स्वास्थ्य अभियंत्रिकी, अजमेर |
| 15. श्री दीवानु राज | |
| कासलीवाल | अति. क्षेत्रीय प्रबंधक, शेको लिमिटेड अजमेर |
| 16. श्री अजितकुमार खान | तहसीलदार, अजमेर विकास प्राधिकरण, अजमेर |
| 17. श्री अमित बजाज | कनि. अभि. अजमेर विकास प्राधिकरण, अजमेर |
| 18. श्री विजय विजयवर्गीय | जे.एल.आर. अजमेर विकास प्राधिकरण, अजमेर |

550
Deepa
11/10/22

उक्त बैठक में निम्नलिखित बिन्दुओं पर चर्चा की गई -

1. मत बैठक में दिये गये निर्देशों की पालना हेतु विभागाध्यक्ष समीक्षा।
2. जल संरचनाओं एवं उनके प्रवाह के रास्ते में अतिक्रमणों का सर्वे, पहचान एवं सीमांकन करने पर समीक्षा एवं प्रगति।
3. चिन्हित किये गये अतिक्रमणों को हटाने की कार्यवाही।
4. जल संरचनाओं एवं उनके प्रवाह में आने वाली भूमि के अन्य उपयोगार्थ आवंटित नहीं करना।
5. जल संरचनाओं एवं उनके प्रवाह के रास्ते में आने वाली भूमि पर किसी प्रकार का अन्य प्रयोजनार्थ निर्माण को रोकवाया जाना।
6. अन्य बिन्दु आदेश महोदय की अनुमति से।

सर्वप्रथम अध्यक्ष महोदय की अनुमति से बैठक के प्रारम्भ में श्री महेश राठी, अधीक्षण अभियन्ता, जल संसाधन वृत्त अजमेर ने उक्त रिट पिटिशन याचिका के संबंध में माननीय राजस्थान, उच्च न्यायालय, जयपुर के द्वारा दिये गये निर्देशों का संक्षिप्त विवरण देते हुए चर्चा प्रारम्भ की।

चर्चा के दौरान हुई विभागाध्यक्ष समीक्षा की रिपोर्ट निम्नानुसार है :-

अजमेर विकास प्राधिकरण अजमेर:- के प्रतिनिधी ने अवगत कराया कि

- पुर्ण प्रेषित रिपोर्ट में कुल चिन्हित-अतिक्रमणों 290 में से 265 हटाये जा चुके हैं व शेष बचे 33 अतिक्रमणों में से लगभग 10 हटा जा चुके हैं, शेष को हटाने जाने का कार्य प्रगतिरत है।
 - आनासागर झील की वाटर टेस्टिंग रिपोर्ट नियमित रूप से उनके द्वारा ली जाती रही है, एस.टी.पी. का कार्य पूर्ण होने के पश्चात् नगर निगम अजमेर को हस्तान्तरित किया जा चुका है।
 - आनासागर में डी डिडिंग मशीन का नियमित संचालन कर वाटर बॉडी को साफ किया जाता है।
 - आनासागर में गिरने वाले 13 नालों को डाइवर्ट किया जा चुका है, 02 नाले शेष हैं जिन्हें चैनलाईज करने का कार्य चल रहा है।
 - अब तक चिन्हित अतिक्रमण की वर्तमान स्थिति से रिपोर्ट कमेटी के समक्ष प्रस्तुत करने के लिये निर्देशित किया गया।
- श्रीमान अध्यक्ष महोदय ने निर्देश दिये कि आनासागर झील पर संरक्षित क्षेत्र या नो कन्स्ट्रक्शन जोन के सम्बन्ध में दिनांक 29.08.2022 को डॉ. सुमित शर्मा शासन सचिव महोदय द्वारा दिये गये दिशा-निर्देशानुसार अतिक्रमणों की नवीनतम स्थिति से अवगत करावे।

नगर निगम, अजमेर के प्रतिनिधी ने अवगत कराया कि

- आनासागर जोन में सीवरेज कनेक्शन का कार्य प्रगतिरत है, शेष का कार्य मार्च 2023 तक पूर्ण कर लिया जायेगा।
- सीवरेज कनेक्शन की वर्तमान स्थिति से अवगत कराने हेतु निर्देशित किया गया।
- सीवरेज ट्रीटमेंट प्लांट में प्रति सप्ताह व आनासागर में प्रतिमाह वाटर टेस्टिंग का कार्य नियमित रूप से किया जा रहा है।
- एस.टी.पी. का संचालन सुचारु रूप से किया जा रहा है वर्तमान में एस.टी.पी. में 12 एगड्रौ स्लज आ रहा है एवं श्रीमान सुमित शर्मा जी की अजमेर यात्रा दिनांक 29.08.2022 के दौरान बताया गये कमियों को दूर कर दिया गया है।
- श्रीमान अध्यक्ष महोदय ने आनासागर, फाथसागर झील के नो कन्स्ट्रक्शन जोन व झील के संरक्षित क्षेत्र से अतिक्रमण की नवीनतम स्थिति से अवगत कराने के निर्देश दिये।

उपखण्ड अधिकारी, अजमेर :- उपखण्ड अधिकारी अजमेर को निर्देशित किया गया कि आपकी पूर्व में प्रस्तुत रिपोर्ट 7 ईट भट्टों व हटाने व शेष पर कार्यवाही संबंधित रिपोर्ट प्रस्तुत कर अंकित अतिक्रमणों से संबंधित नवीनतम स्थिति प्रस्तुत करें।

सार्वजनिक निर्माण विभाग :- के प्रतिनिधी ने अवगत कराया कि

- अधीक्षण अभियन्ता ने रिपोर्ट प्रस्तुत कर अवगत कराया कि उनके कार्य क्षेत्राधिकार के अन्तर्गत नदी-नालो पर अतिक्रमण की सूचना शून्य है।
- जल प्रवाह सूचारु रूप से हो रहा है, इस हेतु समय-समय पर निरीक्षण किया जाता है।
 - श्रीमान अध्यक्ष महोदय ने सड़क निर्माण में वाटर बॉडिज के ड्रेनेज सिस्टम का ध्यान रखने हेतु निर्देशित किया गया है ताकि जल प्रवाह बाधित नहीं होवे।

जल संसाधन विभाग :-

- श्री अनिल थालोर, अधिशाषी अभियंता जल संसाधन खण्ड प्रथम अजमेर ने अवगत कराया कि खण्ड प्रथम के अधीन कुछ वाटर बॉडीज पर अतिक्रमण पाया गया है जो निम्नानुसार है :-
- गज सागर सरवाड बांध के कैचमेंट एरिये में कच्चा निर्माण पाया गया।
 - लोरडी सागर बांध के कैचमेंट एरिये में स्थानीय लोगों द्वारा लकड़ियां डाल कर अतिक्रमण किया गया।
 - सिंदूर सागर सरवाड बांध के कैचमेंट एरिये में पक्के मकान का निर्माण किया जा रहा है।
- इन सभी अतिक्रमणकारियों को संबंधित सहायक अभियंता के मार्फत नोटिस दे दिया गया है, एवं अतिक्रमण हटाने की कार्यवाही जा रही है।

श्री आनन्द त्रिपाठी, अधिशाषी अभियंता जल संसाधन खण्ड द्वितीय अजमेर ने अवगत कराया कि खण्ड द्वितीय के अन्तर्गत कुल 24 बांधों पर कोई अतिक्रमण नहीं है।

- फूल सागर कायड के कैचमेंट एरिये में कॉलोनी काटना शुरू कर दिया था जिसे रुकवा दिया गया है एवं अतिक्रमणों को रोकने हेतु निरीक्षण किया जाता है। संबंधित अतिक्रमों को नोटिस देकर पाबन्द किया जा चुका है। माननीय उच्च न्यायालय द्वारा पारित निर्णय दिनांक 29.05.2012 में माननीय न्यायालय द्वारा विभिन्न विभागों के कर्तव्य निर्धारण बाबत विन्दू संख्या 1 से 15 को मिटिंग में पढ़कर सुनाया व चर्चा की गई प्रति संलग्न है।

राजस्थान प्रदूषण नियंत्रण कंट्रोल बोर्ड :-

- के प्रतिनिधी ने अवगत कराया कि
- पूर्व मीटिंग में आंटेड छतरी योजना ड्रेन, एज्युकेशन बोर्ड, फेजर रोड ड्रेन, आन्दरकोट भदर ड्रेन में बायो-फिल्ट्रेशन अपनाये जाने का प्रस्ताव प्रस्तुत किया गया था लेकिन वर्तमान में इन नालों को चेनलाईज कर दिया गया है।
 - आउटलेट एवं इनलेट की टेस्टिंग समय-समय पर की जाती है।
 - एस.टी.पी. की मॉरीक टेस्टिंग एवं आनारगगर की वेंडरॉसिक टेस्टिंग नियमित रूप से की जा रही है।

रिको वरिष्ठ उपमहाप्रबंधक रिको :-

- के प्रतिनिधी ने अवगत कराया कि
- रिको अजमेर ईकाई के अन्तर्गत आने वाले किसी भी औद्योगिक क्षेत्र में प्राकृतिक नदी नालों में बहाव क्षेत्र में किसी भी प्रकार का कोई अतिक्रमण नहीं है।
- इंटरटीयल यूनिटों का निरीक्षण समय-समय पर किए जाने हेतु निर्देशित किया ताकि अतिक्रमण होने की स्थिति में तुरन्त कार्यवाही की जाना संभव हो सके।

जिला परिषद अजमेर :-

- के प्रतिनिधी ने अवगत कराया कि सुओमोटो बनाम राज्य सरकार रिट पिटीशन 11153/2011 माडल के रूप में अरखड बाग तहसील-सरखड एवं उसके कैंचमेन्ट को माडल के रूप में विकास का कार्य प्रगति पर है।
- इसी तरह जूनिया बांध, तहसील-जेकडी को अरखड पैटन पर जूनिया ग्राम को माडल के रूप में चुना गया है।

अन्त में श्रीमान् अध्यक्ष महोदय द्वारा सभी विभागों को निर्देशित किया गया कि उनके क्षेत्र में आने वाले नदी, नालों, नालों के बहाव क्षेत्र में अतिक्रमण रोकने हेतु प्रभावी कार्यवाही करें, जिससे माननीय उच्च न्यायालय के निर्देशों की पालना सुनिश्चित की जा सके। अध्यक्ष महोदय ने इनपर प्रभावी कार्यवाही हेतु ब्लॉक स्तर की कमेटी गठित करने के निर्देश दिये। साथ ही सुओमोटो वाद में माननीय न्यायालय द्वारा निर्देशित आदेशों की विन्दुवार अक्षरशः पालना सुनिश्चित करें व माननीय उच्च न्यायालय ने राजस्थान की वाटर बॉडीज के रिवाइवल और कंजर्वेशन हेतु श्री सुमित राना, प्रमुख शासन सचिव सामाजिक एवं न्यायधिकार विभाग की अध्यक्षता में गठित कमेटी द्वारा दिये गये निर्देशों की पालना रिपोर्ट आगामी बैठक में प्रस्तुत करने के संबंधित विभागों को निर्देश दिए गए।

बैठक सफलतापूर्वक समाप्त हुई।

(निर्देश अधिकारी)

अधीक्षण अभियन्ता,

जल संसाधन वृत्त, अजमेर

क्रमांक - 2867-80

प्रतिलिपि निम्नलिखित को सुनिश्चित एवं आवश्यक कार्यवाही हेतु प्रेषित है।

1. निर्मा सहायक जिला कलेक्टर, अजमेर।
2. उप वन संरक्षक, अजमेर।
3. जिला पुलिस अधीक्षक, अजमेर।
4. मुख्य कार्यकारी अधिकारी, नगर निगम, अजमेर।
5. सचिव, अजमेर विकास प्राधिकरण, अजमेर।
6. मुख्य कार्यकारी अधिकारी, जिला परिषद, अजमेर।
7. अधीक्षण अभियन्ता जल स्वास्थ्य अभियांत्रिकी विभाग, अजमेर।
8. अधीक्षण अभियन्ता, सार्वजनिक निर्माण विभाग, अजमेर।
9. खनि अभियन्ता, खान एवं भू विज्ञान विभाग, अजमेर।
10. वरिष्ठ उप महाप्रबंधक, रिको लि. अजमेर।
11. क्षेत्रीय अधिकारी, राजस्थान प्रदूषण नियंत्रण बोर्ड, किशनगढ़।
12. आयुक्त नगर परिषद, किशनगढ़।
13. उपपरिषद अधिकारी, अजमेर।

(निर्देश अधिकारी)

अधीक्षण अभियन्ता,

जल संसाधन वृत्त, अजमेर