

**BEFORE THE NATIONAL GREEN TRIBUNAL PRINCIPAL BENCH**

APPEAL NO. 06/2022

(I.A. No. 29/2022)

Prabhakar rai and others

Applicants

Versus

Union of India and others

..... Respondents

**Reply on behalf of project proponent:- M/s J.K.N. Purvanchal  
CBWTF Works, village Pahadpur Post Gotha Rasoolpur, District  
Deoria.**

The respondents submit most respectfully as under:

1. That the project initiated by the project proponent is in District Deoria, for the disbursal of medical waste in the three District adjacent to the proposed plant area, there is no plant exists nearby district except the proposed plant.
2. That the NOC and environment clearance was granted by UP Pollution Control Board after the spot inspection and holding an open meeting at the location where the proposed plant is scheduled. Copy of open meeting held on 15.4.2021 is annexed herewith and marked as **Annexure-1** to this reply.
3. That it is submitted that at the time of the spot inspection the local villagers were also called for their opinion and after considering and redressing the grievances of the local resident,



as well as the guide line enumerated in the rules framed by the Central Pollution Control Board, dated December 21, 2016, environment clearance and NOC was granted.

4. That the applicant herein is the resident of village Paharpur, where the proposed plant is proposed, have enmity with the project proponent and in connivance with persons who had strong hold over the medical waste disposal plants, filed a writ petition before the Hon'ble Allahabad High Court being WP no.1094 of 2021 (Prabhakar Rai vs. State of UP and others), and raised the same questions, which is the subject matter of the present appeal again, the writ petition was dismissed with the cost of Rs. 1000/-. True copy of order dated 27.07.2021 is annexed herewith and marked as **Annexure-2** to this reply.
5. That another writ petition was also filed for the same cause of action by the Gorakhpur Kalyan Samiti, which was also the mouth piece of the rackets who runs the business of bio medical waste plant, this writ petition was also dismissed by the Court vide order dated 24.06.2021 on the ground of bonafide of the petitioners. Copy of order dated 24.06.2021 is being annexed herewith and marked as **Annexure-3** to this reply.
6. That the allegations with regard to the establishment of the unit near the human habitation is absolutely false, because several complaints has been made with regard to the location of the plant, and all the complaints was considered by the pollution control board UP, and to redress the grievances of the complainant, they issued a letter dated 24.3.2021 to the local office of the pollution controlee board at Gorakhpur, to make a



spot inspection and submit a report. The local officer of the UP Pollution Control Board, visited the site and a spot enquiry was conducted by them, thereafter it is found that the distance between the plant and notified residential area is almost 200 meters, accordingly report was submitted on 20.04.2021. A true copy of the letters issued by the pollution control board and report submitted by the pollution control board, are annexed herewith and marked as **Annexure No- 4**

7. That the guidelines mentioned in Bio Medical Waste Treatment & Medical Facility-2016 was strictly followed, while granting the EC, further strict compliance of the directions with regard to the pollution control which includes deployment of the best available technology for the plant and bank guarantees were also provided by the project proponent. The project proponent submitted the required documents along with affidavit to comply with the all the conditions, provided/imposed upon him while granting the environment clearance and accordingly the environment clearance were granted vide order dated 3.12.2021. A copy of the affidavit submitted by the respondent and EC granted by Ministry of Environment is collectively annexed herewith as **Annexure-5** to this reply.
8. That the applicant is acting on behest of the rackets who runs the business of bio medical waste plant, and do not want other persons to enter the business, and he has no concerned with the environmental depletion he merely acting on behalf of them to stop the plant by hook or crook, by abusing the process of law,



approaching the different forum available in the State and Central level.

- 9.** That there is nothing illegal or incorrect in granting the EC and NOC to the plant of the project proponent as the same is the requirement of the area, there is no bio medical waste plant available in the area where medical waste can be processed, the bio medical waste of district Kushi Nagar, Maharajgaj, Deoria and Gorakhpur will be processed in this plant, because in these district, there is no bio medical waste plant exists. It is the needs of these district to establish bio medical waste plant so that the hospital can dispose off their medical waste without any delay.
- 10.** That in the facts and circumstances as mentioned above, the present appeal may also be dismissed by this Hon'ble Tribunal in the interest of justice with heavy costs.

(KUNDAN RAI)  
Advocate  
[Email.kundanrai2004@gmail.com](mailto:Email.kundanrai2004@gmail.com)  
Mob. 9838359066







**Court No. - 29**

**Case :-** PUBLIC INTEREST LITIGATION (PIL) No. - 1094 of 2021

**Petitioner :-** Prabhakar Rai

**Respondent :-** State Of U.P. And 7 Others

**Counsel for Petitioner :-** Krishna Kant Dwivedi, Rama Pati Tripathi

**Counsel for Respondent :-** C.S.C., A.S.G.I., Hari Nath Tripathi, Kundan Rai

**Hon'ble Munishwar Nath Bhandari, Acting Chief Justice**  
**Hon'ble Ajai Tyagi, J.**

Heard learned counsel for the petitioner, Shri Rajiv Singh, learned Standing Counsel appearing for the State, Shri Hari Nath Tripathi, learned counsel appearing for UP Pollution Control Board and Shri Kundan Rai, learned counsel for respondent No.8.

This public interest litigation has been filed in apprehension of consent by the UP Pollution Control Board. It is despite the fact that notice to public hearing was given and thereupon there is nothing on record to show consent of the UP Pollution Control Board.

Shri Hari Nath Tripathi, learned counsel appearing for UP Pollution Control Board submits that consent to respondents was refused on 15th January, 2021, itself. The petition was filed much subsequent to it even without disclosing this fact and the fact that earlier, a PIL No.840 of 2021 (*Gorakhpur Kalyan Samiti vs. State of UP & others*) to the same cause of action was filed and dismissed on 24.6.2021.

The present writ petition was filed thereupon. It is nothing, but misuse the jurisdiction of this Court.

Accordingly, the PIL is **dismissed** with cost of Rs.1,000/- to be deposited with the UP State Legal Service Authority, Allahabad High Court, within a period of one month from today.

Registrar (Listing) would see the compliance of this order and inform this Court, accordingly.

**Order Date :-** 27.7.2021

LN Tripathi

(Ajai Tyagi, J)      (Munishwar Nath Bhandari, ACJ)



**Chief Justice's Court**

**Case :- PUBLIC INTEREST LITIGATION (PIL) No. - 840 of 2021**

**Petitioner :- Gorakhpur Kalyan Samiti**

**Respondent :- State Of U.P. And 6 Others**

**Counsel for Petitioner :- Rama Pati Tripathi, Krishna Kant Dwivedi**

**Counsel for Respondent :- C.S.C., A.S.G.I., Hari Nath Tripathi, Sanjay Kumar Om**

**Hon'ble Sanjay Yadav, Chief Justice**

**Hon'ble Vivek Agarwal, J.**

Matter is taken up through Video Conferencing.

Petitioner by way of present petition seeks following directions:

"i) Issue a writ, order or direction, in the nature of certiorari to call for the records and quash the proposal/sanction/Letter granted by the respondents for establishment of the common Bio medical waste Treatment Facility at Khasra No.1006, Village Paharpur, post-Gotha, Rasoolppur, District Deoria, U.P., M/s J.K.N. Purvanchal CBWTF works, in view of the environmental hazards on suing on account of violation of Bio-medical waste management Rules 2016 and the revised Guidelines for common Biomedical Waste Treatment & Disposal Facilities, 2016.

ii) Issue an appropriate writ, order or direction, in the nature of mandamus commanding the respondents to ensure strict compliance with the Bio-medical waste management Rules-2016 and the revised Guidelines for common Biomedical Waste Treatment & Disposal Bio-Medical Waste Treatment and disposal facility at the appropriate location in Village-Paharpur, post-Gotha, Rasoolpur, District Deoria, U.P.

iii) Issue writ, order or direction, in the nature of mandamus commanding the respondents to consider and redress the grievance of petitioner against the establishment of the common Bio-medical waste Treatment disposal facility at Khasra No.1006, Village-Paharpur, post-Gotha, Rasoolpur, District Deoria, U.P."

Vide this public interest litigation, the petitioner in paragraph 3 states that it is a society registered in accordance with the provisions of Society Registration Act, 1860 and the petitioner works for redressal of the social issues affecting the rural population of Deoria and also for protection of the environment. The petitioner is having an office at Alhadpur near Imambara, Tehsil-Sadar District Gorakhpur.

However the registration certificate which is on record at page 31 of the compilation reveals that the petitioner Society was registered on 25.4.2015 and the said registration has expired on



24.4.2020. There is no whisper in the petition that the said registration has been extended thereafter.

In view whereof, we doubt the bonafide of the petitioner and decline to cause any indulgence at the instance of petitioner Society.

Consequently, petition is **dismissed**.

**Order Date :- 24.6.2021**

Tamang

**(Vivek Agarwal,J.)**

**(Sanjay Yadav,C.J.)**



प्रेषक,

निदेशक,

पर्यावरण निदेशालय, उ०प्र०,

पिनीत खण्ड-1, गोमती नगर, लखनऊ-226010

सेवा में,

सदस्य सचिव,

उ०प्र० प्रदूषण नियंत्रण बोर्ड,

लखनऊ, उ०प्र०।

पत्रांक : 840 /पर्या./सामान्य/2020

दिनांक 24 मार्च, 2021

**विषय:-** Common Bio-medical Waste Treatment Facility at Khasra No.-1006, Village-Paharpur, Post-Gotha Rasoolpur, District-Deoria, U.P., M/s JKN Purvanchal CBWTF Works, File No. 5790/Proposal No. SLA/UP/MIS/55933/2020

महोदय,

कृपया उपरोक्त प्रस्ताव पर राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 09.02.2021 में विचार कर निम्नप्रतु संस्तुति की गई :-


The committee discussed the letter dated 18/01/2021 of Dr. Vinay Kumar Verma, Secretary, Medical Pollution Control Committee, Panki, Kanpur and opined that the complaint letter should be sent to CMO, Deoria & concerned RO, UP Pollution Control Board for providing the factual report regarding feasibility/requirement of Common Biomedical Waste Treatment Facility at the proposed site.

समिति की संस्तुति के आधार पर राज्य स्तरीय पर्यावरण प्रभाव निर्धारण प्राधिकरण, उ०प्र० की बैठक दिनांक 25.02.2021 में भी उक्त प्रकरण पर विचार किया गया, जिसमें प्राधिकरण द्वारा समिति की संस्तुतियों पर सतस्य सहमति रखते हुये प्रकरण की factual report प्राप्त होने के उपरान्त ही विचार किये जाने का मत स्थिर किया गया।

अतः अनुरोध है कि प्रकरण के सम्बन्ध में आवश्यक कार्यवाही करवाते हुए सूचना उपलब्ध कराने का कष्ट करें।

संलग्नक- यथोक्त।

भवदीया,

  
(शुब्धि शुक्ला)

उप निदेशक,

पर्यावरण निदेशालय, उ०प्र०।

प्रतिलिपि- निम्नांकित को सूचनाार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, देवरिया, उ०प्र०।
2. चीफ मेडिकल ऑफिसर देवरिया, उ०प्र०।

(शुब्धि शुक्ला)

उप निदेशक,

पर्यावरण निदेशालय, उ०प्र०।





क्षेत्रीय कार्यालय  
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
REGIONAL OFFICE

UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ संख्या  
Ref. No. 364/2020 और सी० 176/2021

दिनांक  
Dated 20/4/21

विषय:

उपनिदेशक  
पर्यावरण निदेशालय, उ०प्र०, विनीत खण्ड-1,  
गोमतीनगर  
लखनऊ-22710

Common Bio-Medical Waste Treatment Facility at Khasra No 1996, Vill- Pahadpur,  
Post- Gotha Rasoolpur, Distt- Deoria, U.P., M/s JKN Purvanchal CBWTF Works, File  
No. 5790/Proposal No. SIA/UP/MIS/55933/2020.

संदर्भ

कृपया उपरोक्त विषयक बोर्ड मुख्यालय के पत्रांक सं० एच 61314/सी० 6/एम०आर०पी० 329  
/जी०के०पी० 21 दिनांक 31.03.2021 एवं अपने पत्रांक सं० 840/पर्या०/सामान्य/2020, दिनांक 24.03.2021 का  
संदर्भ ग्रहण करने का कष्ट करें। उक्त पत्र के माध्यम से श्री विनय कुमार वर्मा सेक्रेटरी एम०पी०सी०सी०, कानपुर द्वारा  
शिकायत संसर्ग जे०के०एम० प्रदायक सी०पी०डी०डी०एफ०, ग्राम- पहाड़पुर, जनपद- देवरिया के संदर्भ में आस्था चादी  
गयी है। शिकायत के बिन्दुओं पर आस्था का विवरण निम्नवत है:-

1. प्रस्तावित स्थल के पूरव दिशा में लगभग 2 कि०मी० पर ग्राम-घनौटी एजडीहा अनुमानित आबादी लगभग 1000  
स्थित है। पश्चिम दिशा में 600 मी० पर ग्राम-पहाड़पुर का रुईया टोला अनुमानित आबादी 900 स्थित है।  
दक्षिण दिशा में 12 कि०मी० की दूरी पर ग्राम-भगवानपुर अनुमानित आबादी 1000 स्थित है। प्रस्तावित इकाई  
द्वारा प्रेषित लोकेशन मैप के अनुसार इन्सोलेटर से उत्तर दिशा में लगभग 200 मी० की दूरी पर ग्राम-कागपुर  
की छिटपुट आबादी एवं 300 मीटर की दूरी पर घनी आबादी, जिसकी अनुमानित संख्या लगभग 2000 है।
2. गोरखपुर मण्डल में जनपद- देवरिया, गोरखपुर, कुशीनगर एवं महाराजगंज जनपद आच्छादित है। वर्तमान में  
चारों जनपदों में कोई भी कामन बायो मेडिकल वेस्ट यूनिट स्थापित/संचालित नहीं है।
3. M/s M.P.C.C. (मेडिकल पोल्यूशन कमेटी) नाम से बस्ती मण्डल सलीलायाद जिला-संत कबीर नगर में स्थापित  
है जिसकी दूरी 135 कि०मी० है तथा प्रदूषण नियंत्रण बोर्ड द्वारा निरीक्षण में पाया गया कि इस यूनिट की क्षमता  
काफी कम है जो समुचित मात्रा में बायो वेस्ट का निस्तारण नहीं कर पा रही है। बायो वेस्ट निस्तारण नहीं कर  
पाने की वजह से बोर्ड के पत्र सं० H36/96 सी 6/BMW/48/2019 दिनांक 25.05.2019 और पत्र सं०  
H53849/सी-8/BMW/48/2020 दिनांक 13.10.2020 क्रमशः पर्यावरण क्षतिपूर्ति का जुर्माना रु 2120 लाख एवं  
13.44 लाख रुईया आरोपित किया गया। उपरोक्त के समन्वय में पत्र संचालन किया जाता है।
4. M/s MPCC, गोरखपुर के नाम से कोई भी बायो वेस्ट फैसिलिटी कार्यरत नहीं है।
5. M/s Silkona Welfare Society, Ghezipur नाम से इकाई बनारस मण्डल के जिलों के लिये सेवा प्रदान करती है।
6. M/s JKN Purvanchal CBWTF Works का प्रस्तावित स्थल खसरा 1006 ग्राम-पहाड़पुर आटा मिल, राईम मिल,  
स्कूल धार्मिक स्थान से 01 किलोमीटर से ज्यादा की दूरी पर है। निरीक्षण में शिकायत गलत पाया गया। M/s  
JKN Purvanchal CBWTF Works की स्थापना उपयुक्त है तथा इस COVID-19 की महामारी को कन्ट्रोल  
करने के लिये अत्यन्त आवश्यक है।

भवदीय


(पंकज राय)  
क्षेत्रीय अधिकारी

प्रतिलिपि- मुख्य पर्यावरण अधिकारी (वृत्त-6), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचनाार्थ सादर प्रेषित है।

क्षेत्रीय अधिकारी

महादेव झारखण्डी, आवास विकास कालोनी, देवरिया रोड, कूड़ाघाट, गोरखपुर-273 008  
MAHADEV JHARKHANDI, AVAS VIKAS COLONY, DEORIA ROAD, KUNRAGHAT, GORAKHPUR-273 008  
E-mail : rogorakhpur@uppcb.com





सत्यमेव जयते


INDIA NON JUDICIAL

Government of Uttar Pradesh

Signature: जितेंद्र कुमार यादव  
ACC Name: JITENDRA KUMAR YADAV  
CC Code: UP14336704  
ACC Address: Tehsil Campus, Deoria  
Mobile No: 8318897328  
License No: 323  
Tehsil: Deoria, District: Deoria (U.P.)

e-Stamp

Certificate No.	: IN-UP52172274798113U
Certificate Issued Date	: 28-Mar-2022 01:20 PM
Account Reference	: NEWIMPACC (SV)/ up14336704/ DEORIA SADAR/ UP-DRA
Unique Doc. Reference	: SUBIN-UPUP1433670495295381468624U
Purchased by	: JKN PURVANCHAL CBWTF WORKS DEORIA
Description of Document	: Article 5c General Loan Agreement
Property Description	: Not Applicable
Consideration Price (Rs.)	:
First Party	: JKN PURVANCHAL CBWTF WORKS DEORIA
Second Party	: SBI GORAKHPUR
Stamp Duty Paid By	: JKN PURVANCHAL CBWTF WORKS DEORIA
Stamp Duty Amount(Rs.)	: 500 (Five Hundred only)



Please write or type below this line

THIS FORMS PART AND PARCEL OF BANK GUARANTEE 0008622BG0000017 ISSUED ON 29.03.2022 IN FAVOR OF UP POLLUTION CONTROL BOARD VIBHUTI KHAND LUCKNOW.

Vibhakar Singh  
VIBHAKAR SINGH  
SS No.-S-29693



Sanjay

Sanjay  
SS No. 674



Statutory Alert:

1. The authenticity of this Stamp certificate can be verified at 'www.shikhaStamp.com' or using e-Stamp Mobile App of Shikha.
2. Any discrepancy in the details on this Certificate and available on the website / Mobile App renders it invalid.
3. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.



Guarantee No 0008622BG0000017

Amount of Guarantee Rs 2,50,000.00

Guarantee cover from 29-03-2022 to 15-12-2026

Last date for lodgment of claim - 15-12-2026

### UP POLLUTION CONTROL BOARD


TC12V Vibhuti Khand Gomatinagar Lucknow -


We State Bank of India Gorakhpur Main Branch Bank Road Gorakhpur stand guarantee to the extent of Rs.2,50,000.00 (Rs Two Lakh Fifty Thousand Only. On behalf of our customer & clients M/s JKN Purvanchal CBWTF Works Village Pahadpur Post Gotharasulpur District Deoria 274201 under the term & conditions of the guarantee for five year for the due fulfillment of the terms & conditions mentioned below, imposed by U.P Pollution control board by the said industrial unit on production of bank guarantee of Rs.2,50,000.00 Rs. Two Lakh Fifty Thousand Only. We the bank do hereby undertaken to pay the U.P pollution control board an amount not exceeding Rs.2,50,000.00 Rs. Two Lakh Fifty Thousand Only. Against any violation of terms & conditions mentioned below imposed by U.P pollution control board. Letter 145008 /UPPCB/Gorakhpur (UPPCBRO) CTE/DEORIA/2021 dt 15.01.2022.

Consent to establish for new unit under the provision of water (prevention and control of pollutions ) act 1974 as amended and air (prevention and control of pollution ) act 1981 as amended specific condition as mentioned from S. No. 1 to 31 uploaded on portal [UPPCB@NIC.IN](mailto:UPPCB@NIC.IN) on 23.03.2022.

2. We the bank do hereby undertaken to pay the amount due and payable under this guarantee without any demur merely on a demand from the U.P Pollution control board stating that the amount claimed is due by way of violation if any of the conditions imposed by the U.P Pollution control Board mentioned above by the said industrial unit. Any such demand made on the bank shall be conclusive s regards the amount due and payable by the bank under this guarantee , However our liability under this guarantee shall be restricted to an amount not exceeding Rs.2,50,000.00 (Two lakh Fifty Thousand Only.)

3. We the bank undertake to pay the U.P. Pollution control board the amount referred in the guarantee above so demanded notwithstanding any disputes raised by the industrial unit in any suit or proceeding pending before any court or tribunal relating thereto our liability under this present being absolute and unequivocal.

*Vibhakar Singh*  
VIBHAKAR SINGH  
SS No.-S-28608  


*Ranjit*  
RANJIT  
SS No. 123456  




4. We the bank further agree that the guarantee herein contained shall remain in full force and effect during the period that has been specified for the performance of the above conditions and that it shall continue to be enforceable till the U.P Pollution control board certifies that the terms and conditions imposed by U.P Pollution control board have fully and properly carried out by the said industrial unit and according discharges guarantee and unless a demand or claim under this guarantee is made on us in writing on or before the SBI we shall be discharged from all liability under this guarantee thereafter.

5. This guarantee will not be discharge due to the change in the constitution of the bank or the industry.

6. We the bank lastly undertaken not to revoke this guarantee during its currency except with the previous consent of the U.P pollution control board in writing notwithstanding anything contained herein.

(i) Our liability under this bank shall not exceed Rs.2,50,000.00 (Two Lakh Fifty Thousand Only).

(ii) This bank guarantee shall be valid up to 15/12/2026.

(iii) We are liable to pay the guaranteed amount under this bank guaranteed only and only if you serve upon us a written claim or demand on or demand or before 15/12/2026.

On behalf of State Bank of India


*Vibhakar Singh*

VIBHAKAR SINGH  
PS No. -S-29699

Gorakhpur Main Branch

Bank road Gorakhpur

273001



*Ranjit*

RANJANA MAHALL  
SS No. 5133







**UTTAR PRADESH POLLUTION CONTROL BOARD**  
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

Validity Period :16/12/2021 To 15/12/2026

Ref No. -

145008/UPPCB/Gorakhpur(UPPCBRO)/CTE/DEORIA/2021

Dated:- 05/01/2022

To ,

Shri AMARESH KUMAR RAI  
M/s MS JKN PURVANCHAL CBWTF WORKS  
Village- Paharpur, Post- Gotha Rasoolpur, Tehsil or District- Deoria, (UP)  
DEORIA

**Sub :** Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 14428104 dated - 16/12/2021. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : 26038'33.06"N83044'56.75"E

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
NA	Metric Tonnes/Day	0

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
Common Bio-Medical Waste Treatment Facility	150

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Metric Tonnes/Day	0	0

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	Borewell	10.0

3. Quantity of effluent (In KLD) :



Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	2.0
Others(Washing)	8.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.
- For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.
2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 15/12/2026 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

#### Specific Conditions:



1. This CTE of M/s JKN PURVANCHAL CBWTF WORKS is valid for establishment of Common Bio Medical Waste Treatment Facility (CBWTF) at Khasra no-1006, Village-Pahadpur, Post-Gotha Rasoolpur, District-Deoria.
2. This CTE is valid for common facility for Bio medical waste treatment through double chambered Incinerator 250 Kg/Hr, Autoclave 850 Kg/batch, Shredder 150 Kg/Hr, Chemical disinfected tank 1500 liter/batch, Sharp pit-200 liter and Ash pit-10 Cu.m as proposed.
3. The CBWTF shall comply the conditions mentioned in the Environmental Clearance under the Environment (Protection) Act, 1986 issued vide SEIAA letter dated 03.12.2021.
4. CBWTF shall install necessary APCS like venturi scrubber, 30 meter high stack for controlling the emissions from incinerators.
5. CBWTF shall strictly comply with the CPCB guidelines for setting up the Common Bio Medical Waste Treatment Facility.
6. CBWTF shall install ETP of capacity-10.0 KLD for treatment of industrial effluent and domestic effluent shall be treated through septic tank.
7. CBWTF shall provide the arrangement for storage of incinerator ash as per CPCB guidelines and shall obtain membership of Common TSDF for disposal of incineration ash.
8. CBWTF shall comply with the emission Standard for treatment and disposal of Biomedical waste by incineration as per Schedule-II of BMW Rules 2016.
9. Transportation and handling of Bio-medical Wastes shall be as per the Biomedical Waste (Management and Handling) Rules, 2016.
10. Record w.r.t. operational parameter of autoclave such as temperature pressure etc. as well as records for validation test conducted to check efficiency of autoclave shall be maintained.
11. Incinerator shall be operated in accordance with Bio-Medical Waste Management Rules, 2016 w.r.t. maintenance of Temperature for primary and secondary chamber of incinerator.
12. Incinerator Ash shall be disposed through TSDF and Log books/records shall be maintained properly for generation and disposal of incinerator Ash.
13. The water generated from scrubbing system of incinerator shall be treated through ETP and treated water shall be recycled for scrubbing purpose and for irrigation in the premises. No effluent shall be discharged directly or indirectly outside the premises.
14. The proponent shall submit adequacy of proposed Water Pollution Control System and Air Pollution Control System done by reputed technical Institution like IIT/NPC etc.
15. Discarded medicine shall be disposed in incinerator as per BMW Rule, 2016 and sharp pit shall be provided for disposal of waste sharp as per CPCB Guidelines.
16. The CBWTF shall comply with the Bio Medical Waste Management Rules 2016 and annual report shall be submitted.
17. The CBWTF shall comply with the provisions of Hazardous and Other waste (Management and Trans boundary Movement) Rules, 2016.
18. The facility shall ensure bar coding system to be adopted by member of healthcare facility in accordance with Bio Medical Waste Management Rules 2016.
19. The CBWTF shall obtain the CGWA permission for withdrawal of ground water and also comply with the CGWA guidelines for recharging of ground water.
20. The Facility shall develop and maintain green belt as per the guidelines issued by the Board vide office order dated 16/02/2018, which is available on Board's Website- [www.uppcb.com](http://www.uppcb.com).



21. Separate space for untreated Bio Medical Waste shall be provided by facility as per CPCB guidelines/Bio Medical Waste Management Rules 2016.
22. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
23. CBWTF shall install Online Continuous Emission Monitoring System and Online Continuous Effluent Monitoring System with data connectivity to CPCB server before commissioning of the plant.
24. Onsite emergency plan approved by the competent authority shall be submitted to board.
25. Project shall install at least 0.5 meter from roof level along with acoustic enclosures on DG set of capacity 32 KVA for use of backup power.
26. The dust emission from the construction sites will be completely controlled and all precautions will be taken as per the provisions of Construction & Demolition Waste Management Rules 2016.
27. CBWTF shall comply the provisions of Environment (Protection) Act 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended. CBWTF shall operate the plant after taking CTO under the provisions of Water Act 1974 and Air Act 1981 from the Board.
28. Project shall comply with the provisions of SWM Rules 2016 and provide facility for safe disposal of generated solid waste in housing project area.
29. Construction Work/installation of plant and machinery for the establishment of CBWTF shall be started after obtaining the Environmental Clearance under the Environment (Protection) Act, 1986.
30. The CBWTF shall comply with the Guideline of CPCB and shall only cater to beds which are in addition to 10,000 beds admissible to pre-existing CBWTFs located within 75 km radius.
31. CBWTF shall comply with the relevant provisions of Environmental Laws.
32. To ensure the compliance of CTE condition from 1 to 31 a Bank Guarantee of Rupees 2,50,000/- (Two Lacs Fifty Thousand only) in the prescribed format shall be submitted to the Board within 15 days, otherwise this CTE will be automatically revoked.
33. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this CTE and attract action under the provisions of Law.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 05/02/2022 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

**Chief Environmental Officer, Circle-6**

Dated:- 05/01/2022

**Copy To -**

Regional Officer, U.P. Pollution Control Board, Gorakhpur for information and necessary action.

**Chief Environmental Officer, Circle-6**





**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
 (Issued by the State Environment Impact Assessment  
 Authority (SEIAA), Uttar Pradesh)

To,

The OWNER

M/S JKN PURVANCHAL CBWTF WORKS

Village- Paharpur, Post- Gotha Rasoolpur, District-Deoria, Uttar Pradesh-  
274201 -274201

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity  
 under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)  
 in respect of project submitted to the SEIAA vide proposal number  
 SIA/UP/MIS/55933/2020 dated 29 Jun 2021. The particulars of the environmental  
 clearance granted to the project are as below.

- |   |   |
|---|---|
| 1. EC Identification No.                      | EC21B032UP156759  |
| 2. File No.                                   | 5790  |
| 3. Project Type                               | New   |
| 4. Category                                   | B1  |
| 5. Project/Activity including<br>Schedule No. | 7(d) Common hazardous waste<br>treatment, storage and disposal facilities<br>(TSDFs)  |
| 6. Name of Project                            | Common Bio-medical Waste Treatment<br>Facility (CBWTF) proposed by M/S JKN<br>PURVANCHAL CBWTF WORKS at<br>Village- Paharpur, Post- Gotha<br>Rasoolpur, Tehsil or District- Deoria-<br>274201 (UP). |
| 7. Name of Company/Organization               | M/S JKN PURVANCHAL CBWTF<br>WORKS   |
| 8. Location of Project                        | Uttar Pradesh   |
| 9. TOR Date                                   | 15 Oct 2020   |

The project details along with terms and conditions are appended herewith from page  
 no 2 onwards.

Date: 03/12/2021

(e-signed)  
 Member Secretary  
 Member Secretary  
 SEIAA - (Uttar Pradesh)

*Note: A valid environmental clearance shall be one that has EC identification  
 number & E-Sign generated from PARIVESH. Please quote identification  
 number in all future correspondence.*

*This is a computer generated cover page.*





## State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.  
Vineet Khand-1, Gomti Nagar, Lucknow- 226010  
E-Mail- doeuplko@yahoo.com, seiaaup@yahoo.com  
Phone no- 0522-2300541

Reference- MoEFCC Proposal no- SIA/UP/MIS/55933/2021 & SEIAA, U.P File no- 5790

**Sub: Environmental Clearance for Proposed Project Common Bio-medical Waste Treatment Facility at Khasra No.-1006, Village-Paharpur, Post- Gotha Rasoolpur, District-Deoria, U.P., M/s JKN Purvanchal CBWTF Works.**

Dear Sir,

This is with reference to your application / letter dated 25-08-2020, 09-09-2020, 29-06-2021 & 02-09-2021 on above mentioned subject. The matter was considered by SEAC in meeting held on 08-09-2021 and SEIAA in meeting held on 25-10-2021.

A presentation was made by the project proponent along with their consultant M/s Gaurang Environmental Solutions Pvt. Ltd to SEAC on 08-09-2021.

### **Project Details Informed by the Project Proponent and their Consultant**

The project proponent, through the documents and presentation gave following details about their project –

1. The Environmental clearance is sought for Common Bio-medical Waste Treatment Facility at Khasra No.-1006, Village-Paharpur, Post- Gotha Rasoolpur, District-Deoria, U.P., M/s JKN Purvanchal CBWTF Works.
2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 424/Parya/SEAC/5790/2020, dated 15/10/2020.
3. The public hearing was conducted on 15/04/2021 and the final EIA report was submitted by the project proponent on 29/06/2021.
4. The total plot area of the project is 5800 sq.m. (1.43 Acre).
5. Land use details:

S.No.	Description	Area (m <sup>2</sup> )	Percentage
1	Plant area	1400.0	24.13
2	Office area	630.0	10.86
3	Green area	3033.0	52.29
4	Open area	737.0	12.70
	Total	5800.0	100.0

### 6. Salient features of the project:

Items	Details
Project Name	Common Bio-Medical Waste Treatment Facility (CBWTF), Deoria
Location	Khasra no 1006, Village Paharpur, Post- Gotha Rasoolpur, Tehsil or District- Deoria, U.P.
Promoter	M/s. JKN PURVANCHAL CBWTF WORKS
Project/ Plot area	5800 sq.m. (1.43 acres)
Proposed areas to be catered with no of healthcare facilities	Deoria, Maharajganj, Kushinagar and Gorakhpur districts of Uttar Pradesh



	Health care units: 267 No. of beds: 20345 Biomedical waste : 7,629.375 kg/day (approx.)			
Project capacity	S. N.	Particular	Area/Capacity	Nos.
	1.	Plot Area	5800 sq.m.	--
	2.	Incinerator	250 kg/hour	1
	3.	Autoclave	850 kg/batch	1
	4.	Shredder	150 kg/hour	1
	5.	ETP	10 KLD	1
	6.	Sharp pit	200 Litre	1
	7.	Ash pit	10 Cu.m	1
Geo-coordinates	26°38'33.06"N 83°44'56.75"E			
Project Cost	Rs.380 Lakh			
Power Requirement & Source	32 KW Source: Uttar Pradesh State Electricity Distribution Company Limited or DG Set			
Power backup	DG Set – 32 kVA- 1 No.			
Water Requirement & Source	Fresh water: 10 KLD Treated Water : 6.0 KLD Total water demand : 16 KLD Source : Ground water			
Waste water generation	Process effluent: approx. 6.7 KLD Domestic effluent: approx. 1.5 KLD			
Effluent Treatment Plant & disposal	ETP Capacity: 10 KLD ETP Sludge: disposed of to authorized TSDF			
Fuel Requirement	HSD Incinerator: 35 litres per hour DG set: 5 litres per hour			
Manpower Requirement	38 Persons Skilled: 05 Semi-skilled: 33			
Green Area	2436 sq. m. i.e. 42% of the total project area			
EMP Budget	Capital cost : Rs. 26.5 Lakh Recurring cost : Rs. 9.0 Lakh			

7. The project proposal falls under category-7(da) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 08-09-2021 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held 25-10-2021 and decided to grant the Environmental Clearance for proposed project along with subject to the effective implementation of the following conditions:-

- I. The unit shall strictly comply with the CPCB guidelines for setting up the Common Bio-Medical Waste Treatment Facility (CBWTF).
- II. Proposed CBWTF shall comply with the revised guidelines issued by CPCB on December 21st 2016 with respect to location criteria.
- III. In case, the number of beds is exceeding >10,000 beds in a locality and the existing treatment capacity is not adequate, in such a case, a new CBWTF may be allowed in such a locality in compliance with various provisions notified under the location. Environment (Protection) Act,



1986, to cater services only to such additional bed strength of the HCFs.

IV. Statutory compliance:

1. The project proponent shall obtain forest clearance under the provisions of the Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
2. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
3. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and be approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)
4. The project proponent shall obtain Consent to establish/Operate under the provisions of the Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
5. Transportation and handling of Bio-medical Wastes shall be as per the Biomedical Wastes (Management and Handling) Rules, 20016 including section 129 to137 of Central Motor Vehicle Rules1989.
6. The project shall fulfil all the provisions of hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2016 including collection and transportation design etc and also guidelines for Common Hazardous Waste Incineration — 2005, issued by CPCB Guidelines of CPCB/MPPCB for Bio-medical Waste Common Hazardous Wastes incinerators shall be followed.
7. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
8. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
9. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities

V. Air quality monitoring and preservation:

1. The project proponent shall install an emission monitoring system including Dioxin and furans in monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online serves and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
2. Periodical air quality monitoring in and around the site including VOC, HC shall be carried out.
3. Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3% or their loss on ignition is less than 5% of the dry weight of the material.
4. Venturi scrubber (alkaline) should be provided with the incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50 mg/Nm<sup>3</sup>.
5. Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply with prescribed standards. All necessary air pollution control devices (quenching, Venturi scrubber, mist eliminator) should be provided for



compliance with emission standards.

6. Masking agents should be used for odour control.

VI. Water quality monitoring and preservation:

1. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
2. Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the norms prescribed by State Pollution Control Board. Zero discharge should be maintained.
3. Process effluent/any waste water should not be allowed to mix with storm water.
4. Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from the competent authority shall be obtained for use of fresh water.
5. A sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.
6. A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point should be obtained.
7. The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.
8. Magnetic flow meters shall be provided at the inlet and outlet of the ETP & all ground water abstraction points and records for the same shall be maintained regularly.
9. Rain water runoff from the hazardous waste storage area shall be collected and treated in the effluent treatment plant.

VII. Noise monitoring and prevention:

1. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during daytime and 70 dB(A) during night-time.

VIII. Energy Conservation measures:

1. Provide solar power generation on roof tops of buildings, for the solar light system for all common areas, street lights, parking around the project area and maintain the same regularly;
2. Provide LED lights in their offices and residential areas

IX. Waste management:

1. Incinerated ash shall be disposed of at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.
2. The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016.
3. A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from the project.
4. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016
5. No landfill site is allowed within the CBWTF site.
6. The Project proponent shall not store the Hazardous Wastes more than the quantity that has been permitted by the CPCB/SPCB.

X. Green Belt:

1. Green belt shall be developed in the area as provided in project details, with native tree  
Green belt shall be developed in an area equal to 33% of the plant area with a native tree



species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.

**XI. Public bearing and Human health issues:**

1. Feeding of materials/Bio-medical waste should be mechanized and automatic no manual feeding is permitted.
2. Proper parking facility should be provided for employees & transport used for collection & disposal of waste materials.
3. Necessary provision shall be made for fire-fighting facilities within the complex.
4. An emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
5. An emergency plan shall be drawn in consultation with SPCB/CPCB and implemented in order to minimize the hazards to human health or the environment from fires, explosions or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.
6. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
7. Occupational health surveillance of the workers shall be done on a regular basis.

**XII. Corporate Environment Responsibility:**

1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.11 dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. A copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of the six-monthly report.
3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
4. Action plan for implementing EMP and environmental conditions along with the responsibility matrix of the company shall be prepared and shall be duly approved by the competent authority. The year-wise funds earmarked for environmental protection measures shall be kept in a separate account and not be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
5. A self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.

**XIII. Miscellaneous:**

1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed
2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant



offices of the Government who in turn has to display the same for 30 days from the date of receipt.

3. The project proponent shall upload the status of compliance with the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
  4. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at the environment clearance portal.
  5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
  6. The criteria pollutant levels namely; SPM, RSPM, SP, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
  7. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  8. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  9. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitments made during Publichearings and also that during their presentation to the Expert Appraisal Committee.
  10. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
  11. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
  12. The Ministry may revoke or suspend the clearance if the implementation of any of the above conditions is not satisfactory.
  13. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time-bound manner shall implement these conditions.
  14. The Regional Office of this Ministry shall monitor compliance with the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
  15. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts/NGT and any other Court of Law relating to the subject matter.
  16. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.
- This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Gorakhpur. In case of violation; it would not be



effective and would automatically be stand cancelled.

The project proponent has to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of the violation this permission shall automatically be deemed to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this Clearance shall automatically be deemed to be cancelled.

Further project proponent has to submit the regular 6 monthly compliance report regarding general & specific conditions as specified in the E.C. letter and comply the provision of EIA notification 2006 (as Amended).

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

**Copy, through email, for information and necessary action to –**

1. The Principal Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – [soenvups@rediffmail.com](mailto:soenvups@rediffmail.com))
2. Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – [sudheer.ch@gov.in](mailto:sudheer.ch@gov.in))
3. Deputy Director General of Forests (C), Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector "H", Aliganj, Lucknow – 226020 (email – [rocz.lko-mef@nic.in](mailto:rocz.lko-mef@nic.in))
4. District Magistrate Deoria.
5. Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – [ms@uppcb.com](mailto:ms@uppcb.com))
6. Copy to Web Master for uploading on PARIVESH Portal.
7. Copy for Guard File.

(Ajay Kumar Sharma)  
Member Secretary, SEIAA