



क्षेत्रीय कार्यालय

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर

U.P. POLLUTION CONTROL BOARD, MUZAFFARNAGAR

6-बी, नई मण्डी, मुजफ्फरनगर-251001 (उ०प्र०)

संदर्भ सं०
Ref. No.

946/OAO-277/Liyakat Ali & Others

दिनांक

Dated 20-10-2022

To,

The Registrar
National Green Tribunal
Principal Bench
New Delhi.
E-mail : judicial-ngt@gov.in

Sub.-Compliance to the direction issued by Hon'ble National Green Tribunal in O.A. No. 277/2022 Liyakat Ali and Others Vs State of U.P. on 21.07.2022.

Sir,

With reference to the subject mentioned above kindly find enclosed herewith the Joint Committee Report in compliance of the order issued on 21.07.2022 by Hon'ble National Green Tribunal in O.A. No. 277/2022 Liyakat Ali and Others Vs State of U.P.

Encl. : As above.

Yours faithfully

(Ankit Singh)
Regional Officer

Copy to :

1. Member Secretary, U.P. Pollution Control Board, Lucknow for information.
2. Shri Pradeep Mishra, Advocate, Hon'ble Supreme Court/NGT, New Delhi for perusal and necessary action.
3. Chief Law Officer, U.P. Pollution Control Board, Lucknow for information.
4. Chief Environmental Officer (Circle-3), U.P. Pollution Control Board, Lucknow for information.

Regional Officer

Report of joint committee of industries discharging their effluent into Dhandhera Drain upto Jolly Road Culvert, Muzaffarnagar in compliance of order passed by the Hon'ble National Green Tribunal in case of OA 277/2022 Liyakat Ali and Others Vs State of U.P. on 21.07.2022.

1.0 Background:

In reference to the grievance aroused by Mohd. Liyakat Ali and other residents of Village Dhandhera, Muzaffarnagar, complaining pulp and paper mills discharging highly polluted chemical mixed water in the land abutting their land. It was further stated that the drain was blocked due to negligence of Mr. Dhoom Singh and Mr. Tanveer, Contractors of Public Works Department (PWD) during construction of culvert in the drain which resulted in diversion of industrial waste directly to the agricultural fields of the applicants. Complainant demanded the compensation against the loss of agriculture crop.

In the above matter, Hon'ble NGT vide order dated 28.04.2022, directed joint committee comprising of State PCB and City Magistrate, Muzaffarnagar to visit concerned industries and submitted the report before Hon'ble NGT. The joint committee inspected the concerned industries on 01.06.2022, 07.06.2022 and 10.06.2022 and submitted report to Hon'ble Tribunal on dated 18.07.2022. In continuation to the above report, Hon'ble NGT vide order dated 21.07.2022 issued directions to take further visits to the industries and put up complete and specific details about the compliance of the concerned industries regarding verification of documents for generation, transportation and disposal of hazardous waste, used/waste oil, cotton rags, fly ash, plastic waste etc., compliances of conditions imposed in the Consents issued to the industries and directed to take remedial step by taking due process of the law.

2.0 Order Passed by Hon'ble NGT on 21.07.2022

Recommendations

5. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries

have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance⁶ by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months at judicialngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

7. A perusal of the report of the Joint Committee shows that M/s Shree Bhageshwari Papers Pvt. Ltd. (Unit-1), Shree Bhageshwari Papers Pvt. Ltd. (Unit-2), M/ Galaxy Papers Pvt. Ltd., and M/s Garg Duplex and Paper Mills Pvt. Ltd., have applied to UPGWD for NOC for drawing of ground water and M/s. Silverton Pulp & Papers Pvt. Ltd. (Unit-2) has applied for hazardous waste authorization which applications are pending. No industry can be allowed to carry on the activity for which consent is applied for before grant of such consent. The Authorities concerned are under statutory mandate to ensure that such renewal applications are disposed of before expiry of the period of the consent granted earlier and fresh applications are disposed of within reasonable period and where it is not possible to dispose of the application within such periods, the Authorities have to ensure that the activity is commenced/carried on only after grant of consent and is not commenced/continued merely on the basis of pendency of the applications. UPGWD and State PCB are directed to take remedial action/dispose off the applications submitted by the above mentioned industries pending before them within two months.

3.0 Joint Inspection of concerned industries discharging treated effluent in the drain by UPPCB and City Magistrate Muzaffarnagar

In compliance to the said orders of the Hon'ble NGT dated 21.07.2022, a joint team of officials of UPPCB and District Administration Muzaffarnagar visited the mentioned 14 industries which are discharging their treated effluent into Dhandhera Drain upto Jolly Road Culvert and their surrounding areas on dated 13.09.2022, 14.09.2022 and 15.09.2022. The salient details, observations and recommendations based on inspection are as follows:

1. M/s. Silvertoan Papers Ltd. (Unit-1), 9th Km. Bhopa Road, Muzaffarnagar.



| | | |
|-----|----------------------|--------------------------------------|
| 01. | Name of the Industry | M/s. Silvertoan Papers Ltd. (Unit-1) |
| 02. | Address/Tel | 9th Km. Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 13.09.2022 |

| | | |
|--|---|--|
| 04. | Name & Designation of Industry representative | Mr. Amit Garg, Director Mob. No. 9756750000 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | 180 MT/Day (60 MT/Day Waste Paper Based and 120 MT/Day Agro Waste Base) |
| 07. | Raw material & their consumption | Agro Waste, Waste Paper, Caustic, Rosin, Alum etc. |
| 08. | Year of Commissioning | 1994 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 2000 KLD 5 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 25.01.2027 (Copy Enclosed as Annexure-1) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 1800 KID 3 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Primary Clarifier, Aeration Tank, Secondary Clarifier, Tube Settler, Activated Carbon Filter, Sludge Drying Beds etc. Industry has Chemical Recovery Plant for disposal of generated Black Liquor for Agro Waste Pulping. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |

| | | |
|--|--|---|
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-2 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-3) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 27 TPH |
| 20. | Details of fuel and its consumption | Coal 100 MT/Day, Rice Husk 160 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | E.S.P. Stack – 45 M. High from ground level |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-4) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 30.09.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-5 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- M/s. Silverton Papers Ltd. (Unit-1) has authorization from UPPCB valid upto 12.01.2023 (Annexure-6)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for Unit-1 and Unit-2 for the month of March 2022 & September 2022 (Annexure-7).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>As per Schedule-I Cat. 5.1 Used or Spent Oil Cat. 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals/wastes Cat. 33.2 Contaminated cotton rags or other cleaning materials Cat. 34.2 Sludge from treatment of waste water arising out of cleaning/disposal of barrels/containers</td><td>Disposal through TSDF Disposal through TSDF Disposal through TSDF Disposal through TSDF</td><td>225 kg/Annum 160 Pcs/Annum 75 kg/Annum 27 MT/Annum</td></tr></table> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | As per Schedule-I Cat. 5.1 Used or Spent Oil Cat. 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals/wastes Cat. 33.2 Contaminated cotton rags or other cleaning materials Cat. 34.2 Sludge from treatment of waste water arising out of cleaning/disposal of barrels/containers | Disposal through TSDF Disposal through TSDF Disposal through TSDF Disposal through TSDF | 225 kg/Annum 160 Pcs/Annum 75 kg/Annum 27 MT/Annum |
|------|---|--|---|--|---|----------------------|----|---|--|---|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | |
| 1. | As per Schedule-I Cat. 5.1 Used or Spent Oil Cat. 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals/wastes Cat. 33.2 Contaminated cotton rags or other cleaning materials Cat. 34.2 Sludge from treatment of waste water arising out of cleaning/disposal of barrels/containers | Disposal through TSDF Disposal through TSDF Disposal through TSDF Disposal through TSDF | 225 kg/Annum 160 Pcs/Annum 75 kg/Annum 27 MT/Annum | | | | | | | |

| | | |
|--|--|---|
| | | <p><u>Total Waste Generated and Disposed from March 2022 till September 2022 :-</u></p> <p>Unit has submitted Form-10 (Common for Unit-1 & Unit-2) for disposal of Hazardous Waste through TSDF. As per the Form-10, units sent used/waste oil 120 Kg and Sludge from treatment of waste water arising out of cleaning/disposal of barrels/containers 790 kg.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal for Unit-1 and Unit-2 | | |
|---|---|---|
| 26. | Fly Ash Details | <p><u>Note :- Unit has submitted details of fly ash and plastic waste for both industries together, both industries being in the same premises (Silverton papers ltd (Unit I and Unit II)).</u></p> <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry provided the details of Fly Ash generation and disposal from February 2022 to July 2022 cumulatively for Unit-1 and Unit-2. As per the information, generated fly ash is being disposed through local vendors for filling in low lying area and brick making in brick kilns (Annexure-8).</p> <p><u>Mode of Transportation (covered/not covered):</u> - Partially Covered</p> <p><u>Mode of disposal</u> :- Used for landfilling but landfilling is not being done properly hence adding to further air pollution.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Generally, the quantity of plastic waste generated in any pulp and paper industry (waste paper based industry) is 1.5% (approx.) of the total production. The production capacity on Waste Paper based of Unit-1 is 60 TPD and Unit-2 is 220 TPD. The total production capacity of both units is 280 TPD on the basis of waste paper as raw material,</p> |

| | | |
|--|--|---|
| | | <p>accordingly plastic waste generation is : 110 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per record for Unit-1 & Unit-2 is Avg. 32.36 MT/Month of plastic waste disposed through M/s Ultratech Cement Rajasthan, M/s Hariom Enterprises Rajasthan and M/s Dew Resources Management Muzaffarnagar etc. from February 2022 to July 2022. For the same, tax invoices are enclosed as Annexure-9.</p> <p>As per above, it is concluded that approx $110 - 32.36 = 77.64$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |
|--|--|---|

Observations:

1. Industry has not submitted the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.), no details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.

3. During inspection, air pollution control system (ESP) was found operational. Stack monitoring done by Regional Office on dated 30.09.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has submitted pointwise compliance report of water and air consents and hazardous waste authorization. The copy of compliance reports are enclosed as **Annexure-10**.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

1. On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-11**.

2. M/s. Silvertan Papers Ltd. (Unit-2), 9th Km. Bhopa Road, Muzaffarnagar.

| | | |
|-----|---|--|
| 01. | Name of the Industry | M/s. Silvertan Papers Ltd. (Unit-2) |
| 02. | Address/Tel | 9th Km. Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 13.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Amit Garg, Director Mob. No. 9756750000 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | 220 MT/Day |
| 07. | Raw material & their consumption | Waste Paper, Rosin, Alum etc. |
| 08. | Year of Commissioning | 2016 |

| | | |
|--|---|---|
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 1350 KLD 10 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 25.01.2027 (Copy Enclosed as Annexure-12) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 700 KID 4 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Primary Clarifier, Aeration Tank, Secondary Clarifier, Tube Settler, Activated Carbon Filter, Sludge Drying Beds etc. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-13. |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-14) |
| 18. | Treated effluent storage facility | -- |

| Information pertaining to Air Pollution | | |
|---|---|---|
| 19. | Source of Air Pollution | Boiler 15 TPH |
| 20. | Details of fuel and its consumption | Coal/Biomass 60 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | Multi-Cyclone Dust Collector, Wet Scrubber Stack – 31 M. High from ground level |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-15) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler being done on dated 30.09.2022. As per the monitoring report, Particulate matter found within the norms. Copy of Monitoring report enclosed as Annexure-16 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 | | | | | | | | | | | |
|--|--------------------------------|--|----------|------|--------------------------------|--------------------|----------|--|--|--|--|
| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- M/s. Silverton Papers Ltd. (Unit-2) has authorization from UPPCB valid upto 08.02.2023 (Annexure-17)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Bharat Oil & Waste Management Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for Unit-1 and Unit-2 for the month of March 2022 & September 2022 (Annexure-18).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table border="1"> <thead> <tr> <th>S.N.</th><th>Category of Hazardous Waste as</th><th>Authorised mode of</th><th>Quantity</th></tr> </thead> <tbody> <tr> <td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> | | S.N. | Category of Hazardous Waste as | Authorised mode of | Quantity | | | | |
| S.N. | Category of Hazardous Waste as | Authorised mode of | Quantity | | | | | | | | |
| | | | | | | | | | | | |

| | | | | | |
|--|--|---|--|--|----------------|
| | | | per the Schedule I, II and III of these rules | disposal or recycling or utilization of co-processing etc. | (Ton/Annum) |
| | | 1. | Schedule-I Used or Spent Oil Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications | Handed over to TSDF | 0.225 KL/Annum |
| | | 2. | Schedule-I Wastes or residues containing oil Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications | Handed over to TSDF | 0.075 T/Annum |
| | | 3. | Schedule-I Sludge from treatment of wastes water arising out of cleaning/disposal of barrels/containers De-contamination of barrels/containers used for handling of hazardous wastes/chemicals | Handed over to TSDF | 1.0 T/Annum |
| | | <p><u>Total Waste Generated and Disposed from March 2022 till September 2022 :-</u></p> <p>Unit has submitted Form-10 (Common for Unit-1 & Unit-2) for disposal of Hazardous Waste through TSDF. As per the Form-10, units sent used/waste oil 120 Kg and Sludge from treatment of waste water arising out of cleaning/disposal of barrels/containers 790 kg.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> | | | |



Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal for Unit-1 and Unit-2

| | | |
|-----|-----------------|--|
| 26. | Fly Ash Details | <p><u>Note :- Unit has submitted details of fly ash and plastic waste for both industries together, both industries being in the same premises (Silverton papers ltd (Unit I and Unit II).</u></p> <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry provided the details of Fly Ash generation and disposal from February 2022 to July 2022 cumulatively for Unit-1 and Unit-2. As per the information, generated fly ash is being disposed through local vendors for filling in low lying area and brick making in brick kilns (Annexure-19).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Used for landfilling but landfilling is not being done properly hence</p> |
|-----|-----------------|--|

| | | |
|-----|---|---|
| | | <p>adding to further air pollution</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production. The production capacity on Waste Paper based of Unit-1 is 60 TPD and Unit-2 is 220 TPD. The total production capacity of both units is 280 TPD on the basis of waste paper as raw material, accordingly plastic waste generation is : 110 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per record for Unit-1 & Unit-2 is Avg. 32.36 MT/Month of plastic waste disposed through M/s Ultratech Cement Rajasthan, M/s Hariom Enterprises Rajasthan and M/s Dew Resources Management Muzaffarnagar etc. from February 2022 to July 2022. For the same, tax invoices are enclosed as Annexure-20.</p> <p>As per above, it is concluded that $110 - 32.36 = 77.64$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |

Observations:

1. Industry has not submitted the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.), no details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
3. During inspection, air pollution control system (ESP) was found operational. Stack monitoring done by Regional Office on dated 30.09.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has submitted pointwise compliance report of water and air consents and hazardous waste authorization. The copy of compliance reports are enclosed as **Annexure-21**.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-22**.

3. M/s. Silverton Pulp & Papers Pvt. Ltd.. 9th Km. Bhopa Road, Muzaffarnagar.

| | | |
|-----|----------------------|-----------------------------------|
| 01. | Name of the Industry | Silverton Pulp & Papers Pvt. Ltd. |
| 02. | Address/Tel | 9th Km. Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 15.09.2022 |

| | | |
|--|---|---|
| 04. | Name & Designation of Industry representative | Mr. Sanjeev Jain, Director Mob. No. 9837027546 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | 300 MT/Day |
| 07. | Raw material & their consumption | Waste Paper, Rosin, Alum etc. |
| 08. | Year of Commissioning | 2004 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 1800 KLD 5 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 13.03.2026 (Copy Enclosed as Annexure-23) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 1200 KID 3 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Sedicell, Primary Clarifier, Aeration Tank, Secondary Clarifier, Sand Filter, Activated Carbon Filter, Sludge Drying Beds etc. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |

| | | |
|--|---|---|
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-24 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2023 (Copy Enclosed as Annexure-25) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Steam supplied through Co-unit M/s. Silverton Pulp & Papers Pvt. Ltd. (Unit-2) |
| 20. | Details of fuel and its consumption | - |
| 21. | Details of Air Pollution Control Systems and Stack detail | - |
| 22. | Status of APCS | - |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2023 (Copy Enclosed as Annexure-26) |
| 24. | Quality of emission being emitted through stack | Steam supplied through Co-unit M/s. Silverton Pulp & Papers Pvt. Ltd. (Unit-2) |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| | | |
|-----|-------------------------|--|
| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 02.08.2027 (Annexure-27)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Sheetala Waste Management Project, Bulandshahr for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of July, 2022 (Annexure-28).</p> |
|-----|-------------------------|--|

| | | <p><u>Total waste generated as per valid Authorization :-</u></p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials)</td><td>Through TSDF</td><td>0.150 MT/Annum</td></tr><tr><td>2.</td><td>Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes)</td><td>Through TSDF</td><td>2.0 MT/Annum</td></tr><tr><td>3.</td><td>Category 5.1 As per Schedule I (Used or Spent Oil)</td><td>Through TSDF</td><td>0.40 KL/Annum</td></tr><tr><td>4.</td><td>Category 34.2 As per Schedule I (Sludge from treatment of waste water arising out of cleaning/disposal of barrels/ containers)</td><td>Through TSDF</td><td>40 MT/Annum</td></tr></table> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.150 MT/Annum | 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 2.0 MT/Annum | 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.40 KL/Annum | 4. | Category 34.2 As per Schedule I (Sludge from treatment of waste water arising out of cleaning/disposal of barrels/ containers) | Through TSDF | 40 MT/Annum |
|------|---|--|----------------------|--|---|----------------------|----|--|--------------|----------------|----|---|--------------|--------------|----|--|--------------|---------------|----|---|--------------|-------------|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | | | | | | | | | | | | | |
| 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.150 MT/Annum | | | | | | | | | | | | | | | | | | | |
| 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 2.0 MT/Annum | | | | | | | | | | | | | | | | | | | |
| 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.40 KL/Annum | | | | | | | | | | | | | | | | | | | |
| 4. | Category 34.2 As per Schedule I (Sludge from treatment of waste water arising out of cleaning/disposal of barrels/ containers) | Through TSDF | 40 MT/Annum | | | | | | | | | | | | | | | | | | | |
| | | <p><u>Total Waste Generated and Disposed :-</u></p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, units sent Cotton Waste, Waste Oil, Process Sludge 480 Kg. in the Month of July, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> | | | | | | | | | | | | | | | | | | | | |



| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|---|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated :-</u> Unit does have boiler in the premises and steam is supplied through Co-unit M/s. Silverton Pulp & Papers Pvt. Ltd. (Unit-2). Hence. No fly ash is generated in premises</p> <p><u>Mode of Transportation (covered/not covered) :-</u> N.A.</p> <p><u>Mode of disposal :-</u> N.A.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u> N.A.</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u> N.A.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u> Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production : 117 MT/Month Disposal of plastic waste (for co-processing/ for recycling/for Gasifier) as per record – 114 MT/Month of plastic waste disposed through Gasifier in own sister concern (Unit-2). Details attached as Annexure No. 29</p> |

| | | |
|--|--|--|
| | | <p>As per above, it is concluded that all generated plastic waste is being disposed through gasifier.</p> <p>Mode of disposal as per EPR submitted by industry :- Complying as plastic waste is being disposed through Gasifier.</p> |
|--|--|--|

Observations:

1. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
2. During inspection, unit has submitted pointwise compliance report of water and air consents. The copy of compliance reports are enclosed as **Annexure-30**. Pointwise compliance of hazardous waste authorization is not submitted.

Recommendations/Conclusion :

1. Industry should be directed to submit pointwise compliance report of Hazardous waste authorization order.

4. M/s. Silverton Pulp & Papers Pvt. Ltd.. (Unit-2), 9th Km. Bhopa Road, Muzaffarnagar.

| | | |
|-----|---|---|
| 01. | Name of the Industry | Silverton Pulp & Papers Pvt. Ltd. (Unit-2) |
| 02. | Address/Tel | 9th Km. Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 15.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Akshay Jain, Director Mob. No. |
| 05. | Products/By-products/Process | Writing Printing/Craft/Coated Duplex/News Print Paper |
| 06. | Production Capacity | 300 MT/Day |
| 07. | Raw material & their consumption | Waste Paper/Imported Waste Paper/Virgin Pulp etc. |
| 08. | Year of Commissioning | 2018 |

| | | |
|--|---|--|
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 3000 KLD 5 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 13.03.2026 (Copy Enclosed as Annexure-31) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 2500 KID 3 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Collection Tank, Sedicell, Equalization Tank, Primary Clarifier, Aeration Tank-1, Secondary Clarifier-1, Aeration Tank-2, Secondary Clarifier-2, Polishing Tank, Multigrade Filter, Activated Carbon Filter, Belt Press, Sludge Drying Beds etc. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-32 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-33) |

| | | |
|--|---|--|
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 80 TPH |
| 20. | Details of fuel and its consumption | Coal/Biomass 400 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | E.S.P. 65 M. high from ground level |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-34) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 01.10.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-35 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| | | |
|-----|-------------------------|---|
| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 02.08.2027 (Annexure-36)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Sheetala Waste Management Project, Bulandshahr for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of June, 2022 (Annexure-37).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> |
|-----|-------------------------|---|

| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) |
|---|---|---|----------------------|
| 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.150 MT/Annum |
| 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 2.0 MT/Annum |
| 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.40 KL/Annum |
| 4. | Category 34.2 As per Schedule I (Sludge from treatment of waste water arising out of cleaning/disposal of barrels/containers) | Through TSDF | 40 MT/Annum |
| <p><u>Total Waste Generated and Disposed :-</u></p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, units sent Used Oil & Grease, Process Sludge 385 Kg., Empty Containers 42 Pcs in the Month of June, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> | | | |



| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|-----------------|---|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u> During joint committee visit industry provided the details of Fly Ash generation and disposal from February 2022 to July 2022. As per the information, generated fly ash is being disposed through various local vendors for filling for which information attached as Annexure-38).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Regarding the disposal of Fly ash, no information is being provided by the Industry.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u> Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u> No details provided regarding preventive measures of fugitive emission (i.e. green cover,</p> |

| | | |
|-----|---|--|
| | | water sprinkling and obstruction wall) at dumping sites. |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.25% of production as unit is using imported waste paper and virgin pulp : 97.5 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling/for Gasifier) as per record – 101 MT/Month of plastic waste disposed through Gasifier in own sister concern (Unit-2). Details attached as Annexure No. 39</p> <p>As per above, it is concluded that all generated plastic waste is being disposed through gasifier.</p> <p>Mode of disposal as per EPR submitted by industry :- Complying as plastic waste is being disposed through Gasifier.</p> |

Observations:

1. Industry has not submitted the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.), no details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
3. During inspection, air pollution control system (ESP) was found operational. Stack monitoring done by Regional Office on dated 01.10.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.

4. During inspection, unit has submitted pointwise compliance report of water and air consents The copy of compliance reports are enclosed as **Annexure-40**. Pointwise compliance of hazardous waste authorization is not submitted.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-41**.

5. M/s. Garg Duplex & Paper Mills Pvt. Ltd., 8.5 Km., Bhopa Road, Muzaffarnagar

| | | |
|--|--|--|
| 01. | Name of the Industry | M/s. Garg Duplex & Paper Mills Pvt. Ltd. |
| 02. | Address/Tel | 8.5 Km. Bhopa Road, Muzaffarnagar. |
| 03. | Date of Inspection | 15.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Rajesh Jain, Director Mob. No. 9359797071 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | 415 MT/Day |
| 07. | Raw material & their consumption | Waste Paper 450 MTD, Agro Waste 130 MTD |
| 08. | Year of Commissioning | 1989 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) | Tubewell |
| | Industrial | 2595 KLD |
| | Domestic | 5 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied) | Valid upto 29.07.2026 (Copy Enclosed as Annexure-42) |

| | | |
|--|--|--|
| | / Never Applied) | |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 1500 KID 3 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Sedicell, Primary Clarifier, Aeration Tank-1, Secondary Clarifier-1, Aeration Tank-2, Secondary Clarifier-2, Tube Settler, Sand Filter, Activated Carbon Filter, Filter Press, Mould Press etc. Industry has Chemical Recovery Plant for disposal of generated Black Liquor for Agro Waste Pulping. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-43 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-44) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 30 TPH and 12 TPH |
| 20. | Details of fuel and its consumption | Coal 100 MT/Day, Agro Fuel 100 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | ESP for 30 TPH Boiler and Multi-Cyclone Dust Collector & Wet Scrubber for 12 TPH Boiler Stack height from ground level - 55 M. with 30 TPH Boiler and 30 M. with 12 TPH Boiler |

| | | |
|-----|---|--|
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-45) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 02.10.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-46 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 24.07.2027 (Annexure-47)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of June, 2022 (Annexure-48).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials)</td><td>Through TSDF</td><td>0.20 MT/Annum</td></tr><tr><td>2.</td><td>Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous</td><td>Through TSDF</td><td>2.0 MT/Annum</td></tr></table> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.20 MT/Annum | 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous | Through TSDF | 2.0 MT/Annum |
|------|---|---|----------------------|--|---|----------------------|----|--|--------------|---------------|----|---|--------------|--------------|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | | | | | |
| 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.20 MT/Annum | | | | | | | | | | | |
| 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous | Through TSDF | 2.0 MT/Annum | | | | | | | | | | | |

| | | |
|--|--|--|
| | | <div data-bbox="952 153 1503 344"> <div>chemicals/wastes)</div> <div>3. Category 5.1 As per Schedule I (Used or Spent Oil)</div> <div>4. Category 32.3 As per Schedule I (Process Sludge)</div> </div> <div data-bbox="1503 153 1830 344"> <div>Through TSDF</div> <div>Through TSDF</div> </div> <div data-bbox="1830 153 2072 344"> <div>0.40 KL/Annum</div> <div>60 MT/Annum</div> </div> |
| | | <p><u>Total Waste Generated and Disposed :-</u></p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, units sent ETP Sludge 600 kg, Oil Mixed Coolant 100 kg and Plastic containers 100 kg in the Month of June, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> |
| | | <div data-bbox="952 850 1469 1329"> </div> <div data-bbox="1491 831 1973 1329"> </div> |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|---|---|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry provided the details of Fly Ash generation and disposal from February 2022 to July 2022. As per the information, generated fly ash is being disposed through local vendor for land filling for which information attached as Annexure-49).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Regarding the disposal of Fly ash, industry provided affidavit of local vendor Mr. Shane Aalam which states that fly ash dumping at Khasra No. 4252, 476, 479, 481 and 420 of Village Kasampura, Bhopa Road, Muzaffarnagar.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Khasra No. 4252, 476, 479, 481 and 420 of Village Kasampura, Bhopa Road, Muzaffarnagar.</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production : 160 MT/Month</p> <p>Disposal of plastic waste from February 2022 to July 2022, as per record 74 MT/Month (Avg.) is being disposed through Gasifier of M/s. Silverton Pulp & Paper Pvt. Ltd. (Unit-2) (Annexure-50) and Others for which no information is provided by the industry.</p> <p>As per above, it is concluded that approx $160 - 74 = 86$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> |

| | | |
|--|--|---|
| | | <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |
|--|--|---|

Observations:

1. Industry has not submitted the details of fly ash regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
3. During inspection, air pollution control system (ESP, Multi Cyclone Dust Collector and Wet Scrubber) was found operational. Stack monitoring done by Regional Office on dated 02.10.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has submitted pointwise compliance report of water and air consents. The copy of compliance reports are enclosed as **Annexure-51**. Pointwise compliance of hazardous waste authorization is not submitted.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981.

Report of Joint Committee O.A.No.277 of 2022

Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-52**.



6. M/s. Shree Sidhballi Paper Mills Ltd., Bhopa Road, Muzaffarnagar

| | | |
|--|---|--|
| 01. | Name of the Industry | M/s. Shree Sidhballi Paper Mills Ltd. |
| 02. | Address/Tel | Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 13.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Raghuraj Garg, Director Mob. No. 9837060030 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | 250 MT/Day |
| 07. | Raw material & their consumption | Waste Paper, Rosin, Alum etc. |
| 08. | Year of Commissioning | 2001 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) | Tubewell |
| | Industrial | 2250 KLD |
| | Domestic | 5 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 06.10.2026 (Copy Enclosed as Annexure-53) |
| 12. | Waste water generation (KL/Day) | |
| | Industrial | 1400 KID |
| | Domestic | 3 KLD |
| 13. | Waste water Treatment Facility | |
| | Industrial | ETP |

| | | |
|--|---|--|
| | Domestic | Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Primary Clarifier, Sedicell, Secondary Clarifier, Aeration Tank, Reaction Tank, Tube Settler, M.G.F., A.C.F., Sludge Drying Beds and Filter Press Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-54 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-55) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 25 TPH |
| 20. | Details of fuel and its consumption | Coal/Fire Wood/Biomass 200 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | Wet Scrubber 40 M. high from ground level |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-56) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 30.09.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-57 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 16.08.2027 (Annexure-58)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of February and June, 2022 (Annexure-59).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials)</td><td>Through TSDF</td><td>0.125 MT/Annum</td></tr><tr><td>2.</td><td>Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes)</td><td>Through TSDF</td><td>2.0 MT/Annum</td></tr><tr><td>3.</td><td>Category 5.1 As per Schedule I (Used or Spent Oil)</td><td>Through TSDF</td><td>0.30 MT/Annum</td></tr><tr><td>4.</td><td>Category 34.2 As per Schedule I (Sludge from Treatment of Waste Water Arising Out of Cleaning/Disposal of Barrels/Containers)</td><td>Through TSDF</td><td>10.0 MT/Annum</td></tr><tr><td>5.</td><td>Category 34.1 As per Schedule I (Chemical containing residue arising from decontamination)</td><td>Through TSDF</td><td>30.0 MT/Annum</td></tr></table> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.125 MT/Annum | 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 2.0 MT/Annum | 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.30 MT/Annum | 4. | Category 34.2 As per Schedule I (Sludge from Treatment of Waste Water Arising Out of Cleaning/Disposal of Barrels/Containers) | Through TSDF | 10.0 MT/Annum | 5. | Category 34.1 As per Schedule I (Chemical containing residue arising from decontamination) | Through TSDF | 30.0 MT/Annum |
|------|---|--|----------------------|--|---|----------------------|----|--|--------------|----------------|----|---|--------------|--------------|----|--|--------------|---------------|----|---|--------------|---------------|----|--|--------------|---------------|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | | | | | | | | | | | | | | | | | |
| 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.125 MT/Annum | | | | | | | | | | | | | | | | | | | | | | | |
| 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 2.0 MT/Annum | | | | | | | | | | | | | | | | | | | | | | | |
| 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.30 MT/Annum | | | | | | | | | | | | | | | | | | | | | | | |
| 4. | Category 34.2 As per Schedule I (Sludge from Treatment of Waste Water Arising Out of Cleaning/Disposal of Barrels/Containers) | Through TSDF | 10.0 MT/Annum | | | | | | | | | | | | | | | | | | | | | | | |
| 5. | Category 34.1 As per Schedule I (Chemical containing residue arising from decontamination) | Through TSDF | 30.0 MT/Annum | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|--|--|--|
| | | <p><u>Total Waste Generated and Disposed :-</u></p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, unit sent ETP Sludge 1910 kg, Plastic Waste 68.30 Kg, Tubelights 5.30 Kg, Plastic Containers 718 kg, Old Oil 76 Kg, Old Grease 179 kg, Biomass Sludge 569 Kg, Greased Cloths 82 Kg. in the Month of February and June, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|-----------------|---|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry provided the details of Fly Ash generation and</p> |

| | | |
|-----|---|--|
| | | <p>disposal from February 2022 to July 2022. Details attached as Annexure-60. Industry has not submitted information regarding fly ash dumping area etc.</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Regarding the disposal of Fly ash, no information is being provided by the Industry.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production : 97.5 MT/Month</p> <p>Disposal of plastic waste from February 2022 to July 2022, as per record 19.77 MT/Month (Avg.) is being disposed. Industry has not submitted the information (Tax Invoices etc.) through whom plastic waste is being disposed (Annexure-61).</p> <p>As per above, it is concluded that approx $97.5 - 19.77 = 77.73$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |

Observations:

1. Industry has not submitted the details of fly ash regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
3. During inspection, air pollution control system (Wet Scrubber) was found operational. Stack monitoring done by Regional Office on dated 30.09.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has submitted pointwise compliance report of water and air consents. The copy of compliance reports are enclosed as **Annexure-62**. Pointwise compliance of hazardous waste authorization is not submitted.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-63**.

7. M/s. Meenu Paper Mills Pvt. Ltd., 9.5 Km., Bhopa Road, Muzaffarnagar


| | | |
|-----|----------------------|--|
| 01. | Name of the Industry | M/s. Meenu Paper Mills Pvt. Ltd. |
| 02. | Address/Tel | 9.5 Km. Stone, Bhopa Road, Muzaffarnagar |

| | | |
|--|---|---|
| 03. | Date of Inspection | 14.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Manish Kapoor, Director Mob. No. 9837820000 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | 150 MT/Day |
| 07. | Raw material & their consumption | Waste Paper, Rosin, Alum etc. |
| 08. | Year of Commissioning | 1994 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 695 KLD 5 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 26.07.2026 (Copy Enclosed as Annexure-64) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 300 KID 3 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Sedicells, Primary Clarifier, Aeration Tank, Secondary Clarifier, Sand Filter, Decanter, Sludge Drying Beds etc. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in |

| | | |
|--|---|--|
| | | OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-65 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-66) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 11 TPH and 12 TPH |
| 20. | Details of fuel and its consumption | Coal 65 MT/Day, Biomass 60 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | Separate Wet Scrubbers for both Boilers Stack height from ground level - 32 M. with 11 TPH Boiler and 30 M. with 12 TPH Boiler |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-67) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 01.10.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-68 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

| | | |
|---|-------------------------|--|
| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 | | |
| 25. | Hazardous Waste details | <u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 05.05.2023 |

| | | <p>(Annexure-69)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of February and June, 2022 (Annexure-70).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>Schedule-I, Serial No. 5.1 Used or Spent Oil</td><td>Through Authorised TSDF</td><td>225 Kg/Annum</td></tr><tr><td>2.</td><td>Schedule-I, Serial No. 33.2 Contaminated Cotton Rags or other cleaning materials</td><td>Through Authorised TSDF</td><td>75 Kg/Annum</td></tr><tr><td>3.</td><td>Schedule-I, Serial No. 33.1 Empty Barrels/containers/liners contaminated with hazardous chemicals</td><td>Through Authorised TSDF</td><td>150 kg/Annum</td></tr></table> <p><u>Total Waste Generated and Disposed</u> :-</p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, unit sent ETP Sludge 820 kg, Used Oil 50 Ltr, Plastic Waste 120 kg, Cotton Waste 20 Kg in the Month of May, 2022.</p> <p><u>Compliance found during inspection</u> :-</p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate.</p> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | Schedule-I, Serial No. 5.1 Used or Spent Oil | Through Authorised TSDF | 225 Kg/Annum | 2. | Schedule-I, Serial No. 33.2 Contaminated Cotton Rags or other cleaning materials | Through Authorised TSDF | 75 Kg/Annum | 3. | Schedule-I, Serial No. 33.1 Empty Barrels/containers/liners contaminated with hazardous chemicals | Through Authorised TSDF | 150 kg/Annum |
|------|---|---|----------------------|--|---|----------------------|----|--|-------------------------|--------------|----|--|-------------------------|-------------|----|---|-------------------------|--------------|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | | | | | | | | | |
| 1. | Schedule-I, Serial No. 5.1 Used or Spent Oil | Through Authorised TSDF | 225 Kg/Annum | | | | | | | | | | | | | | | |
| 2. | Schedule-I, Serial No. 33.2 Contaminated Cotton Rags or other cleaning materials | Through Authorised TSDF | 75 Kg/Annum | | | | | | | | | | | | | | | |
| 3. | Schedule-I, Serial No. 33.1 Empty Barrels/containers/liners contaminated with hazardous chemicals | Through Authorised TSDF | 150 kg/Annum | | | | | | | | | | | | | | | |

| | | |
|--|--|--|
| | | Photographs of Temporarily Storage area and Display boards are as follows : |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|-----------------|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry provided the details of Fly Ash generation and disposal from February 2022 to July 2022. As per the information, generated fly ash is being disposed in own land for filling for which information attached as Annexure-71).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Regarding the disposal of Fly ash, no information is being provided by the Industry.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> |

| | | |
|-----|---|--|
| | | No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production : 58.5 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per record – 25.43 MT/Month (Avg.) of plastic waste disposed through M/s Ultratech Cement Rajasthan and M/s Harshit Trading Co. Rajasthan from February 2022 to July 2022. For the same, tax invoices are enclosed as Annexure-72.</p> <p>As per above, it is concluded that approx $58.5 - 25.43 = 33.07$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |

Observations:

1. Industry has not submitted the details of fly ash regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within

norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.

3. During inspection, air pollution control system (Wet Scrubber) was found operational. Stack monitoring done by Regional Office on dated 01.10.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has not submitted pointwise compliance report of water/air consents and hazardous waste authorization is not submitted.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-73**.

8. M/s. Tehri Pulp & Paper Ltd. (Unit-1), 9th Km., Bhopa Road, Muzaffarnagar

| | | |
|--|---|---|
| 01. | Name of the Industry | M/s. Tehri Pulp & Papers Ltd. (Unit-1) |
| 02. | Address/Tel | 9th Km. Stone, Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 14.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Sachin Agarwal, Director Mob. No. 9837058214 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | 250 MT/Day (50 MT/Day on Agro Waste Based and 200 MT/Day on Waste Paper Based) |
| 07. | Raw material & their consumption | Agro Waste, Waste Paper, Caustic, Rosin, Alum etc. |
| 08. | Year of Commissioning | 1997 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |

| | | |
|-----|---|---|
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 1800 KLD 10 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 30.03.2027 (Copy Enclosed as Annexure-74) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 1300 KID 5 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Hillscreen, Sedicell, Primary Clarifier, Aeration Tank, Secondary Clarifier, Tube Settler, Dual Media Filter, Belt Press etc. Black liquor generated from Agro Waste Pulping disposed through Chemical Recovery Plant of M/s. Bindals Papers Mills Ltd., Bhopa Road, Muzaffarnagar. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-75 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-76) |
| 18. | Treated effluent storage facility | -- |

| Information pertaining to Air Pollution | | |
|---|---|--|
| 19. | Source of Air Pollution | Boiler 14 TPH and 52 TPH |
| 20. | Details of fuel and its consumption | Coal 240 MT/Day, Biomass 180 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | Multi-Cyclone Dust Collector, Wet Scrubber for 14 TPH Boiler and E.S.P. for 52 TPH Boiler Stack height from ground level - 30 M. with 14 TPH Boiler and 60 M. with 52 TPH Boiler |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-77) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 02.10.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-78 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 | | | | | | | | | | | | |
|--|--|---|----------------------|--|------|--|---|----------------------|--|--|--|--|
| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 02.08.2027 (Annexure-79)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s. Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of December 2021 and April, 2022 (Annexure-80).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><td>S.N.</td><td>Category of Hazardous Waste as per the Schedule I, II and III of these</td><td>Authorised mode of disposal or recycling or</td><td>Quantity (Ton/Annum)</td></tr><tr><td></td><td></td><td></td><td></td></tr></table> | | | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these | Authorised mode of disposal or recycling or | Quantity (Ton/Annum) | | | | |
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these | Authorised mode of disposal or recycling or | Quantity (Ton/Annum) | | | | | | | | | |
| | | | | | | | | | | | | |

| | | | | | |
|--|--|---|---|-----------------------------------|----------------|
| | | | rules | utilization of co-processing etc. | |
| | | 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.125 MT/Annum |
| | | 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 1.5 MT/Annum |
| | | 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.375 MT/Annum |
| | | 4. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 3.0 MT/Annum |
| | | <p><u>Total Waste Generated and Disposed :-</u></p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, unit sent Used Oil 475 kg in Dec. 2021 and Empty Plastic Drums 485 kg, Used Oil 60 Kg in in the Month of April, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> | | | |

| | | |
|--|--|--|
| | |  |
|--|--|--|

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|-----------------|---|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry provided the details of Fly Ash generation and disposal from February 2022 to July 2022. As per the information, generated fly ash is being sent to Cement Plant and in Brick Kilns for which information attached as Annexure-81.</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Regarding the disposal of Fly ash, no information is being provided regarding Tax Invoices, agreement etc. by the industry.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |

| | | |
|-----|---|---|
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Note :- Unit has submitted details of plastic waste for both industries together, both industries being in the same premises (Tehri Pulp & Paper Ltd Unit-1 and Unit-2).</u></p> <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production. The production capacity on Waste Paper based of Unit-1 is 200 TPD and Unit-2 is 350 TPD. The total production capacity of both units is 550 TPD on the basis of waste paper as raw material, accordingly plastic waste generation is : 214.5 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per record for Unit-1 & Unit-2 is Avg. 28.44 MT/Month of plastic waste disposed through M/s Ultratech Cement Rajasthan and M/s. Nuvoco Cement Rajasthan from February 2022 to July 2022 (Annexure-82). For the same, tax invoices are not submitted.</p> <p>As per above, it is concluded that $\text{approx } 214.5 - 28.44 = 186.06 \text{ MT/ Month}$ plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |
|-----|---|---|

Observations:

1. Industry has not submitted the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.), no details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found

partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.

2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
3. During inspection, air pollution control system (ESP) was found operational. Stack monitoring done by Regional Office on dated 02.10.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has submitted pointwise compliance report of water and air consents. The copy of compliance reports are enclosed as **Annexure-83**. Industry not submitted the pointwise compliance report of hazardous waste authorization.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-84**.

9. M/s. Tehri Pulp & Paper Ltd. (Unit-2), 9th Km., Bhopa Road, Muzaffarnagar

| | | |
|-----|---|---|
| 01. | Name of the Industry | M/s. Tehri Pulp & Papers Ltd. (Unit-2) |
| 02. | Address/Tel | 9th Km. Stone, Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 14.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Sachin Agarwal, Director Mob. No. 9837058214 |
| 05. | Products/By-products/Process | Craft Paper |

| | | |
|--|--|---|
| 06. | Production Capacity | 350 MT/Day |
| 07. | Raw material & their consumption | Waste Paper, Rosin, Alum etc. |
| 08. | Year of Commissioning | 2008 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) | Tubewell |
| | Industrial | 1190 KLD |
| | Domestic | 10 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 30.03.2027 (Copy Enclosed as Annexure-85) |
| 12. | Waste water generation (KL/Day) | |
| | Industrial | 700 KID |
| | Domestic | 5 KLD |
| 13. | Waste water Treatment Facility | |
| | Industrial | ETP |
| | Domestic | Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Sedimentation Cell, Primary Clarifier, Aeration Tank, Secondary Clarifier, Dual Media Filter, Sludge Drying Beds and Belt Press etc. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-86 . |

| | | | | | |
|--|--|---|---|--|----------------|
| | | | per the Schedule I, II and III of these rules | disposal or recycling or utilization of co-processing etc. | (Ton/Annum) |
| | | 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.125 MT/Annum |
| | | 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 1.5 MT/Annum |
| | | 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.375 MT/Annum |
| | | 4. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 3.0 MT/Annum |
| | | <p><u>Total Waste Generated and Disposed :-</u></p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, unit sent Used Oil 475 kg in Dec. 2021 and Empty Plastic Drums 485 kg, Used Oil 60 Kg in in the Month of April, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> | | | |

| | | |
|--|--|--|
| | |   |
|--|--|--|

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|---|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated :-</u> Unit didn't have boiler in the premises and steam supplied through Co-unit M/s. Tehri Pulp & Paper Ltd. (Unit-1).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> N.A.</p> <p><u>Mode of disposal :-</u> N.A.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u> N.A.</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u> N.A.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Note :- Unit has submitted details of plastic waste for both industries together, both industries being in the same premises (Tehri Pulp & Paper Ltd Unit-1 and Unit-2).</u></p> <p><u>Quantity of Plastic waste generated as per record of industry :-</u> Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production. The production capacity on Waste Paper based of Unit-1 is 200 TPD and Unit-2 is 350 TPD. The total production capacity of both units is 550 TPD on the basis of</p> |

| | | |
|--|--|--|
| | | <p>waste paper as raw material, accordingly plastic waste generation is : 214.5 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per record for Unit-1 & Unit-2 is Avg. 28.44 MT/Month of plastic waste disposed through M/s Ultratech Cement Rajasthan and M/s. Nuvoco Cement Rajasthan from February 2022 to July 2022 (Annexure-91). For the same, tax invoices are not submitted.</p> <p>As per above, it is concluded that approx $214.5 - 28.44 = 186.06$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |
|--|--|--|

Observations:

1. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
2. During inspection, unit has submitted pointwise compliance report of water and air consents. The copy of compliance reports are enclosed as **Annexure-92**. Industry not submitted the pointwise compliance report of hazardous waste authorization.
3. As per the inspection, unit is not complying with certain specific conditions of Plastic Waste Management Rule 2016 as amended.

Recommendations/Conclusion :

1. Industry was found non-complying with respect to plastic waste management rules 2016 and also found violating the E.P.R. Conditions. Hence, on recommendation of the Regional Office, H.O. UPPCB, Lucknow has issued show cause notice under E.P. Act. Copy of show cause notice is annexed as **Annexure-93**.

10. M/s. Tirupati Baalaji Fiberr Private Limited, Bhopa Road, Muzaffarnagar

| | | |
|--|---|---|
| 01. | Name of the Industry | M/s. Tirupati Baalaji Fiberr Private Limited, Bhopa Road, Muzaffarnagar |
| 02. | Address/Tel | 9th Km., Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 13.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Naveen Aggarwal, Director Mob. No. 9837022374 |
| 05. | Products/By-products/Process | Writing Printing/Kraft Paper |
| 06. | Production Capacity | 150 MT/Day |
| 07. | Raw material & their consumption | Waste Paper, Rosin, Alum etc. |
| 08. | Year of Commissioning | 1997 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) | Tubewell |
| | Industrial | 590 KLD |
| | Domestic | 10 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 18.01.2027 (Copy Enclosed as Annexure-94) |
| 12. | Waste water generation (KL/Day) | |
| | Industrial | 350 KLD |

| | | |
|--|---|---|
| | Domestic | 7 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Hill Screen 2 Nos., Primary Clarifier, Aeration Tank, Secondary Clarifier, Multi Grade Filter, Sludge Drying Beds etc. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-95 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-96) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 15 TPH |
| 20. | Details of fuel and its consumption | Coal 85 MT/Day, Agro Fuel 65 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | Multi Cyclone Dust Collector, Wet Scrubber Stack height from ground level – 30 M. |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-97) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 30.09.2022. As per the monitoring report, Particulate matters were |

| | | |
|--|--|---|
| | | found within the norms. Copy of Monitoring report enclosed as Annexure-98 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |
|--|--|---|

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 16.11.2022 (Annexure-99)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of March, 2022 (Annexure-100).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>As per Schedule-I Cat. 5.1 Used or spent oil Reject Grease Cat. 33.2 Contaminated Cotton Rags or other cleaning materials</td><td>Disposal through TSDF Through Authorised TSDF</td><td>160 Kg/Annum 120 Kg/Annum 12 Kg/Annum</td></tr></table> <p><u>Total Waste Generated and Disposed</u> :-</p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, unit sent Waste Oil 175 Ltr., Waste Cloths 12 Kg. and Waste Grease 3 Kg. in the</p> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | As per Schedule-I Cat. 5.1 Used or spent oil Reject Grease Cat. 33.2 Contaminated Cotton Rags or other cleaning materials | Disposal through TSDF Through Authorised TSDF | 160 Kg/Annum 120 Kg/Annum 12 Kg/Annum |
|------|---|--|---|--|---|----------------------|----|---|--|---|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | |
| 1. | As per Schedule-I Cat. 5.1 Used or spent oil Reject Grease Cat. 33.2 Contaminated Cotton Rags or other cleaning materials | Disposal through TSDF Through Authorised TSDF | 160 Kg/Annum 120 Kg/Annum 12 Kg/Annum | | | | | | | |

| | | |
|--|--|---|
| | | <p>Month of March, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|-----------------|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry has not submitted details regarding Fly Ash generation and disposal.</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Regarding the disposal of Fly ash, no information is being provided by the Industry.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> |

| | | |
|-----|---|---|
| | | <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production : 58.5 MT/Month</p> <p>Disposal of plastic waste (for co-processing/for recycling) details not submitted. Unit submitted few challans through which plastic waste sent to M/s Ultratech Cement Rajasthan and M/s Harshit Trading Co. Rajasthan for disposal. For the same. Challans are enclosed as Annexure-101.</p> <p>As per above, it is concluded that plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |

Observations:

1. Industry has not submitted the details of fly ash regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UP PCB, Lucknow for analysis. Parameters of treated effluent found within

norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.

3. During inspection, air pollution control system (Multi Cyclone Dust Collector, Wet Scrubber) was found operational. Stack monitoring done by Regional Office on dated 30.09.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has not submitted pointwise compliance report of water/air consents and hazardous waste authorization is not submitted.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-102**.

11. M/s. Bindals Papeprs Mills Ltd., Bhopa Road, Muzaffarnagar

| | | |
|-----|---|---|
| 01. | Name of the Industry | M/s. Bindals Papers Mills Ltd. |
| 02. | Address/Tel | 8th Km., Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 13.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Mayank Bindal, Director Mob. No. 9837027405 |
| 05. | Products/By-products/Process | Writing Printing Paper |
| 06. | Production Capacity | 300 MT/Day |
| 07. | Raw material & their consumption | Agro Waste, Waste Paper, Soap Stone, Caustic, Wood etc. |
| 08. | Year of Commissioning | 2009 |

| | | |
|--|---|--|
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 9860 KLD 20 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 26.08.2026 (Copy Enclosed as Annexure-103) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 5900 KLD 15 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Primary Clarifier, Aeration Tank, Secondary Clarifier, DAF, Dual Media Filter, Belt Press, Sludge Drying Beds etc. R.O. System of 4400 Cum/Day Capacity Industry has Chemical Recovery Plant for disposal of generated Black Liquor for Agro Waste Pulping.. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-104. |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |

| | | |
|--|---|---|
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-105) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 100 TPH and Black Recovery Boiler (300 MT/Day for Dry Solids) |
| 20. | Details of fuel and its consumption | Coal 500 MT/Day, Biomass 300 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | Separate ESP for both the Boilers Separate Stacks for both the Boilers of 65 M. high from ground level |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2024 (Copy Enclosed as Annexure-106) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 01.10.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-107 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| | | |
|-----|-------------------------|--|
| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 26.04.2027 (Annexure-108)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the</p> |
|-----|-------------------------|--|

month of May, 2022 (**Annexure-109**).

Total waste generated as per valid Authorization :-

| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) |
|------|---|---|----------------------|
| 1. | Category 33.2 As per Schedule I (Contaminated Cotton Rags or Other Cleaning Materials) | Through TSDF | 0.1 MT/Annum |
| 2. | Category 33.1 As per Schedule I (Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes) | Through TSDF | 3.0 MT/Annum |
| 3. | Category 5.1 As per Schedule I (Used or Spent Oil) | Through TSDF | 0.425 MT/Annum |
| 4. | Category 34.1 As per Schedule I (Chemical containing residue arising from decontamination) | Through TSDF | 0.150 MT/Annum |
| 5. | Category 34.2 As per Schedule I (Sludge from Treatment of Waste Water Arising Out of Cleaning/Disposal of Barrels/Containers) | Through TSDF | 45.0 MT/Annum |

Total Waste Generated and Disposed :-

Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, unit sent ETP Sludge 5430 Kg, Used Oil 170 Ltr. and Empty Drums 4 Pcs. in the Month of May, 2022.

Compliance found during inspection :-

During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate.

| | | |
|--|--|--|
| | | Photographs of Temporarily Storage area and Display boards are as follows : |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|---|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u> During joint committee visit industry provided the details of Fly Ash generation and disposal from February 2022 to July 2022. As per the information, generated fly ash is being sent to cement plant and local vendors and for which information attached as Annexure-110).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Regarding the disposal of Fly ash, information is being provided regarding Tax Invoices and vehicle details by the Industry.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u> Units didn't submit the details of fly ash disposal dump site through local vendors (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u> No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites of local vendors.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry :-</u> The unit is engaged in production of Writing / Printing Paper by using Agro Waste as Raw Material. Hence, there is no generation of Plastic waste from industry.</p> |

Observations:

1. Industry has not submitted the details of fly ash regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
3. During inspection, air pollution control system (ESP) was found operational. Stack monitoring done by Regional Office on dated 01.10.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has submitted pointwise compliance report of water/air consents and hazardous waste authorization (**Annexure-111**).
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-112**.

12. M/s. Shree Bhageshwari Papers Pvt. Ltd. (Unit-1), 9th Km., Bhopa Road, Muzaffarnagar

| | | |
|-----|----------------------|---|
| 01. | Name of the Industry | M/s. Shree Bhageshwari Papers Pvt. Limited (Unit-1) |
| 02. | Address/Tel | 9th Km., Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 14.09.2022 |

| | | |
|--|---|--|
| 04. | Name & Designation of Industry representative | Mr. Devesh Bansal, Director Mob. No. 9837066491 |
| 05. | Products/By-products/Process | Craft Paper |
| 06. | Production Capacity | Craft Paper 100 MT/Day (Agro Waste based 30 MT/Day and Waste paper based 70 MT/Day) |
| 07. | Raw material & their consumption | Agro Waste, Waste Paper |
| 08. | Year of Commissioning | 1997 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) Industrial Domestic | Tubewell 1090 KLD 10 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Applied for renewal (Annexure-113) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | 900 KID 6 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Sedicell, Primary Clarifier, Aeration Tank, Secondary Clarifier, Multi Grade Filter, Sludge Drying Beds etc. Black liquor generated from Agro Waste Pulping disposed through Chemical Recovery Plant of M/s. Garg Duplex Ltd., Bhopa Road, Muzaffarnagar. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB |

| | | |
|--|--|---|
| | | Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-114 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-115) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Steam supplied through 36 TPH Boiler established in Co-unit M/s. Shree Bhageshwari Papers Ltd. (Furnace Unit). |
| 20. | Details of fuel and its consumption | Coal and Agro Fuel 220 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | E.S.P. Stack – 52 M. high from ground level |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-116) |
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 30.09.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-117 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

25.

Hazardous Waste details

Valid Authorization :- M/s. Shree Bhageshwari Papers Pvt. Ltd. (Unit-1) has authorization from UPPCB valid upto 13.09.2027 **(Annexure-118)**


Valid membership with TSDF for transportation and disposal of waste :- Unit has valid membership with TSDF M/s. Sheetala Waste Management Project, Bulandshahr for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of July 2022 **(Annexure-119)**.

Total waste generated as per valid Authorization :-

| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) |
|------|---|---|----------------------|
| 1. | Category 5.1 As per Schedule-I Used or Spent Oil | Through TSDF | 0.150 MT/Annum |
| 2. | Category 33.1 As per Schedule-I Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes | Through TSDF | 0.80 MT/Annum |
| 3. | Category 33.2 As per Schedule-I Contaminated cotton rags or other cleaning materials | Through TSDF | 0.10 MT/Annum |

Total Waste Generated and Disposed

Unit has submitted Form-10 (Common for Unit-1 & Unit-2) for disposal of Hazardous Waste through TSDF. As per the Form-10, units sent used/waste oil Waste Oil, Grease 565 kg and Process Sludge 32 MT.

| | | |
|--|--|--|
| | | <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|--|-----------------|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated :</u></p> <p>During joint committee visit industry not provided the details of Fly Ash generation for Unit-1 and Unit-2. As per the information, generated fly ash is being disposed through local vendors for filling in low lying area (Annexure-120).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> <p><u>Mode of disposal :-</u> Used for landfilling but landfilling is not being done properly hence adding to further air pollution</p> |

| | | |
|-----|---|---|
| | | <p><u>Land with specific Khasra no details where ash is being disposed :-</u></p> <p>Units submitted the agreement copy with M/s. GMR Contractors for fly ash disposal to cement plant. Copy of work order is attached as Annexure-121. With the agreement industry submit the Khasra Khatauni of Khasra No. 187, 228 and 354 of Village Nagla Bujurg for Fly Ash Storage.</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u></p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Note :- Unit has submitted details of plastic waste for both industries together, both industries being in the same premises (Shree Bhageshwari Papers Pvt. Ltd. (Unit I and Unit II).</u></p> <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production. The production capacity on Waste Paper based of Unit-1 is 70 TPD and Unit-2 is 100 TPD. The total production capacity of both units is 170 TPD on the basis of waste paper as raw material, accordingly plastic waste generation is : 66.3 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per record for Unit-1 & Unit-2 is Avg. 41.24 MT/Month of plastic waste disposed through M/s Ultratech Cement Rajasthan from February 2022 to July 2022. For the same, Challans are enclosed as Annexure-122.</p> <p>As per above, it is concluded that approx $66.3 - 41.24 = 25.06$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the</p> |

| | | |
|--|--|---|
| | | Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended. |
|--|--|---|

Observations:

1. Industry has not submitted the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.), no details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.
3. During inspection, air pollution control system (ESP) was found operational. Stack monitoring done by Regional Office on dated 30.09.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
4. During inspection, unit has submitted pointwise compliance report of water and air consents and hazardous waste authorization. The copy of compliance reports are enclosed as **Annexure-123**.
5. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-124**.

13. M/s. Shree Bhageshwari Papers Pvt. Ltd. (Unit-2), 9th Km., Bhopa Road, Muzaffarnagar

| | | |
|--|---|---|
| 01. | Name of the Industry | M/s. Shree Bhageshwari Papers Pvt. Limited (Unit-2) |
| 02. | Address/Tel | 9th Km., Bhopa Road, Muzaffarnagar |
| 03. | Date of Inspection | 14.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Devesh Bansal, Director Mob. No. 9837066491 |
| 05. | Products/By-products/Process | Writing Printing Paper 100 MT/Day |
| 06. | Production Capacity | 100 MT/Day |
| 07. | Raw material & their consumption | Waste Paper |
| 08. | Year of Commissioning | 2010 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) | Tubewell |
| | Industrial | 1990 KLD |
| | Domestic | 10 KLD |
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Applied for renewal (Annexure-125) |
| 12. | Waste water generation (KL/Day) | |
| | Industrial | 1800 KID |
| | Domestic | 8 KLD |
| 13. | Waste water Treatment Facility | |
| | Industrial | ETP |
| | Domestic | Disposed through Septic Tank |

| | | |
|--|---|---|
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Sedicell, Primary Clarifier, Aeration Tank, Secondary Clarifier, Multi Grade Filter, Sludge Drying Beds etc. Unit has installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection. |
| 15. | Quality of effluent being discharged | Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within norms. Analysis report is annexed as Annexure-126 . |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | Treated effluent discharged through Dhandhera Drain which meets River Kali West and then River Hindon. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-127) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Steam supplied through 36 TPH Boiler established in Co-unit M/s. Shree Bhageshwari Papers Ltd. (Furnace Unit). |
| 20. | Details of fuel and its consumption | -- |
| 21. | Details of Air Pollution Control Systems and Stack detail | -- |
| 22. | Status of APCS | -- |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2025 (Copy Enclosed as Annexure-128) |
| 24. | Quality of emission being emitted through stack | Steam supplied through 36 TPH Boiler established in Co-unit M/s. Shree Bhageshwari Papers Ltd. (Furnace Unit). |

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- M/s. Shree Bhageshwari Papers Pvt. Ltd. (Unit-2) has authorization from UPPCB valid upto 13.09.2027 (Annexure-129)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- The unit have valid membership with TSDF M/s. Sheetala Waste Management Project, Bulandshahr for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of July 2022 (Annexure-130).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>Category 5.1 As per Schedule-I Used or Spent Oil</td><td>Through TSDF</td><td>0.150 MT/Annum</td></tr><tr><td>2.</td><td>Category 33.1 As per Schedule-I Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes</td><td>Through TSDF</td><td>0.80 MT/Annum</td></tr><tr><td>3.</td><td>Category 33.2 As per Schedule-I Contaminated cotton rags or other cleaning materials</td><td>Through TSDF</td><td>0.10 MT/Annum</td></tr></table> <p><u>Total Waste Generated and Disposed</u></p> <p>Unit has submitted Form-10 (Common for Unit-1 & Unit-2) for disposal of Hazardous Waste through TSDF. As per the Form-10, units sent used/waste oil Waste Oil, Grease 565 kg and Process Sludge 32 MT.</p> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | Category 5.1 As per Schedule-I Used or Spent Oil | Through TSDF | 0.150 MT/Annum | 2. | Category 33.1 As per Schedule-I Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes | Through TSDF | 0.80 MT/Annum | 3. | Category 33.2 As per Schedule-I Contaminated cotton rags or other cleaning materials | Through TSDF | 0.10 MT/Annum |
|------|---|---|----------------------|--|---|----------------------|----|--|--------------|----------------|----|---|--------------|---------------|----|--|--------------|---------------|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | | | | | | | | | |
| 1. | Category 5.1 As per Schedule-I Used or Spent Oil | Through TSDF | 0.150 MT/Annum | | | | | | | | | | | | | | | |
| 2. | Category 33.1 As per Schedule-I Empty barrels/containers/ liners contaminated with hazardous chemicals/wastes | Through TSDF | 0.80 MT/Annum | | | | | | | | | | | | | | | |
| 3. | Category 33.2 As per Schedule-I Contaminated cotton rags or other cleaning materials | Through TSDF | 0.10 MT/Annum | | | | | | | | | | | | | | | |

| | | |
|--|--|--|
| | | <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|--|---|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated :-</u></p> <p>Unit didn't have boiler in the premises and steam supplied through sister concern M/s. Shri Bhageshwari Papers Ltd. (Furnace Division).</p> <p><u>Mode of Transportation (covered/not covered) :-</u> N.A.</p> <p><u>Mode of disposal :-</u> N.A.</p> <p><u>Land with specific Khasra no details where ash is being disposed :-</u> N.A.</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas :-</u> N.A.</p> |
| 27. | Plastic Waste Details and Compliances under | <p><u>Note :- Unit has submitted details of plastic waste for both industries together.</u></p> |

| | | |
|--|-----------------------------------|--|
| | the Plastic Waste Management Rule | <p><u>both industries being in the same premises (Shree Bhageshwari Papers Pvt. Ltd. (Unit I and Unit II).</u></p> <p><u>Quantity of Plastic waste generated as per record of industry :-</u></p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production. The production capacity on Waste Paper based of Unit-1 is 70 TPD and Unit-2 is 100 TPD. The total production capacity of both units is 170 TPD on the basis of waste paper as raw material, accordingly plastic waste generation is : 66.3 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per record for Unit-1 & Unit-2 is Avg. 41.24 MT/Month of plastic waste disposed through M/s Ultratech Cement Rajasthan from February 2022 to July 2022. For the same, Challans are enclosed as Annexure-131.</p> <p>As per above, it is concluded that $66.3 - 41.24 = 25.06$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- As per EPR plastic waste has to be disposed through M/s. Ultratech Cement Rajasthan for co-processing. Industry is not complying as per EPR conditions.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |
|--|-----------------------------------|--|

Observations:

1. Unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which was found operational at the time of inspection. Sample from outlet of ETP was collected and sent to Central Lab, UPPCB, Lucknow for analysis. Parameters of treated effluent found within

norms. Unit has also installed OCEMS at the outlet of ETP, which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent. Values in OCEMS were found within prescribed limit during joint inspection.

2. During inspection, unit has submitted pointwise compliance report of water and air consents. The copy of compliance reports are enclosed as **Annexure-132**. Industry not submitted the pointwise compliance report of hazardous waste authorization.
3. As per the inspection, unit is not complying with certain specific conditions of Plastic Waste Management Rule 2016 as amended.

Recommendations/Conclusion :

Industry was found non-complying with respect to plastic waste management rules 2016 and also found violating the E.P.R. Conditions. Hence, on recommendation of the Regional Office, H.O. UPPCB, Lucknow has issued show cause notice under E.P. Act. Copy of show cause notice is annexed as **Annexure-133**.

14. M/s. Galaxy Papers Pvt. Ltd., Jolly Road, Muzaffarnagar



| | | |
|--|---|---|
| 01. | Name of the Industry | M/s. Galaxy Papers Pvt. Ltd. |
| 02. | Address/Tel | Jolly Road, Muzaffarnagar |
| 03. | Date of Inspection | 13.09.2022 |
| 04. | Name & Designation of Industry representative | Mr. Prateek Bhatia, Director Mob. No. 9837804605 |
| 05. | Products/By-products/Process | Grey Board and Craft Paper |
| 06. | Production Capacity | 100 MT/Day |
| 07. | Raw material & their consumption | Waste Paper, Rosin, Alum etc. |
| 08. | Year of Commissioning | 1992 |
| 09. | Sector (Govt./Pvt./Co-op) | Private |
| Information pertaining to Water Pollution | | |
| 10. | Water source & Consumption (KL/Day) | Tubewell |
| | Industrial | 300 KLD |
| | Domestic | 33 KLD |

| | | |
|--|--|--|
| 11. | NOC from UPGWD and its validity with date (Expired / Applied for Renewal/ First Time Applied / Never Applied) | Valid upto 30.03.2027 (Copy Enclosed as Annexure-134) |
| 12. | Waste water generation (KL/Day) Industrial Domestic | Zero Liquid Discharge 30 KLD |
| 13. | Waste water Treatment Facility Industrial Domestic | ETP Disposed through Septic Tank |
| 14. | Details of ETP with unit wise detail/dimension | Equalization Tank, Hill Screen, Sedimentation Cell, Clarifier, Sand Filter, Belt Press, Sludge Drying Beds etc. |
| 15. | Quality of effluent being discharged | During joint committee visit, no industrial effluent found discharging outside the premises. As per the charter web camera is installed in ETP Area for ensuring Zero Liquid Discharge. |
| 16. | Mode of Effluent Disposal (Land/River/Drain) | N.A. |
| 17. | Consent Status (Water) | Granted Upto dated 31.12.2022 (Copy Enclosed as Annexure-135) |
| 18. | Treated effluent storage facility | -- |
| Information pertaining to Air Pollution | | |
| 19. | Source of Air Pollution | Boiler 12 TPH |
| 20. | Details of fuel and its consumption | Bagasse / Imported Coal / Wood 40 MT/Day |
| 21. | Details of Air Pollution Control Systems and Stack detail | Multi Cyclone, Wet Scrubber Stack – 30 M. high from ground level |
| 22. | Status of APCS | Operational |
| 23. | Consent of status (Air) | Granted Upto dated 31.12.2022 (Copy Enclosed as Annexure-136) |

| | | |
|-----|---|---|
| 24. | Quality of emission being emitted through stack | During inspection of industry by Regional Office, stack monitoring of the Boiler was conducted on dated 02.10.2022. As per the monitoring report, Particulate matters were found within the norms. Copy of Monitoring report enclosed as Annexure-137 . The unit has also installed OCEMS for online and continuous monitoring of emissions being emitted from the stacks. During inspections, the particulate matter value found within the prescribed norms. |
|-----|---|---|

Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

| 25. | Hazardous Waste details | <p><u>Valid Authorization</u> :- Unit has authorization from UPPCB valid upto 27.02.2026 (Annexure-138)</p> <p><u>Valid membership with TSDF for transportation and disposal of waste</u> :- Unit has valid membership with TSDF M/s Bharat Oil & Waste Managment Ltd. Kanpur Dehat for safe disposal of Hazardous waste in compliance of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016. Industry provided Form-10 for the month of March, 2022 (Annexure-139).</p> <p><u>Total waste generated as per valid Authorization</u> :-</p> <table><tr><th>S.N.</th><th>Category of Hazardous Waste as per the Schedule I, II and III of these rules</th><th>Authorised mode of disposal or recycling or utilization of co-processing etc.</th><th>Quantity (Ton/Annum)</th></tr><tr><td>1.</td><td>Schedule-I Cat. 5.1 Used or Spent oil</td><td>Through TSDF</td><td>0.15 KL/Annum</td></tr><tr><td>2.</td><td>Schedule-I Cat. 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals/wastes</td><td>Through TSDF</td><td>100 Pcs/Annum</td></tr><tr><td>3.</td><td>Schedule-I Cat. 33.2 Contaminated cotton rags or cleaning materials</td><td>Through TSDF</td><td>0.05 MT/Annum</td></tr></table> | S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | 1. | Schedule-I Cat. 5.1 Used or Spent oil | Through TSDF | 0.15 KL/Annum | 2. | Schedule-I Cat. 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals/wastes | Through TSDF | 100 Pcs/Annum | 3. | Schedule-I Cat. 33.2 Contaminated cotton rags or cleaning materials | Through TSDF | 0.05 MT/Annum |
|------|---|--|----------------------|--|---|----------------------|----|---------------------------------------|--------------|---------------|----|---|--------------|---------------|----|---|--------------|---------------|
| S.N. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorised mode of disposal or recycling or utilization of co-processing etc. | Quantity (Ton/Annum) | | | | | | | | | | | | | | | |
| 1. | Schedule-I Cat. 5.1 Used or Spent oil | Through TSDF | 0.15 KL/Annum | | | | | | | | | | | | | | | |
| 2. | Schedule-I Cat. 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals/wastes | Through TSDF | 100 Pcs/Annum | | | | | | | | | | | | | | | |
| 3. | Schedule-I Cat. 33.2 Contaminated cotton rags or cleaning materials | Through TSDF | 0.05 MT/Annum | | | | | | | | | | | | | | | |

| | | |
|--|--|---|
| | | <p><u>Total Waste Generated and Disposed :-</u></p> <p>Unit submitted Form-10 for disposal of Hazardous Waste through TSDF. As per the Form-10, unit sent Oily Cotton 35 Kg. and Plastic Waste 140 Kg. in the Month of March, 2022.</p> <p><u>Compliance found during inspection :-</u></p> <p>During joint committee visit, industry found complying the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 as industry has common temporarily storage of Hazardous waste and separate display board at industry gate. Photographs of Temporarily Storage area and Display boards are as follows :</p> |
| | |   |

| Compliance Status of industry regarding Hon'ble NGT order dated 21.07.2022 in reference of Fly Ash and Plastic Waste Disposal | | |
|---|-----------------|--|
| 26. | Fly Ash Details | <p><u>Total fly ash generated (From February 2022 to July 2022) :-</u></p> <p>During joint committee visit industry has not submitted details regarding Fly Ash generation and disposal.</p> <p><u>Mode of Transportation (covered/not covered) :-</u> Partially Covered</p> |

| | | |
|-----|---|---|
| | | <p><u>Mode of disposal</u> :- Regarding the disposal of Fly ash, no information is being provided by the Industry.</p> <p><u>Land with specific Khasra no details where ash is being disposed</u> :-</p> <p>Units didn't submit the details of fly ash disposal dump site (i.e. area of site, khasra nos. etc.)</p> <p><u>Measures taken to prevent air pollution in and around the land filling areas</u> :-</p> <p>No details provided regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites.</p> |
| 27. | Plastic Waste Details and Compliances under the Plastic Waste Management Rule | <p><u>Quantity of Plastic waste generated as per record of industry</u> :-</p> <p>Quantity of plastic waste likely to be generated taking generation of plastic as 1.5% of production : 39.0 MT/Month</p> <p>Disposal of plastic waste (for co-processing/ for recycling) as per details provided – 18.19 MT/Month (Avg.) of plastic waste disposed through M/s Ultratech Cement Rajasthan and M/s. Nuvoco Vistas Corp. Ltd. Rajasthan from February 2022 to May 2022. For the same, Tax Invoices are enclosed as Annexure-140.</p> <p>As per above, it is concluded that $39.0 - 18.19 = 20.81$ MT/ Month plastic waste generated is not been recorded by industry for proper disposal.</p> <p>Mode of disposal as per EPR submitted by industry :- Industry not submitted the EPR for disposal of Plastic Waste.</p> <p>From the above it is evident that industry is not disposing the plastic generated as per the Plastic Waste Management Rules 2016 as amended and is being disposed off in non-scientific way. Hence, industry is not complying with the Plastic Waste Management Rules 2016 as amended.</p> |

Observations:

1. Industry has not submitted the details of fly ash regarding preventive measures of fugitive emission (i.e. green cover, water sprinkling and obstruction wall) at dumping sites. Further, transportation of fly ash found partially uncovered through trucks/tractor trolleys. Fly ash was found being dumped onto the land and not being used for landfilling, thus, adding to the further air pollution.
2. During inspection, air pollution control system (Multi Cyclone and Wet Scrubber) was found operational. Stack monitoring done by Regional Office on dated 02.10.2022. As per the monitoring report, Particulate matter found within the norms. Unit has Online Continuous Emission Monitoring System which is connected with the Server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment and was found within the prescribed limit.
3. During inspection, unit has not submitted pointwise compliance report of water/air consents and hazardous waste authorization.
4. As per the inspection, unit is not complying with certain specific conditions under Air Pollution (Prevention and Control of Pollution) Act 1981.

Recommendations/Conclusion :

On the basis of observations made by joint committee, Industry has been found non-complying in reference of fly ash disposal (not been used for landfilling and is used as a dumping material) and disposal of generated plastic waste as per the directions under Air (Prevention and Control of Pollution) Act 1981. Hence, as per the recommendation by Regional Office, UPPCB H.O. has issued show cause notice under section 31(A) of Air (Prevention and Control of Pollution) Act 1981 along with Environmental Compensation of Rs. 30,000/- per day till the compliance has been achieved by the industry. Copy of show cause notice is annexed as **Annexure-141**.

Further, Hon'ble NGT in its direction has also directed the Irrigation Department. Salient part of the order is as below :

"....9. Notice be also issued to Principal Secretary, Department of Irrigation and water Resources, Government of Uttar Pradesh, requiring him to file response regarding the functional status of Dhandhera drain and related aspects including its de-silting. Use of its discharge for irrigation, quality of discharge going to any river etc., within two months at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR support PDF and not in the form of Image PDF."

In compliance of the above, irrigation department vide letter dated 14.10.2022 has given the Action Taken Report stating that the drain in question (Dhandhera drain) has a total length of 19.70 km. with a discharge of 200 cusec. 14 Pulp & Paper industries discharge treated effluent of approx 10 cusec in Dhandhera drain. In compliance to the direction of Hon'ble NGT, Irrigation Department carried out de-silting of Dhandhera drain from 01.10.2022 and completed the whole stretch of the drain by 14.10.2022. The detailed report of Irrigation Department is annexed herewith as **Annexure-142**.





On the basis of joint committee recommendations, action taken by the UPPCB against the industries are as follows :

| S.No. | Name & Address of Industry | Violation Found | Remarks |
|-------|--|--|---|
| 1. | M/s. Silvertan Papers Ltd. (Unit-1), 9 th Km. Bhopa Road, Muzaffarnagar. | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 2. | M/s. Silvertan Papers Ltd. (Unit-2), 9 th Km. Bhopa Road, Muzaffarnagar. | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 3. | M/s. Silvertan Pulp & Papers Pvt. Ltd.. 9 th Km. Bhopa Road, Muzaffarnagar. | --- | --- |
| 4. | M/s. Silvertan Pulp & Papers Pvt. Ltd.. (Unit-2), 9 th Km. Bhopa Road, Muzaffarnagar. | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 5. | M/s. Garg Duplex & Paper Mills Pvt. Ltd., 8.5 Km., Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 6. | M/s. Shree Sidhali Paper Mills Ltd., Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 7. | M/s. Meenu Paper Mills Pvt. Ltd., 9.5 Km., Bhopa | Proper/ Scientific disposal of fly ash and generated plastic waste not found during | Show cause notice has been issued under section 3(A) of Air (Prevention and Control |

| | | | |
|-----|--|--|---|
| | Road, Muzaffarnagar | inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 8. | M/s. Tehri Pulp & Paper Ltd. (Unit-1), 9 th Km., Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 9. | M/s. Tehri Pulp & Paper Ltd. (Unit-2), 9 th Km., Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Environment (Protection) Act 1986. | Show cause notice has been issued under section 5 of Environment (Protection) Act, 1986. |
| 10. | M/s. Tirupati Baalaji Fiberrrs Private Limited, Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 11. | M/s. Bindals Papeprs Mills Ltd., Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of fly ash not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 12. | M/s. Shree Bhageshwari Papers Pvt. Ltd. (Unit-1), 9 th Km., Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |
| 13. | M/s. Shree Bhageshwari Papers Pvt. Ltd. (Unit-2), 9 th Km., Bhopa Road, Muzaffarnagar | Proper/ Scientific disposal of generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Environment | Show cause notice has been issued under section 5 of Environment (Protection) Act, 1986. |

| | | | |
|-----|---|--|---|
| | | (Protection) Act 1986. | |
| 14. | M/s. Galaxy Papers Pvt. Ltd., Jolly Road, Muzaffarnagar | Proper/ Scientific disposal of fly ash and generated plastic waste not found during inspection and as per the records submitted by the unit. Violation found under Air (Prevention and Control of Pollution) Act, 1981 as amended. | Show cause notice has been issued under section 3(A) of Air (Prevention and Control of Pollution) Act, 1981 with imposition of Environmental Compensation Rs. 30,000/- per day. |

INSPECTION TEAM

| S.No. | Name of Officials & Details | Signature |
|-------|---|--|
| 1. | Anup Kumar City Magistrate, Muzaffarnagar |  |
| 2. | Ankit Singh Regional Officer, UPPCB, Muzaffarnagar |  |
| 3. | Imraan Ali Asstt. Environment Engineer, UPPCB, Muzaffarnagar |  |
| 4. | Vipul Kumar Asstt. Environment Engineer, UPPCB, Muzaffarnagar |  |



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC030506

VALID FROM 26/01/2022 TO 25/01/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202201000088

Name of the Owner AMIT GARG

Designation DIRECTOR
पद

Company Name M/s SILVERTOAN
कंपनी का नाम PAPERS LIMITED

Company Address 9TH KM, BHOPA ROAD,
कंपनी का पता MUZAFFARNAGAR

Authorization Letter Download
प्राधिकार पत्र

Address of the 9TH KM, BHOPA ROAD,
Applicant MUZAFFARNAGAR, U.P.

Application Form Serial MZFN0122NIN0101
No.

Date of Submission 05/01/2022

Specimen Signature

Location Particulars

District Muzaffar Nagar

Block MUZAFFARNAGAR

Plot No./Khasra No. 9TH KM, BHOPA ROAD,
MUZAFFARNAGAR

Municipality/Corporation No

Ward No./Holding No.

N/A

Particular of the Existing Well and Pumping Device

Date of 07/02/2007
Construction/Sinking
of the Well

Type of Well Tube Well/Boring

Depth of the Well (in
meter) 42.00

| | | | |
|---|----------------|--|-----------|
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 15.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 54.00 |
| Date of Energization (In Case of Electric Pump) | | 14/02/2007 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 54.00 | Maximum Allowable Running Hours Per Day: | 10.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 178200.00 |

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".

- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery,

pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.

- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date: 19/04/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC048680

VALID FROM 26/01/2022 TO 25/01/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202201000087

Name of the Owner AMIT GARG

Designation DIRECTOR
पद

Company Name M/s SILVERTOAN
कंपनी का नाम PAPERS LIMITED

Company Address 9TH KM, BHOPA ROAD,
कंपनी का पता MUZAFFARNAGAR

Authorization Letter Download
प्राधिकार पत्र

Address of the 9TH KM, BHOPA ROAD,
Applicant MUZAFFARNAGAR, U.P.

Application Form Serial MZFN0122NIN0100
No.

Date of Submission 05/01/2022

Specimen Signature

Location Particulars

District Muzaffar Nagar

Block MUZAFFARNAGAR

Plot No./Khasra No. 9TH KM, BHOPA ROAD,
MUZAFFARNAGAR

Municipality/Corporation No

Ward No./Holding No.

N/A

Particular of the Existing Well and Pumping Device

Date of 21/01/2007
Construction/Sinking
of the Well

Type of Well Tube Well/Boring

Depth of the Well (in
meter) 125.00

| | | | |
|--|----------------|---|------------|
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 62.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m³/hr.) | 180.00 |
| Date of Energization (In Case of Electric Pump) | | | 27/01/2007 |
| Maximum Allowable Rate of Withdrawal (m³/hr.): | 180.00 | Maximum Allowable Running Hours Per Day: | 10.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 594000.00 |

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".

- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table.

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no. 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery,

pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.

- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date : 19/04/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC049536

VALID FROM 26/01/2022 TO 25/01/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202201000086

| | | | |
|---------------------------------|--|-------------------------------------|-------------------------------|
| Name of the Owner | AMIT GARG | Company Name | M/s SILVERTOAN PAPERS LIMITED |
| Designation पद | DIRECTOR | कंपनी का नाम | |
| Company Address कंपनी का पता | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Authorization Letter अधिकार पत्र | Download |
| Address of the Applicant | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR, U.P. | Application Form Serial No. | MZFN0122NIN0099 |
| Date of Submission | 05/01/2022 | Specimen Signature | |

Location Particulars

| | | | |
|----------------------|--------------------------------------|--------------------------|---------------|
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Municipality/Corporation | No |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|---------------------------------|--------|
| Date of Construction/Sinking of the Well | 15/01/2007 | Depth of the Well (In meter) | 125.00 |
| Type of Well | Tube Well/Boring | | |

| | | | |
|---|----------------|--|-----------|
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 62.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 180.00 |
| Date of Energization (In Case of Electric Pump) | | 22/01/2007 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 180.00 | Maximum Allowable Running Hours Per Day: | 12.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 712800.00 |

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".

- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery

pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.

- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date :19/04/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Ganti Nagar, Lucknow-226010



Annexure -2

TEST REPORT: WASTE WATER LABORATORY

Ref. No: 17798116/MuzaffarNagar/2022

Date: 17/10/2022

- 1- Name of Industry: SILVERTOAN PAPERS LIMITED
- 2- Address of Industry: 9th km Bhopa Road
- 3- District: Muzaffarnagar
- 4- Description about sampling point: Final Outlet Discharge of E.T.P
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Anoop Kumar City Magistrate, Muzaffarnagar & Imman Ali A.E.E Regional Office-Muzaffarnagar
- 7- Colour and Odour: Colourless No Specific
- 8- Quantity and Packing: 2.0 Ltrs PVC
- 9- Date of Sample Collection: 13/09/2022
- 10- Analysis Indented by: RO MuzaffarNagar
- 11- Date of sample receipt in Lab: 14/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| HI-4500 H B Electronic method | - | 7.27 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total | mg/l | 42.0 | 50 | 10-20000 mg/l |
| Suspended Solids dried at 103-105 °C | mg/l | 1072.0 | 2100 | 10- 50000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 1114.0 | - | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 24.6 | 30 | 1.0 -50000 mg/l |
| biochemical 27 °C 15 3025 (Part 44): 1993 Bio | mg/l | 206.0 | 250 | 5.0 -100000 mg/l |
| 5220 B Open Reflux Method | mg/l | | | |

1) Detected Standards for discharge of environmental Pollutants are as per A Effluent(Schedule-VI),The environment (Protection) Rules,1986 source:

2) eiaa, n-11-100000standards.pdf. Besides these standards, refer EPA standards for specific purpose

Ref. no: 17798116

Analysed by

[Anil Gupta(SA)]

Authorized by

[Anil Gupta(SA)]

[Anil Gupta(SA)]

[Anil Gupta(SA)]

[Anil Gupta(SA)]

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed
 by RAM GOPAL
 Date: 2022.10.17
 16:19:10 +05:30

1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without permission of laboratory; 3. The test report pertains to the sample as received in Lab.



UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
 Phone: 0522-2720828, 2720831, Fax: 0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
 109446/UPPCB/Muzaffarnagar(UPPCBRO)/CT
 O/water/MUZAFFARNAGAR/2020

Dated : 20/01/2021

To ,

Shri AMIT GARG
 M/s SILVERTOAN PAPERS LIMITED
 9th Km, Bhopa Road, Muzaffarnagar (U.P.), MUZAFFARNAGAR, 251001
 MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. SILVERTOAN PAPERS LIMITED

Reference Application No : 10010033

Dated : 20/01/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. SILVERTOAN PAPERS LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 01/01/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Nishi Kumar
 Chauhan

Digitally signed by Nishi Kumar
 Chauhan
 Date: 2021.01.20 17:50:17 +05'30'

**Chief Environmental Officer,
 Circle-3**

**Enclosed : As above
 (condition of consent):**

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar,

Nishi Kumar
 Chauhan

Digitally signed by Nishi Kumar
 Chauhan
 Date: 2021.01.20 17:50:33 +05'30'

**Chief Environmental Officer,
 Circle-3**

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SILVERTOAN PAPERS LIMITED vide

Consent Order No. 10010033/ Water

Dated : 20/01/2021

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Kraft Paper-180 MT/Day (Waste Paper Based-60 MT/Day and Agro Waste Paper Based-120 MT/Day) using Waste Paper and Agro Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|--------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge,KL/day | Treatment facility and discharge point |
| 1 | Domestic | 3 KLD | Septic Tank |
| 2 | Industrial | 1800 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 3 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

| Industrial Effluent | | |
|---------------------|------------------------|-----------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per EPA Rules 1986 |
| 2 | BOD | As per EPA Rules 1986 |
| 3 | COD | As per EPA Rules 1986 |
| 4 | Oil & Grease | As per EPA Rules 1986 |
| 5 | Quantity of Discharge | 1800 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 4-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 5-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
- 6-The industry shall submit the permission from the State Ground Water Authority within 3 months failing which consent shall be deemed automatically cancelled.
- 7-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 8-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 9-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 10-Industry shall install at sufficient height from the ground level Open to Network HD PTZ Camera at the inlet, Aeration Tank, Secondary Clarifier and outlet of Effluent Treatment Plant for On Line Monitoring and its URL and password shall be provided to the UPPCB Control room.
- 11-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 12-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 13-Industry shall submit quarterly monitoring reports of treated effluent from a certified /approved laboratory under E.P. Act 1986.
14. The operation of the Chemical recovery plant shall be done in such a way that the colored effluent shall not be discharge outside the factory premises.
15. The record of the chemical recovered from the chemical recovery plant shall be sent to the Board monthly.
- 16-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 17-The unit shall submit the audited balance sheet for the current year.
- 18-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Nishi Kumar
Chauhan

Digitally signed by Nishi Kumar
Chauhan
Date: 2021.01.20 17:50:49 +05'30'

**Chief Environmental Officer,
Circle-3**



UTTAR PRADESH POLLUTION CONTROL BOARD

Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -

109439/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARN
AGAR/2020

Dated : 20/01/2021

To,

Shri AMIT GARG
M/s SILVERTOAN PAPERS LIMITED
9th Km, Bhopa Road, Muzaffarnagar (U.P.),MUZAFFAR NAGAR,251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SILVERTOAN PAPERS LIMITED

Reference Application No. 10009492

Dated : 20/01/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SILVERTOAN PAPERS LIMITED. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2021 to 31/12/2025.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

For and on behalf of U.P. Pollution Control Board

Nishi Kumar
Chauhan

Digitally signed by Nishi Kumar Chauhan
Date: 2021.01.20 17:51:08 +05'30'

Chief Environmental Officer,
Circle-3

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar
Chauhan
Date: 2021.01.20 17:51:18 +05'30'

Chief Environmental Officer,
Circle-3

U.P. Pollution Control Board

Dated : 20/01/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Kraft Paper-180 MT/Day (Waste Paper Based-60 MT/Day and Agro Waste Paper Based-120 MT/Day) using Waste Paper and Agro Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|----------------------|----------------|-----------|--------------------|----------------------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 27 TPH Boiler | Coal/Rice Husk | 1 | Particulate Matter | 45 Meter From Ground Level |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board .

| Emission Quality Details Detail | | | |
|---------------------------------|----------|--------------------|-----------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per EPA Rules 1986 |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner .
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board .
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986 .
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time .
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986 .
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB .
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order .
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability .

15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dying, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process/fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall submit the permission from the State Ground Water Authority within 3 months failing which consent shall be deemed automatically cancelled.
18. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
19. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar
Chauhan
Date: 2025.01.20 11:51:33 +0330

**Chief Environmental Officer,
Circle-3**



REGIONAL LABORATORY MuzaffarNagar
UTTAR PRADESH POLLUTION CONTROL BOARD
 Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref No. [8090151/MuzaffarNagar/2022

Date: 17/10/2022

1. Name & Address of Industry: SILVERTOAN PAPERS LIMITED
2. Sample Collected By: (1) Vipul Kumar ;A.E.E (2)Manoesh Kumar,J.R.F
3. Date of Monitoring: 30/09/2022
4. Source of Sampling: Stack
5. Stack attached to: Boiler(CVL)
Stack Height: 48 Meters
6. Total No. of Boiler: 01
8. Capacity of Boiler: 27 TPH
9. Fuel used: (1)Rice Husk (2) Wood Chips (3)Coal
10. Quantity of Fuel used: (1)Rice Husk-40 TPD (2) Wood Chips-35 TPD (3)Coal-80 TPD
11. Flue Gas Velocity: 7.15 m/sec
12. Air Pollution Control Device: Electrostatic Precipitator
13. Other remarks (if any): At the time of inspection Industry found oprational.
14. Further details of sample location nad Test methods followed are appened overleaf:

| Sr No. | Parameter | Unit | Result | Standards |
|-----------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 112.0 | 150 |

Analysed by-

[Manoesh Kumar JRF]

Authorised Signatory:-

Ankur Singh RO

ANKIT SINGH
 Digitally signed by ANKIT SINGH
 Date: 2022.10.17 23:29:37 +05'30'
 Regional Officer



महाराष्ट्र शासन
MAHARASHTRA POLLUTION CONTROL BOARD
T-150, Vidya Kunj, Simet Nagar, Lucknow-226011

Ref No:

111912

Dated:

13/11/19

Page

To:

M/s. Silverton Papers Ltd. (Unit-D)

9th KM, Bhoga Road,

Mumbai

Subject: Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Handling) Rules, 2016.

1. Number of authorization and date of issue:

302/HU-232/19 dt 13/11/19

2. Receipt of Application No. and date: 11.09.2019

Mr. Arun Gang Director of M/s. Silverton Papers Ltd. (Unit-D), is hereby granted an authorization based on the checked signed inspection report for generation, collection, transportation, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9th KM, Bhoga Road, Muzaffargarh.

Details of Authorization

| Sl. No. | Category of Hazardous Waste as per the Schedule I, II and III of these rules | Authorized mode of disposal or recycling or utilization or re-processing, etc. | Quantity (tonne/month) |
|---------|--|--|---|
| 1. | As per schedule I Cat. 2.1 Used or spent oil Cat. 3.1 Empty barrels containers / liners contaminated with hazardous chemicals/wastes Cat. 3.2 Contaminated cotton rags or other cleaning materials Cat. 3.3 Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers | Disposal through TSDF " " " | 225 Kg/Amonth 50 Pcs/Amonth 25 kg/Amonth 27500Amonth |

- The authorization shall be valid for a period of **Five Years** from the date of issue of this letter.
- The authorization is subject to the following **general and specific conditions**, i.e. specify any conditions that need to be imposed over and above general conditions, if any.
- General conditions of authorization:**
 - The authorized person shall comply with the provisions of the Environment Protection Act, 1986, and the rules made there under.
 - The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the State Pollution Board.
 - The person authorized shall not rent, sell, transfer or otherwise dispose the hazardous and other wastes except what is permitted through this authorization.
 - Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drills at regular interval of time.
 - The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and partly".

[Signature]

3. It shall be an offence for any person to be given permission at the State Pollution Control Board to handle, store or dispose of hazardous waste.
4. The following conditions shall be fully complied with for treatment as well as for any other use, storage and its cleaning operation:
 - (a) The use of a container and use of the imported hazardous and other wastes shall be restricted.
 - (b) The use of a container and other waste which gets generated during recycling or reuse or recovery or the process of utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of this licence.
 - (c) The use of a container shall be in the way of import, export and utilization of wastes as per the application for the removal of an authorization shall be made as laid down under these rules.
 - (d) The following conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change at Central Pollution Control Board from time to time.
5. Authorization shall be filed by June 30th for the period commencing 31st March of the year.

Specific conditions:

1. The waste must be safely collected in leak proof containers and shall be safely stored in a manner suitable for handling, storage and transport and the packaging shall be such as to be able to withstand physical conditions and climatic factors. All imported waste containers/bags shall be provided with a general label as given in Form-8. The storage area shall be at an isolated spot in the premises and must be fenced, covered, clearly marked.
2. The authorized person/agency shall ensure that no adverse impact on the air, soil or water including groundwater takes place due to activities for which authorization has been sought. Comprehensive safety measures must be followed in handling of wastes at the site as per the guidelines.
3. It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorization. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorization before its expiry or fails to comply with conditions of the earlier authorization issued to you, a show cause order shall be issued against your industry without any further notice.
4. The applicant must file returns on prescribed Form-4 along with a compliance report of the year. You should also maintain records on Form-3 and present it to Board on request.
5. In case of occurrence of an accident, complete details on Form-11 shall be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.
6. It is also the mandatory duty of the occupier of industry as well as operator of a facility to provide reliable waste treatment and disposal facility and the design of the facility as it is required by the Board. Details along with the project report must be sent in this regard within 15 days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF (in the form of) of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.
7. Any unauthorized person shall not receive, collect or store any hazardous waste from any authorized recipient or generator of hazardous wastes. In case any hazardous wastes is sold to any other receiving unit it must be ensured that such unit is fully complying with environmental requirements and have valid authorization of the Board.

M/s Silverton Papers Ltd, (Unit-I), 9th KM, Bhoga Road, Muzaffargarh

1. In case any hazardous wastes shall be disposed off on land, in any drain or stream, all spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
2. Proper record regarding waste minimization and reuse of wastes must be kept. Details of any recovery reuse system must be sent within two months.
3. It is within the powers and functions of the U.P. Pollution Control Board to suspend/cancel the authorisation issued under the Rules, 1974 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
4. The stored waste shall not be taken out of the storage area except with the prior permission of the State Pollution Control Board in the region.
5. You are directed to display online data inside the main factory gate with regard to quantity and nature of hazardous materials being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.
6. It is the mandatory duty of the authorized person to comply with the guidelines for transportation of hazardous waste in accordance with Rule 23 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard has been issued by Central Pollution Control Board from time to time.
7. You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
8. You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the acknowledgement report to the U.P. Pollution Control Board in the enclosed.
9. Written report of hazardous waste stored in premises available storage quantity and treatment plan for permanent safe disposal of hazardous waste shall be submitted within one month.
10. Written waste monitoring report of premises shall be submitted within one month.
11. Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.


Member Secretary

Cy No. 10 to the Regional Officer, U.P. Pollution Control Board, Muzaffargarh for information and necessary action.

EE, PC/C&K-1

FORM 10
[See rule 19 (1)]

Copy for SPCB

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.: 53714

| | | | |
|--|---|---|-----|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | |
| 2 Sender's Authorization No. | | | |
| 3 Manifest Document No. | Challan No. - 02/59 Date 30/09/21 | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | |
| 6 Transporter's Registration | | | |
| 7 Vehicle Registration No. | UP12BT-3486 | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) R... E-19, Site-IV, Sahibabad Industrial Area, Ghaziabad, UP-201010 Tel: 0120-4167924, e-mail: sales@bharatoil.com (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207864, e-mail: sales@bharatoil.com (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285296 e-mail: sales@bharatoil.com | | |
| 9 Receiver's Authorization No. | (I) 1485UPPCB/Ghaziabad/UPPCBROY/HNM/GHAZIABAD/2018 Valid upto: 09/05/2023 (II) UEPPCB/HN/Com-B-84/2018/548 Valid upto: 31/03/2023 (III) 1483UPPCB/Kanpur Dehat/UPPCBROY/HNM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | |
| 10 Waste Description | ETP Sludge - 200 kg | | |
| 11 Total Quantity No. of Containers | Oil & grease - 2013 m ³ or MT Nos. | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck, in case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | |
| SENDER'S CERTIFICATE | | | |
| Typed Name & Stamp: | | Signature: | |
| | | | |
| | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | |
| | | Month | Day |
| | | 09 | 30 |
| | | 2021 | |
| 15 Transporter Acknowledgement of Receipt of Waste | | Month | Day |
| | | 09 | 30 |
| | | 2021 | |
| Typed Name & Stamp: | | Signature: | |
| | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | Month | Day |
| | | 09 | 30 |
| | | 2021 | |
| Typed Name & Stamp: | | Signature: | |
| | | | |


FORM 10

[See rule 19 (1)]

Copy for SPCB

MANIFEST FOR HAZARDOUS AND OTHER WASTE


S.No.: 58797

| | | | | | | | | | |
|--|---|------|--|-------|-----|------|----|----|------|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | Silverton Paper Limited 94m Km Bhojpur Road M2N | | | | | | | | |
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | 108, D+ 213/22 | | | | | | | | |
| 5 Type of Vehicle | Party-Self | | | | | | | | |
| 6 Transporter's Registration | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 7 Vehicle Registration No. | UP12 BT1648 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel: 0120-4120412 e-mail: sales@bharatoil.com  | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel: 08874207664 e-mail: sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285296 e-mail: sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1436/UPPCB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (ii) UEPPCBHO/Cen-B-54/2018/546 Valid upto: 31/03/2023 | (iii) 1432/UPPCB/Kanpur Dehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | ETP Sludge, Rejected oil | | | | | | | | |
| 11 Total Quantity No. of Containers | 17.5 Kg 20 MT | | | | | | | | |
| 12 Physical Form | Nos. | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 14 SENDER'S CERTIFICATE | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| Typed Name & Stamp : Signature : | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>03</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 03 | 03 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 03 | 2022 | | | | | | | |
| Typed Name & Stamp : Signature : | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>02</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 03 | 02 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 02 | 2022 | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | | | | | | | | |
| Typed Name & Stamp : Signature : | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>02</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 03 | 02 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 02 | 2022 | | | | | | | |

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

Copy for SPCB
59918

| | | | | | | | | | |
|--|--|--|--|-------|-----|------|----|----|------|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | | | | | | | |
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | III 107 26/3/22 | | | | | | | | |
| 5 Type of Vehicle | Pony - Self (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12BT1648 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) F E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel: 0120- e-mail:sales@bharatol.com  | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel: 08874207664 e-mail:sales@bharatol.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285296 e-mail:sales@bharatol.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1486/UPPCB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (II) UPPCB/HQ/Con-B-84/2018/548 Valid upto: 31/03/2023 | (III) 1403/UPPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | FTP Sludge, Regret oil waste | | | | | | | | |
| 11 Total Quantity No. of Containers | 185.15 m ³ or MT 5015 Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| SENDER'S CERTIFICATE | | | | | | | | | |
| Typed Name & Stamp | | Signature: | | | | | | | |
| | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>26</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 03 | 26 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 26 | 2022 | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | | | | | | | | | |
| Typed Name & Stamp: | | Signature: | | | | | | | |
| | | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>26</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 03 | 26 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 26 | 2022 | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | | | | | | | | |
| Typed Name & Stamp: | | Signature: | | | | | | | |
| | | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>26</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 03 | 26 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 26 | 2022 | | | | | | | |

Authorised Signatory

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.: 50074

| | | | | | | | | | |
|--|---|------|--|-------|-----|------|----|----|------|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | | | | | | | |
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | 115, Dt- 30/3/22 | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party - Self (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 5 Type of Vehicle | | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12 BT 1648 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) REG E-18, Site-IV Sahibabad Industrial Area, Ghaziabad, UP-201010 Tel.: 0120-4167624, e-mail:sales@bharatoil.com | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247064 UK, Tel.: 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel.: 0512-2285296 e-mail:sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (i) 188UPCBShahdudUPPCBRO/HWW/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (ii) UPPCBH/O/Coa-S-34/2018/548 Valid upto: 31/03/2023 | (iii) 1483UPCBKanpurDehatUPPCBRO/HWW/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | ETP Sludge, Reject oil Bunker | | | | | | | | |
| 11 Total Quantity No. of Containers | 230kg m ³ or MT 30kg Nos | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage | | | | | | | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | | |
| Typed Name & Stamp : Signature : | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>30</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 03 | 30 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 30 | 2022 | | | | | | | |
| 15 Transporter Acknowledgement or Receipt of Waste | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>30</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 03 | 30 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 30 | 2022 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>30</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 03 | 30 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 30 | 2022 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |

SILVERTOAN PAPERS LIMITED
9th K.M., BHOPA ROAD, MUZAFFARNAGAR

LOG SHEET OF FLY ASH


| | Opening | Recd | Dispatched | Closing | MT |
|--------|---------|----------|------------|---------|----|
| Feb-22 | 6.386 | 1173.220 | 869.980 | 309.626 | |
| Mar-22 | 309.626 | 1199.810 | 1206.130 | 303.306 | |
| Apr-22 | 303.306 | 1082.890 | 1080.110 | 306.086 | |
| May-22 | 306.086 | 1073.210 | 1074.602 | 304.694 | |
| Jun-22 | 304.694 | 1079.990 | 1078.280 | 306.404 | |
| Jul-22 | 306.404 | 846.219 | 846.239 | 306.384 | |

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बड़ोड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 02.03.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बड़ोड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बॉयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए फरवरी 2022 में सिल्वरटोन पेपर्स लिमिटेड से 302.78 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद



अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईट के निर्माता

ग्राम - बड़ेडी, मुजफ्फरनगर


GSTIN - 09AHUPA8901H1Z3

दिनांक - 01.03.2022

आपको सूचित किया जाता है कि बड़ेडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईट निर्माण इकाई है। हमें ईट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर फरवरी महीने 2022 में डम्पर से 567.20 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग


अधिकृत हस्ताक्षरकर्ता

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईंट के निर्माता

ग्राम - बड़ोडी, मुजफ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक - 02.04.2022

आपको सूचित किया जाता है कि बड़ोडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईंट निर्माण इकाई है। हमें ईंट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईंट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर मार्च महीने 2022 में डम्पर से 845.450 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग

अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 04.04.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए मार्च 2022 में सिल्वरटोन पेपर्स लिमिटेड से 360.680 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बझेड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 02.05.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझेरी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बॉयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए अप्रैल 2022 में सिल्वरटोन पेपर्स लिमिटेड से 234.780 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईंट के निर्माता

ग्राम - बड़ेडी, मुजफ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक - 04.05.2022

आपको सूचित किया जाता है कि बड़ेडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईंट निर्माण इकाई है। हमें ईंट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईंट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर अप्रैल महीने 2022 में डम्पर से 845.330 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग



अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 03.06.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए मई 2022 में सिल्वरटोन पेपर्स लिमिटेड से 236.880 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद



अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईट के निर्माता

ग्राम - बड़ोडी, मुजफ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक 03.06.2022

आपको सूचित किया जाता है कि बड़ोडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईट निर्माण इकाई है। हमें ईट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर मई महीने 2022 में डम्पर से 837.720 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग


अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बड़ेड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 04.07.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बड़ेड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए जून 2022 में सिल्वरटोन पेपर्स लिमिटेड से 129.64 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईट के निर्माता

ग्राम - बड़ोडी, मुजफ्फरनगर


GSTIN - 09AHUPA8901H1Z3

दिनांक 04.07.2022

आपको सूचित किया जाता है कि बड़ोडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईट निर्माण इकाई है। हमें ईट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर जून महीने 2022 में डम्पर से 948.640 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग


अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बझेड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 02.08.2022

● आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझेड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए जुलाई 2022 में सिल्वरटोन पेपर्स लिमिटेड से 136.359 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईंट के निर्माता

ग्राम - बड़ोडी, मुजफ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक 06.08.2022

आपको सूचित किया जाता है कि बड़ोडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईंट निर्माण इकाई है। हमें ईंट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईंट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर जुलाई महीने 2022 में डम्पर से 709.880 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग


अधिकृत हस्ताक्षरकर्ता

SILVERTOAN PAPERS LIMITED
 9th K.M., BHOPA ROAD, MUZAFFARNAGAR

LOG SHEET OF WASTE PLASTIC

| Month | Opening | Generation | Total | MT | |
|----------|---------|------------|---------|------------|---------|
| | | | | Dispatched | Closing |
| February | 71.700 | 32.280 | 103.980 | 0.000 | 103.980 |
| March | 103.980 | 35.070 | 139.050 | 117.255 | 21.795 |
| April | 21.795 | 25.540 | 47.335 | 41.620 | 5.715 |
| May | 5.715 | 33.280 | 38.995 | 0.000 | 38.995 |
| June | 38.995 | 34.300 | 73.295 | 72.810 | 0.485 |
| July | 0.485 | 32.680 | 33.165 | 24.790 | 8.375 |

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 103–110

Work: 0911-883011021 MUZAFFARNAGAR-201001-15, 17
Phone: +91-9756744000 • e-mail: shant@shant2015@gmail.com

VEHICLE NO.: HR55AB4531

FREIGHT PAID

DATE : 08/03/2022

TPT. : SHREE GANESH TRANSPORT CO.

SWB No. 1

C.R. 802, 13397

ULTRATECH CEMENT LTD
ADITYA CEMENT WORK ADITYAPURAM
SHANBRUPURA

CITTOGARRH

STATE : RI

STATE: RI

ASPIN : CHARACT6492L18A

GSTIN: 08AAACL59421138

FA: AAAC164421

PAM 1 AAAC164423

PHONE:

E-MAIL: HARSHA.SHARMA@DITYABIRLA.COM



Exp: 14-07-2021 to 16-07-2022

58-07-3022

| | Yes | No |
|--|--------------------------|--------------------------|
| Do you have a job? | <input type="checkbox"/> | <input type="checkbox"/> |
| Are you married? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you own your home? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have children under 18 years old living with you? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a car or van? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have access to a computer? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have access to the Internet? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a telephone? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a television? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a washing machine? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a refrigerator? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a microwave oven? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a dishwasher? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a central heating system? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden or patio area? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a swimming pool? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garage? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a driveway? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a lawn? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a fence or wall around your property? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a shed or outbuilding? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a carport? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a conservatory or sunroom? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a porch or veranda? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a balcony or terrace? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a swimming pool? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a hot tub or spa? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a barbecue? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden furniture set? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a lawnmower? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a hedge trimmer? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a chainsaw? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a power drill? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a hand saw? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a shovel? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a wheelbarrow? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a watering can? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden hose? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden path? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden bench? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden seat? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden table? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden chair? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden stool? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden lamp? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden light fixture? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden fountain? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden pond? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden statue? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden ornament? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden birdhouse? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden scarecrow? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden netting? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden mulch? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden compost heap? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden greenhouse? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden polytunnel? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden cold frame? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden cloche? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden row cover? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden fleece? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden straw? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden hay? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden manure? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden fertilizer? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden weed killer? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden herbicide? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden fungicide? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden insecticide? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden molluscicide? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden slug bait? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden snail bait? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden ant bait? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden wasp nest? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden bee hive? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden rabbit hutch? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden chicken coop? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden guinea pig cage? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden hamster cage? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden fish tank? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden aquarium? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden terrarium? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden vivarium? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden reptile house? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden amphibian house? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden bird feeder? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden seed dispenser? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden plant marker? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden label holder? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden soil thermometer? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden pH meter? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden moisture meter? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden light meter? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden temperature gauge? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden wind speed indicator? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden rain gauge? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden weather station? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden clock? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden sundial? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden sundial clock? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden sundial clock face? | <input type="checkbox"/> | <input type="checkbox"/> |
| Do you have a garden sundial clock hands? | <input type="checkbox"/> | <input type="checkbox"/> |

1074

© 2004 Blackwell Publishing Ltd

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26



A - 61 (CONTINUED) PARTIAL LISTING

Doreen Rich, Dayton, Ohio

1022 MAKE-HIGHNESS TO OUR PRINCE ADORABLES 4109

bioRxiv preprint doi: <https://doi.org/10.1101/2019.05.20.256400>; this version posted May 20, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

[10] G. Birkhoff, *Lectures on Classical Mechanics*, 2nd ed., Chelsea, New York, 1954.

152

Works : 06 Flr. BRIDGE ROAD MUZAFFARNAGAR-201001 (U.P.)
Phone : (+91) 756749800 • e-mail : yam-tang@zoho.com



WASH. ONLY.

19. *Journal of the American Statistical Association*, 93(463), 1089-1092.



Emmanuel Ruty, *Editor*

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL
RTGS/NEFT: Development Road, Muzaffarnagar RTGS CODE-HDFC0003322 **ACCOUNT NO: 3740000400000000**
Head Office: G-2025 Sakinaka Complex, Subhash Chakrabarti Nagar, East Delhi, Delhi-110062

TAX INVOICE

CERTIFICATE FOR E-way Bill

SILVERTOAN

AN ISO 9001:2015, ISO 14001:2007, ISO 45001:2018 CERTIFIED COMPANY
 Working Office: SHIVJI ROAD, MUZAFFARNAGAR, UTTAR PRADESH, INDIA
 Phone: 0522-2756729000 • e-mail: support@silvertolan.com

TI.NO.: PM1/21-22/03123

PO No.:

DATE: 03/03/2022

EWB No.:

VEHICLE NO.:BJ14GG0377

FREIGHT PAID

TPT.:SHREE GANESH TRANSPORT CO.

C.R. NO.:3887

SUPPLIER

BUYER

ULTRATECH CEMENT LTD.
 C-104, CEMENT WORK ADITYAPURAM
 SHANBHUPURA
 CITTORGARH
 STATE: RJ
 GSTIN: 08AAAC16442L12A
 PAN: AAAC16442L
 PHONE:
 E-MAIL: SHARMA.ADITYA@ULTRATECH.COM

ULTRATECH CEMENT LTD.
 ADITYA CEMENT WORK ADITYAPURAM
 SHANBHUPURA
 CITTORGARH
 STATE: RJ
 GSTIN: 08AAAC16442L12A
 PAN: AAAC16442L
 PHONE:

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|--|----------|----------|-----|------|-----------------------|
| RECYCLED KRAFT PAPER | 39159090 | 27270.00 | RGS | 0.00 | 0.00 |
| FSC MIX 100% BOSHK - CCC 400186 CUTS: REELS= 0, BUNDLES= 0 | 0 | 27270.00 | | | 0.00 |
| Total Value | | | | | 0.00 |
| Insurance | | | | | 0.00 |
| Freight | | | | | 0.00 |
| TAXABLE VALUE | | | | | 0.00 |
| IGST 0.00% | | | | | 0.00 |
| TCS 0.000% | | | | | 0.00 |
| ROUND OFF | | | | | 0.00 |
| TOTAL VALUE OF SUPPLY | | | | | 0.00 |

From 14-07-2021 to 15-07-2022

15-07-2022

GST VOUCHER NUMBER: GSTV00000000000000000000

NO

For Tax Invoice

For E-way Bill ONLY

For E-invoice ONLY

For E-way Bill, please use the QR code
 For E-invoice, please use the QR code

For E-way Bill, please use the QR code
 For E-invoice, please use the QR code



FM SILVERTOAN PAPERS LIMITED

Director (with Signature)

PLEASE DEPOSIT THE RECEIPT TO OUR BANK ACCOUNT AS PER BELOW

Bank Name: State Bank of India, Muzaffarnagar, RGS GOLD-HDFC BRANCH, ACCOUNT NO: 12345678901234567890

Branch: 25/4/2019, Silver Complex, Shree Chakra, Laxmi Nagar, East Block, Delhi 110052

TAX INVOICE

ORIGINAL FOR Buyer

SILVERTOAN

P E R S I M I T E E

AN ISO 9001:2015, 14001:2007, 14001:2015 CERTIFIED COMPANY

Works: 9th Km. BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA

Phone : +91-5756759080 • e-mail : silvertopapers@silvertopapers.com

GTIN : 06AAAC1644211ZA
 IN : 12-05-46-021671
 PAN : AAAC16442L

TI. NO.: PM1/21-22/03338
 PO No.:
 DATE : 21/03/2022
 EWB No.:

VEHICLE NO.: RJ01GB5717
 FREIGHT PAID
 TPT.: SHREE GANESH TRANSPORT CO.
 G.P. NO.: 13903

FROM : SILVERTOAN PERSIMITTEE

NAME & ADDRESS OF THE BUYER

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHAMBHUPURA
 CITTORGARH
 STATE : RJ
 GTIN : 06AAAC1644211ZA
 PAN : AAAC16442L
 PHONE :
 E-MAIL: HARSHK.SHARMA@ADITYABIRLA.COM

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHAMBHUPURA
 CITTORGARH
 STATE: RJ
 GTIN: 06AAAC1644211ZA
 PAN : AAAC16442L
 PHONE:

| Item Description | HSN | Qty | UQC | Rate | Total Value of Supply |
|--------------------------------------|----------|----------|-----|------|-----------------------|
| REAR BLIND PAPER | 39159090 | 34760.00 | EGS | 0.00 | 0.00 |
| FSC MIX 100% SQSHK - COC - 400186 | 0 | 34760.00 | | | 0.00 |
| Total Value | | | | | 0.00 |
| Insurance | | | | | 0.00 |
| Freight | | | | | 0.00 |
| TAXABLE VALUE | | | | | 0.00 |
| IGST | | | | | 0.00 |
| TCS | | | | | 0.00 |
| ROUND OFF | | | | | 0.00 |
| TOTAL VALUE OF SUPPLY | | | | | 0.00 |

From 15-07-2021 to 15-07-2022



15-07-2022

Is this invoice Reverse Charge Basis Yes/No

NO

With tax invoice

Invoice number 00000000000000000000

TERMS & CONDITIONS

1. Payment shall be made by bank transfer to the account of SILVERTOAN PERSIMITTEE.

2. The goods shall be delivered to the consignee within the stipulated time.

3. The goods shall be delivered to the consignee within the stipulated time.



SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

Please pay the amount to our bank account as per detail

Bank Name: State Bank of India, Branch: Muzaffarnagar, RTGS Code: SBIN0000000

Account No: 12345678901234567890

Head Office: 9th Km. BHOPA Complex, Subhash Chandra Laxmi Nagar, East Delhi, Delhi-110002

LYDTON

Wortlaut: **„MUSZAFAR WAGAR“**

VEHICLE NO.: RJ14GFD253

FREIGHT PAID

TRV. 146755 CANESH TRANSPORT CO.

5.3. 195.13962

HUFAYATEX CEMENT LTD
 2000A CEMENT WORK ADITYAPURAM
 600 010 CHENNAI
 TAMIL NADU
 INDIA
 TEL: 044-26442112
 FAX: 044-2644211
 E-MAIL: SALES@SRARMASADITYABIRLA.COM

ULTRATECH CEMENT LTD
ADITYA CEMENT WORKS ADITYAPURAM
SHANMUGUPURA
CHITTORGARH
STATE: RJ
GSTIN: CEAAC16442112A
PAN : AAAC1644Q2L
PHONE:

| ITEM DESCRIPTION | HSN | QTY | UNIT | TAXES | AMOUNT |
|------------------|----------|----------|-------------|-------|--------|
| NEWSPRINT PAPER | 39159090 | 20845.00 | KGS | 0.00 | 0.00 |
| FSC MIX 100% | | | | | |
| FSC - CQC-100186 | | | | | |
| TOTAL VALUE | | 20845.00 | Total Value | | 0.00 |
| | | | Duties | | 0.00 |
| | | | Freight | | 0.00 |
| | | | | | 0.00 |

From 16-07-2021 to 19-07-2022

15-07-2022

Copyright © 2004 John Wiley & Sons, Inc.

NO

| | |
|---------------|------|
| TAXABLE VALUE | 0.00 |
|---------------|------|

| | | |
|------|-------|------|
| IGST | 0.00% | 0.00 |
|------|-------|------|

| | | |
|-----|--------|------|
| TCS | 0.0000 | 0.00 |
|-----|--------|------|

| | |
|-----------|------|
| BOUND OFF | 0.55 |
|-----------|------|

| | |
|-----------------------|------|
| TOTAL VALUE OF SUPPLY | 0.00 |
|-----------------------|------|



TAX INVOICE
DUPLICATE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

SILVERTOAN PAPERS LIMITED

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works: 501 KM, BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone: +91-9756759000 • e-mail: silvertosales2018@gmail.com

INSTRUMENT NO.: 90a2fcbbl1e0f0e031b4d210bb7be2c4d838e129940f3be2666ab5b63793684d39
Acc. No.: 14221-218991377
AcK. Date: 2022-04-29 17:25:00

GSTIN: 09AABCS2553E1ZJ
CIN: U27012DL1990PLC231573
PAN: AABCS2553 E

TI. NO.: BM1/22-23/00253
PO No.:
DATE: 29/04/2022
EWB No.: 471247839803

VEHICLE NO.: RJ32G85493
FREIGHT PAID
TPT.: SHREE GANESH TRANSPORT CO
G.R. NO.: 13961

NAME & ADDRESS OF RECIPIENT

ULTRATECH CEMENT LTD
ADITYA CEMENT WORK ADITYAPURAM
SHANBHUPURA
CITTORGARH
STATE: RJ
GSTIN: 08AAACL6442L12A
PAN: AAACL6442L
PHONE:
E-MAIL: HARSHA.SHARMA@ADITYABIRLA.CO

NAME & ADDRESS OF CONSIGNEE

ULTRATECH CEMENT LTD
ADITYA CEMENT WORK ADITYAPURAM
SHANBHUPURA
CITTORGARH
STATE: RJ
GSTIN: 08AAACL6442L12A
PAN: AAACL6442L
PHONE:

| Item Description | HSN | Qty. | UOC | Rate | Total Value of Supply |
|---------------------------------------|----------|----------|-----|------|-----------------------|
| WEAST PLASTIC | 39159090 | 20775.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL REELS= 0, BUNDLES= 0
20775.00

Material for Disk off

Pol. No.: 12001/223656481/00/000
From: 16-07-2021 to 15-07-2022

FSC
FSC MIX 100%
SGSHK - COC - 400186

Tax Payable on Reverse Charge Basis: Yes/No

Yes Tax Invoice
No Tax Invoice

ONLY

NO

TOTAL VALUE OF SUPPLY

0.00

TERMS & CONDITIONS:

1. All payments are subject to Muzaffarnagar Jurisdiction.

2. A 2% 24% p.a. will be charged after 30 days from bill date on payment.

3. Interest will not be taken back on any Account.

4. All payments must be made through Banking mode only.

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL:

C BANK LTD., Devpuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392

Regd. Office: B-6205 Laxmi Complex, Subhash Chandra

For SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

TAX INVOICE

Form 46 of the Central Goods & Services Tax Rules, 2017

SILVERTOAN
PAPERS LIMITEDAN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km. BHOPA ROAD MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-5756769000 • e-mail : silvertosales2018@gmail.com

Triplicate For Supplier

14-0a33+8pef318ee4ffec4c25f2da90a35a812ef088360a08486d99eb1132a3
142211374533830 Ank.Date: 2022-06-17 17:04:00

| | | |
|-----------------------------|--------------------------|--------------------------|
| GSTIN : 084A5C52553E1ZJ | SI. NO. : PH1/22-23/0078 | VEHICLE NO. : RJ14GG3761 |
| CIN : L31202DL1990PLC231573 | PG No. : | FREIGHT TO PAY |
| PAN : AABCS2553E | DATE : 17/06/2022 | TPT. : SCHAM ROAD LINES |
| | EWS No. : 491256494543 | G.R. NO. : 1413 |

| NAME & ADDRESS OF RECIPIENT | PLACE OF SUPPLY | NAME & ADDRESS OF CONSIGNEE | ADDRESS FOR DELIVERY |
|--|-----------------|--|----------------------|
| HARI OM ENTERPRISES 12-1293/H7 RIICO INDUSTRIAL AREA BHIMADI STATE : RAJ GSTIN : 08BVMK8179C12V PAN : BVMK8179C PHONE : E-MAIL : | | HARI OM ENTERPRISES 12-1293/H7 RIICO INDUSTRIAL AREA BHIMADI STATE : RAJ GSTIN : 08BVMK8179C12V PAN : BVMK8179C PHONE : | |

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 28500.00 | KGS | 0.00 | 0.00 |
| FSC [®] MIX 100% SGSHK - CQC - 400186 | | | | | |

| | | | |
|------------------------------|----------|-------------|------|
| TOTAL BUNDLE= 0 , BUNDLES= 0 | 28500.00 | Total Value | 0.00 |
| | | Insurance | 0.00 |
| | | Freight | 0.00 |
| | | | 0.00 |

Forward for Disposal off

ROLL No. : 2001/223656481/00/000
From 16-07-2021 to 15-07-2022



| | | |
|---------------|--------|------|
| TAXABLE VALUE | 0.00 | 0.00 |
| IGST | 0.00% | 0.00 |
| TCS | 0.000% | 0.00 |
| ROUND OFF | | 0.00 |

Tax Payable on Reverse Charge Basis : Yes/No

NO

Total Tax Invoice Value (in words) Rs. ONLY.

TERMS & CONDITIONS

1. This invoice is subject to Muzaffarnagar Jurisdiction.
2. Payment of TDS, if any, will be charged after 30 days from bill date for any payment.
3. This invoice will not be taken back on any Account.
4. Payment of any payment through Banking mode only.
5. E & O.



For SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devapuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392 ACCOUNT NO : 07500000517037

Regd. Office : B-6/205 Laxmi Complex, Sahibnash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

SILVERTOAN
PAPERS LIMITEDAN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works: 9th Km, BHOPA ROAD, MUZAFFARNAGAR-201001 (U.P.) INDIA
Phone: +91-9756769000 • e-mail: silvertosales2018@gmail.com

Triplicate For Supplier

GSTIN: 03ABCS2553E1ZJ
CIN: U31012OL1990PLC231573
PAN: AABCS2553E
Ack. Date: 2022-06-17 17:06:00

GSTIN: 03ABCS2553E1ZJ

CIN: U31012OL1990PLC231573

PAN: AABCS2553E

TI. NO.: PM1/23-23/00757

PO No.:

DATE: 17/06/2022

EWB No.: 421258495492

VEHICLE NO.: RJ52GR7947

FREIGHT TO PAY

TPT.: SOHAM ROAD LINES

S.R. NO.: 1412

NAME & ADDRESS OF RECIPIENT

NAME & ADDRESS OF CONSIGNEE

HARI OM ENTERPRISES
SP-1293/H7
RIICO INDUSTRIAL AREA
BHINADI
STATE: RAJ
GSTIN: 08BVWPK8179C12V
PAN: BVWPK8179C
PHONE:
E-MAIL:

PLACE OF SUPPLY

HARI OM ENTERPRISES
SP-1293/H7
RIICO INDUSTRIAL AREA
BHINADI
STATE: RAJ
GSTIN: 08BVWPK8179C12V
PAN: BVWPK8179C
PHONE:

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---------------------------------------|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 29240.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL KEELS= 0, BUNDLES= 0

29240.00

Total Value

0.00

Insurance

0.00

Freight

0.00

0.00

(Checked for Disposal)



Roll No.: 2001/223656481/00/000

From: 16-07-2021 to 15-07-2022

TAXABLE VALUE

0.00

IGST

0.00

0.00

TCS

0.00

0.00

ROUND OFF

0.00

Tax Payable on Reverse Charge Basis: Yes/No

TOTAL VALUE OF SUPPLY

0.00

Total Tax Invoice

NO

Value (in words) RS. ONLY.

TERMS & CONDITIONS:

- All supplies are subject to Muzaffarnagar jurisdiction.
- Interest @ 24% p.a. will be charged after 30 days from bill date for late payment.
- Goods once sold will not be taken back on any Account.
- Please send payment through Banking mode only.

Scan and Pay



For SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL:

HDFC BANK LTD., Devpuraam Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392 ACCOUNT NO.: 5750000607003

Road Office: B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

Triplicate For Customer

Serial No. 46 of the Central Goods & Services Tax Rules, 2017

SILVERTOAN
PAPERS LIMITEDAN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km, BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9756269000 • e-mail : silvertosales2016@gmail.comInvoice No: 1274533633308d941cf126f80404297525713d6a49dc9bc3420b38c66dc1508a73
Ack. Date: 2022-06-27 14:25:00

| | | |
|-----------------------------|-------------------------|-------------------------------|
| GSTIN : 09AABCS2553E12J | TT. NO.: PM/22-23/00877 | VEHICLE NO.: UP12AK3406 |
| CIN : U21012DL1890PLC231573 | PO No.: | FREIGHT TO PAY |
| PAY : AABCS2553E | DATE : 27/06/2022 | REP.: DEW RESOURCE MANAGEMENT |
| | EWB No.: | G.P. NO.: SELF |

NAME & ADDRESS OF RECIPIENT

NAME & ADDRESS OF CONSIGNEE

DEW RESOURCE MANAGEMENT MEN
1827/1, 1829/1, 1830/1, 1831/1,
SUJRU PARGANA SUJRU
MUZAFFARNAGAR
STATE : UP
GSTIN : 09AATFD2410L127
PAN : AATFD2410L
PHONE :
E-MAIL :

DEW RESOURCE MANAGEMENT MEN
1827/1, 1829/1, 1830/1, 1831/1,
SUJRU PARGANA SUJRU
MUZAFFARNAGAR
STATE : UP
GSTIN : 09AATFD2410L127
PAN : AATFD2410L
PHONE :

PLACE OF SUPPLY

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---------------------------------------|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 15070.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL KEELS = 0, BUNDLES = 0

15070.00

Total Value

0.00

Insurance

0.00

Freight

0.00

0.00

Bill No.: 13101/223656481/06/000
From: 16-07-2022 to 16-07-2022



TAXABLE VALUE

0.00

CGST 0.00%

0.00

SGST 0.00%

0.00

TCS 0.000%

0.00

ROUND OFF

0.00

Tax Payable on Reverse Charge Basis : Yes/No

TOTAL VALUE OF SUPPLY

0.00

Total Tax Invoice

NO

Value (in words) ONLY.

TERMS & CONDITIONS:

- All invoices are subject to Muzaffarnagar Jurisdiction.
- Amount to be paid within 30 days from bill date unless payment.
- Cash on delivery will not be taken back on any Account.
- Please send payment through Banking mode only.
- T & C U.P.



For SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devpurani Link Road, Muzaffarnagar. RTGS CODE-HDFC0009392 ACCOUNT NO-57501000000000000000

Regd. Office : B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

[See Rule 46 of the Central Goods & Services Tax Rules, 2017]

SILVERTOAN
PAPERS LIMITED

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 5th Km, BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9756769000 + e-mail : silvertcansales2018@gmail.com



142211469618248 Ack.Date: 2022-07-16 17:15:00

GSTIN : 06AABC52553E1ZJ
 CIN : U21012DL1990PLC231573
 PAN : AABC52553E

TI. NO.: PH1/22-23/02075
PO No.:
DATE : 16/07/2022
EWS No.: 491264817679

VEHICLE NO. IUP12AD3804
FREIGHT TO PAY
TOLLOEN RESOURCE MANAGEMENT
G.P. NO.: SELF

NAME & ADDRESS OF RECIPIENT

WORK RESOURCE MANAGEMENT MZB
 1827/1, 1829/1, 1830/1, 1831/1,
 SUBOTI ZARGANA ENJBU
 MIDAFARNAGAR
 START : UP
 GETTY : 09AATFD24101127
 SUB : RATFD24101
 PHONE :
 11-11-11

NAME & ADDRESS OF CONSIGNEE

NEW RESOURCE MANAGEMENT MAN
1827/1, 1829/1, 1830/1, 1831/1,
SUJRU BARGANA SUJRU
MUZAFFARNAGAR
STATE: UP
GSTIN: 09AATFD0410127
PAN : AATFD04101
PHONE:

PLACE OF SUPPLY

Abstracts of the 1998 Annual Meeting of the American Psychological Association, Washington, DC, August 1-5, 1998.

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|--|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) FSC® MIX 100% 3GSHK - COC - 400186 | 39159090 | 11845.00 | KGS | 0.00 | 0.00 |

11845.00

| | |
|-------------|------|
| Total Value | 0.00 |
| Insurance | 0.00 |
| Freight | 0.00 |

Medicinal Fungus Lab 08



| | | |
|---------------|--------|------|
| TAXABLE VALUE | | 0.00 |
| CGST | 0.00% | 0.00 |
| SGST | 0.00% | 0.00 |
| TCS | 0.000% | 0.00 |
| ROUND OFF | | 0.00 |

Tax Payable on Reverse Charge Basis : Yes/No

TOTAL VALUE OF SUPPLIES

Total Tax Invoice

Value (in words) **ONLY**

ND

TERMS & CONDITIONS

- TERMS & CONDITIONS**
 1. All payments are subject to New Hampshire Jurisdiction
 2. Interest @ 24% p.a. will be charged after 30 days from bill date for late payment
 3. Funds must not be cashed back on any Account
 4. Payment must be made through Banking mode only
 P. 1 of 2



For SILVERTOAN PAPERS LIMITED

Deaktor Alina Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :
HDFC BANK LTD., Deepuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0009382

Regd. Office - B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

SILVERTOAN
PAPERS LIMITEDAN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km. BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-8756769000 • e-mail : silvertosales2018@gmail.com

Triplicate For Supplier



Doc. No.: 2065756a5445172b2a1ed42fc9a9077f47a23e91131251f12e73b861ce0ae4b7
 Doc. No.: 142211504399449 Ack. Date: 2022-07-28 17:09:00

GSTIN : 09AABCS2555E1ZJ

CIN : L12101DL1990PLC231573

PAN : AABCS2555E

TI. NO.: PNL/22-23/01143

PO No.:

DATE : 28/07/2022

EWB No.: 1421267266354

VEHICLE NO.: UP12AX5606

FREIGHT TO PAY

TPT.: DEW RESOURCE MANAGEMENT

G.R. NO.: SELF

NAME & ADDRESS OF RECIPIENT

DEW RESOURCE MANAGEMENT HZN
 1827/1, 1829/1, 1830/1, 1831/1,
 SUJHU PARGANA SUJRU
 MUZAFFARNAGAR
 STATE : UP
 GSTIN : 09AATFD2410L187
 PAN : AATFD2410L
 PHONE :
 E-MAIL :

PLACE OF SUPPLY

NAME & ADDRESS OF CONSIGNEE

DEW RESOURCE MANAGEMENT HZN
 1827/1, 1829/1, 1830/1, 1831/1,
 SUJHU PARGANA SUJRU
 MUZAFFARNAGAR
 STATE : UP
 GSTIN : 09AATFD2410L187
 PAN : AATFD2410L
 PHONE :

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---------------------------------------|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 12945.00 | MGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL REELS= 0, BUNDLES= 0 12945.00

Total Value 0.00
 Insurance 0.00
 Freight 0.00

Material for free off

Doc. No.: 2065756a5445172b2a1ed42fc9a9077f47a23e91131251f12e73b861ce0ae4b7
 From: 15-07-2022 to 15-07-2023



TAXABLE VALUE 0.00
 CGST 0.00% 0.00
 SGST 0.00% 0.00
 TCS 0.000% 0.00
 ROUND OFF 0.00

Tax Payable on Reverse Charge Basis : Yes/No

NO

TOTAL VALUE OF SUPPLY 0.00

Total Tax Invoice
 Value (in words) INR. ONLY.

TERMS & CONDITIONS:

1. All goods & services are subject to Muzaffarnagar Jurisdiction
2. Payment to 28% will be charged after 30 days from bill date for cash payment
3. Credit order will not be taken back on any Account.
4. Payment should be made through Banking mode only
5. 1% GST



For SILVERTOAN PAPERS LIMITED

Director/Author. Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devpuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392 ACCOUNT NO. 42300000000000000000

Regd. Office : B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

SILVERTOAN

PAPERS LIMITED

The Chief Environmental Officer (C-3)
C.P. Pollution Control Board
Plot - 12V, Vibhuti Khand,
Gomti Nagar, Lucknow-226010

Subj: Regarding compliance of consent received under Section 25/26 of water Act 1974

Ref: Your letter No. 109446/UPPCB/Muzaffarnagar/UPPCBRO/CTO/Water/Muzaffarnagar/2020 dated 20/01/2021

It is with reference to your office letter No. 109446/UPPCB/Muzaffarnagar/UPPCBRO/CTO/Water/Muzaffarnagar/2020 dated 20/01/2021 wherein you have required us to submit point wise compliance of consents issued to us under Water Pollution Act-1974. We herunder submit point wise compliance of consents of conditions as:

CONDITIONS OF CONSENT UNDER WATER POLLUTION ACT - 1974

1. That we will producing Kraft Paper 180 Mt/Day (Waste Paper Based - 60 Mt/Day And Agro Waste Based - 120 Mt/Day) on an average.
2. —Agreed—
3. The unit shall comply with the discharge norms of treated waste water under the Environment (Protection) Rules 1986 as has also been conveyed by CPCB vide their letter dated 08.12.2017.
4. The industrial & domestic waste water is collected & treated separately.
- 4(a) The domestic effluent discharge standards as notified under the Environment (Protection) Rules-1986 will be strictly complied with.
- 4(b) The Industrial Effluent discharge standards as notified under the Environment (Protection) Rules-1986 will be strictly complied with.
5. Effluent generated in all the process shall be treated before disposal as per prescribed Norms.
6. The method of collecting of Effluent & its analysis shall be undertaken as per Indian Standard as prescribed under Environment Protection Act-1986.
7. The unit has already obtained the permission of UPGWD/CGWA.
8. The treated domestic & Industrial Effluent shall be disposed only at one disposal point as per regulations & proper arrangement has been made for installation of V-Notch Flow Meter for measuring effluent & proper log book shall also be maintained.

Notch Flow Meter for measuring of Effluent & proper log book shall also be maintained.

That we will strictly comply with various provisions of water air (prevention and control) Act 1974, 1981 and E.P. Act 1986.

10. The unit has already greening upto 35% of the total land on which industry is situated.
11. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB & CPCB server.
12. Flow meter has already been installed at all water abstraction points and water consumption has been reduced as per charter by CPCB.
13. If the CPCB/SPCB issue us closure notice in future, we will ensure the strict compliance of it.
14. Industry will comply all order/direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
15. Agreed.

SPECIFIC CONDITIONS

1. Operating parameters at each treatment unit shall be maintained.
2. The unit shall comply with the discharge norms of treated waste water under the Environment (Protection) Rules 1986 as has also been conveyed by CPCB vide their letter dated 08.12.2017.
3. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB & CPCB server.
4. Flow meter has already been installed at all water abstraction points and water consumption has been reduced as per charter by CPCB.
5. The unit has employed qualified personal to see that operating parameters of treatment units are maintained.
6. The unit has already obtained the permission of UPGWD/CGWA.
7. If the CPCB/SPCB issue us closure notice in future, we will ensure the strict compliance of it.
8. The treated domestic & Industrial Effluent shall be disposed only on one disposal point as per conditions & proper arrangement has been made for installation of V-

Notch Flow Meter for measuring of Effluent & proper log book shall also be maintained

Charter as applied has been followed.

10. The industry has already installed Piezometer for measurement of ground water level and the data generated.
11. We will be doing production as per installed capacity mentioned in our consent order.
12. Industry will comply all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
13. The industry will submit treated effluent analysis report of approved laboratory on quarterly basis.
14. The unit regularly operate its CRP as we are generating product which is valuable.
15. Operational records of CRP shall be kept & will be sent on monthly basis.
16. That we will strictly comply with various provisions of water air (prevention and control) Act 1974/1981 and E.P. Act 1986.
17. The copy of latest balance sheet was enclosed with online application.
18. The unit has already greening upto 30% of the total land on which industry is situated.

This is for your kind knowledge & necessary action.

Thanking you,

For **SILVERTOAN PAPERS LTD.**

(Authorized Signatory)

C.C.

In

The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)

SILVERTOAN

Chief Environmental Officer (C-3)

P. Pollution Control Board

C-17A, Vibhuti Khand,

Monti Nagar, Lucknow-226010

1. Regarding compliance of consent received under Section 21/22 of Air Act 1981

2. Your letter No. 109439/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Air/
Muzaffarnagar/2020 dated 20/01/2021

3. In with reference to your office letter No. 109439/UPPCB/Muzaffarnagar
(UPPCBRO)/CTO/Air/Muzaffarnagar/2020 dated 20/01/2021 wherein you have required us to submit
point wise compliance of consent issued to us under Air Pollution Act-1981. We hereunder submit
point wise compliance/conditions as :

CONDITIONS OF CONSENT UNDER AIR POLLUTION ACT - 1981

1. That we will producing Kraft Paper 180 Mt/Day (Waste Paper Based - 60 Mt/Day And Agro
Waste Based - 120 Mt/Day) on an average.
2. - Agreed -
- 3.(a) The emissions of flue gases will be well under the norms as specified by CPCB/MOEF.
- 3.(b) The emission quality of Flue Gas will be maintained strictly as per prescribed norms by the
Board.
- 3.(c) The Quantity of other Pollutants shall also be within norms as prescribed by the
Board/MOEF/CPCB.
4. - Agreed -
5. Any source of emission other than that mentioned in the air consent seeking application will
not be use by the unit.
6. The Unit is complying with all prescribed Air Pollution Norms and regularly operating &
monitoring Air Pollution Control System.
7. The environmental statement will be submitted within time.
8. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court,
Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control
Board for protection and safe guard of environment from time to time.
- 9&10. Industry will strictly comply with various provisions of water/air (prevention and control) Act
1974/1981 and E.P. Act 1986.
11. We will assure you continuous and uninterrupted data supply from the OCEEMS to the SPCB
and CPCB server.

12. The copy of latest balance sheet was enclosed with consent application form. We are also enclosing the details of consent fee submitted in last 3 years.
13. The unit will not use pet coke & F.O. in compliance of Supreme courts orders.
14. The industry will use minimum 20% bio-briquette as fuel depending upon its availability.
15. The unit shall obtain prior consent in case of any additional emission generation sources.
16. The unit has maintained green belt over all of its open area, same shall be maintained regularly.
17. If the CPCB/UPPCB issue us closure notice in future, we will ensure the strict compliance of it.
18. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.

SPECIFIC CONDITIONS

1. The Industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated & Disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the air consent seeking application will not be use in the unit.
3. Industry will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
4. Industry will submit environment statement in prescribed format within time.
5. Operating parameters at each treatment unit shall be maintained.
6. Prior approval will be taken before making any modification in product / process / fuel / plant & machinery.
7. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB & CPCB server.
8. The industry shall submit stack emission monitoring from a certified/approved laboratory on quarterly basis.
9. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit stack emission monitoring from a certified/approved laboratory on quarterly basis.

11. Industry will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
12. The unit will not use pet coke & F.O. in compliance of Supreme courts orders.
13. Charter as applied has been followed.
14. If the CPCB/SPCB issue us closure notice in future, we will ensure the strictly compliance of its.
15. The copy of latest balance sheet was enclosed with online application.
16. The industry will use minimum 20% bio-briquette as fuel depending upon its availability.
17. UPGWD/CGWA
18. The unit shall obtain prior consent in the event of any additional emission generation sources.
19. The unit has maintained green belt over all of its open area, same shall be maintained regularly.

This is for your kind knowledge & necessary action.

Thanking you,
For SILVERTQAN PAPERS LTD.

(Authorized Signatory)

C.C.

To,
The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)

SILVERTOAN PAPERS LIMITED

The Chief Environmental Officer (C-3)
C.P. Pollution Control Board
T-1, 12V, Vibhuti Khand,
Gauti Nagar, Lucknow-226010

Sub: Regarding compliance of provisions of authorization under hazardous and other waste (Management and Transboundary Movement) Rules, 2016

Sir,

This is in reference to authorization received reference no. H-14917/C-3/Haz-278/MZR/2018, dated 13.01.2018, kindly find enclosed the pointwise compliance as :

General Conditions :-

1. We will strictly comply with various provisions of environment protection Act 1986.
2. - Agreed -
3. We assure you that generated waste will be disposed in a proper legal way through T.S.D.F.
4. - Agreed -
5. The unit ensure to implement emergency response procedure (ERP) on priority bases for which this authorization is being obtained.
6. - Agreed - We will comply with the provisions of guidelines of CPCB on implementing liabilities for environmental damages due to handling and disposal of hazardous waste and penalty.
7. We will take decision / action accordingly.
8. - Agreed -
9. The record will be maintained for generated hazardous waste.
10. The generated hazardous waste and other waste during recycling / recovery / reuse / pre-processing shall be disposed as per specific conditions of authorization.
11. - Agreed -
12. The renewal application will be submitted 2 month before the expiry of authorization.
13. - Agreed -
14. - Agreed - Annual return shall be filed by June 30th for the period a ensuring 31st March of the year.

SPECIFIC CONDITIONS :-

1. - Agreed -
2. We are putting our sincere efforts to look that the environment surroundings the factory site inside/outside is not polluted due to handling & disposed of Hazardous / Other waste.

3. - Agreed -
4. - Agreed -
5. - Agreed - In case of any accident the unit shall submit complete details on form - II alongwith information of mitigate & remedial measures taken.
6. The unit has the valid membership of T.S.D.F. copy of membership & agreement has been already submitted alongwith authorization application form.
7. - Agreed -
8. - Agreed -
9. Regarding waste minimization and reuse of wastes will be done accordingly & timely. Generated waste will be disposed through TSDF as mentioned in Hazardous - Authorization issued by you.
10. - Agreed -
11. - Agreed -
12. The display board with data of quantity & quality of hazardous chemicals handled in plant, waste water & air emission generated shall be fixed fix at main gate of factory.
13. Guideline issued by Central Pollution Control Board for transportation of hazardous waste shall be followed.
14. - Agreed -
15. All form - 10 shall be provided regarding generated / disposed Hazardous Waste to the TSDF for safe disposal & treatment in compliance of Hazardous - Authorization conditions.
16. Status report of hazardous waste stored alongwith available storage capacity and future action plan for permanent safe disposal of Hazardous - Waste will be submitted timely.
17. Ground water analysis report is enclosed.
18. The unit will strictly complying the provisions of the Hazardous And Other Waste (Management & Transboundary Movement) Rules 2016.

This is for your kind knowledge & necessary action.

Thanking you,

For SILVERTON PAPERS LTD. (UNIT -1)

(Authorized Signatory)

C.C. To, The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

सदस्य सचिव/सी-3/राष्ट्र/22/2022 दिनांक 18/10/2022

प्रति,

मैक्स सिल्वर्टोन पैपर्स लि (यूनिट-1)

900 किमी. भोपा रोड, जमघट-मुजफ्फरनगर।

महोदय

यह कि मैक्स सिल्वर्टोन पैपर्स लि (यूनिट-1) 900 किमी. भोपा रोड, जमघट-मुजफ्फरनगर जोकि वेस्ट पैपर का एकमात्र पैपर का प्रयोग कर अपघट पैपर के उत्पादन हेतु उपयोग में लिये गए हैं। वायु प्रदूषण नियंत्रण एवं नियंत्रण अधिनियम, 1986 धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग मैक्स सिल्वर्टोन पैपर्स लि (यूनिट-1) 900 किमी. भोपा रोड, जमघट-मुजफ्फरनगर के विस्तृत नक्शे एनओसीटीओ में विद्यमान नक्शे आदेश 277/2022 लियाकत अली एवं अन्य इनाम उत्तर प्रदेश सरकार में परित आदेश दिनांक 21.07.2022 के अनुपालन में बोर्ड द्वारा गठित समुक्त समिति द्वारा समुक्त रूप से दिनांक-13.09.2022 को किया गया। निरीक्षण के समय दिये गये प्रश्न/विवरण के अनुसार उद्योग में बाइलर से जनित धलाई एश को निस्तारण हेतु लोकिंग वेस्टिंग को Low Lying Area की Filling हेतु एक ब्रिक क्लेन में ब्रिक भेजिए हेतु भेजा जाता है। परन्तु उद्योग द्वारा धलाई एश को निस्तारित किये जाने वाले स्थल का क्षेत्रफल एवं खसरा सख्या का विवरण उपलब्ध नहीं कराया गया तथा निस्तारण स्थल पर घूस उत्सर्जन की रोकथाम हेतु Green Cover, Water Sprinkling एवं Obstruction Wall के सम्बन्ध में कोई विवरण उपलब्ध नहीं कराया गया। उद्योग के आसपास के क्षेत्र में विभिन्न स्थानों पर भूमि पर भारी मात्रा में धलाई इन्व पाया गया है तथा निस्तारण स्थल पर वायु प्रदूषण नियंत्रण हेतु किसी प्रकार का फव्वारा प्रेशर सिस्टम स्थापित नहीं पाया गया जिससे आसपास के क्षेत्र में वायु प्रदूषण की समस्या व्याप्त होना स्वाभाविक है। वेस्ट पैपर आधारित पल्प एण्ड पैपर इकाईयों में सामान्यतः उत्पाद का 1.5% प्लास्टिक वेस्ट जनित होता है। यूनिट-1 एवं यूनिट-2 में वेस्ट पैपर आधारित फव्वारा पैपर उत्पादन की कुल क्षमता 280 मीटन/दिन है। अतः जनित प्लास्टिक वेस्ट की मात्रा 110 मीटन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में यूनिट-1 एवं यूनिट-2 को सम्मिलित करते हुए अभिलेख प्रस्तुत किये गये। उद्योग द्वारा दिये गये विवरण के अनुसार जवरी 2022 से जुलाई 2022 के मध्य कुल 32.36 मीटन/माह प्लास्टिक वेस्ट को सुरक्षित निस्तारण हेतु सीमेंट स्लाई को प्रेषित किया गया है तथा शेष 77.64 मीटन/माह प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में कोई विवरण प्रस्तुत नहीं किया गया जिससे स्पष्ट है कि उद्योग से जनित प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अतः एनओसीटीओ में विद्यमान नक्शे आदेश 277/2022 लियाकत अली एवं अन्य इनाम उत्तर प्रदेश सरकार में परित आदेश दिनांक 21.07.2022 के मुख्य अर्थ निम्नलिखित हैं -

5. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste generated for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any points to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months. ...

संवि. सं. 2003-01/2/04 सं. गलत समिति आयु मिलने की वजह से जिसकी गर्जों का उत्तरावन किया जा रहा है। सं. 2003-01/2/04 सं. गलत समिति आयु मिलने की वजह से जिसकी गर्जों का उत्तरावन किया जा रहा है। सं. 2003-01/2/04 सं. गलत समिति आयु मिलने की वजह से जिसकी गर्जों का उत्तरावन किया जा रहा है।

इस प्रकार निष्कर्षित करने पर कि (अनुसू. 3) का प्रयोग, बांधा रोड, जलपट-मुलाक़ातनगर द्वारा वायु (प्रदूषण नियंत्रण अधिनियम, 1986) के अन्तर्गत धारा-21, 22 के तः प्रदूषितियों के अन्तर्गत कोई स निर्गत सहजता शर्त का अभाव है। इस प्रकार इस स वायुपट्टन में जो वायु को स्वच्छ पर प्रतिफल प्रभाव आता था रहा है जोकि वायु (प्रदूषण नियंत्रण अधिनियम, 1986) के अन्तर्गत धारा-21 के अन्तर्गत आया है। इस प्रकार यह स वायुपट्टन में वायु (प्रदूषण नियंत्रण अधिनियम, 1986) के अन्तर्गत धारा-21 के अन्तर्गत आया है।

अपने अभिप्राय को जमाकरने की बहुत आवश्यकता प्रदान करने के लिए यह आवश्यक है कि पुस्तक का संशोधन

उत्तर :— (क) जहाँ जहाँ निवास करने के लिए निवास अधिकार प्राप्त है, वहाँ निवास करने के लिए निवास अधिकार प्राप्त है। (ख) जहाँ जहाँ निवास करने के लिए निवास अधिकार प्राप्त है, वहाँ निवास करने के लिए निवास अधिकार प्राप्त है। (ग) जहाँ जहाँ निवास करने के लिए निवास अधिकार प्राप्त है, वहाँ निवास करने के लिए निवास अधिकार प्राप्त है। (घ) जहाँ जहाँ निवास करने के लिए निवास अधिकार प्राप्त है, वहाँ निवास करने के लिए निवास अधिकार प्राप्त है। (ङ) जहाँ जहाँ निवास करने के लिए निवास अधिकार प्राप्त है, वहाँ निवास करने के लिए निवास अधिकार प्राप्त है।

१. यह कि एनो ने मेमर्स विलियरटॉन पार्स कि (युनिट-१), ७७ कि.मी. भापा रोड, जनपद-मुजफ्फरनगर को बोर्ड जे पर विनियम-३५ (२०२१) द्वारा रियल सहयोगी वायु को नैलम्बित (suspend) कर दिया जाये।
२. यह कि एनो ने एनो विलियरटॉन पार्स कि (युनिट-१), ७७ कि.मी. भापा रोड, जनपद-मुजफ्फरनगर की समस्त इमारतों, जवाबदा प्रविधि शरर कर दी जाये।
३. यह कि एनो ने एनो प्रविधि शरर ने यह एनो की जाये कि मेमर्स विलियरटॉन पार्स कि (युनिट-१), ७७ कि.मी. भापा रोड, जनपद-मुजफ्फरनगर ३५ नियम जहाँ विपदा एवं जल आपर्ति को संकलन इन्फा में बन्द कर द।

संरक्षण के अतिरिक्त यह भी स्पष्ट करें कि यहाँ से भा. राष्ट्रीय दलित अधिकरण, नई दिल्ली द्वारा दलित आंदोलन के संयोजन में सम्पन्न कार्यक्रमों द्वारा विकसित की गयी मीडिया/लैंगी के अनुसार प्रधान मंत्री शिविरों में बर्बर हिंसा (19-20) का किंगी, गांधी राज, चमक-मूक/कलम पर सक्षम अधिकारी के अनुमोदन/पराना निरीक्षण दिनांक-13/09/2022 से सम्बन्धित प्रमाणों का संलग्नन मन्दी हुए लम्बे-30,000/- इतिदिन की दर से सुधारार्थक कार्यवाही जिसे जाने तक सम्पन्न/की गयी है। अन्तिम हेतु प्रमाणों की सुविधि अतिरिक्त का सुक्त की वस्तु की जाय।

उपरोक्त तथ्यों के परिशिष्ट में कारण बताई नोटिस के संबंध में पूर्ण विवरण के साथ अगस्त 15 दिन के अन्दर बार्ड को भेजी जाये। तथ्यों द्वारा कारण बताई नोटिस को उत्तर न प्रेषित करने अथवा सत्यापनक उत्तर द्वारा न होने पर उद्योग के विरुद्ध राज्य (प्रमुख निगरान एवं नियंत्रण) अधिनियम, 1981 पञ्चासशोधित की-बास-3(ए) समितित धारा 21(4) के अन्तर्गत जारी कारण बताई नोटिस को सुवि तथा मल्लंघनकारी दिवसों हेतु पर्यवर्णीय कतिपुर्ति अधिनियम कर दी जाएगी जिसका सम्पूर्ण अनुसूचित अथवा सद्य भल होगा।

सक्षम अधिकारी के द्वारा पत्र निर्गमन हेतु अधिका...

Ruthyargi
मुख्य पत्रावरून अभिजानी (पान-3)

प्रतिपक्षि निम्नलिखित को दृष्टान्तार्थ एव अभिव्यक्त कार्यवाही हर्तुं प्रेषित-

१. जिलाधिकारी, मुख्यफलनगर।
२. अधीकारी अभियन्ता, वन, भाषा कार्यपालन लि., विज्ञान विभाग, खण्ड, मुख्यफलनगर।
३. अधीकारी अभियन्ता, जल संधारण, मुख्यफलनगर।
४. मध्य प्रशासन अधिकारी, गैरत मैनेजमेंट डिपार्ट्मन्ट-1/2, एड. प्रदूषण नियंत्रण बोर्ड लखनऊ।
५. निदेश अधिकारी, वन, प्रदूषण नियंत्रण बोर्ड, मुख्यफलनगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के लक्ष्य में उचित का कालक्रम निर्धारण कर आठवां 15 दिन में आवश्यक रूप से प्रेषित किया जाना अनिवार्य है।

Ruthy Singh
मुख्य पर्यावरण अधिकारी (पुल-3)

o/c J. J. J.



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC048680

VALID FROM 26/01/2022 TO 25/01/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202201000087

Name of the Owner AMIT GARG

Designation DIRECTOR
पद

Company Address 9TH KM, BHOPA ROAD,
कंपनी का पता MUZAFFARNAGAR

Address of the 9TH KM, BHOPA ROAD,
Applicant MUZAFFARNAGAR, U.P.

Date of Submission 05/01/2022

Company Name M/s SILVERTOAN
कंपनी का नाम PAPERS LIMITED

Authorization Letter Download
प्राधिकार पत्र

Application Form Serial MZFN0122NIN0100
No.

Specimen Signature

Location Particulars

District Muzaffar Nagar

Block MUZAFFARNAGAR

Plot No./Khasra No. 9TH KM, BHOPA ROAD,
MUZAFFARNAGAR

Municipality/Corporation No

Ward No./Holding No.

N/A

Particular of the Existing Well and Pumping Device

Date of 21/01/2007
Construction/Sinking
of the Well

Type of Well Tube Well/Boring

Depth of the Well (In
meter) 125.00

| | | | |
|---|----------------|--|-----------|
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 62.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 180.00 |
| Date of Energization (In Case of Electric Pump) | | 27/01/2007 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 180.00 | Maximum Allowable Running Hours Per Day: | 10.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 594000.00 |

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".

- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table

| S No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery,

- pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 19/04/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC030506

VALID FROM 26/01/2022 TO 25/01/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202201000088

| | | | |
|---------------------------------|--|--|-------------------------------|
| Name of the Owner | AMIT GARG | Company Name | M/s SILVERTOAN PAPERS LIMITED |
| Designation पद | DIRECTOR | कंपनी का नाम | |
| Company Address कंपनी का पता | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Authorization Letter प्राधिकार पत्र | Download |
| Address of the Applicant | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR, U.P. | Application Form Serial No. | MZFN0122NIN0101 |
| Date of Submission | 05/01/2022 | Specimen Signature | |

Location Particulars

| | | | |
|----------------------|--------------------------------------|--------------------------|---------------|
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Municipality/Corporation | No |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|---------------------------------|-------|
| Date of Construction/Sinking of the Well | 07/02/2007 | Depth of the Well (In meter) | 42.00 |
| Type of Well | Tube Well/Boring | | |

| | | | |
|--|----------------|---|-----------|
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 15.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m³/hr.) | 54.00 |
| Date of Energization (In Case of Electric Pump) | | 14/02/2007 | |
| Maximum Allowable Rate of Withdrawal (m³/hr.): | 54.00 | Maximum Allowable Running Hours Per Day: | 10.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 178200.00 |

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".

- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery,

pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.

- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date :19/04/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Annex-5

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC049536

VALID FROM 26/01/2022 TO 25/01/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202201000086

| | | | |
|---------------------------------|--|--|-------------------------------|
| Name of the Owner | AMIT GARG | Company Name | M/s SILVERTOAN PAPERS LIMITED |
| Designation पद | DIRECTOR | Authorization Letter प्राधिकार पत्र | Download |
| Company Address कंपनी का पता | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Application Form Serial No. | MZFN0122NIN0099 |
| Address of the Applicant | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR, U.P. | Specimen Signature | |
| Date of Submission | 05/01/2022 | | |

Location Particulars

| | | | |
|----------------------|--------------------------------------|--------------------------|---------------|
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Municipality/Corporation | No |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|---------------------------------|--------|
| Date of Construction/Sinking of the Well | 15/01/2007 | Depth of the Well (In meter) | 125.00 |
| Type of Well | Tube Well/Boring | | |

| | | | |
|---|----------------|--|-----------|
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 62.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 180.00 |
| Date of Energization (In Case of Electric Pump) | | 22/01/2007 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 180.00 | Maximum Allowable Running Hours Per Day: | 12.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 712800.00 |

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".

- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

• **SPECIFIC CONDITIONS:**

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and, Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery,

- pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry
- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date : 19/04/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building No. 1C-12V Vibhuti Khand, Guntli Nagar, Lucknow-226010



Amended - 13

TEST REPORT: WASTE WATER LABORATORY

1. S.No. 17798122/MuzaffarNagar/2022

Date:14/10/2022

2. Name of Industry: SILVER IOAN PAPERS LIMITED UNIT 2

3. Address of Industry: 9/1 111 K.M. BHOPA ROAD, MUZAFFARNAGAR, DISTT. MUZAFFARNAGAR (UP) MUZAFFAR

4. Pin Code: 201001

5. District: Muzaffarnagar

6. Description about sampling point: Final Outlet Discharge of E.T.P

7. Type of Sample (Grab/Composite/Integrated): Grab

8. Sample Collected By: Anoop Kumar City Magistrate : Muzaffarnagar & Imraan Ali A.E.E Regional Office-Muzaffarnagar

9. Colour and Odour: Colourless No Specific

10. Quantity and Packing: 2.0 Ltrs PVC

11. Date of Sample Collection: 13/09/2022

12. Analysis Initiated by: RO MuzaffarNagar

13. Date of sample receipt in Lab: 14/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|--|------|---------|----------|------------------|
| 1. 1400 IFB Electronic method | - | 7.98 | 7.0-8.5 | 02-12 |
| 2. 2540 D Total Solids dried at 103-105 °C | mg/l | 46.0 | 50 | 10-20000 mg/l |
| 3. 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 1088 | 2100 | 10- 50000 mg/l |
| 4. 2540 B Total Solids dried at 103-105 °C | mg/l | 1134 | - | 10- 50000 mg/l |
| 5. 5220 A day 27 °C IS 3025 (Part 44), 1993 Bio | mg/l | 24.2 | 30 | 1.0 -50000 mg/l |
| 6. 5220 B Open Reflux Method | mg/l | 188.0 | 250 | 5.0 -100000 mg/l |

14. The limits of standards for discharge of environment Pollutants are as per-A Effluent(Schedule-VII) The environment (Protection) Rules,1986 source:

15. For more details standards visit: Besides these standards, refer EPA standards for specific purpose.

Received by:

Analysed by:

Signature: [Veerma (SA)]

Received by:

Signature: [Prasad ASU]

Date: 14/10/2022

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed:
 by RAM GOPAL
 Date: 2022.10.14
 10:28:32 +05:30

16. The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without written permission of laboratory. 3. The test report pertains to the sample as received in Lab.



U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
68681/UPPCB/MuzaffarNagar(UPPCBRO)/CTO/
water/MUZAFFARNAGAR/2019

Dated : 30/12/2019

To,

Shri AMIT GARG

M/s SILVERTOAN PAPERS LIMITED UNIT 2

9.0 TH KM, BHOPA ROAD, MUZAFFARNAGAR, DISTT. MUZAFFARNAGAR (UP)

MUZAFFAR NAGAR, 251001

MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. SILVERTOAN PAPERS LIMITED UNIT 2

Reference Application No :6171567

Dated :30/12/2019

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. SILVERTOAN PAPERS LIMITED UNIT 2 is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 01/01/2020 to 31/12/2024 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Date: 2019.12.30
12:02:50 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Date: 2019.12.30
12:02:50 +05'30'

CEO
C-3.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SILVERTOAN PAPERS LIMITED UNIT 2 vide

Consent Order No. 6171567/Water

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Kraft Paper-220 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|--------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge,KL/day | Treatment facility and discharge point |
| 1 | Domestic | 4 KLD | Septic Tank |
| 2 | Industrial | 700 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent.

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 4 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms.

| Industrial Effluent | | |
|---------------------|------------------------|--------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Norms |
| 2 | BOD | As per Norms |
| 3 | COD | As per Norms |
| 4 | Oil & Grease | As per Norms |
| 5 | Quantity of Discharge | 700 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory.
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ Camera at the inlet, Aeration Tank, Secondary Clarifier and outlet of Effluent Treatment Plant for On Line Monitoring and its URL and password shall be provided to the UPPCB Control room.
- 12 This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified / approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.

Issued with the permission of competent authority .

Nishi
Kumar
Chauhan

Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.30
12:05:25 +05'30'

For and on behalf of U.P. Pollution Control Board .

CEO

C-3.



U.P. Pollution Control Board

CONSENT ORDER

Ref No. -

68687/U PPCB/MuzaffarNagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 30/12/2019

To ,

Shri AMIT GARG

M/s SILVERTOAN PAPERS LIMITED UNIT 2

9.0 TH KM, BHOPA ROAD, MUZAFFARNAGAR, DISTT. MUZAFFARNAGAR (UP)

MUZAFFAR NAGAR, 251001

MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SILVERTOAN PAPERS LIMITED UNIT 2

Reference Application No. 6172476

Dated : 30/12/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SILVERTOAN PAPERS LIMITED UNIT 2, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Nishi
Kumar
Chauhan

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

**Enclosed : As above
(condition of consent):**

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan

CEO
C-3.

U.P. Pollution Control Board

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Kraft Paper- 220 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|----------------------|------------------|-----------|--------------------|----------------------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 15 TPH Boiler | Coal and Biomass | 1 | Particulate Matter | 31 Meter From Ground Level |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board .

| Emission Quality Details Detail | | | |
|---------------------------------|----------|--------------------|--------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per Norms |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner .
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board .
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986 .
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time .
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986 .
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB .
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order .
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability .

15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

- 1.The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
- 2.Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
- 3.The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.
- 4.The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
- 5.The dying, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process
- 6.This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall submit the stack/ambient air quality monitoring report from approved Laboratory within one month.
- 9.The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 10.The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
- 11.The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
- 12.The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
- 13.Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 14.If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 15.The unit shall submit the audited balance sheet for the current year.
- 16.The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
- 17.The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

Nishi
Kumar
Chauhan
Digitally signed by Nishi Kumar Chauhan
DN: cn=Nishi Kumar Chauhan, o=UPPCB, ou=UPPCB, email=Nishi.Kumar@uppcb.com

For and on behalf of U.P. Pollution Control Board .

CEO

C-3,



REGIONAL LABORATORY MuzaffarNagar
UTTAR PRADESH POLLUTION CONTROL BOARD
 Kamal Cinema Building,Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref No.18090158/MuzaffarNagar/2022

Date: 17/10/2022

- 1- Name & Address of Industry: SILVERTOAN PAPERS LIMITED UNIT 2
- 2- Sample Collected By: (1) Vipul Kumar ,A.E.E (2)Maneesh Kumar,J.R.F
- 3- Date of Monitoring: 30/09/2022
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler(1BL)
- 6- Stack Height: 36 Meters
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 15 TPH
- 9- Fuel used: Wood Chips
- 10- Quantity of Fuel used: 80 TPD
- 11- Flue Gas Velocity: 8.10 m/sec.
- 12- Air Pollution Control Device: Multi Cyclone Type Dust Collector & Wet Scrubber
- 13- Other remarks (if any): At the time of inspection Industry found oprational.
- 14- Further details of sample location nad Test methods followed are appened overleaf:

| Sr no. | Parameter | Unit | Result | Standards |
|--------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 122.90 | (51) |

Analysed by-

[Maneesh Kumar JRF]

Authorised Signatory-

Ankit Singh RO

ANKIT SINGH
Digitally signed by ANKIT SINGH
 Date: 2022.10.17
 11:00:41 +05'30'
Regional Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Ref. No : 274/UPPCB/MuzaffarNagar(UPPCBRO)/HWM/Muzaffarnagar /2017 Dated:
08/02/2018

To,

M/s Silvertan papers Ltd. unit-2
9th km stone , Bhopa road , Muzaffarnagar
Tehsil :MuzaffarNagar
District :Muzaffarnagar

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 195011 and 08/02/2018 .
2. Reference of application (No. and date) 195011 and 05/12/2017 .
3. Mr Amit Jain of M/s Silvertan papers Ltd. unit-2 is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at The existing factory premises .

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity |
|-------|---|--|---------------|
| 1 | Schedule I Used or spent oil Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications | handed over to TSDF | .225 KL/Annum |
| 2 | Schedule I Wastes or residues containing oil Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications | handed over to TSDF | .075 T/Annum |
| 3 | Schedule I Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers De-contamination of barrels / containers used for handling of hazardous wastes/chemicals | handed over to TSDF | 1.0 T/Annum |

1. The authorization shall be valid for a period of 08/02/2023 from the date of issue of this letter
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .

2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any .
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .

B Specific Conditions of Authorization -

- 1- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
- 2- The authorised person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorisation has been requested. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
- 3- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.
- 4- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.
- 5- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.
- 6- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.
- 7- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.
- 8- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
- 9- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/reuse system must be sent within two months.
- 10- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 11- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.
- 12- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.
- 13- It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard has been issued by Central Pollution Control Board from time to time.
- 14- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
- 15- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.
- 16- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.
- 17- Ground water monitoring report of premises shall be submitted within one month.
- 18- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

PARAS
NATH

Digitally signed
by PARAS NATH
Date: 2018.02.26
12:02:49 +05'30'

Member Secretary

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, Regional office, U.P. Pollution
Control Board, Muzaffarnagar for information and necessary action .

PARAS
NATH

Digitally signed by
PARAS NATH
Date: 2018.02.26
12:03:05 +05'30'







CEO/EE, I/C Circle _____

FORM 10
(See rule 19 (1))

Copy for SPCB

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.: 53714

| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | | | | | | | |
|---|---|---|--|-------|-----|------|----|----|------|
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | Chalkin No. 02/59 Date 30/09/21 | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party | | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12BT-3486 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) Pvt. Ltd. E-18, Site-IV, Sahibabad Industrial Area Ghaziabad, UP-201010 Tel.: 0120-4167924 e-mail: sales@bharatoil.com (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207664 e-mail: sales@bharatoil.com (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel.: 0512-2265296 e-mail: sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1466UPPCB/Ghaziabad/UPPCBROY/WM/CHAZIABAD/2018 Valid upto: 03/05/2023 (II) UEPPCB/HQ/Com-B-84/2018/548 Valid upto: 31/03/2023 (III) 1403UPPCB/Kanpur Dehat/UPPCBROY/WM/AKBHUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | ETP Sludge - 200 kg | | | | | | | | |
| 11 Total Quantity No. of Containers | Oil & grease - 2013 m ³ or MT Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| SENDER'S CERTIFICATE | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | |
| Typed Name & Stamp:  | | Signature:  | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>09</td> <td>30</td> <td>2021</td> </tr> </table> | | Month | Day | Year | 09 | 30 | 2021 |
| Month | Day | Year | | | | | | | |
| 09 | 30 | 2021 | | | | | | | |
| Typed Name & Stamp:  | | Signature:  | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>09</td> <td>30</td> <td>2021</td> </tr> </table> | | Month | Day | Year | 09 | 30 | 2021 |
| Month | Day | Year | | | | | | | |
| 09 | 30 | 2021 | | | | | | | |
| Typed Name & Stamp:  | | Signature:  | | | | | | | |

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Copy for SPCE

S.No.: 58797

| | | | | | | | | | | | | | | | |
|---|--|---|--|-------|-----|------|----|----|------|-------|-----|------|----|----|------|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | Silverton Paper Limited 9th Km Bhopal Road NH-2 | | | | | | | | | | | | | | |
| 2 Sender's Authorization No. | | | | | | | | | | | | | | | |
| 3 Manifest Document No. | 108, Dt 2/3/22 | | | | | | | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Roorkee - Self (Truck / Tanker / Special Vehicle) | | | | | | | | | | | | | | |
| 5 Type of Vehicle | | | | | | | | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | | | | | | | |
| 7 Vehicle Registration No. | UP12BT1648 | | | | | | | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) E-18, Site-IV, Sahibabad Industrial Area, Ghaziabad, UP-201010 Tel: 0120-4111111 e-mail:sales@bharatoil.com | | | | | | | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel: 06874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285296 e-mail:sales@bharatoil.com | | | | | | | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1406UPPCBIGHaziabad/UPPCBRO/HW/HAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | | | | | | | |
| (ii) UEPPCB/HQ/Con-B-24/2018/540 Valid upto: 31/03/2023 | (iii) 1403UPPCBKanpurDehat/UPPCBRO/HW/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | | | | | | | |
| 10 Waste Description | ETP Sludge, Refined oil | | | | | | | | | | | | | | |
| 11 Total Quantity No. of Containers | 175 Kg 20 Nos. MT | | | | | | | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | | | | | | | |
| 4 SENDER'S CERTIFICATE | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | | | | | | | |
| Typed Name & Stamp | Signature | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>03</td> <td>2022</td> </tr> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>02</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 03 | 03 | 2022 | Month | Day | Year | 03 | 02 | 2022 |
| Month | Day | Year | | | | | | | | | | | | | |
| 03 | 03 | 2022 | | | | | | | | | | | | | |
| Month | Day | Year | | | | | | | | | | | | | |
| 03 | 02 | 2022 | | | | | | | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | | | | | | | | | | | | | | | |
| Typed Name & Stamp | Signature | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>02</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 03 | 02 | 2022 | | | | | | |
| Month | Day | Year | | | | | | | | | | | | | |
| 03 | 02 | 2022 | | | | | | | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | | | | | | | | | | | | | | |
| Typed Name & Stamp | Signature | <table border="1"> <tr> <td>Month</td> <td>Day</td> <td>Year</td> </tr> <tr> <td>03</td> <td>02</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 03 | 02 | 2022 | | | | | | |
| Month | Day | Year | | | | | | | | | | | | | |
| 03 | 02 | 2022 | | | | | | | | | | | | | |

FORM 10

[See rule 19 (1)]

Copy for SPCB

59918

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

| | | | |
|--|---|--|------|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | |
| 2 Sender's Authorization No. | | | |
| 3 Manifest Document No. | 111, D7 26/3/22 | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Purhey - Self | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | |
| 6 Transporter's Registration | | | |
| 7 Vehicle Registration No. | UP12BT1648 | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) R E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel: 0120- e-mail: sales@bharatoli.com | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel: 08874207664 e-mail: sales@bharatoli.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285298 e-mail: sales@bharatoli.com | | |
| 9 Receiver's Authorization No. | (I) 1486/77CB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | |
| (II) UPPCBHO/Con-B-64/2018/548 Valid upto: 31/03/2023 | (III) 1403/UPPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | |
| 10 Waste Description | ETP Sludge, Regt oil waste | | |
| 11 Total Quantity No. of Containers | 18515 m ³ or MT 5015 Nos | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | |
| SENDER'S CERTIFICATE | | | |
| Typed Name & Stamp | | Signature: | |
| | | | |
| | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled and are in all respects in proper condition for transport by road | |
| | | Month | Day |
| | | 03 | 26 |
| | | Year | 2022 |
| | | Month | Day |
| | | 03 | 26 |
| | | Year | 2022 |
| 15 Transporter Acknowledgement of Receipt of Waste | | | |
| Typed Name & Stamp | | Signature: | |
| | | | |
| | | Month | Day |
| | | 03 | 26 |
| | | Year | 2022 |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | | |
| Typed Name & Stamp | | Signature: | |
| | | | |
| | | Month | Day |
| | | 03 | 26 |
| | | Year | 2022 |

Authorized Signatory

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.: 60074

| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | | | | | | | |
|---|---|------|--|-------|-----|------|----|----|------|
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | 115, Dt 30/3/22 | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party - Self | | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12 BT 1648 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) REGD. E-18, Site-IV, Sahibabad Industrial Area, Ghaziabad, UP-201010 Tel : 0120-4167924, e-mail:sales@bharatoil.com | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Meuza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel. : 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel : 0512-2285296 e-mail:sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1466/UFC/3/Ghaziabad/UFCBRO/HW/MG/HAZABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (II) UEPCB/HO/Cen-B-84/2018/548 Valid upto: 31/03/2023 | (iii) 1402/UFC/3/Kanpur Dehat/UFCBRO/HW/MG/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | ETP Sludge, Regent oil, B Grade | | | | | | | | |
| 11 Total Quantity No. of Containers | 230 Kg m ³ or MT 30 kg Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | | |
| Typed Name & Stamp : Signature : | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>03</td> <td>30</td> <td>2022</td> </tr> </tbody> </table> | | | Month | Day | Year | 03 | 30 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 30 | 2022 | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>03</td> <td>30</td> <td>2022</td> </tr> </tbody> </table> | | | Month | Day | Year | 03 | 30 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 30 | 2022 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>03</td> <td>30</td> <td>2022</td> </tr> </tbody> </table> | | | Month | Day | Year | 03 | 30 | 2022 |
| Month | Day | Year | | | | | | | |
| 03 | 30 | 2022 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |

SILVERTOAN PAPERS LIMITED
 8th K.M., BHOPA ROAD, MUZAFFARNAGAR

LOG SHEET OF FLY ASH

| | Opening | Recd | Dispatched | Closing |
|--------|---------|----------|------------|---------|
| Feb-22 | 5.386 | 1173.220 | 869.980 | 309.626 |
| Mar-22 | 309.626 | 1199.810 | 1206.130 | 303.306 |
| Apr-22 | 303.306 | 1032.890 | 1080.110 | 306.086 |
| May-22 | 306.086 | 1073.210 | 1074.602 | 304.694 |
| Jun-22 | 304.694 | 1079.990 | 1078.280 | 306.404 |
| Jul-22 | 306.404 | 846.219 | 846.239 | 306.384 |

MT

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 02.03.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए फरवरी 2022 में सिल्वरटोन पेपर्स लिमिटेड से 302.78 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईट के निर्माता

ग्राम - बझेडी, मुज़फ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक - 01.03.2022

आपको सूचित किया जाता है कि बझेडी, मुज़फ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईट निर्माण इकाई है। हमें ईट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर फरवरी महीने 2022 में डम्पर से 567.20 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग

अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बड़ेड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 04.04.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बड़ेड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए मार्च 2022 में सिल्वरटोन पेपर्स लिमिटेड से 360.680 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईंट के निर्माता

ग्राम - बड़ोडी, मुज़फ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक - 02.04.2022

आपको सूचित किया जाता है कि बड़ोडी, मुज़फ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईंट निर्माण इकाई है। हमें ईंट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईंट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर मार्च महीने 2022 में डम्पर से 845.450 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग

अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बड़ोड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 02.05.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बड़ोड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए अप्रैल 2022 में सिल्वरटोन पेपर्स लिमिटेड से 234.780 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईंट के निर्माता

ग्राम - बड़ोडी, मुजफ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक - 04.05.2022

आपको सूचित किया जाता है कि बड़ोडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईंट निर्माण इकाई है। हमें ईंट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईंट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर अप्रैल महीने 2022 में डम्पर से 845.330 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग


अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद

पता- ग्राम बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 03.06.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझोड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए मई 2022 में सिल्वरटोन पेपर्स लिमिटेड से 236.880 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईट के निर्माता

ग्राम - बड़ोडी, मुजफ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक 03.06.2022

आपको सूचित किया जाता है कि बड़ोडी, मुजफ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईट निर्माण इकाई है। हमें ईट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर मई महीने 2022 में डम्पर से 837.720 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग

लेखित उत्तर
अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बझेड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 04.07.2022

● आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझेड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए जून 2022 में सिल्वरटोन पेपर्स लिमिटेड से 129.64 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईंट के निर्माता

ग्राम - बड़ोडी, मुज़फ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक 04.07.2022

आपको सूचित किया जाता है कि बड़ोडी, मुज़फ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईंट निर्माण इकाई है। हमें ईंट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईंट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर जून महीने 2022 में डम्पर से 948.640 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग


अधिकृत हस्ताक्षरकर्ता

अरशद अली पुत्र रशीद अहमद
पता- ग्राम बझेड़ी, मुजफ्फरनगर, उत्तर प्रदेश

दिनांक- 02.08.2022

आपको सूचित किया जाता है कि मेरा नाम अरशद अली पुत्र रशीद अहमद है। मेरे पास बझेड़ी, मुजफ्फरनगर, उत्तर प्रदेश में कुछ भूखंड हैं जहां गड्ढे हैं, इसलिए हमें इसे भरने के लिए बाँयलर राख की आवश्यकता है। मैंने गड्ढे भरवाने के लिए जुलाई 2022 में सिल्वरटोन पेपर्स लिमिटेड से 136.359 मीट्रिक टन का अधिग्रहण किया है।

धन्यवाद

अरशद अली

अरशद अली

शिवा ब्रिक्स उद्योग

सर्वोत्तम ईट के निर्माता

ग्राम - बड़ोडी, मुज़फ्फरनगर

GSTIN - 09AHUPA8901H1Z3

दिनांक 06.08.2022

आपको सूचित किया जाता है कि बड़ोडी, मुज़फ्फरनगर में शिव ब्रिक्स उद्योग नाम की हमारी ईट निर्माण इकाई है। हमें ईट बनाने के लिए बॉयलर की राख की आवश्यकता होती है। हमने ईट बनाने के काम के लिए सिल्वरटोन पेपर्स लिमिटेड से अपनी साइट पर जुलाई महीने 2022 में डम्पर से 709.880 मीट्रिक टन बॉयलर राख प्राप्त की है।

धन्यवाद

कृते शिवा ब्रिक्स उद्योग


अधिकृत हस्ताक्षरकर्ता

SILVERTOAN PAPERS LIMITED
 9th K.M., BHOPA ROAD, MUZAFFARNAGAR

LOG SHEET OF WASTE PLASTIC

| Month | MT | | | | |
|----------|---------|------------|---------|------------|---------|
| | Opening | Generation | Total | Dispatched | Closing |
| February | 71.700 | 32.280 | 103.980 | 0.000 | 103.980 |
| March | 103.980 | 35.070 | 139.050 | 117.255 | 21.795 |
| April | 21.795 | 25.540 | 47.335 | 41.620 | 5.715 |
| May | 5.715 | 33.280 | 38.995 | 0.000 | 38.995 |
| June | 38.995 | 34.300 | 73.295 | 72.810 | 0.485 |
| July | 0.485 | 32.680 | 33.165 | 24.790 | 8.375 |

Copyright © 2004 John Wiley & Sons, Ltd.

© 2000 Wiley-Liss, Inc. *J. Neurosci.* 20:1115–1124, 2000

Work on this project was supported by the National Science Foundation.

Therefore, $\mathbb{E}[\mathbf{I}^{\text{out}}] = \mathbb{E}[\mathbf{I}^{\text{in}}] = \mathbf{0}$ and $\mathbf{I}^{\text{out}} = \mathbf{I}^{\text{in}}$.

$$\begin{aligned} \text{WHEELS} &= 200 - (\text{HUBS} + \text{AXLES} + \\ &\quad \text{SPOCKS} + \text{VALVES}) \\ \text{TIRES} &= 2000 - (\text{HUBS} + \text{AXLES} + \text{TIARE-VALVES} + \\ &\quad \text{C-10-TIRES} + \text{SPOCKS}) \end{aligned}$$

```

SUBROUTINE C4CHH02 (LPH,
  &MCTYS, LPHHT, M935, NPTXGK, PMMR,
  &DRAH00H, C0TA,
  &CTTV00, LAMH,
  &ZTRTK, LLA,
  &GZTH, IDNAB, C04, C1, C2,
  &PMH, LAM, L04, L1,
  &PMR)

```

15-012-3025

Do you have a valid passport to the United States? Yes/No

210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

© 1999 Blackwell Science Ltd, *Journal of Internal Medicine* 245: 101–107

[illegible]^a ^{13}C and ^1H NMR spectra were recorded in CDCl_3 at 100 MHz and 400 MHz, respectively.

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 391–397

$$f(x) = \log(x) = \log(x) + 1 - 1 = \log(x) + 1 - \log(e) = \log\left(\frac{x}{e}\right) + 1$$

Downloaded from <http://ajph.org/> by guest on August 11, 2015

$$\text{and } \text{Off}(v) = \{i, j, k\} \Rightarrow \text{In}(v) \cap C = \{i, j, k\} = C \cup \{i, j, k\} \cap C = \{i, j, k\} \cup C \cap \{i, j, k\} = \{i, j, k\} \cup \{i, j, k\} = \{i, j, k\}$$

TAX INVOICE

PRINTED FOR RECEIPT

This Invoice is for the Goods supplied to the Customer as per Bill of Materials

SILVERTOAN

P R S - I N T L

SW : 140012015, 100012007, 140012015 CERTIFIED COMPANY
 Works : 40 km SHIRSI ROAD MUZAFFARNAGAR 201001 INDIA
 Phone : 91 575679080 + email : export@silvertoan.com

CITY : SHIRSI ROAD

CITY : SHIRSI ROAD

CITY : SHIRSI ROAD

TI.NO.: PML/21-22/03335

PO No.:

DATE : 21/03/2022

RWB No.:

VEHICLE NO.: RJ27GC1127

FREIGHT PAID

TPT.: NEW STAR ROAD LINES

G.R. NO.: 5333

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHANBHUPURA
 CITTORGARH
 STATE : RJ
 GSTIN : 08AAACL6442L1ZA
 PAN : AAACL6442L
 PHONE :
 E-MAIL: HARSHA.SHARMA@ADITYABIRLA.COM

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHANBHUPURA
 CITTORGARH
 STATE : RJ
 GSTIN : 08AAACL6442L1ZA
 PAN : AAACL6442L
 PHONE :

| Item Description | HSN | Qty | UQC | Rate | Total Value of Supply |
|--------------------------------------|----------|----------|-----|-----------------------|-----------------------|
| RAFT PAPER | 39159090 | 30425.00 | KGS | 0.00 | 0.00 |
| FSC MIX 100% SOSMK - COC - 400186 | | | | | |
| TOTAL QUANTITY = 0 BUNDLES = 0 | | 30425.00 | | Total Value | 0.00 |
| | | | | Insurance | 0.00 |
| | | | | Freight | 0.00 |
| | | | | | 0.00 |
| | | | | TAXABLE VALUE | 0.00 |
| | | | | IGST | 0.00% |
| | | | | TCS | 0.000% |
| | | | | ROUND OFF | 0.00 |
| | | | | TOTAL VALUE OF SUPPLY | 0.00 |

From: 15-07-2021 to 15-07-2022

15-07-2022

Is this invoice Reverse Charge based Yes/No

NO

Is this invoice

VOLUME ONLY.

Is this invoice

Is this invoice for the purpose of export

Is this invoice

Is this invoice for the purpose of export

Is this invoice



For SILVERTOAN PAPERS LIMITED

Customer/Agent Signature

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL

SILVERTOAN LTD, Enclave Road, Laxmi Road, Muzaffarnagar RTGS CODE HEN0285372 ACCOUNT NO: 57000000017053

Road Office : B-100 Link's Complex Subhash Chandra Laxmi Nagar, East Delhi, Delhi - 110002

TAX INVOICE

ORIGINAL FOR BUYER

SILVERTOAN

AY 2019-2020, 2020-2021, 2021-2022, 2022-2023 CERTIFIED COMPANY
 WORKING ADDRESS: MUZAFFARNAGAR, PIN-201001, INDIA
 Phone : +91-5756789000 • E-MAIL : silvertoman@silvertoman.com

ITEM : 100% KRAFT PAPER
 TI. NO. : PM1/21-22/03123
 PO No. :
 DATE : 03/03/2022
 EWB No. :
 VEHICLE NO. : RJ14GG0377
 FREIGHT PAID
 TPT. : SHREE GANESH TRANSPORT CO.
 G.R. NO. : 13887

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHAMBHUPURA
 CITTOORGARH
 STATE : RJ
 GSTIN : 08AAACL6442L12A
 PAN : AAACL6442L
 PHONE :
 E-MAIL : HARSHA.SHARMA@ADITYABINLA.COM

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHAMBHUPURA
 CITTOORGARH
 STATE : RJ
 GSTIN : 08AAACL6442L12A
 PAN : AAACL6442L
 PHONE :

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|--------------------------------------|----------|----------|-----|-----------------------|-----------------------|
| WEAST KRAFT PAPER | 39159090 | 27270.00 | KGS | 0.00 | 0.00 |
| FSC MIX 100% SCSHK - CQC - 400186 | | | | | |
| TOTAL PAPER = 0 BUNDLES = 0 | | 27270.00 | | Total Value | 0.00 |
| | | | | Insurance | 0.00 |
| | | | | Freight | 0.00 |
| | | | | | 0.00 |
| | | | | TAXABLE VALUE | 0.00 |
| | | | | IGST 0.00% | 0.00 |
| | | | | TCS 0.00% | 0.00 |
| | | | | ROUND OFF | 0.00 |
| | | | | TOTAL VALUE OF SUPPLY | 0.00 |

From: 16-07-2021 to 15-07-2022

15-07-2022

GSTIN: 08AAACL6442L12A

NO

GSTIN: 08AAACL6442L12A

GSTIN: 08AAACL6442L12A

GSTIN: 08AAACL6442L12A

GSTIN: 08AAACL6442L12A

GSTIN: 08AAACL6442L12A



SILVERTOAN PAPERS LIMITED

GSTIN: 08AAACL6442L12A

GSTIN: 08AAACL6442L12A

GSTIN: 08AAACL6442L12A

GSTIN: 08AAACL6442L12A

TAX INVOICE

ORIGINAL FOR Recipient

SILVERTOAN

PAPERS LIMITED

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
 Works : Plot No. 10/10A ROAD, MUZAFFARNAGAR-201001 (U.P.) INDIA
 Phone : +91-5256759000 • e-mail : silvertan@silvertan.com

GSTIN : 08AAACL6442L12A TI. NO.: PM1/21-22/03330 VEHICLE NO.: RJ01GB5777
 CIN : 251007PL0000057 PO No.: FREIGHT PAID
 PAN : AAACL6442L DATE : 21/03/2022 IPT.: SHREE GANESH TRANSPORT CO.
 ENB No.: G.R. NO.: 13903

FROM : SUPPLIER - SENDER

NAME & ADDRESS OF RECIPIENT

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHANBHUPURA
 CIITORGARH
 STATE : RJ
 GSTIN : 08AAACL6442L12A
 PAN : AAACL6442L
 PHONE :
 E-MAIL: NARGHA.SHARMA@ADITYABIRLA.COM

ULTRATECH CEMENT LTD
 ADITYA CEMENT WORK ADITYAPURAM
 SHANBHUPURA
 CIITORGARH
 STATE: RJ
 GSTIN: 08AAACL6442L12A
 PAN : AAACL6442L
 PHONE:

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|--------------------------------------|----------|----------|-----|-----------------------|-----------------------|
| WEAST 100% KRAFT PAPER | 39159090 | 34760.00 | KGS | 0.00 | 0.00 |
| FSC MIX 100% SGSHK - COC - 400186 | | 34760.00 | | | 0.00 |
| TOTAL REELS= 0, BUNDLES= 0 | | | | Total Value | 0.00 |
| | | | | Insurance | 0.00 |
| | | | | Freight | 0.00 |
| | | | | | 0.00 |
| | | | | TAXABLE VALUE | 0.00 |
| | | | | IGST | 0.00% |
| | | | | TCS | 0.000% |
| | | | | ROUND OFF | 0.00 |
| | | | | TOTAL VALUE OF SUPPLY | 0.00 |



From: 16-07-2021 to 13-07-2022

15-07-2022

Tax Invoice on Reverse Charge Basis Yes/No

NO

Is this tax invoice

Valid for WPPH ONLY:

TERMS & CONDITIONS:

1. Payment to be made within 10 days of delivery.
 2. Payment to be made by bank transfer to the account of Silvertoan.
 3. Payment to be made by cash to the account of Silvertoan.
 4. Payment to be made by cheque to the account of Silvertoan.



For: SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL

Branch: Main Branch, Muzaffarnagar RTGS CODE: HDFC0289590 <https://www.silvertan.com>
 Regd. Office: G-1, 2nd Floor Complex, Subhash Chandra Lal, Nagar, East Delhi, Delhi 110092

SILVERTON[®]

Whereas the Government of Madras, by the Madras Legislative Council, has passed a resolution, bearing the number 100 of 1952, for the purpose of amending the Madras Legislative Council, to read as follows:—

CLIPARTS CEMENT LTD
PLOT-1 CEMENT WORK ADITYAPURAM
BILGAUTWA
GATEWAY
STATE & CO
GSTIN : CBAACGL6442L1LA
PAN : AANGL6442E
PIN :
E-MAIL : PARISHA.SHARMA@ADITYASIBLA.COM

ULTRATECH CEMENT LTD
ADITYA CEMENT WORK ADITYAPURAM
SHANSHUPURA
CITTORGARH
STATE: RJ
GSTIN: 06AAAC16442112A
PAN : AAAC16442L
PHONE :

| Item Description | HSN | Qty. | Unit | Rate | Total Value of Supply |
|------------------------------|----------|----------|------|-----------------------|-----------------------|
| WHITE PLASTIC KRAFT PAPER | 39159090 | 20845.00 | KGS | 0.00 | 0.00 |
| FSC MIX 100% | | | | | |
| 5-14K-CCC-400186 | | | | | |
| QUANTITY: 20845.00 | 0 | 20845.00 | | Total Value | 0.00 |
| | | | | Insurance | 0.00 |
| | | | | Freight | 0.00 |
| | | | | | 0.00 |
| | | | | TAXABLE VALUE | 0.00 |
| | | | | IGST | 0.00% |
| | | | | | 0.00 |
| | | | | TCS | 0.00% |
| | | | | ROUND OFF | 0.00 |
| | | | | TOTAL VALUE OF SUPPLY | 0.00 |

15-07-2032

bioRxiv preprint doi: <https://doi.org/10.1101/2019.04.11.333819>; this version posted April 11, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

114



(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

TAX INVOICE
INVOICESILVERTOAN
PAPERS LIMITEDAN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km, BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9256769000 * e-mail : silvertosales2018@gmail.comPAN : 9ca2fcbbl1a0f0ec31b4421dbb7be2c4d838e12994519e2656ab5b63793684d39
Ack.No. : 142211218991377

Ack. Date: 2022-04-29 17:25:00

GSTIN : 09AABCS2553E1ZJ
CIN : U21012DL1990PLC231573
PAN : AABCS2553 ETI.No. : PM1/22-23/00253
PO No. :
DATE : 29/04/2022
EWB No. : 471247839803VEHICLE NO. : RJ32GB5493
FREIGHT PAID
TPT. : SHREE GANESH TRANSPORT CO.
G.R. NO. : 3961

NAME & ADDRESS OF RECIPIENT

ULTRATECH CEMENT LTD
ADITYA CEMENT WORK ADITYAPURAM
SHANBHUPURA
CITTORGARH
STATE : RJ
GSTIN : 08AAACL6442L12A
PAN : AAACL6442L
PHONE :
E-MAIL : HARSHA.SHARMA@ADITYABINLA.COM

NAME & ADDRESS OF CONSIGNEE

ULTRATECH CEMENT LTD
ADITYA CEMENT WORK ADITYAPURAM
SHANBHUPURA
CITTORGARH
STATE : RJ
GSTIN : 08AAACL6442L12A
PAN : AAACL6442L
PHONE :

PLACE OF SUPPLY

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---------------------------------------|----------|----------|-----|------|-----------------------|
| WEAST PLASTIC | 39159090 | 20775.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL REELS- 0 , BUNDLES- 0

20775.00

Total Value
Insurance
Freight0.00
0.00
0.00
0.00

TAXABLE VALUE

IGST

0.008

0.00

TCS

0.0008

0.00

ROUND OFF

0.00

TOTAL VALUE OF SUPPLY

0.00

FSC
MIXED PAPER
200-200000Pol.No. : 2001/223696481/00/000
From: 16-07-2021 to 15-07-2022

Tax Payable on Reverse Charge Basis : Yes/No

Total Tax Invoice

Value (in words) is : ONLY.

NO

TERMS & CONDITIONS:

1. Invoices are subject to Muzaffarnagar Jurisdiction.
2. Interest @ 24% p.a. will be charged after 30 days from bill.
3. For cash payment.
4. Cash once sold will not be taken back on any Account.
5. Cash payment through Banking mode only.



For SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :
C BANK LTD, Devpuram Link Road, Muzaffarnagar, RTGS CODE: HDFC0009392

Regd. Office : B-6295 Laxmi Complex, Seebhash Chowk

ACCOUNT NO. : 2001/223696481/00/000

TAX INVOICE

Rule 46 of the Central Goods & Services Tax Rules, 2017



**SILVERTOAN
PAPERS LIMITED**

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km, BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9756769000 • e-mail : silvertoansales2018@gmail.com

Triplicate For Supplier



Invoice No.: 104ca5548bae918ea4ffee4c25f2da90e35e812afd89360a06486d99ebcf32a3
Ack. Date: 2022-06-17 17:04:00

GSTIN : 09AABCS2553E1ZJ

CIN : L21012DL1990PLC231573

PAN : AABCS2553 E

TI. NO.: PM1/22-23/00756

PO No.:

DATE : 17/06/2022

EWB No.: 491258494543

VEHICLE NO.: RJ14GG3761

FREIGHT TO PAY

TPT.: SCHAM ROAD LINEE

G.R. NO.: 1413

NAME & ADDRESS OF RECIPIENT

HARI OM ENTERPRISES
SP-1293/H7
PIICO INDUSTRIAL AREA
BHINADI
STATE : RAJ
GSTIN : 08BVWPK8179C1ZV
PAN : BVWPK8179C
PHONE :
E-MAIL:

PLACE OF SUPPLY

NAME & ADDRESS OF CONSIGNEE

HARI OM ENTERPRISES
SP-1293/H7
PIICO INDUSTRIAL AREA
BHINADI
STATE : RAJ
GSTIN : 08BVWPK8179C1ZV
PAN : BVWPK8179C
PHONE:

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|------------------------------------|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 28500.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL REELS= 0 , BUNDLES= 0 28500.00

Total Value 0.00
Insurance 0.00
Freight 0.00

(Amount for Disposal off)

Fol. No. : 2001/223656481/00/000
From: 16-07-2021 to 16-07-2022



TAXABLE VALUE 0.00
IGST 0.00% 0.00
TCS 0.000% 0.00
ROUND OFF 0.00

Tax Payable on Reverse Charge Basis : Yes/No

TOTAL VALUE OF SUPPLY 0.00

Total Tax Invoice Value (in words) Rs. ONLY.

NO

TERMS & CONDITIONS

- All invoices are subject to Muzaffarnagar Jurisdiction
- Interest @ 24% p.a. will be charged after 30 days from bill date for late payment.
- Goods once sold will not be taken back on any Account.
- Please use payment through Banking mode only
- E & O E



For SILVERTOAN PAPERS LIMITED

Director/Audit Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devpuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0000392 ACCOUNT No.: 9760000067032

Regd. Office : B-5/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

**SILVERTOAN
PAPERS LIMITED**

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km. BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9756769000 • e-mail : silvertoansales2018@gmail.com

Triplicate For Supplier



Invoice No.: 142211374543270 Ack. Date: 2022-06-17 17:06:00
GSTIN: 09AABCS2553E1ZJ

GSTIN : 09AABCS2553E1ZJ

CIN : U21012DL1990PLC231573

PAN : AABCS2553 E

TI. NO.: PM1/22-23/0075

PO No.:

DATE : 17/06/2022

ENB No.: 421258495491

VEHICLE NO.: RJ52GA7948

FREIGHT TO PAY

TPT.: SOHAM ROAD LINES

G.R. NO.: 12412

NAME & ADDRESS OF RECIPIENT

HARI OM ENTERPRISES
SP-1293/H7
RIICO INDUSTRIAL AREA
BHIWADI
STATE : RAJ
GSTIN : 08BVWPK8179C12V
PAN : BVWPK8179C
PHONE :
E-MAIL :

PLACE OF SUPPLY

NAME & ADDRESS OF CONSIGNEE

HARI OM ENTERPRISES
SP-1293/H7
RIICO INDUSTRIAL AREA
BHIWADI
STATE : RAJ
GSTIN : 08BVWPK8179C12V
PAN : BVWPK8179C
PHONE :

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 29240.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL REELS= 0, BUNDLES= 0 29240.00 Total Value: 0.00
Insurance: 0.00
Freight: 0.00

(Marked for Disposal off)

Fol. No.: r2001/223656481/00/000
From: 16-07-2021 to 15-07-2022.



TAXABLE VALUE: 0.00
IGST: 0.00
TCS: 0.0000
ROUND OFF: 0.00

Tax Payable on Reverse Charge Basis : Yes/No

TOTAL VALUE OF SUPPLY: 0.00

Total Tax Invoice Value (in words) RS. ONLY.

NO

TERMS & CONDITIONS:

- All disputes are subject to Muzaffarnagar Jurisdiction.
- Interest @ 24% p.a. will be charged after 30 days from bill date for late payment.
- Goods once sold will not be taken back on any Account.
- Please send payment through Banking mode only.
- 5 E & O E



For SILVERTOAN PAPERS LIMITED

Director/Author. Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devpuraam Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392 ACCOUNT NO.: 5750000087035

Regd. Office : B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

Triplicate For Supplier

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)



SILVERTOAN PAPERS LIMITED

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km, BHOPIA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9756769000 • e-mail : silvertoansales2018@gmail.com

TRN : 10e7a599b63308d941cf26f80404297525713d6a49dd8bc3420b38c68c45b8a29
Ack.No.: 742211402314173 Ack.Date: 2022-06-27 14:29:00

GSTIN : 09AABCS2553E1ZJ T1.NO.: PM1/22-23/00877 VEHICLE NO.: UP12AX5606
CIN : U21012DL1990PLC231573 PO No.: FREIGHT TO PAY
PAN : AABCS2553E DATE : 27/06/2022 TPT.: DEW RESOURCE MANAGEMENT
EWB No.: G.R. NO.: SELF

NAME & ADDRESS OF RECIPIENT

DEW RESOURCE MANAGEMENT MZN
1827/1, 1829/1, 1830/1, 1831/1,
SUJRU PARGANA SUJRU
MUZAFFARNAGAR
STATE : UP
GSTIN : 09AATFD2410L127
PAN : AATFD2410L
PHONE :
E-MAIL :

NAME & ADDRESS OF CONSIGNEE

DEW RESOURCE MANAGEMENT MZN
1827/1, 1829/1, 1830/1, 1831/1,
SUJRU PARGANA SUJRU
MUZAFFARNAGAR
STATE : UP
GSTIN : 09AATFD2410L127
PAN : AATFD2410L
PHONE :

PLACE OF SUPPLY

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---------------------------------------|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 15070.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL REELS= 0, BUNDLES= 0 15070.00 Total Value 0.00
Insurance 0.00
Freight 0.00



TAXABLE VALUE 0.00
CGST 0.00% 0.00
SGST 0.00% 0.00
TCS 0.00% 0.00
ROUND OFF 0.00

Pol.No.: 2001/223656481/00/000
From: 16-07-2021 to 15-07-2022

Tax Payable on Reverse Charge Basis : Yes/No

NO

TOTAL VALUE OF SUPPLY 0.00

Total Tax Invoice
Value (in words) ONLY.

TERMS & CONDITIONS

- All disputes are subject to Muzaffarnagar Jurisdiction.
- Interest @ 26% p.a. will be charged after 30 days from bill date for late payment.
- Goods title sold will not be taken back on any Account.
- Please send payment through Banking mode only.
- E & O E



For SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

PLEASE MAKE RTGS/NFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devpuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392 ACCOUNT NO. 5740000000000000

Regd. Office : B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Triplicate For Supplier



**SILVERTOAN
PAPERS LIMITED**

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km, BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9756769000 • e-mail : silvertoansales2018@gmail.com



Invoice No.: 120211469618249 Ack.No.: 120211469618249 Ack.Date: 2022-07-16 17:15:00

GSTIN : 09AABCS2553E1ZJ
CIN : U21012DL1990PLC231573
PAN : AABCS2553 E

TI. NO.: MH/22-23/01075
PO No.:
DATE : 16/07/2022
EWB No.: 491264817479

VEHICLE NO.: UP12AD1408
FREIGHT TO PAY
TPT.: DEW RESOURCE MANAGEMENT
G.R. NO.: SELF

| NAME & ADDRESS OF RECIPIENT | PLACE OF SUPPLY | NAME & ADDRESS OF CONSIGNEE |
|--|-----------------|--|
| DEW RESOURCE MANAGEMENT M2K 1827/1, 1829/1, 1830/1, 1831/1, SUJRU PARGANA SUJRU MUZAFFARNAGAR STATE : UP GSTIN : 09AATFD2410L127 PAN : AATFD2410L PHONE : E-MAIL : | | DEW RESOURCE MANAGEMENT M2K 1827/1, 1829/1, 1830/1, 1831/1, SUJRU PARGANA SUJRU MUZAFFARNAGAR STATE : UP GSTIN : 09AATFD2410L127 PAN : AATFD2410L PHONE : |

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 11845.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

Net Weight = 0 , BUNDLES = 0 , 11845.00

Total Value 0.00
Insurance 0.00
Freight 0.00

Material for disposal



1. No. : 2021/223656481/00/000
2. 15-07-2021 to 15-07-2022

TAXABLE VALUE 0.00
CGST 0.00% 0.00
SGST 0.00% 0.00
TCS 0.000% 0.00
ROUND OFF 0.00

Tax Payable on Reverse Charge Basis : Yes/No

TOTAL VALUE OF SUPPLY

Total Tax Invoice
Value (in words) IN ONLY.

NO

TERMS & CONDITIONS :

1. All disputes are subject to Muzaffarnagar Jurisdiction.
2. Interest @ 24% p.a. will be charged after 30 days from bill date for late payment.
3. Goods once sold will not be taken back on any Account.
4. Please send payment through Banking mode only.
5. E.O.F.



For SILVERTOAN PAPERS LIMITED

Director/Authorized Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devpuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392 ACCOUNT NO. 5750000001000

Regd. Office : B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)



SILVERTOAN PAPERS LIMITED

AN ISO 9001:2015, 18001:2007, 14001:2015 CERTIFIED COMPANY
Works : 9th Km, BHOPA ROAD, MUZAFFARNAGAR-251001 (U.P.) INDIA
Phone : +91-9756769000 • e-mail : silvertoansales2018@gmail.com

Triplicate For Supplier



IRN : 20e5256a5445172b2a1cd42fc9a9077f47a23c91131251f12e73b861ca0ae1b7
Ack.No.: 142211504399449 Ack.Date: 2022-07-28 17:09:00

GSTIN : 09AABCS2553E1ZJ
CIN : U21012DL1990PLC231573
PAN : AABCS2553 E

TI.NO.: PM1/22-23/01143
PO No.:
DATE : 28/07/2022
EWB No.: 1421267266354

VEHICLE NO.: UPL2AXS506
FREIGHT TO PAY
TPT.: DEW RESOURCE MANAGEMENT
G.R. NO.: SELF

NAME & ADDRESS OF RECIPIENT

DEW RESOURCE MANAGEMENT M2N
1827/1, 1829/1, 1830/1, 1831/1,
SUJRU PARGANA SUJRU
MUZAFFARNAGAR
STATE : UP
GSTIN : 09AATFD2410L127
PAN : AATFD2410L
PHONE :
E-MAIL:

NAME & ADDRESS OF CONSIGNEE

DEW RESOURCE MANAGEMENT M2N
1827/1, 1829/1, 1830/1, 1831/1,
SUJRU PARGANA SUJRU
MUZAFFARNAGAR
STATE : UP
GSTIN : 09AATFD2410L127
PAN : AATFD2410L
PHONE:

PLACE OF SUPPLY

ADDRESS FOR DELIVERY

| Item Description | HSN | Qty. | UQC | Rate | Total Value of Supply |
|---------------------------------------|----------|----------|-----|------|-----------------------|
| WASTE PLASTIC (PROCESS WASTE) | 39159090 | 12945.00 | KGS | 0.00 | 0.00 |
| FSC® MIX 100% SGSHK - COC - 400186 | | | | | |

TOTAL KEELS= 0 , BUNDLES= 0 12945.00 Total Value 0.00
Insurance 0.00
Freight 0.00

Material for discharge off

Pol.No. : 2001/223656481/01/000
From: 15-07-2022 to 15-07-2023



TAXABLE VALUE 0.00
CGST 0.00% 0.00
SGST 0.00% 0.00
TCS 0.000% 0.00
ROUND OFF 0.00

Tax Payable on Reverse Charge Basis : Yes/No

TOTAL VALUE OF SUPPLY 0.00

Total Tax Invoice
Value (in words) Rs. ONLY.

NO

TERMS & CONDITIONS :

- All disputes are subject to Muzaffarnagar Jurisdiction.
- Interest @ 24% p.a. will be charged after 30 days from bill date for late payment.
- Goods once sent will not be taken back on any Account.
- Please send payment through Banking mode only.
- E & O F



For SILVERTOAN PAPERS LIMITED

Director/Author Signatory

PLEASE MAKE RTGS/NEFT TO OUR BANK ACCOUNT AS PER DETAIL :

HDFC BANK LTD., Devpuram Link Road, Muzaffarnagar, RTGS CODE-HDFC0009392 ACCOUNT NO. 575600010000

Regd. Office : B-6/205 Laxmi Complex, Subhash Chowk, Laxmi Nagar, East Delhi, Delhi-110092

SILVERTOAN

PAPERS LIMITED

The Chief Environmental Officer (C-3)
 P. Pollution Control Board
 C-12V, Vibhuti Khand,
 Compt Nagar, Lucknow-226010

Subj: Regarding compliance of consent received under Section 25/26 of water Act 1974

**Ref: Your letter No. 68681/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Water/
 MUZAFFARNAGAR/2019 dated 30/12/2019**

Sir,

It is with reference to your office letter No. 68681/UPPCB/Muzaffarnagar (UPPCBRO)/CTO/Water/MUZAFFARNAGAR/2019 dated 30/12/2019 kindly find below point wise compliance as:-

CONDITIONS OF CONSENT UNDER WATER POLLUTION ACT - 1974

1. That we will be producing Kraft Paper 220 Mt/Day using Waste Paper as raw material- 280 Mt/Day on an average.
2. - Agreed -
3. The unit shall comply with the discharge norms of treated waste water under the Environment (Protection) Rules 1986 as has also been conveyed by CPCB vide their letter dated 08.12.2017.
4. The industrial & domestic waste water is collected & treated separately.
- 4(a). The domestic effluent discharge standards as notified under the Environment (Protection) Rules-1986 will be strictly complied.
- 4(b). The Industrial Effluent discharge standards as notified under the Environment (Protection) Rules-1986 will be strictly complied.
5. Effluent generated in all the process shall be treated before disposal as per prescribed Norms.
6. The method of collecting of Effluent & its analysis shall be undertaken as per Indian Standard as prescribed under Environment Protection Act-1986.
7. The unit has already obtained the permission of UPGWD/CGWA.
8. The unit will strictly comply with various provisions of environment protection Act 1986.

9. That we will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
10. The unit has developed green belt as per the open space available inside the factory premises. We are in the process of developing additional green belt at separate land, the details with layout shall be submitted shortly.
11. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB / CPCB / UPPCB server.
12. Flow meter has already been installed at all water abstraction points and water consumption has been reduced as per charter by CPCB.
13. If the CPCB/SPCB issue us closure notice in future, we will ensure the strict compliance of it.
14. Industry will comply all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.

SPECIFIC CONDITIONS

1. Operating parameters at each treatment unit shall be maintained.
2. The unit shall comply with the discharge norms of treated waste water under the Environment (Protection) Rules 1986 as has also been conveyed by CPCB vide their letter dated 08.12.2017.
3. The unit will using waste paper as raw material.
4. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB & CPCB server.
5. Flow meter has already been installed at all water abstraction points and water consumption has been reduced as per charter by CPCB.
6. The unit has employed qualified personal to see that operating parameters of treatment units are maintained.
7. The unit has already obtained the permission of UPGWD/CGWA.
8. If the CPCB/SPCB issue us closure notice in future, we will ensure the strict compliance of it.

9. The unit will strictly comply with various provisions of environment protection Act 1986.
10. Charter as applied has been followed.
11. The industry has already installed Piezometer for measurement of ground water level and the data generated.
12. We will be doing production as per installed capacity mentioned in our consent order.
13. Industry will comply all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
14. The industry will submit treated effluent analysis report of approved laboratory on quarterly basis.
15. That we will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
16. The copy of latest balance sheet was enclosed with online application.
17. The unit has developed green belt as per the open space available inside the factory premises. We are in the process of developing additional green belt at separate land. the details with layout shall be submitted shortly.

This is for your kind knowledge & necessary action.

Thanking you,
For SILVERTOAN PAPERS LTD. UNIT - 2

(Authorized Signatory)

C.C.

To, The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)



SILVERTOAN PAPERS LIMITED

To:

The Chief Environmental Officer (C-3)
U.P. Pollution Control Board
T.C - 12V, Vibhuti Khand,
Gomti Nagar, Lucknow-226010

Subj: Regarding compliance of consent received under Section 21/22 of Air Act 1981

Ref: Your letter No. 68687/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Air/
MUZAFFARNAGAR/2019 dated 30/12/2019

Sir,

It is with reference to your office letter No. 68687/UPPCB/Muzaffarnagar (UPPCBRO)/CTO/Air/MUZAFFARNAGAR/2019 dated 30/12/2019, kindly find below pointwise compliance as :-

CONDITIONS OF CONSENT UNDER AIR POLLUTION ACT - 1981

1. That we will producing Kraft Paper 220 Mt/Day using Waste Paper- 280 Mt/Day on an average.
2. - Agreed -
- 3(a) The emissions of flue gases will be well under the norms as specified by CPCB/MOEF.
- 3(b) The emission quality of Flue Gas will be maintained strictly as per prescribed norms by the Board.
- 3(c) The Quantity of other Pollutants shall also be within norms as prescribed by the Board/MOEF/CPCB.
4. - Agreed -
5. Any source of emission other than that mentioned in the air consent seeking application will not be use by the unit.
6. The Unit is complying with all prescribed Air Pollution Norms and regularly operating & monitoring Air Pollution Control System.
7. The environmental statement will be submitted within time.
8. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
- 9(a) Industry will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
- 9(b) We will assure you continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.

12. The copy of latest balance sheet was enclosed with consent application form. We are also enclosing the details of consent fee submitted in last 3 years.
13. The unit will not use pet coke & F.O. in compliance of Supreme courts orders.
14. The industry will use minimum 20% bio-briquette as fuel depending upon its availability.
15. The unit shall obtain prior consent in case of any additional emission generation sources.
16. The unit has developed green belt as per the open space available inside the factory premises. We are in the process of developing additional green belt at separate land, the details with layout shall be submitted shortly.
17. If the CPCB/UPPCB issue us closure notice in future, we will ensure the strict compliance of it.
18. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.

SPECIFIC CONDITIONS

1. The Industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated & Disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the air consent seeking application will not be use in the unit.
3. Industry will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
4. Industry will submit environment statement in prescribed format within time.
5. Operating parameters at each treatment shall be maintained, using waste paper as raw material.
6. Prior approval will be taken before making any modification in product / process / fuel / plant & machinery.
7. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB & CPCB server.
8. The industry shall submit stack emission monitoring from a certified/approved laboratory on quarterly basis.
9. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.

10. The industry shall submit stack emission monitoring from a certified/approved laboratory on quarterly basis.
11. Industry will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
12. The unit will not use pet coke & F.O. in compliance of Supreme courts orders.
13. Charter as applied has been followed.
14. If the CPCB/SPCB issue us closure notice in future, we will ensure the strictly compliance of its.
15. The copy of latest balance sheet was enclosed with online application.
16. The industry will use minimum 20% bio-briquette as fuel depending upon its availability.
17. The unit has already obtained the premises of UPGWD/CGWA.
18. The unit has maintained green belt over all of its open area, same shall be maintained regularly.

This is for your kind knowledge & necessary action.

Thanking you,
For SILVERTOAN PAPERS LTD. UNIT - 2

(Authorized Signatory)

C.C.

To, The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)

SILVERTOAN
PAPERS LIMITED

The Chief Environmental Officer (C-3)
U.P. Pollution Control Board
T.C-12V, Vibhuti Khand,
Gomti Nagar, Lucknow-226010

Sub : Regarding compliance of provisions of authorization under hazardous and other waste (Management and Transboundary Movement) Rules, 2016

Sir,

This is in reference to authorization received reference no. 274/UPCB/Muzaffarnagar/UPPCBRO/HWM/Muzaffarnagar/2017, dated 08.02.2018, kindly find enclosed the pointwise compliance as :

General Conditions :-

1. We will strictly comply with various provisions of environment protection Act 1986.
2. - Agreed -
3. We assure you that generated waste will be disposed in a proper legal way through S.D.F..
4. - Agreed -
5. The unit ensure to implement emergency response procedure (ERP) on priority bases for which this authorization is being obtained.
6. - Agreed - We will comply with the provisions of guidelines of CPCB on implementing liabilities for environmental damages due to handling and disposal of hazardous waste and penalty.
7. We will take decision / action accordingly.
8. - Agreed -
9. The record will be maintained for generated hazardous waste.
10. The generated hazardous waste and other waste during recycling / recovery / reuse / pre-processing shall be disposed as per specific conditions of authorization.
11. - Agreed -
12. The renewal application will be submitted 2 month before the expiry of authorization.
13. - Agreed -
14. - Agreed - Annual return shall be filed by June 30th for the period a ensuring 31st March of the year.

SPECIFIC CONDITIONS :-

1. - Agreed -
2. We are putting our sincere efforts to look that the environment surroundings the factory site inside/outside is not polluted due to handling & disposed of Hazardous / other waste.

3. - Agreed -
4. - Agreed -
5. - Agreed - In case of any accident the unit shall submit complete details on form - II alongwith information of mitigate & remedial measures taken.
6. The unit has the valid membership of T.S.D.F. copy of membership & agreement has been already submitted alongwith authorization application form.
7. - Agreed -
8. - Agreed -
9. Regarding waste minimization and reuse of wastes will be done accordingly & timely. Generated waste will be disposed through TSDF as mentioned in Hazardous - Authorization issued by you.
10. - Agreed -
11. - Agreed -
12. The display board with data of quantity & quality of hazardous chemicals handled in plant, waste water & air emission generated shall be fixed fix at main gate of factory.
13. Guideline issued by Central Pollution Control Board for transportation of hazardous waste shall be followed.
14. - Agreed -
15. All form - 10 shall be provided regarding generated / disposed Hazardous Waste to the TSDF for safe disposal & treatment in compliance of Hazardous - Authorization conditions.
16. Status report of hazardous waste stored alongwith available storage capacity and future action plan for permanent safe disposal of Hazardous - Waste will be submitted timely.
17. Ground water analysis report is enclosed.
18. The unit will strictly complying the provisions of the Hazardous And Other Waste (Management & Transboundary Movement) Rules 2016.

This is for your kind knowledge & necessary action.

Thanking you,

For SILVERTON PAPERS LTD. (UNIT -2)

(Authorized Signatory)

C.C. To, The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ संख्या

183202/सी-3/एनजीटी/2022

दिनांक 12/10/2022

प्रति,

पूज्य

मैसर्स रिल्वरटोन पैपर्स लि. (यूनिट-2),

9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर।

यह कि मैसर्स रिल्वरटोन पैपर्स लि. (यूनिट-2), 9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर जोकि वेस्ट पैपर का उद्योग कर क्राफ्ट पैपर के उत्पादन हेतु उपरोक्त वर्णित स्थल पर कार्यरत है, वायु प्रदूषण निवारण एवं नियंत्रण अधिनियम, 1981 अधिनियम की धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग मैसर्स रिल्वरटोन पैपर्स लि. (यूनिट-2), 9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर के विरुद्ध माओ एनजीटीडी में विचारणीय औद्योगिक संख्या 277/2022 लियाकत अली एवं अन्य बनाम उत्तर प्रदेश सरकार में पारित आदेश दिनांक-21.07.2022 के अनुपालन में बोर्ड द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-13.09.2022 को किया गया। निरीक्षण के समय दिये गये प्रमत्त/विवरण के अनुसार उद्योग ने बायस्टर से जनित प्लाई एश को निस्तारण हेतु लोन्ग डेन्टर्स को Low Lying Area की Filling हेतु एवं ब्रिक किलन में ब्रिक मेकिंग हेतु भेजा जाता है, परन्तु उद्योग द्वारा प्लाई एश को निस्तारण किये जाने वाले स्थल का क्षेत्रफल एवं खसरा संख्या का विवरण उपलब्ध नहीं कराया गया तथा निस्तारण स्थल पर धूल उत्पन्न की रोकथाम हेतु Green Cover, Water Sprinkling एवं Obstruction Wall के सम्बन्ध में कोई विवरण उपलब्ध नहीं कराया गया। उद्योग के आसपास के क्षेत्र में विभिन्न स्थानों पर भूमि पर भारी मात्रा में प्लाई डम्प बाया गया है तथा निस्तारण स्थल पर वायु प्रदूषण नियंत्रण हेतु किसी प्रकार का इन्स्ट सप्रेशन सिस्टम स्थापित नहीं पाया गया, जिससे आसपास के क्षेत्र में वायु प्रदूषण की समस्या व्याप्त होना स्वाभाविक है। वेस्ट पैपर आधारित पल्प एण्ड पैपर इकाईयों में सामान्यतः उत्पाद का 1.5% प्लास्टिक वेस्ट जनित होता है। यूनिट-1 एवं यूनिट-2 में वेस्ट पैपर आधारित क्राफ्ट पैपर उत्पादन की कुल क्षमता 290 मीटन/दिन है। उक्त जनित प्लास्टिक वेस्ट की मात्रा 110 मीटन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में यूनिट-1 एवं यूनिट-2 को सम्मिलित करते हुए अभिलेख प्रस्तुत किये गये। उद्योग द्वारा दिये गये विवरण के अनुसार फरवरी 2022 से जुलाई 2022 के समय कुल 32.36 मीटन/माह प्लास्टिक वेस्ट को सुरक्षित निस्तारण हेतु सीमेंट प्लाट को प्रेषित किया गया है तथा शेष 77.64 मीटन/माह प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में कोई विवरण प्रस्तुत नहीं किया गया, जिससे स्पष्ट है कि उद्योग से जनित प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अधिकांश माओ एनजीटीडी में विचारणीय औद्योगिक संख्या 277/2022 लियाकत अली एवं अन्य बनाम उत्तर प्रदेश सरकार में पारित आदेश दिनांक 21.07.2022 के मुख्य अंतर्लियाकत है :-

"5. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months ..."

उद्योग को दिनांक-31.12.2024 तक शर्तों सहमति बायु निर्गत की गयी है जिसकी शर्तों का उत्पन्न किया जा रहा है। उद्योग के विरुद्ध विभिन्न मामलों से प्लास्टिक वेस्ट जलाने की शिकायतें प्राप्त हो रही हैं। उद्योग द्वारा बोर्ड के पत्र दिनांक-30.12.2019 द्वारा निर्गत शर्तों सहमति बायु की शर्तों एवं मा. एनजीटी द्वारा पारित आदेशों का उत्पन्न किया जा रहा है।

यह कि गैसर्स सिल्वरटोन पेपर्स लि. (यूनिट-2) 9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर द्वारा वायु प्रदूषण नियंत्रण एवं निरीक्षण अधिनियम, 1981 यथासंशोधित की धारा-21(2) के तहत प्रावधानों से अन्तर्गत बोर्ड से निर्मित सहमति स्वीकृति का अन्तर्गत धारा-21(4) के तहत वायु प्रदूषण नियंत्रण एवं निरीक्षण अधिनियम, 1981 यथासंशोधित में निहित आज्ञावली प्रावधानों का उल्लंघन तथा एक दण्डनीय अपराध है।

अतः निम्नलिखित एवं अनुसंधान एवं स्वच्छता अभियान प्रदान करने के लिए यह आवश्यक है कि उद्योग को संचालन में लाया जाए।

अतः वायु प्रदूषण नियंत्रण एवं निरीक्षण अधिनियम, 1981 यथासंशोधित की धारा-31(ए) संशोधित धारा 21(4) के अन्तर्गत उद्योग को संचालन में लाया जाए। अतः निम्नलिखित कारण बताओ नोटिस जारी किया जाता है:-

1. यह कि क्या न गैसर्स सिल्वरटोन पेपर्स लि. (यूनिट-2) 9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर को बोर्ड के 13 दिनांक-13/09/2022 द्वारा निर्मित सहमति वायु को निलम्बित (Suspend) कर दिया जाये।
2. यह कि क्या न गैसर्स सिल्वरटोन पेपर्स लि. (यूनिट-2) 9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर की समस्त उत्पन्न/संचालन प्रक्रिया बन्द कर दी जाए।
3. यह कि क्या न सक्षम अधिकारियों से यह अपेक्षा की जाये कि गैसर्स सिल्वरटोन पेपर्स लि. (यूनिट-2) 9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर को मिलने वाली विद्युत एवं जल आपूर्ति को तत्काल प्रभाव से बन्द कर दे।
4. उद्योग को अतिरिक्त यह भी स्पष्ट करें कि क्या न ना राष्ट्रीय हस्त अभिकरण, नई दिल्ली द्वारा बरित आदेशों के अन्तर्गत न केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा विकसित की गयी गैसरोलॉजी के अनुसार उद्योग गैसर्स सिल्वरटोन पेपर्स लि. (यूनिट-2) 9वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर पर सक्षम अधिकारियों के अनुमोदनोपरांत निरीक्षण दिनांक-13/09/2022 से दण्डनीय अपराध का उल्लंघन भगते हुए रुपये-30,000/- प्रतिदिन की दर से मुद्राशानक कार्यवाही किया जाने तक उद्योगनगरी दिवस की अवधि हेतु पर्यावरणीय क्षतिपूर्ति अधिनियम के तहत को बन्दगी की जाए।
5. उद्योग को सक्षम अधिकारियों के परीक्षण में कारण बताओ नोटिस के तहत में पूर्ण विवरण के साथ अपना पक्ष 15 दिन के अन्दर बोर्ड को प्रेषित करें। उद्योग द्वारा कारण बताओ नोटिस का उत्तर न प्रेषित करने अथवा संतोषजनक उत्तर प्राप्त न होने पर उद्योग को निम्न वायु प्रदूषण नियंत्रण एवं निरीक्षण अधिनियम, 1981 यथासंशोधित की धारा-31(ए) संशोधित धारा 21(4) के अन्तर्गत जारी कारण बताओ नोटिस की पुष्टि तथा उल्लंघनकारी विज्ञापन हेतु पर्यावरणीय क्षतिपूर्ति अधिनियम के तहत को बन्दगी, जिसका सम्पूर्ण दण्डनीय अपराध लागू का होगा।

सक्षम अधिकारियों के द्वारा पत्र निर्गमन हेतु अधिकृत।


मुख्य पर्यावरण अधिकारी (वृत्त-3)

प्रतिवेदि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. जिलाधिकारी, मुजफ्फरनगर।
2. अधिवक्ता, उच्च न्यायालय, विद्युत वितरण खण्ड मुजफ्फरनगर।
3. अधिवक्ता, जल संचयन, मुजफ्फरनगर।
4. मुख्य पर्यावरण अधिकारी, वस्तु सैनिकल डिवीजन-1/2, उ.प्र. प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. क्षेत्रीय अधिकारी, उ.प्र. प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के तहत में उद्योग का अद्यतन निरीक्षण कर आख्या 15 दिन में आवश्यक रूप से प्रेषित किया जाना सुनिश्चित करें।


मुख्य पर्यावरण अधिकारी (वृत्त-3)

o/c 



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC010277

VALID FROM 14/03/2021 TO 13/03/2026

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202103000053

| | | | |
|--|--|---|------------------------------------|
| Name of the Owner | AKSHAY JAIN | Company Name | SILVERTON PULP AND PAPERS PVT. LTD |
| Designation | DIRECTOR | कंपनी का नाम | Download |
| पद | | Authorization Letter | Download |
| Company Address | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | प्राधिकार पत्र | |
| कंपनी का पता | | Application Form Serial No. | MZFN0321NIN0025 |
| Address of the Applicant | 4, RAINBOW VIHAR, MEERUT ROAD, MUZAFFAR NAGAR, DISTT.-MUZAFFARNAGAR UP | Specimen Signature | |
| Date of Submission | 03/03/2021 | | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | N/A | Municipality/Corporation | N/A |
| Ward No./Holding No. | | | N/A |
| Particular of the Existing Well and Pumping Device | | | |
| Date of Construction/Sinking of the Well | 09/01/2004 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 80.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | H.P. of the Pump | 12.50 |
| Type of Pump Used | Submersible | Rate of Withdrawal (m ³ /hr) | 90.00 |
| Operational Device | Electric Motor | | |

Amish Kumar

Date of Energization (In Case of Electric Pump)

Maximum Allowable Rate
of Withdrawal ($m^3/hr.$)

90.00

05/01/2004

Maximum Allowable
Running Hours Per Day:

12.00

Maximum Allowable Annual Extraction of Ground Water:

356400.00

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50 - 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR) Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.

Handwritten signature: Gaurav Singh

- * All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- ✓ The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 L capacity bottle) to the concerned Director Ground Water Department, Uttar Pradesh, for chemical analysis.
- ✓ A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- * Any other site specific requirement regarding safety and access for measurement may be taken care of.
- * Any other condition(s) that may be imposed by the concerned Authority.
- * In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- * **SPECIFIC CONDITIONS:**
- * (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - * i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - * ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - * iii) All industries abstracting ground water in excess of 100 m³/day shall be required to undertake annual water audit through Confederation of Indian Industries (CII) Federation Indian Chamber of Commerce and Industry (FICCI) or National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - * iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - * v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - * vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - * vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- * (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - * i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - * ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day.
 - ✓ The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 24/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature

Amrinder Singh





CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No. TC-125 Vibhuti Khand, Gomti Nagar, Lucknow-226010



Annexure-24

TEST REPORT: WASTE WATER LABORATORY

Ref No: 17817074 Muzaffarnagar-2022

Date: 17/10/2022

1. Name of Industry: SILVERTON PULP AND PAPER PRIVATE LIMITED
2. Address of Industry: 9th KM, Bhega Road, Muzaffarnagar, MUZAFFARNAGAR, 251001
3. District: Muzaffarnagar
4. Description about sampling point: Final Outlet Discharge of E.T.P.
5. Type of Sample (Grab/Composite/Integrated): Grab
6. Sample Collected By: Ansoo Kumar City Magistrate, Muzaffarnagar & Vipul Kumar A.E.E Regional Office-Muzaffarnagar
7. Colour and Odour: Colourless No Specific
8. Quantity and Packing: 2.0 Ltrs PVC
9. Date of Sample Collection: 15/09/2022
10. Analysis Indented by: RO Muzaffarnagar
11. Date of sample receipt in Lab: 16/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|--|------|---------|----------|-----------------|
| DO: 4500 H H Electronic method | - | 7.59 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total Suspended Solids dried at 103-105 °C | mg/l | 40.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 E Total Dissolved Solids dried at 180 °C | mg/l | 1061.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 1101.0 | - | 10- 50000 mg/l |
| BOD, 5 day, 20 °C (IS 3025 (Part 4): 1997 Bio) | mg/l | 23.0 | 30 | 1.0-50000 mg/l |
| COD: 5220 B Open Reflux Method | mg/l | 198.0 | 250 | 5.0-100000 mg/l |

Reference: 1. General Standards for discharge of environment Pollutants are as per-A Effluent(Schedule-VI) The environment (Protection) Rules,1986 source: [www.epa.gov.in/GovermentStandards.pdf](#). Besides these standards, refer EPA standards for specific purpose.

Remark: 1.1

Analysed by

(Dr. A. Tewari (SAO))

Authorized by

ANANT
 PHASAD
 Lab. In-charge
 Lab. Asst. (Primal ASO)

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed by
 RAM GOPAL
 Date: 2022.10.17
 13:40:28 +05'30'

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

U.P. Pollution Control Board



CONSENT ORDER

Ref No. -
68247/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 03/01/2020

To,

Shri AKSHAY JAIN
M/s SILVERTON PULP AND PAPERS PVT LTD
9.0TH KM, BHOPA ROAD, MUZAFFARNAGAR, DISTT.- MUZAFFARNAGAR
(U.P.) MUZAFFARNAGAR.251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SILVERTON PULP AND PAPERS PVT LTD

Reference Application No. 6137963

Dated : 03/01/2020

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SILVERTON PULP AND PAPERS PVT LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
This consent is being issued with the permission of competent authority.

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

CEO
C-3.



CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Kraft Paper-200 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
4. Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|--|--------------|-----------|--------------------|--------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | Common Captive Power Plant for Both Units (Silverton Pulp and Papers Pvt. Ltd. Unit-2) | | | Particulate Matter | |

5. The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|---------------------------------|----------|-----------|----------|
| S.No | Stack No | Parameter | Standard |

6. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
7. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
8. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
9. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
10. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
11. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
12. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
13. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
14. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
15. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.

14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URI http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URI http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

CEO
C-3.



Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
Recognised by MOEFCC



Website : www.newconlab.in

TEST REPORT

STACK EMISSION MONITORING AND ANALYSIS REPORT

Page 1 Of 1

TEST REPORT NO : NCL/STONP/1808/12/190402/7

DATE OF REPORT : 25-04-2022

Name And Address Of Customer

SILVERTON PULP & PAPERS PVT LTD
9TH K.M. BHOPA ROAD, MUZAFFARNAGAR, U.P., INDIA

SAMPLING DETAIL

| | | | |
|---------------------|--|----------------------|------------|
| Analysis Start Date | 19-04-2022 | Analysis End Date | 25-04-2022 |
| Date Of Sampling | 19-04-2022 | Sampling Done By | NCL |
| Sampling Protocol | AS PER CPCB GUIDELINES | Duration Of Sampling | 30 minute |
| Equipment Used | Vayubodhan Stack Sampler No 1 VSS-1(S.No 321 DTC 01) . . | | |

DETAILS OF STACK

| | | | |
|-------------------------------------|---------------|--------------------------|---------|
| Stack Attached To | BOILER | Stack Dia At The Top | 2000 mm |
| Capacity | 80 TPH | Material Of Construction | RCC |
| Type Of Fuel Used | COAL | | |
| Quantity Of Fuel Used | 15-16 Ton/Day | | |
| Stack Height Above The Ground level | 65 Mtr | | |
| Normal Operation Schedule | 24 HRS | | |
| Attached APCS | ESP | | |

PHYSICAL OBSERVATIONS

| | | | |
|------------------------------|--------------|---------------------------------|----------------------------|
| Ambient Temperature | 25°C | Flue Gas Temperature | 128.0°C |
| Velocity Of Flue Gases | 7.21 Mtr/Sec | Sampling Flow Rate For SPM | 22.0 LPM |
| Sampling Flow Rate For Gases | 2.3 LPM | Quantity Of Emission Discharged | 31501.84m ³ /hr |

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Specification/ Limit (As Per CPCB) |
|-------|------------------------------------|--------------------|----------------|--------|------------------------------------|
| 1 | Particulate Matters (PM) | mg/Nm ³ | IS:11255 (P-1) | 118.0 | 150 |
| 2 | Sulphur Dioxide (SO ₂) | mg/Nm ³ | IS:11255 (P-2) | 374.0 | 600 |
| 3 | Carbon Monoxide (CO) | % by Vol | IS:13270 | 0.40 | 1% By Volume |
| 4 | Oxide of Nitrogen | mg/Nm ³ | IS:11255 (P-7) | 172.0 | 300 |

CURRENT LOAD-75%

*** End Of Report ***

FOR NEWCON CONSULTANTS & LABORATORIES

NOTE : 1. The Report above pertains to the tested parameters only. Endorsement of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced or used in any form without the prior written permission of MANAGING PARTNER. 4. Our liability is limited to insured value only.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

U.P. Pollution Control Board



CONSENT ORDER

Ref No. -
68247/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 03/01/2020

To,

Shri AKSHAY JAIN
M/s SILVERTON PULP AND PAPERS PVT LTD
9.0TH KM, BHOPA ROAD, MUZAFFARNAGAR, DISTT:- MUZAFFARNAGAR
(U.P.) MUZAFFARNAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SILVERTON PULP AND PAPERS PVT LTD

Reference Application No. 6137963

Dated : 03/01/2020

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SILVERTON PULP AND PAPERS PVT LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
This consent is being issued with the permission of competent authority.

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.



CEO
C-3.

U.P. Pollution Control Board

Dated : 03/01/2020

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Kraft Paper-200 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|--|--------------|-----------|--------------------|--------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | Common Captive Power Plant for Both Units (Silverton Pulp and Papers Pvt. Ltd. Unit-2) | | | Particulate Matter | |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|---------------------------------|----------|-----------|----------|
| S.No | Stack No | Parameter | Standard |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.

14. The industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till farther direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.



Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

CEO
C-3.





Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
Recognised by MOEFCC

Website : www.newconlab.in



TEST REPORT

STACK EMISSION MONITORING AND ANALYSIS REPORT

Page 1 of 1

TEST REPORT NO : NCL/STONP/1808/12/190402/7

DATE OF REPORT : 25-04-2022

Name And Address Of Customer

SILVERTON PULP & PAPERS PVT LTD
9TH K.M. BHOPA ROAD, , MUZAFFARNAGAR, U.P., INDIA

SAMPLING DETAIL

| | | | |
|---------------------|---|----------------------|------------|
| Analysis Start Date | 18-04-2022 | Analysis End Date | 25-04-2022 |
| Date Of Sampling | 18-04-2022 | Sampling Done By | NCL |
| Sampling Protocol | AS PER CPCB GUIDELINES | Duration Of Sampling | 30 min/79 |
| Equipment Used | Vayubodhan Stack Sampler No 1 VSS-1(S.No 321 QTC 01), . . | | |

DETAILS OF STACK

| | | | |
|-------------------------------------|---------------|--------------------------|---------|
| Stack Attached To | BOILER | Stack Dia At The Top | 2000 mm |
| Capacity | 80 TPH | Material Of Construction | RCC |
| Type Of Fuel Used | COAL | | |
| Quantity Of Fuel Used | 15-16 Ton/Day | | |
| Stack Height Above The Ground level | 65 Mtr | | |
| Normal Operation Schedule | 24 HRS | | |
| Attached APCB | ESP | | |

PHYSICAL OBSERVATIONS

| | | | |
|------------------------------|--------------|---------------------------------|-----------------------------|
| Ambient Temperature | 25°C | Flue Gas Temperature | 128.0°C |
| Velocity Of Flue Gases | 7.21 Mtr/Sec | Sampling Flow Rate For SPM | 22.0 LPM |
| Sampling Flow Rate For Gases | 2.3 LPM | Quantity Of Emission Discharged | 81501.64 m ³ /hr |

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Specification/ Limit (As Per CPCB) |
|-------|------------------------------------|--------------------|----------------|--------|------------------------------------|
| 1 | Particulate Matters (PM) | mg/Nm ³ | IS:11255 (P-1) | 118.0 | 150 |
| 2 | Sulphur Dioxide (SO ₂) | mg/Nm ³ | IS:11255 (P-2) | 374.0 | 600 |
| 3 | Carbon Monoxide (CO) | % by Vol | IS:13270 | 0.40 | 1% By Volume |
| 4 | Oxide of Nitrogen | mg/Nm ³ | IS:11255 (P-7) | 172.0 | 500 |

CURRENT LOAD-75%

*** End Of Report ***

FOR NEWCON CONSULTANTS & LABORATORIES

PREPARED BY

AUTHORIZED SIGNATORY

NOTE : 1. The report above pertains to the Tested parameters only. Endorsement of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced or used in any form without the permission of MANAGING PARTNER. 4. Our liability is limited to invoked clause only.

Laboratory : A-1/158, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831 Fax:0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 17839/UPPCB/MuzaffarNagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated :03/08/2022

To,

M/s SILVERTON PULP AND PAPERS PVT LTD

9.0TH KM, BHOPA ROAD, MUZAFFARNAGAR, DISTT.- MUZAFFARNAGAR

(UP), MUZAFFAR NAGAR, 251001

Tehsil :MuzaffarNagar

District :MUZAFFARNAGAR

Subject :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 17839 and 03/08/2022 .
2. Reference of application (No. and date) 17103485 and 14/07/2022 .
3. Mr AKSHAY JAIN of M/s SILVERTON PULP AND PAPERS PVT LTD is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9.0TH KM, BHOPA ROAD, MUZAFFARNAGAR .

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|---|--|---------------------|
| 1 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.150 MT/Annum |
| 2 | CATEGORY 33.1 AS PER SCHEDULE I (Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes) | THROUGH TSDF | 2.0 MT/Annum |
| 3 | CATEGORY 5.1 AS PER SCHEDULE I (Used Or Spent Oil) | THROUGH TSDF | 0.40 KL/Annum |
| 4 | CATEGORY 34.2 AS PER SCHEDULE I (Sludge From Treatment Of Waste Water Arising Out Of Cleaning / Disposal Of Barrels / Containers) | THROUGH TSDF | 40 MT/Annum |

1. The authorization shall be valid for a period of 02/08/2027 from the date of issue of this letter

2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any)

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.19 21:33:14 +05'30'

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

- 1- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.
- 2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
- 3- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI

Date: 2022.08.11 21:34:27 +05'30'

4- Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.

5- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.

6- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

7- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

8- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.

9- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

10- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All pillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

11- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.

12- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

13- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.

14- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be

sent within fifteen days of receipt of this letter.

15- It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.

16- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.

17- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.

18- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.

19- Ground water monitoring report of premises shall be submitted within one month.

20- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

21- The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.

(Authorized Signatory)

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:34:47 +05'30'

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate, for information and necessary action .

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:35:01 +05'30'

CEO/EE, I/C Circle



Gaurav Singh

FORM 10
[See rule 19 (1)]

S. No. **0541**

MANIFEST FOR HAZARDOUS AND OTHER WASTE


To be forwarded by the Sender to the State Pollution Control Board
after signing all the seven copies.

Copy 1 (White)

| | | |
|-----|--|---|
| 1. | Sender's name and mailing address (including Phone No. and e-mail): | |
| 2. | Sender's Authorisation No.: | |
| 3. | Manifest Document No.: | 0541 09/07/2022 |
| 4. | Transporter's name and address: (including Phone No. and e-mail) | B.T.C Kulkarni Sahji Mandi Musabamga (Truck/Tanker/Special Vehicle) |
| 5. | Type of Vehicle: | |
| 6. | Transporter's Registration No.: | |
| 7. | Vehicle Registration No.: | UP-12BT-7340 |
| 8. | Receiver's name and mailing address (including Phone No. and e-mail): | M/S SHEETALA WASTE MANAGEMENT PROJECT D-26, UPSIDC Industrial Area, Tehsil- Sikandrabad, District Bulandshahr, Uttar Pradesh - 203206 Mob.: 9643764441, Email: swmp@sheetalawaste.com |
| 9. | Receiver's Authorisation No.: | 13443/UPPCB/Bulandshahr(UPPCBRO)/HWM/ BULAND SHAHAR/2020 Dated :06/01/2021-Valid up to 6-1-2026 |
| 10. | Waste Description: | Cotton Waste, Waste Oil, Process Sludge |
| 11. | Total Quantity: No. of Containers: | 480 Kgm ³ or MTNos. |
| 12. | Physical Form: | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) |
| 13. | Special handling instructions and additional information: | In case of leakage/spillage, use washing soap at the point of leakage to prevent it. All material should be properly packed in spillage proof containers. Do not throw any material from vehicle. |
| 14. | Sender's Certificate | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations. |
| | Name and stamp: | Signature: Month Day Year 07 09 20 22 |
| 15. | Transporter acknowledgement of receipt of Waste | |
| | Name and stamp: | Signature: Month Day Year 07 09 20 22 |
| 16. | Receiver's certification for receipt of hazardous and other waste | |
| | Name and stamp: | Signature: Month Day Year |

0541

To be sent by the receiver to the sender.

| | | | | |
|--|---|-------|-----|------|
| 1. Sender's name and mailing address (including Phone No. and e-mail): | | | | |
| 2. Sender's Authorisation No.: | | | | |
| 3. Manifest Document No.: | 0541 | | | |
| 4. Transporter's name and address (including Phone No. and e-mail): | B. T. C. Pvt. Ltd. Noida | | | |
| 5. Type of Vehicle: | (Truck/Tanker/Special Vehicle) | | | |
| 6. Transporter's Registration No.: | | | | |
| 7. Vehicle Registration No.: | UP-12 BT-7340 | | | |
| 8. Receiver's name and mailing address (including Phone No. and e-mail): | MIS SHEETALA WASTE MANAGEMENT PROJECT D-26, UPSIDC Industrial Area, Tehsil- Sikandrabad, District Bulandshahr, Uttar Pradesh - 203206 Mob. : 9643764441, Email : swmp@sheetalawaste.com | | | |
| 9. Receiver's Authorisation No.: |  13443/UPPCB/Bulandshahr(UPPCBRO)/HWM/ BULAND SHAHAR/2020 Dated : 06/01/2021 - Valid up to 5-1-2026 | | | |
| 10. Waste Description: | Cotton Waste, White Oil, Brakes | | | |
| 11. Total Quantity: | 1500 Kg | | | |
| 12. No. of Containers: |m ³ or MTNos. | | | |
| 13. Physical Form: | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | |
| 14. Special handling instructions and additional information: | In case of leakage/spillage, use washing soap at the point of leakage to prevent it. All material should be properly packed in spillage proof containers. Do not throw any material from vehicle. | | | |
| 15. Sender's Certificate | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations. | | | |
| Name and stamp | Signature: | Month | Day | Year |
| | | 05 | 01 | 2022 |
| 16. Transporter acknowledgement of receipt of | Sheetala Waste Management Project | | | |
| Name and stamp | Signature: | Month | Day | Year |
| | | 05 | 01 | 2022 |
| 17. Receiver's certification for receipt of hazardous and other waste | | | | |
| Name and stamp | Signature: | Month | Day | Year |
| | | 07 | 09 | 2022 |

GSTIN: 09AABCS3-07P121 Ph.No. 8941095988,87,89 CIN:U21093UP1995PTC018048

SILVERTON PULP & PAPERS PVT.LTD.

97, KM BHOPA ROAD, MUZAFFARNAGAR (U.P)

CIN: U21093UP1995PTC018048

EMAIL ID: silvertonpulp@gmail.com

RETURABLE CHALLAN
(ONLY FOR JOB WORK)

WASTE MANAGEMENT
PROJECT

UPSIDC IND. AREA, THE-SIKANDRABAD
LANDSHARA-203206

N-09ADSFS7354L1Z2

Sl. NO:- S/K/22-23/55

DT:- 09.07.2022

VEHICLE NO:- UP12BT-7340

DESCRIPTION OF GOODS

QTY/KG

AMOUNT(Rs.) APPROX

HAZARDOUS AND OTHER WASTE
WASTE-155KG
WASTE-165KG
WASTE-120KG

(480KG)

.....NIL.....

REMARK:

THIS GOODS SENT FOR DISPOSAL
OF HAZARDOUS WASTE AND NOT
FOR SALE. NO COMMERCIAL
VALUE AND ONLY FOR DISPOSAL)

196
09/07/22

Total Value in words:- NIL

.....NIL.....

FOR SILVERTON PULP & PAPERS PVT.LTD



SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

Annexure - 29

DATE- 20/8/2022

TO
THE REGIONAL OFFICER
U.P. POLLUTION CONTROL BOARD
MUZAFFARNAGAR-251001(U.P.)

SUB- REGARDING PLASTIC WASTE GENERATION AND UTILIZATION (SILVERTON PULP & PAPERS PVT.LTD)

DEAR SIR,

PLEASE FIND THE MONTHLY RETURN OF PLASTIC WASTE GENERATION, UTILIZATION & CLOSING
BALANCE OF PLASTIC WASTE FOR THE MONTH OF THE FEBRUARY TO JULY.
DETAILS GIVEN BELOW

| MONTH | OPENING PLASTIC WASTE (IN M.T) | GENERATION PLASTIC WASTE (IN M.T) | USED IN GASIFIER (IN M.T) | CLOSING PLASTIC WASTE (IN M.T) |
|----------|--------------------------------------|---|------------------------------|--------------------------------------|
| FEBRUARY | 3.3 | 99.4 | 93.1 | 9.6 |
| MARCH | 9.6 | 122.5 | 125.0 | 7.1 |
| APRIL | 7.1 | 120.0 | 120.6 | 6.5 |
| MAY | 6.5 | 116.6 | 114.9 | 8.2 |
| JUNE | 8.2 | 124.3 | 125.1 | 7.4 |
| JULY | 7.4 | 100.6 | 101.8 | 6.2 |

THIS IS FOR YOUR KIND CONSIDERATION.

THANKS & REGARDS
SILVERTON PULP & PAPERS PVT. LTD.

Gaurababujan
(AUTH. SIGN.)



Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)

8941095985 - 88





SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

Annexure -30

20/8/2022

TO

THE REGIONAL OFFICER
U.P POLLUTION CONTROL BOARD
MUZAFFARNAGAR -251001(U.P)

DATE: 20/8/2022

SUB:-IN REFERENCE TO POINT WISE COMPLIANCES OF WATER CONSENT.

DEAR SIR,

IT IS FOR YOUR KIND CONSIDERATION, PLEASE FIND POINT WISE COMPLIANCES REGARDING TO WATER CONSENT IS MENTIONED BELOW,

1-THE INDUSTRY COMPLY NORMS AS PER CPCB & UPPCB GUIDELINES, THE UNIT MAINTAIN STRICT SUPERVISION ON FLUCTUATIONS IN OPERATING PARAMETERS.

2-THE UNIT FOLLOWS THE EFFLUENT DISCHARGE STANDARD 5 AS PER GUIDELINES.

3-THE UNIT DOES NOT USE AGROBASED RAW MATERIAL.

4-THE INDUSTRY SUPPLY CONTINUOUS AND UNINTERRUPTED DATA SUPPLY FROM THE OCEMS TO THE UPPCB AND CPCB SERVER.

5-FLOW METER IS INTALLED AND WATER USAGE AS PER UPPCB AND CPCB GUIDELINES.

6-THE UNIT DEPLOYED OF QUALIFIED MANPOWER TO STEP UP SELF MONITORING MECHANISM CONTINUOUSLY BASIS.

7-THE UNIT COMPLY WATER EXTRACTION AS PER CGWA GUIDELINES.

8-THE UNIT FOLLOWS INSTRUCTIONS AS PER UPPCB AND CPCB GUIDELINES.

9-INDUSTRY SUBMITS ENVIORNMENTAL STATEMENT IN PRESCRIBED FORM 5 AS PER RULE.

10-THE UNIT FOLLOWS INSTRUCTIONS AS PER CPCB GUIDELINES.

11-IT HAS BEEN INSTALLED AS PER GUIDELINES.

12-THE UNIT FOLLOWS ALL INSTRUCTIONS WHICH IS MENTIONED CONSENT.

13-THE INDUSTRY FOLLOWS INSTRUCTIONS AS MENTIONED IN CONSENT.

14-THE UNIT SUBMIT QUARTERLY MONITORING TESTING REPORT AS-GUIDELINES. (COPY ENCLOSED)

15-INDUSTRY COMPLY WITH VARIOUS PROVISIONS OF WATER AND AIR ACT AS PER GUIDELINS.

16-THE UNIT SUBMIT AUDITED BALANCE SHEET AS PER GUIDELINES. (COPY ENCLOSED)



Head Office & Works
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P)



8941095985 - 88





SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

17-THE UNIT HAS PLANTATION AS PER GUIDELINES.

HOPE FOR YOUR POSITIVE CONSIDERATION.

FOR, SILVERTON PULP & PAPERS PVT. LTD.


(AUTH. SIGN.)



Head Office & Works
9th Km. Bhopa Road,
Muzaffarnagar-251 002 (U.P.)



8941095985 - 88





SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

20/8/2022

TO
THE REGIONAL OFFICER
U.P POLLUTION CONTROL BOARD
MUZAFFARNAGAR -251001(U.P)

DATE- 20/8/2022

SUB:-IN REFERENCE TO POINT WISE COMPLIANCES OF AIR CONSENT.

DEAR SIR,

IT IS FOR YOUR KIND CONSIDERATION, PLEASE FIND POINT WISE COMPLIANCES REGARDING TO AIR CONSENT IS MENTIONED BELOW,

- 1-THE INDUSTRY COMPLY NORMS AS PER CPCB & UPPCB, IT DOES NOT ADVERSLY AFFECT THE ENVIORNMENT AND SOLID WASTE (ASH) IS DISPOSED IN ECO FRIENDLY MANNER.
- 2-IN INDUSTRY THERE IS NO OTHER SOURCE OF EMISSION THAN THAT MENTIONED IN THE AIR CONSENT SEEKING APPLICATION.
- 3-ESP (ELECTROSTATIC PRECIPITATOR) IS INSTALLED AND OPERATED ON CONTINUOUSLY BASIS TO CONFIRM PRESCRIBED STANDARD EMISSION UNDER THE E.P ACT 1986.
- 4-THE INDUSTRY SUBMIT ENVIORNMENTAL STATEMENT AS PER GUIDELINES.
- 5-NOT APPLICABLE
- 6-THE INDUSTRY FOLLOW AS PER GIVEN INSTRUCTION OF CPCB AND UPPCB.
- 7-OCEMS IS INSTALLED ON STACK AS PER THE DIRECTION OF CPCB.
- 8-THE INDUSTRY SENT REPORT AS PER GUIDELINES.
- 9-THE INDUSTRY FOLLOWS ALL GIVEN INSTRUCTIONS.
- 10-THE INDUSTRY IS SUBMITTED QUARTERLY MONITORING REPORT AS PER GUIDELINES.
- 11-THE INDUSTRY COMPLY WITH VARIOUS PROVISIONS OF AIR AND WATER ACT AS PER GUIDELINES.
- 12-IN INDUSTRY THERE IS NO RESTRICTED FUEL IS USED.
- 13-THE UNIT FOLLOWS INSTRUCTIONS WHICH IS GIVEN BY CPCB & UPPCB.
- 14-THE INDUSTRY FOLLOWS NSTRUCTIONS AS PER GUIDELINES.
- 15-THE UNIT SUBMIT THE AUDITED BALNCE SHEET.
- 16-THE INDUSTRY FOLLOWS INSTRUCTIONS AS PER CPCB AND UPPCB GUIDELINES.

Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)
8941095985 - 88





SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

17-THE INDUSTRY FOLLOWS INSTRUCTIONS AS PER GUIDELINES.

18-THE UNIT HAS PLANTATION AS PER GUIDELINES.

HOPE FOR YOUR POSITIVE CONSIDERATION.

FOR, SILVERTON PULP & PAPERS PVT. LTD.

Caustatujay
(AUTH. SIGN.)



Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)

8941095985 - 88

silvertonpulp@gmail.com / info@silvertonpulp.com / wpp@silvertonpulp.com / kraft@silvertonpulp.com



www.silvertonpulp.com

CIN/FCRN U21093UP1995PTC018048 | GSTIN 09AA8CS3407P1Z1



GROUND WATER DEPARTMENT

(Narmada Canal & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Annexure - 31

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC029886

VALID FROM 14/03/2021 TO 13/03/2026

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No. 202103000034

Name of the Owner: AKSHAY JAIN

Designation: DIRECTOR

Company Name: SILVERTON PULP AND PAPERS PVT LTD
कंपनी का नाम

Company Address: 9TH KM, BHOPA ROAD, MUZAFFARNAGAR
कंपनी का पता

Authorization Letter: Download
प्रधिकार पत्र

Address of the Applicant: 9TH KM, BHOPA ROAD,

Application Form Serial No. MZFN0321NIN0023

Date of Submission: 02/03/2021

Specimen Signature

Location Particulars

District: Muzaffar Nagar

Block: Municipal Corporation/Nagar Palika Pararnod, Muzaffar Nagar

Plot No./Khasra No.: N/A

Municipality/Corporation: N/A

Ward No./Holding No.

N/A

Particular of the Existing Well and Pumping Device

Date of Construction/Sinking of the Well: 06/01/2004

Type of Well: Tube Well Boring

Depth of the Well (In meter): 60.00

Purpose of well: Industrial

Assembly Size(For Tube Well)

Strainer Position (For Tube Well)

Type of Pump Used: Submersible

H.P. of the Pump: 15.00

Operational Device: Electric Motor

Rate of Withdrawal (m³/hr.): 120.00

Date of Energization (In Case of Electric Pump)

06/01/2004

Maximum Allowable Rate of Withdrawal ($m^3/hr.$)

Maximum Allowable Running Hours Per Day

Maximum Allowable Annual Extraction of Ground Water

Recharge Required

- This No-Objection certificate authorizes the owner/applicant/user to sink a well in the location specified at SL (2) for extraction of ground water at a rate not exceeding that as shown at SL (3), for Running Hours per day as shown at SL (3k), and for maximum allowable annual extraction of ground water as shown at SL (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 594000.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS: IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell/tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No. | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|-------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1. | < 10 | 0 | 0 | 0 |
| 2. | 11 - 50 | 1 | 1 | 0 |
| 3. | 50 - 500 | 1 | 0 | 1 |
| 4. | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR) Digital Automatic water level recorder (DAWL) with telemetry system should be used for accuracy.

- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lit capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/tube wells site for providing the location, piezometer/tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII) Federation Indian Chamber of Commerce and Industry (FICCI) National Productivity Council (NPC) PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism (as mentioned in General Condition no.10) shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per GPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 18/08/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 17834176/Muzaffarnagar/2022

Date: 18/10/2022

1. Name of Industry: SILVERION PULP AND PAPERS PRIVATE LIMITED UNIT 2
2. Address of Industry: 9th Km Stone, Bhepa Road, Ghaziabad, MUZAFFARNAGAR, 251001
3. District: Muzaffarnagar
4. Description about sampling point: Final Outlet Discharge of E.T.P
5. Type of Sample (Grab/Composite/Integrated): Grab
6. Sample Collected By: Anoop Kumar City Magistrate, Muzaffarnagar & Vipul Kumar A.E.E Regional Office-Muzaffarnagar
7. Colour and Odour: Colourless No Specific
8. Quantity and Packing: 2.0 Ltrs PVC
9. Date of Sample Collection: 15/09/2022
10. Analysis Indented by: RO Muzaffarnagar
11. Date of sample receipt in Lab: 16/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| DO, 4500 H, H-Electronic method | - | 7.55 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total Suspended Solids dried at 103-105 °C | mg/l | 38.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 782.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 820.0 | - | 10- 50000 mg/l |
| BOD, 5 day 27 °C IS 3025 (Part-44): 1993 Bio | mg/l | 22.0 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 216.0 | 250 | 5.0 -100000 mg/l |

Remarks: 1. Effluent Standards for discharge of environment: Pollutants are as per-A Effluent (Schedule-VI) The environment (Protection) Rules, 1986 source: [www.epa.gov/indian-GeneralStandards.pdf](#). Besides these standards, refer EPA standards for specific purpose

Ref: 17834176

Analysed by:

[Anupam Verma (SA)]

Authorized by:

ANANT PRASAD
 (Signature)
 (Name)
 (Designation)
 (Address)

Dr. Anant Prasad ASO

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed by
 RAM GOPAL
 Date: 2022.10.18
 15:24:54 +05'30'

Notes: 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.



U.P. Pollution Control Board

CONSENT ORDER

Dated : 30/12/2019

Ref No. -
68250/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/
water/MUZAFFARNAGAR/2019

To ,

Shri AKSHAY JAIN

M/s SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2

9.0th Km. Bhopa Road, Muzaffarnagar, Distt.- Muzaffarnagar (U.P.),MUZAFFAR

NAGAR,251001

MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. SILVERTON PULP AND PAPERS
PRIVATE LIMITED UNIT 2

Reference Application No :6138190

Dated :30/12/2019

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2 is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 01/01/2020 to 31/12/2024 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

Nishi
Kumar
Chauhan (Signature)

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan (Signature)

CEO

C-3.



U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2
vide

Consent Order No. 6138190/ Water

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Writing Printing/Kraft Coated Duplex/News Print Paper-300 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|--------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge.KL/day | Treatment facility and discharge point |
| 1 | Domestic | 3 KLD | Septic Tank |
| 2 | Industrial | 2500 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent.

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 3 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms.

| Industrial Effluent | | |
|---------------------|------------------------|--------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Board Norms |
| 2 | BOD | As per Board Norms |
| 3 | COD | As per Board Norms |
| 4 | Oil & Grease | As per Board Norms |
| 5 | Quantity of Discharge | 2500 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory.
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various condition of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no 14 of E.P.R. 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:



- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-11/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P. Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ rotation Camera at the Inlet, Aeration tank, Secondary Clarifier and outlet of Effluent treatment plants for On Line Monitoring and its URL and password shall be provided to the UPPCB control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified/ approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

Nishi
Kumar
Chauhan
Date 28/11/2018

For and on behalf of U.P. Pollution Control Board .

CEO
C-3.



U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
68254/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 30/12/2019

To,

Shri AKSHAY JAIN
M/s SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2
9.0th Km, Bhopa Road, Muzaffarnagar, Distt.- Muzaffarnagar (UP), MUZAFFAR

NAGAR, 251001

MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2

Reference Application No. 6138665

Dated : 30/12/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Nishu
Kumar
Chauhan
Digitally signed by Nishu Kumar
Date: 2019.12.30
12:14:45 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy for Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishu
Kumar
Chauhan
Digitally signed by Nishu Kumar
Date: 2019.12.30
12:14:45 +05'30'

CEO

C-3.

CONDITIONS OF CONSENT

5. This consent is valid only for the approved production capacity of Writing/Printing/Kraft/Coated Duplex News Print Paper-300 MTD using Waste Paper as main raw material.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 7(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 7(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|----------------------|------------------|-----------|--------------------|----------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 80 TPH Boiler | Coal and Biomass | 1 | Particulate Matter | 65 Meter |

- 7(c). The emissions by various stacks into the environment should be as per the norms of the Board

| Emission Quality Details Detail | | | |
|---------------------------------|----------|--------------------|--------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per Board Norms |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).

16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL: http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The Industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no. H-16405-220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL: http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board



REGIONAL LABORATORY Muzaffarnagar
UTTAR PRADESH POLLUTION CONTROL BOARD
 Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref No, 18099943/Muzaffarnagar/2022

Date: 17/10/2022

- 1- Name & Address of Industry: SILVERTON PULP AND PAPERS PRIVATE LIMITED
- 2- Sample Collected By: (1) Vipul Kumar: A.E. (2) Maneesh Kumar: J.R.E
- 3- Date of Monitoring: 01.10.2022
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler (THERMOFAB)
- 6- Stack Height: 65 Meters
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 80 TPH
- 9- Fuel used: Coal, Leaves Cutting & Baggase
- 10- Quantity of Fuel used: (1) Coal-160 TPD (2) Leaves Cutting-150 TPD (3) Baggase-60 TPD
- 11- Flue Gas Velocity: 6.79 m/sec
- 12- Air Pollution Control Device: ESP
- 13- Other remarks (if any): At the time of inspection industry found operational.
- 14- Further details of sample location nad Test methods followed are appened overleaf:

| Sr No. | Parameter | Unit | Result | Standards |
|--------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 118.40 | 150 |

Analysed by-

[Maneesh Kumar: JRF]

Authorised Signatory-

Ankit Singh RO

ANKIT SINGH Digitally signed by Ankit Singh
 Date: 2022.10.17 21:41:15 +05'00'
 Regional Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Annexure - 36

Ref. No : 17844/UPPCB/Muzaffarnagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated : 03/08/2022

To,

M/s SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2

9th Km Stone , Bhopa Road , Muzaffarnagar, MUZAFFARNAGAR, 251001

Tehsil : Rudhiana

District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 17844 and 03/08/2022 .
2. Reference of application (No. and date) 17107280 and 24/07/2022 .
3. Mr AKSHAY JAIN of M/s SILVERTON PULP AND PAPERS PRIVATE LIMITED UNIT 2 is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9th Km Stone , Bhopa Road , Muzaffarnagar

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|--|--|---------------------|
| 1 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.150 MT/Annum |
| 2 | CATEGORY 33.1 AS PER SCHEDULE I (Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes) | THROUGH TSDF | 2.0 MT/Annum |
| 3 | CATEGORY 5.1 AS PER SCHEDULE I (Used Or Spent Oil) | THROUGH TSDF | 0.40 KI/Annum |
| 4 | CATEGORY 32.3 AS PER SCHEDULE I (Process sludge containing adsorbable organic halides(AOX)) | THROUGH TSDF | 40 MT/Annum |

1. The authorization shall be valid for a period of 02/08/2027 from the date of issue of this letter
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any)

A General Conditions of Authorization -

RAKESH KUMAR
TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 17:33:47 +05'30'

1. The authorised person shall comply with the provisions of the Environment (1986) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) as well as the authorisation is being granted considering all site specific possible scenarios such as spill, leaks, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

1. The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.
2. The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
3. The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.
4. Comprehensive safety measures must be followed in handling of wastes and the staff must be

RAKESH KUMAR TYAGI

Chartered Engineer, Registered Professional Engineer (EVA)

Date: 20/02/2017 21:00:00

properly trained.

5- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.

6- The applicant must file returns on prescribed Form-4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

7- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

8- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.

9- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

10- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

11- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.

12- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

13- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.

14- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.

RAKESH KUMAR
TYAGI

Deputy Secretary (H&O)
U.P. Pollution Control Board
GATE-222, 2nd Floor, 1st Floor

15- It is the mandatory duty of the authorised person to comply with the guideline for transport of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.

16- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.

17- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.

18- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.

19- Ground water monitoring report of premises shall be submitted within one month.

20- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

21- The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.

(Authorized Signatory)

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:38:19 +05:30

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate, for information and necessary action.

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:36:33 +05:30

CEO/EE, I/C Circle

FORM 10
[See rule 19 (1)]

S. No. **0528**

MANIFEST FOR HAZARDOUS AND OTHER WASTE

To be forwarded by the Sender to the State Pollution Control Board after signing all the seven copies.

Copy 1 (White)

| | | |
|-----|---|---|
| 1. | Sender's name and mailing address (including Phone No. and e-mail): | |
| 2. | Sender's Authorisation No.: | |
| 3. | Manifest Document No.: | 0528 25-06-2022 |
| 4. | Transporter's name and address: (including Phone No. and e-mail) | Party own Vehicle |
| 5. | Type of Vehicle: | (Truck/Tanker/Special Vehicle) |
| 6. | Transporter's Registration No.: | |
| 7. | Vehicle Registration No.: | UP-12AT-6944 |
| 8. | Receiver's name and mailing address (including Phone No. and e-mail): | M/S SHEETALA WASTE MANAGEMENT PROJECT D- 26, UPSIDC Industrial Area, Tehsil- Sikandrabad, District Bulandshahr, Uttar Pradesh - 203206 Mob. : 9643764441, Email : swmp@sheetalawaste.com |
| 9. | Receiver's Authorisation No.: | 13443/UPPCB/Bulandshahr(UPPCBRO)/HWM/ BULAND SHAHAR/2020 Dated : 08/01/2021-Valid up to 6-1-2026 |
| 10. | Waste Description: | Used oil & Grease, Process Sludge, Empty Containers, Cotton Waste |
| 11. | Total Quantity : No. of Containers : | 385.45 / 42.84 m ³ or MT 42 PCs : Nos. (Empty Containers) |
| 12. | Physical Form : | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) |
| 13. | Special handling instructions and additional information : | In case of leakage/spillage, use washing soap at the point of leakage to prevent it. All material should be properly packed in spillage proof containers. Do not throw any material from vehicle. |
| 14. | Sender's Certificate | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations. |
| | Name and stamp: | Signature: Month Day Year |
| | | 06 25 2022 |
| 15. | Transporter acknowledgement of receipt of Wastes | |
| | Name and stamp: | Signature: Month Day Year |
| | | 06 25 2022 |
| 16. | Receiver's certification for receipt of hazardous and other waste | |
| | Name and stamp: | Signature: Month Day Year |
| | | 06 25 2022 |

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Copy 6 (Blue)

To be sent by the receiver to the sender

| | |
|---|---|
| 1. Sender's name and mailing address (including Phone No. and e-mail) | |
| 2. Sender's Authorisation No. | |
| 3. Manifest Document No. | 0528 |
| 4. Transporter's name and address (including Phone No. and e-mail) | S. Party own vehicle |
| 5. Type of Vehicle | (Truck/Tanker/Special Vehicle) |
| 6. Transporter's Registration No. | |
| 7. Vehicle Registration No. | UP-RAT-2011 |
| 8. Receiver's name and mailing address (including Phone No. and e-mail) | M/S SHEETALA WASTE MANAGEMENT PROJECT D- 26, UPSIDC Industrial Area, Tehsil- Sikandrabad, District Bulandshahr, Uttar Pradesh - 203206 Mob. : 9643764441, Email : swmp@sheetalawaste.com |
| 9. Receiver's Authorisation No. | 13443/UPPCB/Bulandshahr/UPPCBRO/HWM BULAND SHAHAR/2020 Dated : 08/01/2021-Valid up to 6-1-2022 |
| 10. Waste Description : | Used and unused, various drugs, Etc. |
| 11. Total Quantity : No. of Containers : | 18.5 m ³ or MT 42 Nos. |
| 12. Physical Form : | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) |
| 13. Special handling instructions and additional information : | In case of leakage/spillage, use washing soap at the point of leakage to prevent it. All material should be properly packed in spillage proof containers. Do not throw any material from vehicle. |
| 14. Sender's Certificate | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations. |
| Name and stamp: | Signature: Month Day Year |
| | 01 06 2022 |
| 15. Transporter acknowledgement of receipt of Wastes | |
| Name and stamp: | Signature: Month Day Year |
| | 01 06 2022 |
| 16. Receiver's certification for receipt of hazardous and other waste | |
| Name and stamp: | Signature: Month Day Year |
| | 01 06 2022 |

Copy 1 (Yellow)

E-WASTE MANIFEST

To be returned by the sender after having signature on it from the Transmitter and other three copies will be carried by transporter.

| E-WASTE MANIFEST | | | | | | | | | | |
|--|--------|--------------------------|--------------|---|--------------|--|--------------|------|-------|------|
| 1. Occupier's Name and Mailing Address (Including Phone No.) | | | | | | | | | | |
| 2. Sender's Authorisation No. if applicable | | | | | | | | | | |
| 3. Manifest Document No. | | | | 17 25-06-2022 | | | | | | |
| 4. Transporter's Name and Address (Including Phone No.) | | | | Party own Vehicle | | | | | | |
| 5. Type of Vehicle | | | | (Truck / Container / Special Vehicle) | | | | | | |
| 6. Transporter's Registration | | | | | | | | | | |
| Vehicle Registration No. | | | | UP-12AT-6944 | | | | | | |
| 8. Receiver's Name and Mailing Address (Including Phone No.) | | | | M/s SHEETALA WASTE MANAGEMENT PROJECT D-26, UPSIDC Industrial Area, Tehsil-Sikandrabad Dist. Bulandshahr, Uttar Pradesh - 203206 Mob. : 9643764441, E-mail : swmp@sheetalawaste.com | | | | | | |
| Receiver's Authorization No. if Applicable | | | | 4934121EW11512079 Dated : 17/03/2021 | | | | | | |
| 10. Description of E-Waste | | Code | Desc. | Qty. | Code | Desc. | Qty. | Code | Desc. | Qty. |
| | | | E-Waste | 20 Kg | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 11. Name and Stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler) | | | | | | | | | | |
| Signature: | | | | Month Day Year 06 25 2022 | | | | | | |
| 12. Transporter's Name and Stamp (Signature) | | | | | | | | | | |
| Name & Stamp: | | | | Month Day Year 06 25 2022 | | | | | | |
| 1. Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler) Certificate for Receipt of E-waste (* As Applicable) | | | | | | | | | | |
| Name & Stamp: | | | | Month Day Year 06 25 2022 | | | | | | |
| E-WASTE TYPE | | CODE | E-WASTE TYPE | CODE | E-WASTE TYPE | CODE | E-WASTE TYPE | CODE | | |
| CPU, Mainframes, Minicomputers, PC/CPUs with monitor & Keyboard, Mouse | ITEW1 | Telephones | ITEW12 | UPS, Inverter, Power Strips | SWMP7 | Fluorescent and other Mercury containing lamps | CEEW5 | | | |
| Laptop | ITEW2 | Play Telephones | ITEW13 | Printer | SWMP8 | | | | | |
| Keyboard | ITEW3 | Cardless Telephones | ITEW14 | Misc IT | SWMP9 | | | | | |
| Mobile | ITEW4 | Cellular Telephones | ITEW15 | | | | | | | |
| Scanners | ITEW5 | Answering Systems | ITEW16 | Consumer electrical and electronics | CEEW1 | SWMP Codes: | SWMP1 | | | |
| Printers, including cartridge | ITEW6 | Cathode Ray Tubes (CRT) | SWMP1 | Television sets (including sets based on Liquid crystal Display and Light Emitting Diode technology) | | Copper Wire | SWMP2 | | | |
| Copy equipment | ITEW7 | Flat Panel Displays | SWMP2 | Refrigerator | | Dry Cell Battery | SWMP3 | | | |
| Medical and electronic typewriters | ITEW8 | Keyboards, Mouse | SWMP3 | Washing Machine | CEEW2 | Lead Acid Battery, UPS Battery | SWMP4 | | | |
| Peripherals and systems | ITEW9 | Modem, Hub, Switch | SWMP4 | Air-conditioners excluding centralised air conditioning | CEEW3 | Motors | SWMP5 | | | |
| Software | ITEW10 | Mother Board | SWMP5 | | CEEW4 | Transformers, CVT | SWMP6 | | | |
| | ITEW11 | Memory Modules-SIMM/DIMM | SWMP6 | | | Speakers | SWMP7 | | | |
| | | Flash Drives, Disk Drive | | | | Audio/Video Systems | SWMP8 | | | |
| | | | | | | Misc Non-IT | SWMP9 | | | |

AUTH. SIGNATORY



SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

Answare - 38

DATE: 20/8/2022

TO

THE REGIONAL OFFICER
U.P POLLUTION CONTROL BOARD
MUZAFFARNAGAR- 251001 (U.P)

SUBJECT - IN REFERENCE TO BIOLER FUEL CONSUMPTION AND GENERATION OF FLY ASH

DEAR SIR,

PLEASE FIND THE MONTHLY FLY ASH GENERATION AND BOILER FUEL CONSUMPTION. MONTHLY DETAILS IS MENTIONED BELOW,

BOILER FUEL CONSUMPTION

| MONTH | COAL(KG) | BAGGASE (KG) | BADAM CHILKA (KG) | DHAN CHILKA (KG) | FIREWOOD (KG) | TOTAL FUEL CONSUMPTION (KG) |
|-------|-----------|--------------|-------------------|------------------|---------------|-----------------------------|
| FEB | 6740,600 | 2148,360 | | 122,570 | 558,705 | 9570,235 |
| MARCH | 6760,100 | 4879,130 | | 504,100 | 246,410 | 12389,74 |
| APRIL | 4367,850 | 4500,866 | 60,760 | 1340,370 | 1368,695 | 11638,541 |
| MAY | 5859,200 | 2682,175 | 43,000 | 3507,535 | 2346,020 | 14437,930 |
| JUNE | 8245,900 | 356,195 | 21,964 | 2956,000 | 3190,000 | 14770,059 |
| JULY | 9305,800 | 24,415 | 15,255 | 1536,500 | 2235,215 | 13117,185 |
| TOTAL | 41279,450 | 14591,141 | 140,979 | 9967,075 | 9945,045 | 75923,69 |

FLY ASH

| MONTH | FLY ASH (KG) |
|-------|--------------|
| YFEB | 1230,780 |
| MARCH | 1738,645 |
| APRIL | 1368,840 |
| MAY | 3150,730 |
| JUNE | 4501,295 |
| JULY | 4519,390 |
| TOTAL | 16509,680 |

PLEASE TO BE NOTED AND ACKNOWLEDGE IT,
DETAILED COPY OF FLY ASH GENERATION IS ENCLOSED.PLEASE FIND THE ATTACHEMENT.

FOR SILVERTON PULP & PAPERS PVT.LTD (UNIT- 1 & 2)

Caution
(AUTH.SIGN)



Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)

8941095985 - 88

silvertonpulp@gmail.com / info@silvertonpulp.com / wpp@silvertonpulp.com / kraft@silvertonpulp.com



www.silvertonpulp.com



SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

Annexure - 39

DATE- 20/8/2022

TO
THE REGIONAL OFFICER
U.P. POLLUTION CONTROL BOARD
MUZAFFARNAGAR-251001(U.P.)

SUB- REGARDING PLASTIC WASTE GENERATION AND UTILIZATION (SILVERTON PULP & PAPERS
PVT.LTD UNIT-2)

DEAR SIR,

PLEASE FIND THE MONTHLY RETURN OF PLASTIC WASTE GENERATION, UTILIZATION & CLOSING
BALANCE OF PLASTIC WASTE FOR THE MONTH OF THE FEBRUARY TO JULY.
DETAILS GIVEN BELOW

| MONTH | OPENING PLASTIC WASTE (IN M.T) | GENERATION PLASTIC WASTE (IN M.T) | USED IN GASIFIER (IN M.T) | CLOSING PLASTIC WASTE (IN M.T) |
|----------|--------------------------------------|---|------------------------------|--------------------------------------|
| FEBRUARY | 2.8 | 87.5 | 78.6 | 11.6 |
| MARCH | 11.6 | 107.2 | 108.8 | 10.0 |
| APRIL | 10.0 | 111.2 | 111.9 | 9.3 |
| MAY | 9.3 | 91.8 | 93.8 | 7.3 |
| JUNE | 7.3 | 102.1 | 104.3 | 5.1 |
| JULY | 5.1 | 115.8 | 113.5 | 7.4 |

THIS IS FOR YOUR KIND CONSIDERATION.

THANKS & REGARDS
SILVERTON PULP & PAPERS PVT. LTD.(UNIT-2)

Gaurabatiya
(AUTH. SIGN.)



Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)

8941095985 - 88

silvertonepulp@gmail.com / info@silvertonepulp.com / wpp@silvertonepulp.com / kraft@silvertonepulp.com



www.silvertonepulp.com

CIN/FCRN : U21093UP1995PTC018048 | GSTIN : 09AAABC534079171



TO

THE REGIONAL OFFICER
U.P. POLLUTION CONTROL BOARD
MUZAFFARNAGAR -251001 (U.P.)

DATE: 20/8/2022

SUB: IN REFERENCE TO POINT WISE COMPLIANCES OF WATER CONSENT.

DEAR SIR,

IT IS FOR YOUR KIND CONSIDERATION, PLEASE FIND POINT WISE COMPLIANCES REGARDING TO WATER CONSENT IS MENTIONED BELOW,

- 1-THE INDUSTRY COMPLY NORMS AS PER CPCB & UPPCB GUIDELINES, THE UNIT MAINTAIN STRICT SUPERVISION ON FLUCTUATIONS IN OPERATING PARAMETERS.
- 2-THE UNIT FOLLOWS THE EFFLUENT DISCHARGE STANDARDS AS PER GUIDELINES.
- 3-THE UNIT DOES NOT USE AGROBASED RAW MATERIAL.
- 4-THE INDUSTRY SUPPLY CONTINUOUS AND UNINTERRUPTED DATA SUPPLY FROM THE OCEMS TO THE UPPCB AND CPCB SERVER.
- 5-FLOW METER IS INSTALLED AND WATER USAGE AS PER UPPCB AND CPCB GUIDELINES.
- 6-THE UNIT DEPLOYED OF QUALIFIED MANPOWER TO STEP UP SELF MONITORING MECHANISM CONTINUOUSLY BASIS.
- 7-THE UNIT COMPLY WATER EXTRACTION AS PER CGWA GUIDELINES.
- 8-THE UNIT FOLLOWS INSTRUCTIONS AS PER UPPCB AND CPCB GUIDELINES.
- 9-INDUSTRY SUBMITS ENVIRONMENTAL STATEMENT IN PRESCRIBED FORM 5 AS PER RULE.
- 10-THE UNIT FOLLOWS INSTRUCTIONS AS PER CPCB GUIDELINES.
- 11-IT HAS BEEN INSTALLED AS PER GUIDELINES.
- 12-THE UNIT FOLLOWS ALL INSTRUCTIONS WHICH IS MENTIONED CONSENT.
- 13-THE INDUSTRY FOLLOWS INSTRUCTIONS AS MENTIONED IN CONSENT.
- 14-THE UNIT SUBMIT QUARTERLY MONITORING TESTING REPORT AS GUIDELINES. (COPY ENCLOSED)
- 15-INDUSTRY COMPLY WITH VARIOUS PROVISIONS OF WATER AND AIR ACT AS PER GUIDELINES.
- 16-THE UNIT SUBMIT AUDITED BALANCE SHEET AS PER GUIDELINES. (COPY ENCLOSED)

Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)
8941095985 - 88

silvertonepulp@gmail.com / info@silvertonepulp.com / wpp@silvertonepulp.com / kraft@silvertonepulp.com



www.silvertonepulp.com



SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

17-THE UNIT HAS PLANTATION AS PER GUIDELINES.

HOPE FOR YOUR POSITIVE CONSIDERATION.

FOR, SILVERTON PULP & PAPERS PVT. LTD. (UNIT-2)

Qamratul Hasan
(AUTH. SIGN.)



Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)
8941095985 - 88



silvertorpulp@gmail.com / info@silvertorpulp.com / wpp@silvertorpulp.com / kraft@silvertorpulp.com

 www.silvertonpulp.com

CIN/FCRN: U21091UP1995PTC018048 | CESTIN: 0000000000000000

Newcon Consultants & Laboratories

No. ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
Recognized by MOEFCC

Website : www.newconlab.in

TEST REPORT

TEST REPORT NO : NCL/STONP/1808/13/19040279

DATE OF REPORT : 25-04-2022

Page : 1 Of : 1

EFFLUENT WATER ANALYSIS REPORT

Name And Address Of Customer

SILVERTON PULP & PAPERS PVT LTD
(UNIT-II) 9TH K.M.BHOPIA ROAD, MUZAFFARNAGAR, U.P., INDIA

SAMPLING DETAILS

Analysis Start Date : 18-04-2022

Analysis End Date : 25-04-2022

Date of Sampling : 18-04-2022

Sampling ID No. : 190402/9/2022-7523

Time of Sampling : 15:40

Sampling Done By : CUSTOMER

Sampling Location : ETP OUTLET

Sampling Description : EFFLUENT WATER AFTER TREATMENT

Sampling Protocol : IS 3025 Part-1

Packing Condition : Sealed

Sampling Quantity
Packed In : TWO LT
PVC BOTTLE

TEST RESULT

| S. No. | Parameter | Unit | Protocol | Result | Standards (CPCB) (Max) | |
|--------|---|------|----------------|-------------|------------------------|---------------|
| | | | | | Inland Surface Water | Public Sewer |
| 1 | pH | - | APHA 4500 (H+) | 7.42 | 5.5-9.0 | 5.5-9.0 |
| 2 | Total Suspended Solids (TSS) | mg/L | APHA 2540 (F) | 31.0 | 100 | 600 |
| 3 | Bio Chemical Oxygen Demand (3 days at 20°C) | mg/L | APHA 5210 (B) | 19.0 | 30 | 300 |
| 4 | Chemical Oxygen Demand (COD) | mg/L | APHA 5220 (B) | 84.0 | 250 | Not Specified |
| 5 | Oil & Grease | mg/L | APHA 5520 | ND (DL=5.0) | 10 | 20 |

NOTE : ND=NOT DETECTED, DL=DETECTION LIMIT.

**** End Of Report ****

FOR NEWCON CONSULTANTS & LABORATORIES

NOTE : 1. The report is prepared above parameters only. Endorsement of the same is neither intended nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The report is not to be used for any purpose without the permission of MANAGING PARTNER. 4. Our liability is limited to amount value only.
Form No. NCC/QSP-2020-1001

AUTHORIZED SIGNATORY

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501758 | Website : www.newconlab.in

E-mail : newconlab2@gmail.com, newconlabfinance@gmail.com

DATE: 20/8/2022

TO
THE REGIONAL OFFICER
U.P POLLUTION CONTROL BOARD
MUZAFFARNAGAR - 251001 (U.P)

SUB:- IN REFERENCE TO POINT WISE COMPLIANCES OF AIR CONSENT.

DEAR SIR,

IT IS FOR YOUR KIND CONSIDERATION, PLEASE FIND POINT WISE COMPLIANCES REGARDING TO AIR CONSENT IS MENTIONED BELOW,

1-THE INDUSTRY COMPLY NORMS AS PER CPCB & UPPCB, IT DOES NOT ADVERSLY AFFECT THE ENVIRONMENT AND SOLID WASTE (ASH) IS DISPOSED IN ECO FRIENDLY MANNER.

2-IN INDUSTRY THERE IS NO OTHER SOURCE OF EMISSION THAN THAT MENTIONED IN THE AIR CONSENT SEEKING APPLICATION.

3-ESP (ELECTROSTATIC PRECIPITATOR) IS INSTALLED AND OPERATED ON CONTINUOUSLY BASIS TO CONFIRM PRESCRIBED STANDARD EMISSION UNDER THE E.P ACT 1986.

4-THE INDUSTRY SUBMIT ENVIRONMENTAL STATEMENT AS PER GUIDELINES.

5-NOT APPLICABLE

6-THE INDUSTRY FOLLOW AS PER GIVEN INSTRUCTION OF CPCB AND UPPCB.

7-OCEMS IS INSTALLED ON STACK AS PER THE DIRECTION OF CPCB.

8-THE INDUSTRY SENT REPORT AS PER GUIDELINES.

9-THE INDUSTRY FOLLOWS ALL GIVEN INSTRUCTIONS.

10-THE INDUSTRY IS SUBMITTED QUARTERLY MONITORING REPORT AS PER GUIDELINES.

11-THE INDUSTRY COMPLY WITH VARIOUS PROVISIONS OF AIR AND WATER ACT AS PER GUIDELINES.

12-IN INDUSTRY THERE IS NO RESTRICTED FUEL IS USED.

13-THE UNIT FOLLOWS INSTRUCTIONS WHICH IS GIVEN BY CPCB & UPPCB.

14-THE INDUSTRY FOLLOWS INSTRUCTIONS AS PER GUIDELINES.

15-THE UNIT SUBMIT THE AUDITED BALANCE SHEET.

16-THE INDUSTRY FOLLOWS INSTRUCTIONS AS PER CPCB AND UPPCB GUIDELINES.

Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)

8941095985 - 88

silvertonpulp@gmail.com / info@silvertonpulp.com / wpp@silvertonpulp.com / kraft@silvertonpulp.com



www.silvertonpulp.com



SILVERTON PULP & PAPERS PVT. LTD.

Creating Paper To Your Needs

17-THE INDUSTRY FOLLOWS INSTRUCTIONS AS PER GUIDELINES.

18-THE UNIT HAS PLANTATION AS PER GUIDELINES.

HOPE FOR YOUR POSITIVE CONSIDERATION.

FOR, SILVERTON PULP & PAPERS PVT. LTD. (UNIT-2)

Chaitanya

(AUTH. SIGN.)



Head Office & Works :
9th Km., Bhopa Road,
Muzaffarnagar-251 001 (U.P.)
8941095985 - 88



silvertonpulp@gmail.com / info@silvertonpulp.com / wpp@silvertonpulp.com / kraft@silvertonpulp.com



www.silvertonpulp.com

Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
Recognised by MOEFCC

Website : www.newconlab.in

TEST REPORT

STACK EMISSION MONITORING AND ANALYSIS REPORT

Page 1 Of 1

TEST REPORT NO : NCL/STONP/1808/12/190402/7

DATE OF REPORT : 25-04-2022

Name And Address Of Customer

SILVERTON PULP & PAPERS PVT LTD
9TH K.M. BHOPA ROAD, , MUZAFFARNAGAR,U.P., INDIA

SAMPLING DETAIL

| | | | |
|---------------------|---|----------------------|------------|
| Analysis Start Date | 18-04-2022 | Analysis End Date | 25-04-2022 |
| Date Of Sampling | 18-04-2022 | Sampling Done By | NCL |
| Sampling Protocol | AS PER CPCB GUIDELINES | Duration Of Sampling | 30 minute |
| Equipment Used | Vayubodhan Stack Sampler No 1 VSS-1(S.No 321 DTC 01). | | |

DETAILS OF STACK

| | | | |
|-------------------------------------|---------------|--------------------------|---------|
| Stack Attached To | BOILER | | |
| Capacity | 30 TPH | | |
| Type Of Fuel Used | COAL | Stack Dia At The Top | 2000 mm |
| Quantity Of Fuel Used | 15-16 Ton/Day | Material Of Construction | RCC |
| Stack Height Above The Ground level | 55 Mtr | | |
| Normal Operation Schedule | 24 HRS | | |
| Attached APCs | ESP | | |

PHYSICAL OBSERVATIONS

| | | | |
|------------------------------|--------------|---------------------------------|---------------|
| Ambient Temperature | 25°C | Flue Gas Temperature | 128.0°C |
| Velocity Of Flue Gases | 7.21 Mtr/Sec | Sampling Flow Rate For SPM | 22.0 LPM |
| Sampling Flow Rate For Gases | 2.3 LPM | Quantity Of Emission Discharged | 81501.84m³/hr |

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Specification/ Limit (As Per CPCB) |
|-------|------------------------------------|----------|----------------|--------|------------------------------------|
| 1 | Particulate Matters (PM) | mg/Nm³ | IS:11255 (P-1) | 118.0 | 150 |
| 2 | Sulphur Dioxide (SO ₂) | mg/Nm³ | IS:11255 (P-2) | 374.0 | 600 |
| 3 | Carbon Monoxide (CO) | % by Vol | IS:13270 | 0.40 | 1% By Volume |
| 4 | Oxide of Nitrogen | mg/Nm³ | IS:11255 (P-7) | 172.0 | 300 |

CURRENT LOAD:75%

**** End Of Report****

FOR NEWCON CONSULTANTS & LABORATORIES

CHECKED BY

PREPARED BY

AUTHORIZED SIGNATORY

NOTE : The Test Report above pertains to the Tested parameters only. Endorsement of the same is neither inferred nor implied. 2. All disputes subject to CHAZIASAD JURISDICTION. The Report shall not be valid and Date 18/04/2022 the permission of MANAGING PARTNER. 4. Our liability is limited to amount payable only.



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ संख्या: UPP/197/सी-3/अ/1 / 12/10/2022 दिनांक: 12/10/2022

प्रति,

प्रदेशीय

मेसर्स सिल्वरटोन पल्प एण्ड पेपर प्रा. लि. (यूनिट-2)
824 कि.मी. भोधा रोड, जलपद-मुजफ्फरनगर।

प्रति श्री मेसर्स सिल्वरटोन पल्प एण्ड पेपर प्रा. लि. (यूनिट-2) का किमी. भोधा रोड जलपद-मुजफ्फरनगर जहाँ वस्तु का उपयोग कर सहायित विनिर्माण/कापट/कोटिंग इलेक्ट्रो/गुल चिन्ट पेपर के उत्पादन हेतु उपरोक्त वर्गित अड्डा पर कार्यरत है वायु प्रदूषण नियंत्रण एवं नियंत्रण अधिनियम 1981 पर्यावरण अधिनियम की धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग मेसर्स सिल्वरटोन पल्प एण्ड पेपर प्रा. लि. (यूनिट-2) का किमी. भोधा रोड जलपद-मुजफ्फरनगर के विरुद्ध माफ एनजीटीओ में विद्यमान अधिनियम संख्या 277/2022 लियान्त अली एवं अन्य बनाम उत्तर प्रदेश सरकार में दायित्व अर्पित दिनांक 21.07.2022 के अनुपालन में बोर्ड द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-15.09.2022 को किया गया निरीक्षण के समस्त रिपोर्ट गये प्रपत्र/विवरण के अनुसार उद्योग में आयरलर से जलित प्लाई एड का निस्तारण हेतु जोबल अड्डा में Low Lying Area की Filling हेतु एवं ब्रिक किल में ब्रिक मेकिंग हेतु भेजा जाता है, परन्तु उद्योग द्वारा प्लाई एड को निस्तारण हेतु जल जल सार का क्षेत्रफल एवं खसरा संख्या का विवरण उपलब्ध नहीं कराया गया तथा निस्तारण अड्डा पर जो वृक्षारोपण हेतु Green Cover, Water Sprinkling एवं Obstruction Wall के लक्ष्य में कोई विवरण उपलब्ध नहीं कराया गया। उद्योग के आसपास के क्षेत्र में विभिन्न स्थानों पर भूमि पर भारी मात्रा में प्लाई एड गड़ा गया है तथा निस्तारण अड्डा पर वायु प्रदूषण नियंत्रण हेतु किसी प्रकार का डस्ट सप्रेसन सिस्टम स्थापित नहीं कराया गया, जिससे आसपास के क्षेत्र में वायु प्रदूषण की समस्या व्याप्त होना स्वाभाविक है।

अदालत माफ एनजीटीओ में विद्यमान अधिनियम संख्या 277/2022 लियान्त अली एवं अन्य बनाम उत्तर प्रदेश सरकार में दायित्व अर्पित दिनांक 21.07.2022 के मुख्य अंश निम्नवत् है :-

"5. In the report, the Joint Committee has given the description of waste generated (solid/liquid), as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSD facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSD used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months ..."

उद्योग को दिनांक-31.12.2024 तक सशर्त सहमति वायु निर्यात की गयी है जिसकी शर्तों का उल्लंघन किया जा रहा है। उद्योग को निर्यात विभिन्न माध्यमों से प्लास्टिक वेस्ट जलाने की शिकायत प्राप्त हो रही है। उद्योग द्वारा बोर्ड के पर दिनांक-30.12.2019 द्वारा निर्मित सशर्त सहमति वायु की शर्तों एवं माफ एनजीटी द्वारा पारित आदेशों का उल्लंघन किया जा रहा है।

यह कि मेसर्स सिल्वरटोन पल्प एण्ड पेपर प्रा. लि. (यूनिट-2) का किमी. भोधा रोड जलपद-मुजफ्फरनगर जहाँ वायु प्रदूषण नियंत्रण एवं नियंत्रण अधिनियम 1981 पर्यावरण अधिनियम की धारा-21/22 के अन्तर्गत बोर्ड के निरीक्षण हेतु कार्यरत है वायु प्रदूषण नियंत्रण एवं नियंत्रण अधिनियम 1981 पर्यावरण अधिनियम की धारा-40 के अन्तर्गत एक कम्पनी है।



GROUND WATER DEPARTMENT

(National Drinking Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh

Annexure-42

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL
FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC027380

VALID FROM 30/07/2021 TO 29/07/2026

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202107000171

| | | | |
|---|---|--|-------------------------------------|
| Name of the Owner | RAJESH JAIN | Company Name | GARG DUPLEX AND PAPER MILLS PVT LTD |
| Designation | DIRECTOR | कंपनी का नाम | |
| पद | | Authorization Letter | Download |
| | | प्रमाणिका पर | |
| Company Address | 8.5 KM STONE BHOPA ROAD MUZAFFARNAGAR | Application Form Serial No. | MZFN0721NIN0030 |
| कंपनी का पता | | Specimen Signature | |
| Address of the Applicant | 12A, TRILOKI COLONY, DDA PARK, KOTLA MUBARAKPUR, LODHI ROAD, CENTRAL DELHI, | | |
| Date of Submission | 08/07/2021 | | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | KUKDA SADAR |
| Plot No./Khasra No. | N/A | Municipality/Corporation | No |
| Ward No./Holding No. | | | N/A |
| Particular of the Existing Well and Pumping Device | | | |
| Date of Construction/Sinking of the Well | 01/10/1989 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 40.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 12.50 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 40.00 |
| Date of Energization (In Case of Electric Pump) | | | 01/10/1989 |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 40.00 | Maximum Allowable Running Hours Per Day: | 20.00 |
| Maximum Allowable Annual Extraction of Ground Water: | 264000.00 | Recharge Required | 0.00 |

[Signature]

Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (3a) and for maximum allowable annual extraction of ground water as shown at Sl. (3b) and is valid subject to the observance of the conditions stated overleaf.

- Holder of this NDC is hereby directed to ensure annual recharge of 0.00 cubic meter as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NDC is hereby directed to fill form 1(A) for registering tube well within 90 days as mentioned in application form shall only started after registration of his/her NDC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS 15 standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NDC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted, if, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50 - 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.

Any other condition(s) that may be imposed by the concerned Authority.

In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

(A) For Industrial User: No Objection Certificate for ground water extraction by Industries shall be granted subject to the following specific conditions:

- The Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water. Industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- Industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer(s)) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no. 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and, Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date : 18/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



Newcon Consultants & Laboratories

As ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory
Recognized by MOWR, Govt of India



Website: www.newconlab.in

TEST REPORT

WATER SAMPLE ANALYSIS REPORT

(AS PER IS 10500)

Page 1 of 1

TEST REPORT NO: NCL/GDPMP/0607/13/060702/1

DATE OF REPORT: 12-07-2022

Name And Address Of Customer

GARG DUPLEX & PAPER MILLS PVT. LTD.
8 & KM STONE, BHOPA ROAD, MUZAFFARNAGAR, UTTAR PRADESH, INDIA

SAMPLING DETAILS

Analysis Start Date: 07-07-2022
Date of Sampling: 06-07-2022
Time of Sampling: 11:00
Sampling Done By: CUSTOMER
Sampling Description: GROUND WATER
Sampling Location: BOREWELL NO-1
Sampling Protocol: IS 3025(Part-I)
Packing Condition: Sealed

Analysis End Date: 12-07-2022
Sampling ID No: 060702/1/2022-2023
Sampling Quantity: TWO LI
Packed In: PVC BOTTLE

TEST RESULT

| S.No | Parameter | Unit | Protocol | Result | Drinking Water Standards / Limit (IS :10500) | |
|------|------------------------------|---------|-----------------|------------|--|-------------------|
| | | | | | Desirable Limit | Permissible Limit |
| 1 | Colour | HZN | APHA-2120 (C) | ND(DL=5.0) | 5 max | 15 max |
| 2 | Odour | — | IS:3025 (P-5) | Agreeable | Agreeable | Agreeable |
| 3 | Taste | — | IS:3025 (P-6) | Agreeable | Agreeable | Agreeable |
| 4 | Turbidity | NTU | APHA-2130 (B) | ND(DL=1.0) | 1 max | 5 max |
| 5 | pH | — | APHA-4500 (H+B) | 7.48 | 6.5-8.5 | No Relaxation |
| 6 | Total Hardness | mg/L | APHA-2340 (C) | 184 | 200 max | 500 max |
| 7 | Iron (Fe) | mg/L | APHA-3111 (B) | 0.15 | 1.0 max | No Relaxation |
| 8 | Chloride (Cl) | mg/L | APHA-4500 (B) | 92 | 250 max | 1000 max |
| 9 | Residual free Chlorine | mg/L | APHA-4500 (B) | ND(DL=0.2) | 0.2 min | 1 Max |
| 10 | Sulphates (SO ₄) | mg/L | APHA-4500 (C) | 56 | 200 max | 400 max |
| 11 | Total Alkalinity | mg/L | APHA-2320 (B) | 176 | 200 max | 500 max |
| 12 | Fluoride (F) | mg/L | APHA-4500(F) | 0.25 | 1.0 max | 1.5 max |
| 13 | Total dissolved Solids (TDS) | mg/L | APHA-2540 (C) | 386 | 500 max | 2000 max |
| 14 | Total Coliform | /100ml | IS:1622-1981 | Absent | Not Detectable | Not Detectable |
| 15 | E.coli | /100 mL | IS:1622-1981 | Absent | Not Detectable | Not Detectable |

NOTE: ND=NOT DETECTABLE, DL=DETECTION LIMIT

FOR NEWCON CONSULTANTS & LABORATORIES

CHECKED BY

PREPARED BY

NOTE: 1. The Results reported above pertain to the Tested parameters only. Endorsement of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoiced value only.

Laboratory: A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile: 9810430345, 9205501788 | Website: www.newconlab.in

E-mail: newconlab@gmail.com, newconlabfinance@gmail.com



AUTHORIZED SIGNATORY



GROUND WATER DEPARTMENT

Department of Ground Water & Irrigation

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO. NOC048015

VALID FROM 30/07/2021 TO 29/07/2026

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202107000212

Name of the Owner RAJESH JAIN

Designation DIRECTOR
पद

Company Name GARG DUPLEX
कंपनी का नाम AND PAPER MILLS
PVT LTD

Company Address 8.5 KM STONE BHOPA ROAD MUZAFFARNAGAR
कंपनी का पता

Authorization Letter Download
अधिकार पत्र

Address of the Applicant 12A, TRILOKI COLONY, DDA PARK, KOTLA
MUBARAKPUR, LODHI ROAD, CENTRAL DELHI,

Application Form Serial MZFN0721NIN0039
No.

Date of Submission 09/07/2021

Specimen Signature

Location Particulars

District Muzaffar Nagar

Block KUKDA SADAR

Plot No./Khasra No. N/A

Municipality/Corporation No

Ward No./Holding No.

N/A

Particular of the Existing Well and Pumping Device

Date of Construction/Sinking of the Well 01/10/1989

Type of Well Tube Well/Boring

Depth of the Well (in meter) 40.00

Purpose of well Industrial

Assembly Size(For Tube Well)

Strainer Position (For Tube Well)

Type of Pump Used Submersible

H.P. of the Pump 12.50

Operational Device Electric Motor

Rate of Withdrawal (m³/hr.) 40.00

Date of Energization (In Case of Electric Pump)

01/10/1989

Maximum Allowable Rate 40.00
Withdrawal ($m^3/hr.$)
Maximum Allowable
Annual Extraction of
Ground Water: 132000.00

Maximum Allowable 10.00
Running Hours Per Day:
Recharge Required 0.00

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

- Holder of this NOC is hereby directed to assure annual recharge of 0.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect, during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.



Newcon Consultants & Laboratories

AN ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
Recognized by METEEL

Website : www.newconlab.in



TEST REPORT

WATER SAMPLE ANALYSIS REPORT (AS PER IS-10500)

Page 1 Of 1

TEST REPORT NO : NCL/GDPMP/0607/13/060702/2

DATE OF REPORT : 12.07.2022

Name And Address Of Customer

GARG DUPLEX & PAPER MILLS PVT. LTD.

B 5 KM STONE, BHOPA ROAD, MUZAFFARNAGAR, UTTAR PRADESH, INDIA

SAMPLING DETAILS

| | | | |
|----------------------|-----------------|-------------------|--------------------|
| Analysis Start Date | 07-07-2022 | Analysis End Date | 12-07-2022 |
| Date of Sampling | 06-07-2022 | Sampling ID No. | 060702/2/2022-2023 |
| Time of Sampling | 11:20 | | |
| Sampling Done By | CUSTOMER | | |
| Sampling Description | GROUND WATER | | |
| Sampling Location | BOREWELL NO-2 | | |
| Sampling Protocol | IS:3025(Part-I) | Sampling Quantity | TWO LI |
| Packing Condition | Sealed | Packed In | PVC BOTTLE |

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Drinking Water Standards / Limit (IS :10500) | |
|-------|------------------------------|---------|-----------------|------------|--|-------------------|
| | | | | | Desirable Limit | Permissible Limit |
| 1 | Colour | HZN | APHA-2120 (C) | ND(DL=5.0) | 5 max | 15 max |
| 2 | Odour | - | IS:3025 (P-5) | Agreeable | Agreeable | Agreeable |
| 3 | Taste | - | IS:3025 (P-8) | Agreeable | Agreeable | Agreeable |
| 4 | Turbidity | NTU | APHA-2130 (B) | ND(DL=1.0) | 1 max | 5 max |
| 5 | pH | - | APHA-4500 (H+B) | 7.42 | 6.5-8.5 | No Relaxation |
| 6 | Total Hardness | mg/L | APHA-2340 (C) | 148 | 200 max | 500 max |
| 7 | Iron (Fe) | mg/L | APHA-3111 (B) | 0.20 | 1.0 max | No Relaxation |
| 8 | Chloride (Cl) | mg/L | APHA-4500 (B) | 116 | 250 max | 1000 max |
| 9 | Residual free Chlorine | mg/L | APHA-4500 (B) | ND(DL=0.2) | 0.2 min | 1 Max |
| 10 | Sulphates (SO4) | mg/L | APHA-4500 (C) | 62 | 200 max | 400 max |
| 11 | Total Alkalinity | mg/L | APHA-2320 (B) | 180 | 200 max | 500 max |
| 12 | Fluoride (F) | mg/L | APHA-4500(F) | 0.25 | 1.0 max | 1.5 max |
| 13 | Total dissolved Solids (TDS) | mg/L | APHA-2540 (C) | 398 | 500 max | 2000 max |
| 14 | Total Coliform | /100ml | IS:1622-1981 | Absent | Not Detectable | Not Detectable |
| 15 | E.coli | /100 mL | IS:1622-1981 | Absent | Not Detectable | Not Detectable |

NOTE: ND=NOT DETECTABLE, DL=DETECTION LIMIT.

**** End Of Report****

FOR NEWCON CONSULTANTS & LABORATORIES



NOTE: 1. The Results reported above pertain to the Tested parameters only. Endorsement of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. This Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoiced value only.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlab@yahoo.co.in



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO. NOC014279

VALID FROM 30/07/2021 TO 29/07/2026

[UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019]

Registration No.: 202103000365

Name of the Owner RAJESH JAIN

Designation DIRECTOR

पद

Company Name
कंपनी का नाम
GARG DUPLEX
AND PAPER MILLS
PVT LTD

Company Address
कंपनी का पता
8.5 KM BHOPA ROAD, MUZAFFARNAGAR

Authorization Letter
अधिकार पत्र
Download

Address of the Applicant
12A, TRILOKI COLONY, DDA PARK, KOTLA MUBARAKPUR, LODHI
ROAD, CENTRAL DELHI.

Application Form Serial
No.
MZFN0721NIN0037

Date of Submission 22/03/2021

Specimen Signature

Location Particulars

District Muzaffar Nagar

Block
Municipal
Corporation/Nagar
Palika Parishad,
Muzaffar Nagar

Plot No./Khasra No. N/A

Municipality/Corporation N/A

Ward No./Holding No.

N/A

Particular of the Existing Well and Pumping Device

Date of
Construction/Sinking of the
Well
01/10/1989

Type of Well Tube Well/Boring

Depth of the Well (in
meter)
40.00

Purpose of well Industrial

Assembly Size (For Tube
Well)

Strainer Position (For Tube Well)

Type of Pump Used Submersible

H.P. of the Pump 12.50

Operational Device Electric Motor

Rate of Withdrawal
(m³/hr.)
40.00

Date of Energization (In Case of Electric Pump)

01/10/1989

Maximum Allowable Rate of
Withdrawal (m³/hr.)
40.00

Maximum Allowable
Running Hours Per Day:
20.00

Maximum Allowable Annual
Extraction of Ground Water:
294000.00

Recharge Required 294000.00

- This No-Objection certificate authorizes the holder applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to ensure annual recharge of 254000.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill form 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS (IS) standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50 - 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity

- All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- vi) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ IHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - vii) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - viii) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - ix) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - x) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions.
- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 31/07/2022

Place Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
Recognised by MOEFCC



Website : www.newconlab.in

TEST REPORT

WATER SAMPLE ANALYSIS REPORT

(AS PER IS:10500)

Page 1 Of 1

TEST REPORT NO : NCL/GDPMP/0607/13/060702/3

DATE OF REPORT : 12-07-2022

Name And Address Of Customer

GARG DUPLEX & PAPER MILLS PVT. LTD.

8.5 KM STONE, BHOPA ROAD , MUZAFFARNAGAR, UTTAR PRADESH, INDIA

SAMPLING DETAILS

Analysis Start Date 07-07-2022

Analysis End Date 12-07-2022

Date of Sampling 06-07-2022

Sampling ID No. 060702/3/2022-2023

Time of Sampling 11:00

Sampling Done By CUSTOMER

Sampling Description GROUND WATER

Sampling Location BOREWELL NO-3

Sampling Protocol IS:3025(Part-I)

Sampling Quantity TWO LI

Packing Condition Sealed

Packed in PVC BOTTLE

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Drinking Water Standards / Limit (IS :10500) | |
|-------|------------------------------|---------|-----------------|------------|--|-------------------|
| | | | | | Desirable Limit | Permissible Limit |
| 1 | Colour | HZN | APHA-2120 (C) | ND(DL=5.0) | 5 max | 15 max |
| 2 | Odour | -- | IS:3025 (P-5) | Agreeable | Agreeable | Agreeable |
| 3 | Taste | -- | IS:3025 (P-8) | Agreeable | Agreeable | Agreeable |
| 4 | Turbidity | NTU | APHA-2130 (B) | ND(DL=1.0) | 1 max | 5 max |
| 5 | pH | -- | APHA-4500 (H+B) | 7.36 | 6.5-8.5 | No Relaxation |
| 6 | Total Hardness | mg/L | APHA-2340 (C) | 152 | 200 max. | 500 max |
| 7 | Iron (Fe) | mg/L | APHA-3111 (B) | 0.21 | 1.0 max | No Relaxation |
| 8 | Chloride (Cl) | mg/L | APHA-4500 (B) | 122 | 250 max | 1000 max |
| 9 | Residual free Chlorine | mg/L | APHA-4500 (B) | ND(DL=0.2) | 0.2 min | 1 Max |
| 10 | Sulphates (SO ₄) | mg/L | APHA-4500 (C) | 68 | 200 max | 400 max |
| 11 | Total Alkalinity | mg/L | APHA-2320 (B) | 184 | 200 max | 600 max |
| 12 | Fluoride (F) | mg/L | APHA-4500(F) | 0.25 | 1.0 max | 1.5 max |
| 13 | Total dissolved Solids (TDS) | mg/L | APHA-2540 (C) | 412 | 500 max. | 2000 max |
| 14 | Total Coliform | /100ml | IS:1622-1981 | Absent | Not Detectable | Not Detectable |
| 15 | E.coli | /100 mL | IS:1622-1981 | Absent | Not Detectable | Not Detectable |

NOTE: ND=NOT DETECTABLE, DL=DETECTION LIMIT

**** End Of Report****

FOR NEWCON CONSULTANTS & LABORATORIES

CHECKED BY

PREPARED BY

AUTHORIZED SIGNATORY

NOTE : 1. The Report is valid only for the purpose of reference only. Endorsement or signature is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoiced value only.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

Annexure - 43

CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 17817051/Muzaffarnagar/2022

Date: 17/10/2022

- 1- Name of Industry: GARG DUPLEX AND PAPER MILLS PVT LTD
- 2- Address of Industry: 8.5 KM, Bhopa Road, Muzaffarnagar, U.P. MUZAFFAR NAGAR, 251001
- 3- District: Muzaffarnagar
- 4- Description about sampling point: Final Outlet Discharge of E.T.P
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Anoop Kumar City Magistrate ; Muzaffarnagar & Vipul Kumar A.E.E Regional Office-Muzaffarnagar
- 7- Colour and Odour: Colourless No Specific
- 8- Quantity and Packing: 2.0 Ltrs PVC
- 9- Date of Sample Collection: 15/09/2022
- 10- Analysis Initiated by: RO Muzaffarnagar
- 11- Date of sample receipt in Lab: 16/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| pH, 1500 JI B Electronic method | - | 7.51 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total Suspended Solids dried at 103-105 OC | mg/l | 36.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 OC | mg/l | 985.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 OC | mg/l | 1021.0 | - | 10- 50000 mg/l |
| BOD, 5 day 27 OC IS-3025 (Part 44): 1993 Bio | mg/l | 22.0 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 140.0 | 250 | 5.0 -100000 mg/l |

1. Refer to Central Standards for discharge of environment Pollutants as per-A Effluent (Schedule-V) The environment (Protection) Rules, 1986 source: <http://www.mca.gov.in/GeneralStandards.pdf>. Besides these standards refer EPA standards for specific purpose.

As per A-1

Analysed by

[Jyoti Tewari (SA)]

Authorized by

ANANT
 (Signature)
 (Stamp)
 (Name)
 (Designation) Principal ASO

RAM
 GOPAL
 (Signature)
 (Stamp)
 (Name)
 (Designation) Chief Environmental Officer

Chief Environmental Officer
 Central Laboratory

1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the permission of Laboratory; 3. The test report pertains to the sample as received in Lab.



Amendment - 41

UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831, Fax: 0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
128566/UPPCB/MuzaffarNagar(UPPCBRO)/CT
O/water/MUZAFFARNAGAR/2021

Dated : 15/07/2021

To ,

Shri RAJESH JAIN
M/s GARG DUPLEX AND PAPER MILLS PVT LTD
8.5 Km. Bhopa Road, Muzaffarnagar, Distt- Muzaffarnagar ,MUZAFFAR NAGAR,251001
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. GARG DUPLEX AND PAPER MILLS PVT
LTD

Reference Application No :12423599

Dated :15/07/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. GARG DUPLEX AND PAPER MILLS PVT LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 05/06/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Nishi Kumar Chauhan Digitally signed by Nishi Kumar Chauhan
Date: 2021.08.11 13:31:29 +05'30'

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Kumar Chauhan Digitally signed by Nishi Kumar
Chauhan
Date: 2021.08.11 13:31:31 +05'30'

CEO
C-3.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.GARG DUPLEX AND PAPER MILLS PVT LTD vide

Consent Order No. 124235/09/ Water

Dated : 15/07/2021

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Kraft Paper-415 MT/Day (40 MT/day based on agro waste and 375 MT/day based on waste paper) using Waste Paper and Agro Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|---------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge, KL/day | Treatment facility and discharge point |
| 1 | Domestic | 3 KLD | Septic Tank |
| 2 | Industrial | 1500 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 3 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

| Industrial Effluent | | |
|---------------------|------------------------|-----------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per EPA Rules 1986 |
| 2 | BOD | As per EPA Rules 1986 |
| 3 | COD | As per EPA Rules 1986 |
| 4 | Oil & Grease | As per EPA Rules 1986 |
| 5 | Quantity of Discharge | 1500 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 4-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 5-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x7 basis.
- 6- The industry will have to ensure permission from the SGWA (State Ground Water Authority) within 03 month, failing which consent shall be deemed automatically cancelled.
- 7-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 8-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 9-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 10-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 11-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 12-Industry shall submit quarterly monitoring reports of treated effluent from a certified /approved laboratory under E.P. Act 1986.
- 13-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 14-The unit shall submit the audited balance sheet for the current year.
- 15- Arrangements of rainwater harvesting shall be provided and maintained.
- 16-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Nishi Kumar Chauhan

Digitaly signed by Nishi Kumar

Chauhan

Date: 2021-08-11 11:37:45:30

CEO

C-3.



Annexure - 45

UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone: 0522-2720828, 2720831, Fax: 0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
129893/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARN
AGAR/2021

Dated : 11/08/2021

To ,

Shri RAJESH JAIN
M/s GARG DUPLEX AND PAPER MILLS PVT LTD
8.5 KM. Bhopa Road, Muzaffarnagar, U.P. MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. GARG DUPLEX AND PAPER MILLS PVT LTD

Reference Application No. 12583592

Dated : 11/08/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s GARG DUPLEX AND PAPER MILLS PVT LTD, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 24/06/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Nishi Kumar Chauhan Digitally signed by Nishi Kumar Chauhan
Date: 2021.08.11 13:33:23 +05'30'

Chief Environmental Officer (Circle-3)

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Kumar Chauhan Digitally signed by Nishi Kumar Chauhan
Date: 2021.08.11 13:33:34 +05'30'

Chief Environmental Officer (Circle-3)



CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Kraft Paper-415 MT/Day (40 MT/day based on agro waste and 375 MT/day based on waste paper) using Waste Paper and Agro Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|-------------------------------------|-----------------------------|---------------------|------------------|--------------------|----------------------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 30 TPH Boiler | Coal/Agro Fuel | 1 | Particulate Matter | 30 Meter From Ground Level |
| 2 | 12 TPH Boiler | Coal/Agro Fuel | 1 | Particulate Matter | 30 Meter From Ground Level |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board .

| Emission Quality Details Detail | | | |
|--|-----------------|--------------------|-----------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per EPA Rules 1986 |
| 2 | 1 | Particulate Matter | As per EPA Rules 1986 |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner .
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board .
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986 .
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time .
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986 .
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB .

12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order .
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability .
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf .
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order .
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.
Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
4. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
5. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
6. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time .
7. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
8. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
9. The unit shall submit the audited balance sheet for the current year.
10. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
11. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar Chauhan
Date: 2021.08.11 13:33:50 +05'30'

Chief Environmental Officer (Circle-3)



Annexure - 46

REGIONAL LABORATORY MuzaffarNagar
UTTAR PRADESH POLLUTION CONTROL BOARD
Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref No.18129243/MuzaffarNagar/2022

Date: 19/10/2022

- 1- Name & Address of Industry: GARG DUPLEX AND PAPER MILLS PVT LTD
- 2- Sample Collected By: (1)Sarvesh Kumar ,L.A (2)Ravish Pratap Singh,J.R.F
- 3- Date of Monitoring: 02/10/2022
- 4- Source of Sampling: Boiler
- 5- Stack attached to: Boiler
- 6- Stack Height: 55 Meters
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 30 TPH
- 9- Fuel used: (1)Coal (2) Biomass
- 10- Quantity of Fuel used: (1)Coal-90 TPD(2) biomass-200 TPD
- 11- Flue Gas Velocity: 7.20 m/sec
- 12- Air Pollution Control Device: E.S.P
- 13- Other remarks (if any): At the time of inspection industry found operational.
- 14- Further details of sample location and Test methods followed are appended overleaf:

| Sr no. | Parameter | Unit | Result | Standards |
|--------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 111.90 | 150 |

Analysed by-

[Sarvesh Kumar LA]

Authorised Signatory-

Ankit Singh RO

ANKIT
SINGH
Regionally signed
by ANKIT SINGH
Date
2022-10-19
13:13:35 +05'30'
Regional Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Annexure - 47

Ref. No : 17560/UPPCB/Muzaffarnagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated : 25/07/2022

To,

M/s GARG DUPLEX AND PAPER MILLS PVT LTD

8.5 KM, Bhopa Road, Muzaffarnagar, U.P, MUZAFFARNAGAR, 251001

Tehsil : Muzaffarnagar

District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 17560 and 25/07/2022 .
2. Reference of application (No. and date) 16745662 and 15/06/2022 .
3. Mr RAJESH JAIN of M/s GARG DUPLEX AND PAPER MILLS PVT LTD is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 8.5 KM, Bhopa Road, Muzaffarnagar .

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|--|--|---------------------|
| 1 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.20 Mt/Annum |
| 2 | CATEGORY 33.1 AS PER SCHEDULE I (Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes) | THROUGH TSDF | 2.0 Mt/Annum |
| 3 | CATEGORY 5.1 AS PER SCHEDULE I (Used Or Spent Oil) | THROUGH TSDF | 0.40 KI/Annum |
| 4 | CATEGORY 32.3 AS PER SCHEDULE I (Process Sludge) | THROUGH TSDF | 60 Mt/Annum. |

1. The authorization shall be valid for a period of 24/07/2027 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .

RAKESH KUMAR
TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.17 10:19:53 +05:30

2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

1- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.

2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.

3- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.

4- Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.

**RAKESH KUMAR
TYAGI**

Digitally signed by RAKESH
KUMAR TYAGI
Date: 2022.08.17 10:35:21 +05'30'

- 5- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.
- 6- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.
- 7- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.
- 8- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.
- 9- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.
- 10- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
- 11- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.
- 12- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 13- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.
- 14- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.
- 15- It is the mandatory duty of the authorised person to comply with the guideline for transportation

of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.

16- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.

17- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.

18- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.

19- Ground water monitoring report of premises shall be submitted within one month.

20- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

21- The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.

(Authorized Signatory)

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.17 10:39:53 +05'30'

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate. for information and necessary action .

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.17 10:40:10 +05'30'

CEO/EE, I/C Circle _____

Annexure-4B



BHARAT OIL & WASTE MANAGEMENT LTD. (BOWML)

www.bharatoil.com

Passionately Protecting Mother-Nature Since 1978

MEMBERSHIP CERTIFICATE

M/s. **Garg Duplex & Paper Mills Pvt. Ltd.**

8.5 Km, Bhopa Road, Muzzaffar Nagar Muzzaffar Nagar-251001, UP

is a registered member of our facility



BOWML/K/2767/18

Gata No. 672. Vill. Kumbhi, Akbarpur Road, NH - 2 Kanpur-Dehat-209101, UP

for safe, legal & scientific Disposal of Hazardous Waste

BOWML/K/2767/18

Member #

March 15, 2023

Expiry Date :



Scan & Verify

One may verify 'active' membership by calling
Bharat Oil & Waste Management Ltd. at
011-4100 0710, 2621 6466 or Email : sales@bharatoil.com

For Bharat Oil & Waste Management Ltd.

| | |
|--|------------------------------------|
| Pragati Rontag: | Digitally Signed By Pragati Rontag |
| Sales Coordinator | Date: 2023-03-31 12:06:19 |
| sales@bharatoil.com | IP: 122.160.48.54 |
| | ID: cnuwVt08Hs2mduJts3oo9genn |
| | Click here to E-verify |

Authorized Signatory



For Bharat Oil & Waste Management Ltd.

| | |
|--|--------------------------------------|
| Sunder K Kukreja | Digitally Signed by Sunder K Kukreja |
| GM (Admin & Fin.) | Date: 2023-03-31 12:18:10 |
| sales@bharatoil.com | IP: 49.30.178.115 |
| | ID: k7GERS8M1x5S+M0S3NAA |
| | Click here to E-verify |

Authorized Signatory



*Membership is subject to the terms & conditions of agreement & may be terminated by BOWML upon non-payment of dues / payment.

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

Occupier's Name & Mailing Address
(including Phone No. and email)

Garg Duplex & Paper Mills (P) Ltd.

2. Sender's Full Name

3. Manifest Document No.

4. Transporter's Name & Address

(including Phone No. and email)

5. Type of Vehicle

6. Transporter's Registration

7. Vehicle Registration No.

8. Receiver's Name & Mailing Address
(including Phone No. and email)BHARAT OIL COMPANY (I)
E-18, S-19-IV, Sahibabad Industrial
Ghaziabad, UP-201010, Tel: 012-2285259
e-mail: sales@bharatoil.com(II) BHARAT OIL & WASTE MANAGEMENT LTD.
Mauza Mukimpur, Roorkee-Lakshar Road,
Roorkee-247664 UK, Tel: 08874207664
e-mail: sales@bharatoil.com(III) BHARAT OIL & WASTE MANAGEMENT LTD.
Plot # 672, Sikandra Road, NH-2, Kumbhariya,
Tehsil: Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285259
e-mail: sales@bharatoil.com

9. Receiver's Authorization No.

(I) 1486/UPCB/Ghaziabad/UPCBRO/KAW/HAZARABAD/2018 Valid upto: 30/03/2023

(II) UEPCB/HQ/Con-B-54/2018/548 Valid upto: 31/03/2023

(III) 1401/UPCB/KanpurDehat/UPCBRO/KAW/KANPUR DEHAT/2018 Valid upto: 30/04/2023

10. Waste Description

11. Total Quantity

No. of Containers

12. Physical Form

13. Special Handling Instructions & Additional
Information

(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)

Do not throw Drums from truck. In case of leakage/
seepage, use Washing soap at point of leak to stop its
leakage

14. SENDER'S CERTIFICATE

Typed Name & Stamp

Signature

Garg Duplex & Paper Mills (P) Ltd.
E-8 Km, Ghoga Road, MuzaffarnagarI hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked
and labeled, and are in all respects in proper condition for transport by road

Month

Day

Year

06 06 2022

15. Transporter Acknowledgement of Receipt of Waste

Typed Name & Stamp

Signature

Month

Day

Year

06 06 2022

16. Receiver's Certificate for Receipt of Hazardous and
other Waste

Typed Name & Stamp

Signature

Month

Day

Year

06 06 2022



TAX INVOICE



Invoice No: BOWM/1265/21/23
Date: 11 Jun 2022



Bowm Oil & Waste Management Ltd
Date No: BOWM/1265/21/23
Bangor, Delhi, UTTAR PRADESH - 200101
STATE CODE: IN
GSTIN/IN: 09AABCG1393C1ZV
PAN: AABCG1393C
CIN: U01101DL2001PLC180966
E-Mail: sales@bharatol.com

| | |
|-------------------------------|----------------------------------|
| Invoice No: BOWM/1265/21/23 | Date: 11 Jun 2022 |
| Customer ID: 1609 | Mode/Term of Payment |
| Supplier's Ref: CO311 | Supplier's Ref Dated: 5 Jun 2022 |
| P.O. NO | P.O. DATE |
| WTS Reference No: 54954 | WTS Dated: 6 Jun 2022 |
| SEAL No - | Vehicle No: UP12AT 8596 |
| Form - 10: 62755 | Eway bill: NA |
| LR NO | LR Dated |
| Reverse Charge Applicable: NO | Box/Cases |

BUYER RECEIPT

Buyer: Duplex & Paper Mills Pvt. Ltd.
5 km, Bhoga Road, Muzaffar Nagar, Muzaffar Nagar, UTTAR PRADESH
110001 India
GSTIN/IN: 09AABCG1393C1ZV
PAN: AABCG1393C
CIN: U01101DL2001PLC180966

BUYER: Duplex & Paper Mills Pvt. Ltd.
5 km, Bhoga Road, Muzaffar Nagar, Muzaffar Nagar, UTTAR PRADESH
110001 India
GSTIN/IN: 09AABCG1393C1ZV
PAN: AABCG1393C

| Category | Description Of Goods | HSN/SAC | Quantity | Rate (₹) | Unit | Amount (₹) |
|-----------------------------------|---|---------|----------|----------|------|-------------|
| Laboratory Testing Service | | | | | | |
| BOCCE12 | LED Lights / Gadgets - BOCCE12 | 999431 | 1 | 25.00 | KG | 25.00 |
| BOCIT2 | Keyboards, Mouse - BOCIT2 | 999431 | 1 | 25.00 | KG | 25.00 |
| 34.2 | 34.2 - Sludge from treatment of waste water arising out of cleaning / disposal of | 999432 | 600 | 5.00 | KG | 3,000.00 |
| CEEW5 | CEEW5 - Fluorescent and other Mercury containing lamps, CFL, Tubelight | 999432 | 2.80 | 25.00 | KG | 70.00 |
| 83010 B3 | Plastic waste | 999432 | 100 | 18.00 | KG | 1,800.00 |
| 35.3 | 35.3 - Chemical sludge from waste water treatment/ETP/CETP Sludge | 999432 | 600 | 5.00 | KG | 3,000.00 |
| 35.4 | 35.4 - Oil and grease skimming | 999432 | 100 | 18.00 | KG | 1,800.00 |
| | Escrow Fund | 999432 | | 5% | | 325.00 |
| | Total Taxable Value | | | | | 10,023.50 |
| | SGST | | | 9% | | 902.12 |
| | CGST | | | 9% | | 902.12 |
| | Round Off | | | | | 0.73 |
| | Grand Total | | 1,404.8 | | KG | ₹ 11,828.00 |

Amount Chargeable (in words): INR Eleven Thousands Eight Hundred And Twenty Eight Rupees Only

E & O T

| HSN/SAC | Taxable Value | Central Tax | | State Tax | | Total Tax Amount |
|---------|---------------|-------------|------------|-----------|------------|------------------|
| | | Rate (%) | Amount (₹) | Rate (%) | Amount (₹) | |
| 8941 | 50.00 | 9.00 | 4.50 | 9.00 | 4.50 | 9.00 |
| 9432 | 9,973.50 | 9.00 | 897.62 | 9.00 | 897.62 | 1,795.23 |
| | Total | | 902.12 | | 902.12 | 1,804.23 |

Tax Amount (in words): INR One Thousand Eight Hundred And Four Rupees Only

Declaration

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

Interest @ 24% per annum payable if the bill is not cleared/paid within 07 days of presentation of documents.

Please pay only by RTGS/NF/FTD/Cheque. If DD/Cheque then please send it with payment.

For BOWM: Attn: Accounts, 11 LGF, Community Center, East Of Kalash, New Delhi 110005. Tel: 11-4100710/26218486/9717706045 sales@bharatol.com

If invoice is final, it is to be notified in writing within 7 days of invoice.

This bank account number is ONLY for this specific invoice. Please use the bank A/c printed in each invoice to get proper credit against the specific invoice.

Please use ONLY the IFSC code and account number below for RTGS/NF/FTD for automatic reconciliation.

Bank Name: Axis Bank Limited
A/C NO: BOWM001265X2223
Branch Add: Lajpat Nagar New Delhi
IFS Code: UTIB00CH274



Digitally Signed By: Sonu Gargi
Date: 2022-06-11 17:16:30
IP: 49.50.115.192
ID: 14244623-20220611-171630

[Signature]

GARG DUPLEX & PAPER MILLS (P) LTD.Reg.Off & Works : K.5 K.M. Bhopa Road,
MUZAFFARNAGAR (U.P.) - 251 001
PH.NO : 91-8941095976,77,78,79,80. Email : garg_duplex@hotmail.com

S.No.CO/011

Date: 06/06/2022

M/s BHARAT OIL & WASTE MANAGEMENT LTD.
E-18, SITE-IV, SAHIBABAD IND.AREA,
GHAZIABAD (U.P.)

GST NO.08CJLPS3622P1Z1

| S.No. | Description | Quantity | Approx. Value (Rs.) |
|-------|---|--|---------------------|
| 1 | OLD & USED WASTE MATERIAL FOR DISPOSAL PURPOSE AS FOLLOWING :- 1. ETP SLUDE + ACTIVATED SLUDE 2. OIL GREASE 3. WASTE PLASTIC 4. TUBLE LIGHTS, PLD KEYBOARD NOTE : (1) This materials for disposal purpose as per pollution department guideline. (2) This material is not for sale | 600 + 100 1200 KG 100 KG 100 KG 20 PCS | ONLY FOR DISPOSAL |

Through : UP12AT 6598

For GARG DUPLEX & PAPER MILLS (P) LTD.

AUTHORISED SIGNATORY



✓ O.K.

GARG DUPLEX AND PAPER MILLS PVT LTD

20822

Annexure-43

August 18, 2022

To,
The Regional Officer,
U.P. Pollution Control Board,
Muzaffarnagar (U.P.)

Reg :- Boiler fuel Consumption & Generation of Fly Ash

Dear Sir,

We are given below the monthly details fly ash generation in reference of Boiler Fuel for the period February 2022 to July 2022.

| Month | Coal (In Kg) | Baggase (In Kg) | Paddy Husk (In Kg) | Wood Waste (In Kg) | Total Fuel Consumption (In Kg) |
|-------------|-----------------|--------------------|-----------------------|-----------------------|--------------------------------------|
| February 22 | 779000 | 416500 | 6474500 | 0 | 7670000 |
| March 22 | 1302500 | 1302500 | 4347500 | 0 | 6952500 |
| April 22 | 6088000 | 177575 | 0 | 0 | 6265575 |
| May 22 | 599360 | 4274500 | 128895 | 0 | 5002755 |
| June 22 | 0 | 2414000 | 3258500 | 167695 | 5840195 |
| July 22 | 1044500 | 756740 | 1390500 | 77800 | 3269540 |

FLY ASH GENERATION

| Month Fly Ash | Generation (In Kg) |
|------------------|-----------------------|
| Feb-22 | 1011681 |
| Mar-22 | 1031960 |
| Apr-22 | 734999 |
| May -22 | 531791 |
| June -22 | 566225 |
| July -22 | 535868 |
| Total | 4412524 |

Thanking you
Yours faithfully
For Garg Duplex And Paper Mills Pvt Ltd

Auth Sign



उत्तर प्रदेश UTTAR PRADESH

4578 197007

मैं शाने आलम पुत्र नसीम अहमद निवासी कासमपुरा, भोपा रोड, मुजफ्फरनगर का हूँ।

मैंने आज दिनांक 20.11.2021 को गर्ग डुपलैक्स एन्ड पेपर मिल प्रा० लि० भोपा रोड से बायलर के यार्ड की सफाई तथा बायलर से निकलने वाली राखी को उठाने का कार्य निम्न शर्तों पर लिया है:-

1. पूरे बायलर यार्ड की सफाई करने की जिम्मेदारी है।
2. राखी या सफाई की हुई मिट्टी को अपने साधन से उठाने की और अपने साधन से बाहर ढककर ले जाने की मेरी जिम्मेदारी है।
3. राखी को डम्प करने के लिये जमीन की मेरी जिम्मेदारी होगी, जिस पर किसी को किसी तरह आपत्ति नहीं होगी। यदि आपत्ति होगी तो उसे दूर करने की जिम्मेदारी मेरी होगी। कम्पनी की कोई जिम्मेदारी नहीं होगी।
4. यह कि राखी या सफाई की मिट्टी आदि अपने प्लॉट ख० नं० 4252, 476, 479 व 481 व 420 पर ही डालूंगा।
5. इस कार्य को करने का मैं रुपये ^{3,30,000/-} 2,80,000 / रुपये कम्पनी के नियमानुसार लूंगा।
6. यह कि यदि मेरे कार्य के करने में या व्यवहार में कोई कमी होगी, तो कम्पनी को मेरे से कार्य छुड़ाने का अधिकार होगा।

दिनांक:-29.11.2021

हस्ताक्षर

शाने आलम

For CANDIDATE'S SIGNATURE AND SEAL ONLY
[Signature]

GARG DUPLEX AND PAPER MILLS PVT LTD

Annexure - 50

* August 18, 2022

To,
The Regional Officer,
U.P. Pollution Control Board,
Muzaffarnagar (U.P.)

Reg.: Plastic Waste Generation and Utilization

Dear Sir,

We are given below the monthly return of plastic waste generation, utilization and closing balance of plastic waste for the period February 2022 to July 2022.

| Month | Opening Plastic waste (In.MT) | Generation Plastic Waste (In MT) | Used in Gasifier SPPL (In MT) | Dispatch for Disposal (In MT) | Closing Plastic Waste (In MT) |
|-------------|-------------------------------|----------------------------------|-------------------------------|-------------------------------|-------------------------------|
| February 22 | 7.200 | 82.400 | 17.600 | 56.600 | 15.400 |
| March 22 | 15.400 | 84.400 | 45.100 | 54.500 | 0.200 |
| April 22 | 0.200 | 96.300 | 55.000 | 28.800 | 12.700 |
| May 22 | 12.700 | 65.500 | 30.325 | 29.590 | 18.285 |
| June 22 | 18.285 | 63.000 | 0.000 | 71.800 | 9.485 |
| July 22 | 9.485 | 51.600 | 0.000 | 50.775 | 10.310 |

Thanking you
Yours faithfully
For Garg Duplex And Paper Mills Pvt Ltd

Auth Sign

GARG DUPLEX AND PAPER MILLS PVT LTD

August 18, 2022

To,
The Regional Officer,
U.P. Pollution Control Board,
Muzaffarnagar (U.P.)

Ref:- Water Consent No.128566/UPPCB/MZN/CO/Water/Muzaffarnagar/2021 dt.15.07.2021
Reg:- Point wise compliances of Water consent

Dear Sir,

Regarding for above, please find point wise compliances is mentioned below:

1. The Unit is completely norms as per CPCB & UPPCB guidelines & maintaining strict supervision on fluctuations in operating parameters.
2. The Unit is follows the effluent discharge standard as per guidelines.
3. The Unit is supply continuous and uninterrupted data supply from OCEMS to the UPPCB & CPCB server.
4. The Unit is installed Flow Meter and water usage as per guidelines.
5. The Unit deployed of qualified manpower to step up self monitoring mechanism continuously basis.
6. The Unit is completely water extraction as per CGWA guidelines.
7. The Unit follows instruction as per UPPCB & CPCB guidelines.
8. The Unit submits environmental statement in prescribed form as per rule.
9. The Unit following instructions which is mentioned consent.
10. The Unit has been installed as per guidelines.
11. The Unit follows all instructions as mentioned in consent.
12. The Unit submitted quarterly monitoring testing report as per guidelines (copy enclosed)
13. The Unit comly with various provisions of water and air act as per guidelines.
14. The Unit submit submit Audited Balance Sheet as per guidelines (Copy Enclosed)
15. The Unit arranging of rain water harvesting as per guidelines.
16. The Unit has plantation as per guidelines.

Thanking you,
Yours faithfully,
For Garg Duplex And Paper Mills Pvt Ltd

Auth Sign

GARG DUPLEX AND PAPER MILLS PVT LTD

August 18, 2022

To,
The Regional Officer,
U.P. Pollution Control Board,
Muzaffarnagar (U.P.)

Ref.: Air Consent No. 129893/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Air/MUZAFFARNAGAR/
2021 dt. 11.08.2021

Reg.: Point wise compliances of Air consent

Dear Sir,

Regarding for above, please find point wise compliances is mentioned below:

1. The Unit comply norms as per CPCB & UPPCB, it does not adversely affect the environment and solid waste (ash) is disposed in ECO friendly manner.
2. In Unit, there are no other sources of emission than that mentioned in the Air Consent seeking application.
3. The Unit submits Environmental Statement as per guidelines.
4. The Unit follows all given instructions.
5. The Unit follow as per given instruction of CPCB & UPPCB.
6. The Unit comply with various provisions of Air & Water Act as per guidelines.
7. The Unit follow as per given instruction of CPCB & UPPCB.
8. The Unit follows all given instructions
9. The Unit submit submit Audited Balance Sheet as per guidelines (Copy Enclosed)
10. The Unit follows all given instructions.
11. The Unit has plantation as per guidelines.

Thanking you,
Yours faithfully,
For Garg Duplex And Paper Mills Pvt Ltd

Auth Sign
Muzaffarnagar



Newcon Consultants & Laboratories

ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
Recognised by MOEFCC



Website : www.newconlab.in

TEST REPORT

STACK EMISSION MONITORING AND ANALYSIS REPORT

Page 1 Of 1

TEST REPORT NO : NCL/GDPMP/0607/13/270502/25

DATE OF REPORT : 31-05-2022

Name And Address Of Customer

GARG DUPLEX & PAPER MILLS PVT. LTD.

8.5 KM STONE, BHOPA ROAD, MUZAFFARNAGAR, UTTAR PRADESH, INDIA

SAMPLING DETAIL

| | | | |
|---------------------|--|----------------------|------------|
| Analysis Start Date | 27-05-2022 | Analysis End Date | 31-05-2022 |
| Date Of Sampling | 26-05-2022 | Sampling Done By | NCL |
| Sampling Protocol | AS PER CPCB GUIDELINES | Duration Of Sampling | 30 Minutes |
| Equipment Used | Vayubodhan Stack Sampler VSS1 (S No. : 321-DTC-07) | | |

DETAILS OF STACK

| | | | |
|-------------------------------------|---|--------------------------|---------|
| Stack Attached To | Boiler | | |
| Capacity | 30TPH | | |
| Type Of Fuel Used | Coal/Agrowaste | | |
| Quantity Of Fuel Used | — | Stack Dia At The Top | 1800 mm |
| Stack Height Above The Ground level | 55 Mtr | Material Of Construction | MS |
| Normal Operation Schedule | 24 HRS | | |
| Attached APCs | MULTI CYCLONE DUST COLLECTOR & Wet Scrubber | | |

PHYSICAL OBSERVATIONS

| | | | |
|------------------------------|-------------|---------------------------------|-----------------|
| Ambient Temperature | 41°C | Flue Gas Temperature | 108°C |
| Velocity Of Flue Gases | 7.3 Mtr/Sec | Sampling Flow Rate For SPM | 24.0 LPM |
| Sampling Flow Rate For Gases | 1.9 LPM | Quantity Of Emission Discharged | 68840.552 m³/hr |

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Specification/ Limit (As Per CPCB) |
|-------|------------------------------------|----------|--------------------|--------|------------------------------------|
| 1 | Particulate Matters (PM) | mg/Nm³ | IS-11255 (P-1) | 92.0 | 150 |
| 2 | Sulphur Dioxide (SO ₂) | mg/Nm³ | IS-11255 (P-2) | 215 | Not Specified |
| 3 | Carbon Monoxide (CO) | % by Vol | IS-13270 | 0.3 | 1% By Volume |
| 4 | Carbon Dioxide (CO ₂) | % by Vol | Orsat Gas Analyser | 7.1 | Not Specified |
| 5 | Oxides of Nitrogen | mg/Nm³ | IS-11255 (P-7) | 166.0 | Not Specified |

*** End Of Report ***

FOR NEWCON CONSULTANTS & LABORATORIES

CHECKED BY

PREPARED BY

AUTHORIZED SIGNATORY

NOTE : 1. The Results reported above are subject to the Test parameters and endorsement of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoiced value only.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

[illegible]

20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854.

२. यदि कोई व्यक्ति नौकरी छोड़कर अन्य व्यवसाय शुरू करता है तो उसे सस्पेंड (Suspend) कर दिया जाता है।

सं. १६. १९७१ में बसमा जॉर्जियाईयों से यह अक्षांश को लाये मैसरी एवं जुप्लेका एवं वेपर मिलत प्रसि. ४७५ कि.मी. मोटा होत. जलवायु गुलजाकाबाद को मिलने वाली विद्युत एवं जल आपूर्ति को तात्काल प्रभाव से बन्द कर दे। अखिरका में अखिरिका यह भी समझ कर कि यहाँ से वा. राष्ट्रीय हरित अधिकरण नई दिल्ली द्वारा भारत आदेशों के अनुसार जलवायु गुलजाकाबाद को मिलने वाली विद्युत एवं जल आपूर्ति को तात्काल प्रभाव से बन्द कर दे।

[illegible]

अंतर्राष्ट्रीय दिवसों को मनाते हेतु पर्यावरणीय क्षतिपूर्ति अधिनियमित कर उक्त की वस्तुओं की जाए।

रक्षाम अधिकारी के द्वारा पत्र निगमन हेतु अधिकृत।

मूल्या पर्यावरण अधिकारी (वृत्त-3)

सुसंविद्ध विनियमविहित की सुव्यवस्था एवं आवश्यक कार्रवाई को हेतु प्रेषित-

- अतिरिक्त अधिकारी, मुख्यफरसंगर।
अतिरिक्त अनियन्ता, स.प्र. पाठ्य कार्यक्रम नि. विद्युत शिवराज खन्ना, मुख्यफरसंगर।
अतिरिक्त अनियन्ता, पाल संस्थान, मुख्यफरसंगर।
मुख्य परीक्षण अधिकारी, वेस्ट मैनजमेन्ट डिबीजन-1/2, 3, 4, प्रमुख नियंत्रण बोर्ड, लखनऊ।
अध्यक्ष, पाठ्य, प्रमुख नियंत्रण बोर्ड, मुख्यफरसंगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के लक्ष्य में उपर्युक्त का पालन निर्देशित कर आदेश 15 दिनों में अवस्यक्त रूप से प्रेषित किया जाना सुनिश्चित करें।

मुख्य पर्यावरण अधिकारी (पृष्ठ-3)

o/c J. B. J.



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Annexure-53

Form B (C)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO:

VALID UP TO : 06/10/2026

| | | | |
|--|--|--|--------------------------------------|
| Name of the Applicant | RAGHURAJ GARG | | |
| Address of the Applicant: | 8th Km Stone , Bhopa Road , Muzaffarnagar | | |
| Company Name: | M/s SHREE SIDHBALI PAPER MILLS LIMITED | Company Address | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR |
| Serial No. of Application Form | MZFN0921NIN0054 | Date of Submission | 02/09/2021 |
| Specimen Signature of the User: | | | |
| Location particulars: | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No. | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | | |
| Municipality/Corporation | Yes | Ward No. | 251001 |
| Holding No. | | | 251001 |
| Rate of Withdrawal (m ³ /hr.) | 40.00 | Date of Energization (In Case of Electric Pump) | 08/02/1990 |
| Particular of the Existing Well and Pumping Device | | | |
| Type of the Well | Tube Well/Boring | Purpose of the Well | Industrial |
| Assembly Size (For Tube Well) | 0.00 | Approx. Strainer Length (For Tube Well) | 0.00 |
| Diameter (For Dug Well) | 0.00 | Type of Pump to be Used: | Submersible |
| H.P. of the Pump: | 7.50 | Operational Device | Electric Motor |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 40.00 | Maximum Allowable Running Hours Per Day: | 11.00 |
| Maximum Allowable Annual Extraction of Ground Water: | 132000 | | |

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours 1 day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Place:

Date:

Yours Faithfully,
Signature of the Issuing Authority
and Designation

GENERAL CONDITIONS

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS: IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user until the contrary is proved. The rate of extraction of ground water from the well as shown in item (5a) shall not exceed the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization NOC shall be valid for a period of five years from the date of issue. This applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care off.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- Any other condition imposed by the concerned Authority.
- SPECIFIC CONDITIONS:**
- (A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:

- No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the required quantity of water.
- (i) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- (ii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to GSWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- (iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- (v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter houses, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- (vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- (vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - (i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - (ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

This NOC is not authorized by any Official. This should only be used for Preview purpose.
 यह अनुमति प्रमाणित किसी अधिकारी द्वारा प्रमाणित नहीं है। इसे मात्र पूर्वदर्शन के उद्देश्य से प्रयोग किया जाना चाहिए।

Ameyans - 54

CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Date: 17/10/2022

Lab No: 17798103/MuzaffarNagar/2022

1. Name of Industry: SHREE SHUBHALLI ENTERPRISES LIMITED
2. Address of Industry: 0th Km Stone, Bhopa Road, Muzaffarnagar/MUZAFFAR NAGAR-251001
3. District: Muzaffarnagar
4. Description about sampling point: Final Outlet Discharge of E.T.P
5. Type of Sample (Grab/Composite/Integrated): Grab
6. Sample Collected By: Anoop Kumar City Magistrate, Muzaffarnagar & Jitendra Ali A.E.E. Regional Office-Muzaffarnagar
7. Colour and Odour: Colourless No Smell
8. Quantity and Packing: 2.0 Lts PVC
9. Date of Sample Collection: 13/09/2022
10. Analysis Indented by: RO MuzaffarNagar
11. Date of sample receipt in Lab: 14/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|--|------|---------|----------|-----------------|
| pH, 4500 H-B Electronic method | - | 7.05 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total Suspended Solids dried at 103-105 °C | mg/l | 44.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 1026.0 | 2100 | 10-50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 1070.0 | - | 10-50000 mg/l |
| BOD, 3-day 20 °C IS 3025 (Part 44): 1993 Bio | mg/l | 25.6 | 30 | 1.0-50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 216.0 | 250 | 5.0-100000 mg/l |

Notes: 1. General Standards for discharge of environment Pollutants are as per-A Effluent(Schedule-VI), The environment (Protection) Rules, 1986 issued by MoEF, Govt of India. Besides these standards, refer EPA standards for specific purpose.

Analysed by:

[Anil Gupta(SA)]

Authorized by:

Dr. Anil Kumar
 Director
 Central Laboratory
 Uttar Pradesh Pollution Control Board

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Notes: 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.



U.P. Pollution Control Board

CONSENT ORDER

Dated : 30/12/2019

Ref No. -
66716/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/
water/MUZAFFARNAGAR/2019

To ,

Shri RAGHURAJ GARG
M/s SHREE SIDHBALI PAPER MILLS LIMITED
9TH KM BHOPA ROAD MUZAFFARNAGAR, DISTT- MUZAFFARNAGAR
(UP), MUZAFFARNAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. SHREE SIDHBALI PAPER MILLS
LIMITED

Reference Application No :6007310

Dated :30/12/2019

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. SHREE SIDHBALI PAPER MILLS LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure in reference to their foresaid application .
2. This consent is valid for the period from 01/01/2020 to 31/12/2024 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

Nishi Deputy signed
Kumar by Nishi Kumar
Chauhan Date: 30/12/20
Chauhan 11:46:10 -05'57

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Deputy signed
Kumar by Nishi Kumar
Chauhan Date: 30/12/20
Chauhan 11:46:10 -05'57

CEO

C-3.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SHREE SIDHIBALI PAPER MILLS LIMITED vide

Consent Order No. 60073/10- Water

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Kraft Paper- 250 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|---------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge, KL/day | Treatment facility and discharge point |
| 1 | Domestic | 3 KLD | Septic Tank |
| 2 | Industrial | 1400 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 3 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

| Industrial Effluent | | |
|---------------------|------------------------|--------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Norms |
| 2 | BOD | As per Norms |
| 3 | COD | As per Norms |
| 4 | Oil & Grease | As per Norms |
| 5 | Quantity of Discharge | 1400 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P. Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ Camera at the inlet, Aeration Tank, Secondary Clarifier and outlet of Effluent Treatment Plant for On Line Monitoring and its URL and password shall be provided to the UPPCB Control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified / approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.

Issued with the permission of competent authority .

Nishi
Kumar
Chauhan

Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.20
11:41:12 +05'30'

For and on behalf of U.P. Pollution Control Board .

CEO
C-3.

CONSENT ORDER

Ref No. -
66739/UPPCB/Muzaffar Nagar (UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 30/12/2019

To,

Shri RAGHURAJ GARGI
M/s. SHREE SIDHBALI PAPER MILLS LIMITED
811 KM BHOPA ROAD MUZAFFARNAGAR, DISTT. MUZAFFARNAGAR
251001
MUZAFFARNAGAR

Sub: Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SHREE SIDHBALI PAPER MILLS LIMITED

Reference Application No. 6009591

Dated : 30/12/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s. SHREE SIDHBALI PAPER MILLS LIMITED, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (b) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Secretary
Member
Chairman

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar

Secretary
Member
Chairman

CEO

C-3.

CONDITIONS OF CONSENT

2. This consent is valid only for the approved production capacity of Kraft Paper- 250 MTD using Waste Paper as main raw material.
3. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 4(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 4(b) Air Pollution Source Details

| Air Pollution Source Details | | | | | |
|------------------------------|----------------------|-----------------------------|-----------|--------------------|----------------------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 25 TPH Boiler | Coal, Fire Wood and Biomass | 1 | Particulate Matter | 40 Meter From Ground Level |

- 4(c) The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|---------------------------------|----------|--------------------|--------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per Norms |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.

16. Industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21-22 of air Act 1981 (as amended respectively).
17. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
18. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
19. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules, 1986.
5. The drying, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall submit the stack/ambient air quality monitoring report from approved Laboratory within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21-22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.



Annexure - 57

REGIONAL LABORATORY Muzaffar Nagar
UTTAR PRADESH POLLUTION CONTROL BOARD
Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref. No. 18078928 Muzaffar Nagar/2022

Date: 17/10/2022

- 1- Name & Address of Industry: SHREE SIDHVAI PAPER MILLS PRIVATE LIMITED
- 2- Sample Collected By: (1) Vignesh Kumar, A.E.T. (2) Maneesh Kumar, J.R.F.
- 3- Date of Monitoring: 10/10/2022
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler (CVL)
- 6- Stack Height: 45 Meters
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 25 TPD
- 9- Fuel used: (1) Rice Husk (2) Wood Chips
- 10- Quantity of Fuel used: (1) Rice Husk-120 TPD (2) Wood Chips-20 TPD
- 11- Flue Gas Velocity: 7.87 m/sec
- 12- Air Pollution Control Device: Multi Cyclone & Wet Scrubber
- 13- Other remarks (if any): At the time of inspection industry found operational.
- 14- Further details of sample location and Test methods followed are appended overleaf:

| Sr No. | Parameter | Unit | Result | Standards |
|-----------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 110.70 | 150 |

Analysed by-

[Maneesh Kumar JRF]

Authorised Signatory-

Ankit Singh RO

ANKIT SINGH Digitally signed
By ANKIT SINGH
Date: 2022.10.17
11:47:28 +05'00'
Regional Officer

Apply For Permissions/NOCs/Licenses/In

[Home](#)[Apply For Permissions/NOCs/Licenses/Incentive](#)**Select Enterprise/Unit for which Departments Permissions/NOCs/L**

UPSWP19067725701 - SHREE SIDHBALI PAPER MILLS LIMITED

[Reset Choice](#)**Select Department Name**

Pollution Control Board

Select Service Name

Authorization under the Hazardous and Other Wastes (Mana

[View Applied Application](#)[New Application](#)[Reset](#)

| Department | | | |
|----------------|-------------------------|--------------|---|
| Sr.No. | | Service Name | |
| Application ID | | | |
| 1 | Pollution Control Board | 1 | Authorization under the Hazardous and Other Wastes (Management Transboundary Movement) Rule: 2016 19067725701030000000 |



UTTAR PRADESH POLLUTION CONTROL BOARD

FORM 1 [See Rules 8(1)]

Application required for grant/renewal of authorisation for generation or collection or storage or transport or reception or recycling or reuse or recovery or pre-processing or co-processing or utilisation or treatment or disposal of hazardous and other waste

Part A: General (to be filled by all)

| | | |
|-----------|---|--|
| 1. (a) | Name and address of the unit and location of facility: | SHREE SIDHBALI PAPER MILLS LIMITED 9th Km Stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001 |
| (b) | Name of the Occupier of the facility or operator of disposal facility with designation, Tel, Fax and e-mail: | RACHURAJ GARG/DIRECTOR/9837060030/shreesidh balipapermill@yahoo.co.in |
| (c) | Authorisation required for (Please tick mark appropriate activity or activities:) | Collection, Storage, Disposal |
| (d) | In case of renewal of authorization previous authorization numbers and dates and provide copies of annual returns of last three including the compliance reports with respect to the conditions of Prior Environmental Clearance, wherever applicable:) | |
| 2. | Nature and quantity of Hazardous waste handled in T/Annum (or) KL/Annum | |

---This is computer generated application ---

<https://upocmms.nic.in/> - (UPPCB)

| Name of Process | Name of Hazardous Waste (Category No) | Quantity | Waste Type | Waste Storage | Waste Disposal | Source of generation of waste | Physical status | Quantity stored at any time | Quantity accumulated as on 31st March |
|--|---|-------------|--------------|----------------|---|---------------------------------------|-----------------|-----------------------------|---------------------------------------|
| Handling of hazardous chemicals and wastes | Contaminated cotton rags or other cleaning materials | 125 T/Annun | Landfillable | Plastic Drums | Recovery and Reuse- Authorized recyclers | Manufacturing of Kraft Paper- 250 MTD | Semi solid | 032 T | 0 T |
| Handling of hazardous chemicals and wastes | Empty barrels/containers /liners contaminated with hazardous chemicals /wastes | 2 T/Annun | Recyclable | Plastic Drums | Recovery and Reuse- Authorized recyclers | Manufacturing of Kraft Paper- 250 MTD | Solid | 500 T | 0 T |
| Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications | Used or spent oil | 300 T/Annun | Recyclable | Plastic Drums | Recovery and Reuse- Authorized recyclers | Manufacturing of Kraft Paper- 250 MTD | Oily | 075 T | 0 T |
| De-contamination of barrels / containers used for handling of hazardous wastes/chemicals | Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers | 10 T/Annun | Incinerable | ETP Sludge | Handed over to TSDF i.e Bharat Oil waste management co. | Manufacturing of Kraft Paper- 250 MTD | Semi solid | 2.5 T | 0 T |
| De-contamination of barrels / containers used for handling of hazardous wastes/chemicals | Chemical-containing residue arising from decontamination | 30 T/Annun | Incinerable | Process Sludge | Handed over to TSDF i.e Bharat Oil waste management co. | Manufacturing of Kraft Paper- 250 MTD | Semi solid | 7.5 T | 0 T |
| 3. (a) | Year of commissioning and commencement of Production? | | | | | 2001 | | | |

| Schedule | Name of Process | Name of Hazardous Waste (Category No) | Quantity | Characteristics of each waste | The details of utilization with in the plants such as Reuse/ Recycling/ Recovery/ Reprocessing etc | If not utilised within the plant, provide details of what is done with this waste | Details of arrangements for transportation to actual users/ TSDF | Details of the environmental safeguards and environmental facilities provided for safe handling |
|----------|---|---------------------------------------|----------|-------------------------------|--|---|--|---|
| (e) | Hazardous and other wastes generated from storage of hazardous chemicals as defined under the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989. | | | | 9th Km Stone , Bhopa Road , Muzaffarnagar, MUZAFFAR NAGAR, 251001 | | | |

Part C: To be filled by Treatment, storage and disposal facility operators

| | | |
|--------|--|---|
| 1. | Provide details of the facility including: | |
| (i) | Location of site with layout map: | 9th Km Stone , Bhopa Road , Muzaffarnagar, MUZAFFAR NAGAR, 251001 |
| (ii) | Safe storage of the waste and storage capacity | |
| (iii) | The treatment processes and their capacities | |
| (iv) | Secured Landfills | |
| (v) | Incineration, if any | |
| (vi) | Leachate Collection and Treatment System | |
| (vii) | Fire Fighting Systems | |
| (viii) | Environmental management plan including monitoring | |
| (ix) | Arrangement for transportation of waste from generators | |
| 2. | Provide details of Any other activities undertaken at the Treatment, storage and disposal facility site. | |
| 3. | Attach a Copy of prior Environmental Clearance | Not Attached |

Part D: To be filled by recyclers or pre-processors or co-processors or users of hazardous or other wastes

| | | | |
|----|---|----------|----------------------------|
| 1. | Nature and quantity of different wastes received per annum from domestic sources or imported or both: | | |
| | Hazardous Wastes Type | Quantity | Source (Domestic/Imported) |

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.: 61064

| | | | |
|--|---|--|-------------|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | THREE SIDHRAI PAPER MILLS LIMITED 9th Km. Bhopa Road, Ghazipur, UP-201010 | | |
| 2 Sender's Authorization No. | | | |
| 3 Manifest Document No. | NRAP-20- | 053 | DT-20/02/22 |
| 4 Transporter's Name & Address (including Phone No. and email) | BOWML | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | |
| 6 Transporter's Registration | | | |
| 7 Vehicle Registration No. | UP12-AT-2699 | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) REGD. E-18, Site-IV, Sahibabad Industrial Area, Ghaziabad, UP-201010 Tel.: 0120-4167924, e-mail:sales@bharatoil.com | | |
| (II) SHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel.: 0512-2285296 e-mail:sales@bharatoil.com | | |
| 9 Receiver's Authorization No. | (I) G-132/Haz Order-30/13, dt.20/12/13 valid upto Feb 2018 | | |
| (II) UEPPCB/HO/Haz-B-06/11/290, dt.08.05.12 | (III) 93/C-2/Haz/657/13 Dt.29/05.13 valid upto 05/2018 | | |
| 10 Waste Description | ETPSludge + Plastic waste + Tube Light + P-container 1910 kg. 68.300 kg 5.30 kg 718 | | |
| 11 Total Quantity No. of Containers | 1990.78 Kg. m ³ or MT Nos. | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Sturdy/Liquid) | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | |
| SENDER'S CERTIFICATE | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations. | |
| Typed Name & Stamp : THREE SIDHRAI PAPER MILLS LIMITED | | Signature : Amey | |
| 15 Transporter Acknowledgement of Receipt of Waste | | Month Day Year 02 20 2022 | |
| Typed Name & Stamp : Ghazipur District (U.P.) | | Signature : CP | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | Month Day Year 02 20 2022 | |
| Typed Name & Stamp : | | Signature : | |

FORM 10

[See rule 19 (1)]

End-6
Copy for SPCB

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.: 62926

| 1 Occupier's Name & Mailing Address (including Phone No. and email) | Shree Sidhbal Paper Mills Ltd 9 km Bho Pa Road Muzaffarnagar | | | | | | | | |
|--|---|------|--|-------|-----|------|----|----|------|
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | Challan No - 14 DT 15/6/22 | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party | | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UPR AT 0628 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel.: 0120-4187557 e-mail:sales@bharatoil.com | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel.: 0512-2285296 e-mail:sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1486/UPPCB/Ghaziabad(UPPCBRO)/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (II) UEPPCB/MO/Con-B-84/2018/546 Valid upto: 31/03/2023 | (III) 1403/UPPCB/KanpurDehat(UPPCBRO)/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | old oil / old Grease / Biomass Sludge | | | | | | | | |
| 11 Total Quantity No. of Containers | 76 kg / 179 kg / 569 kg Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | | |
| Typed Name & Stamp: For Shree Sidhbal Paper Mills Ltd. | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>06</td> <td>15</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 06 | 15 | 2022 |
| Month | Day | Year | | | | | | | |
| 06 | 15 | 2022 | | | | | | | |
| Signature: Authorised Signatory | | | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>06</td> <td>15</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 06 | 15 | 2022 |
| Month | Day | Year | | | | | | | |
| 06 | 15 | 2022 | | | | | | | |
| Typed Name & Stamp: | Signature: | | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>06</td> <td>15</td> <td>2022</td> </tr> </table> | | | Month | Day | Year | 06 | 15 | 2022 |
| Month | Day | Year | | | | | | | |
| 06 | 15 | 2022 | | | | | | | |
| Typed Name & Stamp: | Signature: | | | | | | | | |

| M/S SHREE SIDHBALI PAPER MILLS PRIVATE LIMITED., MZN | | | |
|--|---------------|----------------------------|--------------------------|
| S.N. | MONTH | ASH GEN. (QTY) <i>m.t.</i> | DISPOSED QTY <i>m.t.</i> |
| 1 | FEBRUARY,2022 | 288.060 | 288.060 |
| 2 | MARCH,2022 | 270.000 | 270.000 |
| 3 | APRIL,2022 | 246.720 | 246.720 |
| 4 | MAY,2022 | 233.760 | 233.760 |
| 5 | JUNE,2022 | 176.700 | 176.700 |
| 6 | JULY,2022 | 225.600 | 225.600 |
| | TOTAL | 1440.840 | 1440.840 |

| S SHREE SIDHBALI PAPER MILLS PRIVATE LIMITED., M | | | |
|--|---------------|--------------------------------|-------------------------------------|
| S.N. | MONTH | PLASTIC WASTE GENERATION | PLASTIC WASTE DISPOSED QTY |
| 1 | FEBRUARY,2022 | 19.019 | 13.550 |
| 2 | MARCH,2022 | 22.884 | 14.200 |
| 3 | APRIL,2022 | 21.161 | 0.000 |
| 4 | MAY,2022 | 18.921 | 10.360 |
| 5 | JUNE,2022 | 15.460 | 17.925 |
| 6 | JULY,2022 | 21.252 | 16.480 |
| | TOTAL | 118.696 | 72.515 |
| | | | |



To,

The Chief Environmental Officer (C.E.O.)
U. P. Pollution Control Board
EC - 12V, Vibhuti Khand
Gomti Nagar, Lucknow - 226010

Sub : Regarding compliance of consent received under Section 25/26 of water Act 1974

Ref. : Your letter No. 66716/U.P.P.C.B./Muzaffarnagar(U.P.P.C.B.O)/C.T.O/Water/
Muzaffarnagar/2019 dated 30/12/2019

Sr,

It is with reference to your office letter No. 66716/U.P.P.C.B./Muzaffarnagar (U.P.P.C.B.O)/C.T.O/Water/Muzaffarnagar/2019 dated 30/12/2019 wherein you have required us to submit point wise compliance of consents issued to us under Water Pollution Act 1974. We hereunder submit point wise compliance of consents of conditions as :

CONDITIONS OF CONSENT UNDER WATER POLLUTION ACT - 1974

1. That we will producing Kraft Paper - 250 Mt/day on an average.
2. Agreed
3. The unit shall comply with the discharge norms of treated waste water under the Environment (Protection) Rules 1986 as has also been conveyed by CPCB vide their letter dated 08.12.2017.
4. The industrial & domestic waste water is collected & treated separately.
- 4.1a) The domestic effluent discharge standards as notified under the Environment (Protection) Rules-1986 will be strictly complied with.
- 4.1b) The Industrial Effluent discharge standards as notified under the Environment (Protection) Rules-1986 will be strictly complied with.
5. Effluent generated in all the process shall be treated before disposal as per prescribed Norms.
6. The method of collecting of Effluent & its analysis shall be undertaken as per Indian Standard as prescribed under Environment Protection Act-1986.
7. The unit has already obtained the permission of U.P.C.W.D for ground water extraction.
8. The environmental statement will be submitted within time.
9. That we will strictly comply with various provisions of water/air (prevention and control) Act 1974-1981 and E.P. Act 1986.
10. The unit has already developed green belt in all its open areas.
11. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB & CPCB server.



- Flow meter has already been installed at all water abstraction points and water consumption has been reduced as per charter by CPCB.
13. If the CPCB/SPCB issue us closure notice in future, we will ensure the strict compliance of it.
 14. Industry will comply all order/direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.

SPECIFIC CONDITIONS

1. Operating parameters of each treatment unit will be taken care.
2. The unit shall comply with the discharge norms of treated waste water under the Environment (Protection) Rules 1986 as has also been conveyed by CPCB vide their letter dated 08.12.2017.
3. Agreed
- 4&6. The unit ensure the continuous and uninterrupted data supply for the OCEEMS to the SPCB & CPCB server.
5. Flow meter has already been installed at all water abstraction points and water consumption has been reduced as per charter by CPCB.
7. The unit has already obtained the permission of UPWMD for ground water extraction.
8. If the CPCB/SPCB issue us closure notice in future, we will ensure the strict compliance of it.
9. The environmental statement will be submitted within time.
10. The unit shall comply with the discharge norms of treated waste water under the Environment (Protection) Rules 1986 as has also been conveyed by CPCB vide their letter dated 08.12.2017.
11. Agreed
12. We will be doing production as per installed capacity mentioned in our consent order.
13. Industry will comply all order/direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
14. The industry shall submit treated effluent analysis report of approved laboratory on quarterly basis.
15. That we will strictly comply with various provisions of water/air (prevention and control) Act 1974/1981 and E.P. Act 1986.
16. The copy of latest balance sheet was enclosed with consent application.



SHREE SIDHBALI PAPER MILLS PRIVATE LIMITED

(Formerly known as Shree Sidhali Paper Mills Limited)

1. The unit has already developed green belt in all its open area.

This is for your kind knowledge & necessary action.

Thanking you,

For SHREE SIDHBALI PAPER MILLS PRIVATE LIMITED

(Formerly known as Shree Sidhali Paper Mills Limited)

(Authorized Signatory)



C.C.

To, The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)



To,

The Chief Environmental Officer (C-3)
U.P. Pollution Control Board
P.O. : 12A, Vidhata Khand
Gomti Nagar, Lucknow - 226010

Sub : Regarding compliance of consent received under Section 21/22 of Air Act 1981**Ref : Your letter No. 66739/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Air/
MUZAFFARNAGAR/2019 dated 30/12/2019**

Sir,

It is with reference to your office letter No. 66739/UPPCB/Muzaffarnagar (UPPCBRO)/CTO/Air/MUZAFFARNAGAR/2019 dated 30/12/2019 wherein you have required us to submit point wise compliance of consent issued to us under Air Pollution Act-1981. We hereunder submit point wise compliance/conditions as:-

CONDITIONS OF CONSENT UNDER AIR POLLUTION ACT - 1981

1. That we will producing Kraft Paper 250 MTD on an average.
2. That we will producing Kraft Paper 250 MTD on an average, prior approval will be taken before making any modification in product/process/fuel/plant & machinery.
- 3.a The emission quality of Flue Gas will be maintained strictly as per prescribed norms by the Board.
- b&c The Quantity of other Pollutants shall also be within norms as prescribed by the Board/MOEF/CPCB.
4. We are putting our sincere efforts to look that the environment surrounding the factory site i.e. inside/outside is not polluted.
5. The emission sources has been already mentioned in air consent seeking application form.
6. The unit will ensure the effective & continuous operation of its A.P.C.S. & air emissions will be well under the prescribed norms.
7. Industry will submit environment statement in prescribed format within time.
8. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
9. The industry shall submit stack emission monitoring & analysis report and ambient air



10. Industry will strictly comply with various provisions of Air & Water (Pre) & Control Act 1986 and E.P. Act 1986.
11. Agreed continuous & uninterrupted data will supplied from OCEIDS to the CPCB & SPCB server.
12. The copy of latest balance sheet is enclosed. We are also enclosing the consent fee submitted in last 5 years.
13. The unit will not use pet coke & F.O. in compliance of Supreme courts orders.
14. Fuel will be used as mentioned in consent application form.
15. The unit shall obtain prior consent in the event of any additional emission generating sources.
16. The unit has maintained green belt over all of its open area, same shall be maintained regularly.
17. If the CPCB/SPCB issue us closure notice in future, we will ensure the strictly compliance of its.
18. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.

SPECIFIC CONDITIONS

1. We are putting our sincere efforts to look that the environment surrounding the factory site i.e. inside/outside is not polluted.
2. Agreed
3. The unit will ensure the effective & continuous operation of its A.P.C.S. & air emissions will be well under the prescribed norms.
4. Industry will submit environment statement in prescribed format within time.
5. Agreed
6. That we will producing Kraft Paper 250 MTD on an average.
7. Agreed continuous & uninterrupted data will supplied from OCEIDS to the CPCB & SPCB server.
8. The latest stack monitoring report will be submitted if required.
9. Industry will comply the all order direction passed/issued by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal, CPCB and U.P. Pollution Control Board for protection and safe guard of environment from time to time.



SHREE SIDHBALI PAPER MILLS PRIVATE LIMITED

(Formerly known as Shree Sidhbal Paper Mills Limited)

10. The industry shall submit stack emission monitoring & analysis report and ambient air quality from a certified approved laboratory on quarterly basis.
11. Industry will strictly comply with various provisions of water act (prevention and control) Act 1974, 1981 and U.P. Act 1986.
12. The unit will not use pet coke & F.O. in compliance of Supreme courts orders.
13. Charter as applicable has been followed.
14. If the CPCB/SPCB issue us closure notice in future, we will ensure the strictly compliance of its.
15. The latest balance sheet is enclosed.
16. The industry will use minimum 20% bio-briquette as fuel depending upon its availability.
17. The unit shall obtain prior consent in the event of any additional emission generation sources.
18. The unit has maintained green belt over all of its open area, same shall be maintained regularly.

This is for your kind knowledge & necessary action.

Thanking you,

For SHREE SIDHBALI PAPER MILLS PRIVATE LIMITED

(Formerly known as Shree Sidhbal Paper Mills Limited)



(Authorized Signatory)

C.C.

To, The Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

संख्या

433/96

सी-3/

वायु

/433/2022

दिनांक

18/10/2022

पृष्ठ संख्या

मैसर्स श्री सिद्धबली पेपर मिल्स लिमिटेड

पृष्ठ संख्या

आर.के.सी. मोपा रोड, जलपद, मुजफ्फरनगर।

यह कि मैसर्स श्री सिद्धबली पेपर मिल्स लिमिटेड, 9वां किमी, मोपा रोड, जलपद-मुजफ्फरनगर जहाँ वेस्ट पेपर का उद्योग कर 2002 पेपर के उत्पादन हेतु उपरीक्त इमिंट स्थल पर कार्यरत है, वायु प्रदूषण नियंत्रण एवं नियंत्रण अधिनियम '86' अधिनियम की धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग मैसर्स श्री सिद्धबली पेपर मिल्स लिमिटेड, 9वां किमी, मोपा रोड, जलपद-मुजफ्फरनगर के पिछले माह एप्रिल/मई में विद्यमान ओवरल संख्या 217/2022 लियाकत अली एवं अन्य बनाम उत्तर प्रदेश सरकार में दायर आवेदना दिनांक-21.07.2022 के अनुपालन में बोर्ड द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-13.09.2022 को किया गया निरीक्षण के समय दिखे गए प्रवाह/विबरण के अनुसार उद्योग में बायलर से जनित प्लाई एश के निस्तारण के संबंध में कोई सूचना उपलब्ध नहीं करायी गयी न ही उद्योग द्वारा प्लाई एश को निस्तारित किये जाने वाले स्थल का संशुद्ध एवं खसरा संख्या का विवरण उपलब्ध नहीं कराया गया तथा निस्तारण स्थल पर धूल उत्सर्जन की रोकथाम हेतु Green Cover, Water Sprinkling एवं Obstruction Wall के संबंध में कोई विवरण उपलब्ध नहीं कराया गया। निरीक्षण के दौरान उद्योग के आसपास के क्षेत्र में विभिन्न स्थानों पर भूमि पर भारी मात्रा में प्लाई एश डम्प पाया गया है तथा निस्तारण स्थलों पर वायु प्रदूषण नियंत्रण हेतु किसी प्रकार का डस्ट सप्रेसन सिस्टम स्थापित नहीं पाया गया, जिससे आसपास के क्षेत्र में वायु प्रदूषण की समस्या उत्पन्न होना स्वाभाविक है। वेस्ट पेपर आधारित पल्प एण्ड पेपर इकाईयों में सामान्यतः उत्पाद का 1.5% प्लास्टिक वेस्ट जनित होता है। उद्योग में वेस्ट पेपर आधारित काप्ट पेपर उत्पादन की कुल क्षमता-250 मी.टन/दिन है। अतः जनित प्लास्टिक वेस्ट की मात्रा 3.75 मी.टन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में विवरण प्रस्तुत किया गया। उद्योग द्वारा दिये गये विवरण के अनुसार फरवरी 2022 से जुलाई 2022 के मध्य कुल 19.77 मी.टन/माह प्लास्टिक वेस्ट को निस्तारण किये जाने की सूचना प्रेषित की गयी है, परन्तु प्लास्टिक वेस्ट को निस्तारण हेतु कहीं प्रेषित किया गया है, के सम्बन्ध में कोई अभिलेख प्रस्तुत नहीं किये गये तथा शेष 77.64 मी.टन/माह प्लास्टिक वेस्ट के निस्तारण के संबंध में कोई विवरण प्रस्तुत नहीं किया गया, जिससे स्पष्ट है कि उद्योग से जनित प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अतः माह एप्रिल/मई में विद्यमान ओवरल संख्या 217/2022 लियाकत अली एवं अन्य बनाम उत्तर प्रदेश सरकार में दायर आवेदना दिनांक-21.07.2022 के मुख्य अंश निम्नवत् है :-

"5. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months...."

उद्योग को दिनांक-31.12.2024 तक सख्त संहति वायु निर्गत की गयी है, जिसकी शर्तों का उल्लंघन किया जा रहा है। उद्योग के विरुद्ध विभिन्न माध्यमों से प्लास्टिक वेस्ट उत्सर्जन की शिकायत प्राप्त हो रही है। उद्योग द्वारा बोर्ड के पत्र दिनांक-30.12.2019 द्वारा निर्गत सख्त संहति वायु की शर्तों एवं मा. एम.जी.टी. द्वारा दायर आवेदनों का उल्लंघन किया जा रहा है।

यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है। यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

नगरपालिका तथा जनपद मुख्यालय पर एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

यह भी हो सिद्धवती तथा गलत निर्दिष्ट हो सकती है। अतः एक जनपद मुख्यालय पर इस बात (प्रदूषण नियंत्रण बोर्ड) के निर्माण को प्रोत्साहित किया जा रहा है।

सक्षम अधिकारी के द्वारा यह निर्देशन हेतु अधिकृत।


मुख्य पर्यावरण अधिकारी (दात-3)

प्रतिनिधि निम्नलिखित को सुव्यवस्था एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. जिलाधिकारी, मुख्यालय पर।
2. जिलाधिकारी, उच्च न्यायालय पर।
3. जिलाधिकारी, उच्च न्यायालय पर।
4. मुख्य पर्यावरण अधिकारी, उच्च न्यायालय पर।
5. जिलाधिकारी, उच्च न्यायालय पर।


मुख्य पर्यावरण अधिकारी (दात-3)

o/c 



GROUND WATER DEPARTMENT

Ministry of P.W. & S. & C.
Government of Uttar Pradesh

Form B (C)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO:

VALID UP TO : 26/07/2026

| | | | |
|---|--|--|---------------------------------|
| Name of the Applicant | MANISH KAPUR | | |
| Address of the Applicant | 272, New Market, Dakshin Bhopa Road, Muzaffarnagar | | |
| Company Name | MS. MEENUPURER MILLS PVT. LTD. | Company Address | 100 Km. Faridkot, Muzaffarnagar |
| Serial No. of Application Form | W/1 N0721NIN0036 | Date of Submission | 05/07/2021 |
| Specimen/Seal/Stamp of the User: | | | |
| Location Particulars: | | | |
| District | Muzaffarnagar | Block | W. Faridkot |
| Plot No. | 0.5 Km. Bhopa Road, Muzaffarnagar | | |
| Municipality/Corporation | Yes | Ward No. | 7th |
| Holding No. | -NA- | | |
| Rate of Withdrawal (m³/hr.) | 05.00 | Date of Energization (In Case of Electric Pump) | 22/05/2021 |

Particulars of the Existing Well and Pumping Device

| | | | |
|---|------------------|--|---------------|
| Type of the Well | Tube Well/Boring | Purpose of the Well | Industrial |
| Assembly Size (For Tube Well) | 9.00 | Approx. Strainer Length (For Tube Well) | 20.00 |
| Diameter (For Dug Well) | 0.00 | Type of Pump to be Used | Electric Pump |
| H.P. of the Pump | 20.00 | Operational Device | Electric Pump |
| Maximum Allowable Rate of Withdrawal (m³/hr.) | 05.00 | Maximum Allowable Running Hours Per Day | 12.00 |

Maximum Allowable Annual Extraction of Ground Water:

12.00 MLD

This Certificate is valid only and for the user to sink a well in the location specified at the top of this Certificate. The user shall not exceed the rate of withdrawal at 05.00 m³/hr. Running Hours 1 day as shown at 12.00 m³/hr. and the maximum rate of withdrawal shall not exceed the rate shown at 12.00 m³/hr. and is valid subject to the observation of the conditions mentioned above.

Place:

Date:

Signature of the

Officer in Charge, Ground Water Department

Signature of the

- If there is any change of ownership of the proposed well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at (G) (2) and (3) of the application shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In the purpose of measuring and recording the quantity of ground water extracted, every user shall install a digital water flow meter, conforming to BIS/IS standards, having telemetry system in the abstraction structure, which records rate and quantity of water being pumped out of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted from the ground water table for water supply. The rate of extraction of ground water from the well as indicated in the application shall not exceed the rate of recharge of water to the aquifer.
- The concerned Authority reserves the right to stop extraction of ground water from the well in case of supply shortage or any other reasons which threaten its demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at (G) (2) and (3) of this application shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- If any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be wrong or wrongly verified at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NDC shall be valid for a period of five years from the date of issue. The applicant shall have to submit an application through a fresh application, at least twenty days prior to expiry of its validity.
- Every owner/purchaser and installation of digital water level recorder with telemetry, shall be mandatory for every depth of pump in the groundwater should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to the office on monthly basis.
- **STRUCTURE for Installation of Piezometers and their Monitoring**

- A piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometer are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being abstracted. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50 - 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 or more | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the regular measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWAR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the sanctioned tube wells has been stopped for about four to six hours.
- The details regarding coordinates, surface level (with respect to mean level), depth, zone tapped and assembly furnished should be provided for tagging the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 ltr capacity) may be submitted to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A permanent display board should be installed at piezometer/tube wells site for providing the location, piezometer/tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care off.
- Any other conditions that may be imposed by the concerned Authority.
- If any one of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be wrong or wrongly verified at any subsequent stage, this permit is liable for cancellation.
- Any other condition imposed by the concerned Authority.
- **SPECIFIC CONDITIONS:**
- (A) For Industrial Users: No Objection Certificate for ground water extraction by industries shall be granted subject to the following conditions:
 - The user shall have to submit an application through a fresh application, at least twenty days prior to expiry of its validity.

- [illegible]

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 105–112



GROUND WATER DEPARTMENT

 Ministry of Panch Shakti
 Government of Uttar Pradesh

Form 8 (C)

**AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL
 FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF
 GROUND WATER**

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO:
VALID UP TO : 26/07/2026

| | | | |
|--|---|---|----------------------------------|
| Name of the Applicant | MANISH KAPOOR | | |
| Address of the Applicant | 272, New Mandi Dakshini Bhopa Road, Muzaffarnagar | | |
| Company Name | M/s MEENU PAPER MILLS PVT LTD | Company Address | 9.5 Km, Bhopa Road Muzaffarnagar |
| Serial No. of Application Form | MZFND0721NIN0035 | Date of Submission | 01/07/2021 |
| Special Signature of the User | | | |
| Location particulars: | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No. | 9.5 Km, Bhopa Road, Muzaffarnagar | Ward No. | N/A |
| Municipality Corporation | Yes | | N/A |
| Holding No. | | Date of Energization (In Case of Electric Pump) | 14/05/2015 |
| Rate of Withdrawal (m ³ /hr.) | 80.00 | | |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|----------------|
| Type of the Well | Tube Well/Boring | Purpose of the Well | Industrial |
| Assembly Size (For Tube Well) | 0.00 | Approx. Strainer Length (For Tube Well) | 0.00 |
| Diameter (For Dug Well) | 0.00 | Type of Pump to be Used: | Submersible |
| H.P. of the Pump: | 20.00 | Operational Device | Electric Motor |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.) | 80.00 | Maximum Allowable Running Hours Per Day: | 9.00 |
| | | | 216000 |

Maximum Allowable Annual Extraction of Ground Water:

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours 1 day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Place:

Date:

Xerox File No.

GENERAL CONDITIONS:

- 1. In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
 - 2. Any change in location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at 5.1 (2) and (3) of this form shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
 - 3. For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conformable BIS, IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction at outlet of pumping device, and it shall be presumed that the quantity recorded by the meter has been abstracted by the well user, until the contrary is proved. The rate of extraction of ground water from the well as shown in Item 3(e) shall not exceed by the recorded rate from water meters.
 - 4. Competent Authority reserves the right to stop extraction of ground water from this well due to quality hazards or any other reasons, if the user is not compliant.
 - 5. In case of change of ownership of the existing well, fresh registration has to be obtained.
 - 6. Any change in location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at 5.1 (2) and (3) of this form shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
 - 7. If any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
 - 8. The Certificate of Authorization / NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal of authorization, at least ninety days prior to expiry of its validity.
 - 9. Installation of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to the office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring system. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- 1. The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- 2. The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- 3. No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| Sl. No. | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|---------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- 1. The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter upto two decimal.
- 2. For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- 3. The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- 4. All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for validation.
- 5. The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to be submitted to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- 6. A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- 7. Any other site specific requirement regarding safety and access for measurement may be taken care off.
- 8. Any other conditions that may be imposed by the concerned Authority.

In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

Any other condition imposed by the concerned Authority.

SPECIFIC CONDITIONS:

... Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the quantity of water.

... Industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.

... Industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII), Federation Indian Chamber of Commerce and Industry (FICCI), National Productivity Council (NPC) certified auditors. ... report within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.

... Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no. 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³.

... of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.

... The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries, which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, etc.) shall store the harvested rain water in surface storage tanks for use in the industry.

... Discharge of treated/ untreated waste water into aquifer system is strictly prohibited.

... Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc., (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.

(B) Infrastructure/ User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:

... Infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering (using digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records/ documents should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Department Council.

... Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

This NOC is not authorized by any Official. This should only be used for Preview purpose.
यह अनुमति प्रमाणपत्र किसी प्राधिकारी द्वारा प्रमाणित नहीं है। इसे मात्र पूर्वावलोकन के उद्देश्य से प्रयोग किया जाना चाहिए।



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



Annexure - 65

TEST REPORT: WASTE WATER LABORATORY

Date: 14/10/2022

Lab No: 17881248/Muzaffarnagar/2022

1- Name of Industry: MEENU PAPER MILLS PRIVATE LIMITED

2- Address of Industry: 95th Km Stone Bhoga Road

3- District: Muzaffarnagar

4- Description about sampling point: Final Outlet Discharge of E.T.P.

5- Type of Sample (Grab/Composite/Integrated): Grab

6- Sample Collected By: Anoop Kumar, City Magistrate, Muzaffarnagar & Vinod Kumar A.E.E Regional Office-Muzaffarnagar

7- Colour and Odour: Colourless No Specific

8- Quantity and Packing: 2.0 Ltrs PVC

9- Date of Sample Collection: 14/09/2022

10- Analysis Indented by: RO Muzaffarnagar

11- Date of sample receipt in Lab: 15/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| pH-4500 H H Electronic method | - | 7.41 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total | mg/l | 44.0 | 50 | 10-20000 mg/l |
| Suspended Solids dried at 103-105 °C | mg/l | | | |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 1124 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 H Total Solids dried at 103-105 °C | mg/l | 1168 | - | 10- 50000 mg/l |
| BOD, 5 day 27 °C IS 3025 (Part 44): 1993 Bio | mg/l | 22.8 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 206.4 | 250 | 5.0 -100000 mg/l |

Remarks: 1) Current Standards for discharge of environment Pollutants are as per-A Effluent(Schedule-VI),The environment (Protection) Rules,1986 source:

2) Refer to file in Folder/Standards.pdf. Besides these standards, refer EPA standards for specific purpose.

Reviewed by:

Analysed by

[Anurish Verma (SA)]

Authorized by

[Anant Prasad ASO]

[Anant Prasad ASO]

[Anant Prasad ASO]

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed
 by RAM GOPAL
 Date: 2022.10.14
 19:11:38 +0530'

Note: 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of Laboratory; 3. The test report pertains to the sample as received in Lab.



U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
67140/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/
water/MUZAFFARNAGAR/2019

Dated : 15/01/2020

To,

Shri MANISH KAPOOR
M/s MEENU PAPER MILLS PVT LTD
9.5 km stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. MEENU PAPER MILLS PVT LTD

Reference Application No : 6042621

Dated : 15/01/2020

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. MEENU PAPER MILLS PVT LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure, in reference to their foresaid application.
2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended.

This consent is being issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2020.01.15
12:58:37 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2020.01.15
12:58:37 +05'30'

CEO
C-3.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s. MEENU PAPER MILLS PVT LTD vide

Consent Order No. 6042621/ Water

Dated : 15/01/2020

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Kraft Paper- 150 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|-----------------------------------|-------------------------|---------------------------------------|---|
| S.No | Kind of Effluent | Maximum daily discharge,KL/day | Treatment facility and discharge point |
| 1 | Domestic | 3 KLD | Septic Tank |
| 2 | Industrial | 300 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|--------------------------|-----------------------|-----------------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 3 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms .

| Industrial Effluent | | |
|----------------------------|------------------------|--------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Board Norms |
| 2 | BOD | As per Board Norms |
| 3 | COD | As per Board Norms |
| 4 | Oil & Grease | As per Board Norms |
| 5 | Quantity of Discharge | 300 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ rotation Camera at the Inlet, Aeration tank, Secondary Clarifier and outlet of Effluent treatment plants for On Line Monitoring and its URL and password shall be provided to the UPPCB control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified/ approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.

Issued with the permission of competent authority .

Nishi
Kumar
Chauhan

Digitally signed
by Nishi Kumar
Chauhan
Date: 2025.09.23
13:00:21 +05:30

For and on behalf of U.P. Pollution Control Board .

CEO
C-3.

Annexure - 67



U.P. Pollution Control Board

CONSENT ORDER

Dated : 28/01/2020

Ref No. -
67141/UPPCB/MuzaffarNagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

To,

Shri MANISH KAPOOR
M/s MEENU PAPER MILLS PVT LTD
9.5 km stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. MEENU PAPER MILLS PVT LTD

Reference Application No. 6042807

Dated : 28/01/2020

1. With reference to the application for consent for emission of air pollutants from the plant of M/s MEENU PAPER MILLS PVT LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Date: 28/01/20
15:05:53 +05'30

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Date: 28/01/20
15:06:09 +05'30

CEO
C-3.

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Kraft Paper- 150 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|-------------------------------------|-----------------------------|---------------------|------------------|--------------------|---------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 11 TPH Boiler | Coal and Biomass | 1 | Particulate Matter | 32 Meter |
| 2 | 12 TPH Boiler | Coal and Biomass | 1 | Particulate Matter | 30 Meter |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|--|-----------------|--------------------|----------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per EP Rules 1986 |
| 2 | 1 | Particulate Matter | As per EP Rules 1986 |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.

14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H.16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL: http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dying, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL: http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

Nishi Digitally signed
Kumar by Nishi Kumar
Chauhan DN: cn=Nishi Kumar,
 email=Nishi.Kumar@up.gov.in, o=U.P. Pollution Control Board, ou=U.P. Pollution Control Board

For and on behalf of U.P. Pollution Control Board .

CEO
C-3,



Ankit-16

REGIONAL LABORATORY Muzaffar Nagar
UTTAR PRADESH POLLUTION CONTROL BOARD
Komal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref No.18103561 Muzaffar Nagar-2022

Date: 17/10/2022

1. Name & Address of Industry: MEENU PAPER MILLS PVT. LTD.
2. Sample collected By: (1) Vipul Kumar A.E.E. (2) Manojesh Kumar JRF
3. Date of Monitoring: 01/10/2022
4. Source of Sampling: Stack
5. Stack attached to: Boiler
6. Stack Height: 35 Meters
7. Total No. of Boiler: 02
8. Capacity of Boiler: 12 TPH(CV) & 11 TPH(HB)
9. Fuel used: Rice Husk & Wood Chips
10. Quantity of Fuel used: (1) Rice Husk-65 TPD (2) Wood Chips-20 TPD
11. Flue Gas Velocity: 7.91 m/sec
12. Air Pollution Control Device: Multi Cyclone, Venturi & Wet Scrubber.
13. Other remarks (if any): At the time of inspection industry found operational.
14. Further details of sample location and Test methods followed are appended overleaf:

| Sr no. | Parameter | Unit | Result | Standards |
|--------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 139.20 | 150 |

Analysed by:-

[Manojesh Kumar JRF]

Authorised Signatory:-

Vikram Singh RO

ANKIT SINGH Digitally signed by Ankit Singh
Date: 2022.10.17 11:47:45 +05'30'
Regional Officer

UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Ref. No : 635/UPPCB/Muzaffarnagar(UPPCBRO)/HWM/MUZAFFARNAGAR /2018
Dated: 05/05/2018

To,

M/s MEENU PAPER MILLS PVT.LTD
9.5 KM BHOPA ROAD, MUZAFFARNAGAR - 251001
Tehsil : Muzaffarnagar
District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 635 and 05/05/2018 .
2. Reference of application (No. and date) 723489 and 14/02/2018 .
3. Mr MANISH KAPOOR of M/s MEENU PAPER MILLS PVT.LTD is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at At the factory premises .

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I,II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|--|--|---------------------|
| 1 | Schedule-1, Serial no. 5.1 Used or spent oil | Through authorised TSDF | 225 Kg per Annum |
| 2 | Schedule-1, serial no. 33.2 Contaminated cotton rags or other cleaning materials | Through authorised TSDF | 75 Kg per Annum |
| 3 | Schedule-1, Serial no.33.1 Empty barrels/containers/liners contaminated with hazardous chemicals | Through authorised recycler/Through TSDF | 150 Kg per Annum |

1. The authorization shall be valid for a period of 05/05/2023 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .

5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

B. Specific Conditions of Authorization

- 1- The unit will deposit Rs. 20,000/- (Rupees Twenty Thousand only) as processing of application within a month in compliance of Board's office order no. H18595/ C-2/ Sa.-346/07-18 dt 23/04/2018. The copy of said office order is available on the website of UPPCB at URL http://www.uppcb.com/pdf/office_240418.pdf.
- 2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
- 3- The authorised person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorisation has been requested. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
- 4- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.
- 5- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

- 6- In case of occurrence of an accident, complete details on Form-II must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.
- 7- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.
- 8- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.
- 9- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
- 10- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.
- 11- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 12- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.
- 13- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.
- 14- It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. A guideline in this regard has been issued by Central Pollution Control Board from time to time.
- 15- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
- 16- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.
- 17- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.
- 18- Ground water monitoring report of premises shall be submitted within one month.
- 19- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

PARAS

NATH

(Authorized Signatory)

Copy to: To the Regional Officer, U.P. Pollution Control Board, Regional Office, U. Pollution Control Board, Muzaffarnagar for information and necessary action.

PARAS
NATH

Digitally signed by
PARAS NATH
Date: 2018.05.18
11:40:01 +05'30'

CEO/EE, I/C Circle



BHARAT OIL & WASTE MANAGEMENT LTD. (BOWML)

www.bharatoil.com

Passionately Protecting Mother-Nature Since 1978

MEMBERSHIP CERTIFICATE

M / s. **Meenu Paper Mills Pvt. Ltd.**

9.5 KM Stone, Bhopa Road, Muzaffarnagar Muzaffarnagar-251001, UP

is a registered member of our facility



Gata No. 672. Vill. Kumbhi, Akbarpur Road, NH - 2 Kanpur-Dehat-209101, UP

for safe, legal & scientific Disposal of Hazardous Waste

BOWML/K/2661/17

Member # :



Scan & Verify

October 13, 2022

Expiry Date :

One may verify 'active' membership by calling
Bharat Oil & Waste Management Ltd. at
011-4100 0710, 2621 6466 or Email : sales@bharatoil.com

For Bharat Oil & Waste Management Ltd.

Pragati Rathg
Sales Coordinator
IP: 122.160.48.54
ID: JmFVYKj5NvSGQ9KXFV0w==
Click here to E-verify

Authorized Signatory



For Bharat Oil & Waste Management Ltd.

Sunder K Kukreja
GM (Admin & Fin.)
IP: 49.35.178.235
ID: +P9aunprizvRceap08A2w==
Click here to E-verify

Authorized Signatory



*Membership is subject to the terms & conditions of agreement & may be terminated by BOWML upon non-payment of dues / payment.

61527

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

1. Sender's Name & Mailing Address
(including Phone No. and email)

MEENUPUR RAM LAL LTD

2. Sender's Authorization No.

3. Receiver's Name & Address

4. Receiver's Name & Address
(including Phone No. and email)

5. Transporter's Name

6. Transporter's Registration No.

7. Transporter's Vehicle No.

8. Receiver's Name & Mailing Address
(including Phone No. and email)

(I) BHARAT OIL COMPANY LTD.

E-18, Site-IV, Sahibabad Industrial
Ghaziabad, UP-201010 Tel: 0120-
e-mail: sales@bharatoil.com

(II) BHARAT OIL & WASTE MANAGEMENT LTD.

Plot # 672, Sikandra Road, NH-2, Kumbhi Village
Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2255296
e-mail: sales@bharatoil.com

9. Receiver's Authorization No.

(I) 1486/UPPCB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023

(II) UPPCB/HQ/Cen-B-84/2018/548 Valid upto: 31/03/2023

(III) 1486/UPPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023

10. Waste Description

ETP Sludge / Used Oil / Plastic Waste / Cotton Waste
820 kg / 50 LTR / 120 kg / 30 kg

11. Total Quantity

960 kg + 50 LTR or MT

No. of Containers

01 container 47 Bags

12. Physical Form

(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)

13. Special Handling Instructions & Additional
Information

Do not throw Drums from truck. In case of leakage/
seepage, use Washing soap at point of leak to stop its
leakage.

14. SENDER'S CERTIFICATE

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised packed, marked
and labeled, and are in all respects in proper condition for transport by road.

Typed Name & Stamp

Signature:

Month

Day

Year

05 06 2020

15. Transporter Acknowledgement of Receipt of Waste

Month

Day

Year

05 06 2020

Typed Name & Stamp:

Signature:

16. Receiver's Certificate for Receipt of Hazardous and
other Waste.

Month

Day

Year

05 06 2020

Typed Name & Stamp:

Signature:

FORM 10

[See rule 19 (1)]

Copy for the sender

56894

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

| | | | |
|--|---|--|--|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | |
| 2 Sender's Authorization No. | | | |
| 3 Manifest Document No. | NRUPINOC 2021-22/00119 DT-22/01/22 | | |
| 4 Transporter's Name & Address (including Phone No. and email) | BOWML | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) <input checked="" type="checkbox"/> | | |
| 6 Transporter's Registration | BOWML | | |
| 7 Vehicle Registration No. | UP 14 CT 8634 | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) RE E-18, Site-IV, Sahibabad Industrial Area Ghaziabad, UP-201010 Tel : 0120-4167924. e-mail:sales@bharatoil.com | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel : 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH 2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel : 0512-2285296 e-mail:sales@bharatoil.com | | |
| 9 Receiver's Authorization No. | (I) 1488/UPPCB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | |
| (ii) UPPCB/HDI/Con-B-84/2018/548 Valid upto: 31/03/2023 | (II) 1403/UPPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 31/04/2023 | | |
| 10 Waste Description | ETP Sludge + Plastic waste + cotton waste 630 kg 200 kg 50 kg | | |
| 11 Total Quantity | used oil | | |
| No. of Containers | 60 Ltr. | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | |
| Typed Name & Stamp : | Signature : | | |
| 15 Transporter Acknowledgement of Receipt of Waste | Month Day Year 01 22 2022 | | |
| Typed Name & Stamp : | Signature : | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | Month Day Year 01 22 2022 | | |
| Typed Name & Stamp : | Signature : | | |

Ans 7 (W) - 71

MEENU PAPER MILLS PVT LTD

9.5 KM BHOPA ROAD MUZAFFARNAGAR

PERIOD OF FEB-22 TO JULY-22

DETAIL OF ASH GENERATION OF BOILER

| MONTH | STRAW/HUS K (IN KG) | COAL (IN KG) | FIRE WOOD (IN KG.) | BAGGASE (IN KG) | ASH GEN | SEND TO OUR LAND FOR FILLING |
|-------------|------------------------|-----------------|-----------------------|--------------------|---------|---------------------------------------|
| February-22 | 1128580 | 578640 | 0 | 0 | 85648 | 85648 |
| March-22 | 1368500 | 691600 | 0 | 0 | 103152 | 103152 |
| April-22 | 1513000 | 201490 | 52000 | 0 | 75407 | 75407 |
| May-22 | 1328700 | 177620 | 0 | 61832 | 67131 | 67131 |
| June-22 | 1600600 | 160330 | 115375 | 3590 | 77072 | 77072 |
| July-22 | 1156900 | 172710 | 0 | 0 | 58370 | 58370 |



M/S MEENU PAPER MILLS PVT. LTD.
9.5 KM, BHOPA ROAD,
MUZAFFARNAGAR (U.P.)

DETAIL OF PLASTIC WASTE GENERATION & DISPOSAL M/O FEB-22 TO JULY-22

| MONTH | PLASTIC WASTE GENERATION (IN KG.) | PLASTIC WASTE DISPOSAL THROUG CEMENT PLAST (IN KG) |
|-------------|---|---|
| February-22 | 25306 | 27580 |
| March-22 | 32603 | 21960 |
| April-22 | 25519 | 30190 |
| May-22 | 22456 | 0 |
| June-22 | 27180 | 57950 |
| July-22 | 19554 | 0 |

UTCL/AC/AFR/DC/MPMPL/MAR-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "MEENU PAPER MILLS PVT. LTD." at our Aditya Cement Works, Chittaurgarh during the month Mar-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| Mar-22 | Plastic Waste | 27.580 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 24-03-2022 | 140 | 27.580 | RJ01GC3055 |
| Total | | | 27.580 | |


Authorized Signatory



UTC/AE/NR/DC/MPMDI/APR 22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "MEENU PAPER MILLS PVT. LTD." at our Aditya Cement Works, Chittaurgarh during the month APR-22

| | | |
|--------|------------------------|--------------------|
| Month | Type of Waste Material | Qty. Received (MT) |
| APR 22 | Plastic Waste | 21.960 |

The vehicles wise receipt details are as below.

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 08-04-2022 | 1 | 21.960 | NL01AD48R5 |
| Total | | | 21.960 | |


Authorized Signatory

ULTRATECH CEMENT LIMITED
(One of our Cement Works)
Address:- 524/2, V.P. Road, Chittaurgarh, Dist. Chittaurgarh, Rajasthan-312005
Ph. & Fax:- 02942511001/02942511002

TEL: +91 1472 221011/221012
FAX: +91 1472 222025
E-MAIL: enquiry@ultratech.com
WWW: www.ultratechcement.com

ULTRATECH CEMENT LIMITED
Address: Aditya Cement Works,
Chittaurgarh, Dist. Chittaurgarh, Rajasthan-312005
Ph. & Fax: 02942511001/02942511002

Ref. no. - NVCL/CT/Env./2022-23/39

Dated: - 9.06.2022

Certificate of material received for Co-processing

It is to certify that we have received the plastic waste materials set out below, collected from "M/s Meenu Paper Mills Pvt. Ltd. situated at 9.5 km Bhopa road, Muzaffarnagar (u.p.) (GST Reg # 09AACCM0296K1Z7)" through our business associate M/s Harshit Trading Company (GST Reg # 08CILPS3622P1ZI) at our Chittor Cement Plant, Chittorgarh during the month of May'22.

M/s Harshit Trading Company (GST Reg # 08CILPS3622P1ZI) collects segregates & reduces the moisture in the material. After proper sorting & drying of the material, M/s Harshit Trading Company then supplies the same to us in dedicated vehicle for co-processing.

M/s Harshit Trading Company (GST Reg # 08CILPS3622P1ZI) has collected plastic waste from "M M/s Meenu Paper Mills Pvt. Ltd. (GST Reg # 09AACCM0296K1Z7)" Muzaffarnagar (U.P.).

| Month | Type of Waste | Qty Received (MT) |
|--------|---------------|-------------------|
| May'22 | Plastic Waste | 30.19 |

Thanking you with regards

For Nuvoco Vistas Corp. Ltd.



Bharti Kumari Purohit

(Environment Cell- Chittor Cement Plant)

Ref. no. - NVCI/CCP/Env/2022-23/65

Dated: - 7.07.2022

Certificate of material received for Co-processing

It is to certify that we have received the plastic waste materials set out below, collected from "M/s Meenu Paper Mills Pvt. Ltd. situated at 9.5 km Bhopa road, Muzaffarnagar (u.p.) (GST Reg # 09AACCM0296K1Z7)" through our business associate M/s Harshit Trading Company (GST Reg # 08CILPS3622P1ZI) at our Chittor Cement Plant, Chittorgarh during the month of June'22.

M/s Harshit Trading Company (GST Reg # 08CILPS3622P1ZI) collects segregates & reduces the moisture in the material. After proper sorting & drying of the material, M/s Harshit Trading Company then supplies the same to us in dedicated vehicle for co-processing.

M/s Harshit Trading Company (GST Reg # 08CILPS3622P1ZI) has collected plastic waste from "M M/s Meenu Paper Mills Pvt. Ltd. (GST Reg # 09AACCM0296K1Z7)" Muzaffarnagar (U.P.).

| Month | Type of Waste | Qty Received (MT) |
|---------|---------------|-------------------|
| June 22 | Plastic Waste | 57.95 |

Thanking you with regards

For Novoco Vistas Corp. Ltd.

Bhakti Kumari Purohit

(Environment Cell- Chittor Cement Plant)

[illegible]

संलग्नित प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 1. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 2. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 3. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 4. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 5. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 6. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 7. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 8. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 9. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।
 10. प्रमाणपत्रों के माध्यम से प्रमाणित किया जा रहा है।

नोट: 1. यदि कोई छात्र/छात्रा 100% अंकों के साथ किसी विषय में उत्तीर्ण हो, तो उसे 10% का ग्रेड (अंश) प्रदान किया जायेगा।

2. नदी के पार में नदी का पानी नाला प्रारंभ 0.5 मी. किमी. भूतल से ऊपर मुहाने पर नदी की समतल तट पर 20/ संचालन प्रणाली 1.5 मी. किमी. (करीब)

[illegible][illegible]

उपरोक्त कार्य को निम्नलिखित कार्यवाही के माध्यम से पूर्ण विवरण के साथ अपना यह 15 दिन के अंदर कार्य को पूर्ण करने का आदेश दिया गया है। अतः न देखा करने अथवा संतोषजनक उत्तर प्रदान न होने पर उत्तरों के लिए दायी (अनुपम) प्रमाण एवं निष्पत्ति का विनिर्देश, 2014 अधिनियम के धारा-31(1) अधिनियम धारा 21(4) के अन्तर्गत जारी कालांतरित नोटिस की धारा के अन्तर्गत दिनांक 15 अक्टूबर 2014 को जारी अधिनियम कर दी जायेगी, जिसका सम्पूर्ण अन्तर्द्वेषित प्रमाण स्वयं का होगा।

संयुक्त अधिकांशों के द्वारा एक निर्णय होना अधिकतर।

सूच्य भर्ता/नग्न अधिकारी (विद्युत)

ਪ੍ਰੀਤਵਿਖ ਸਿਧਾਂਤਕੀਤਾ ਦੀ ਸੁਧਾਰਾਂ ਦੇ ਹੁਣ ਆਰਥਿਕ ਪਰਿਵੇਸ਼ ਦੇ ਪ੍ਰਤਿ:

[illegible]

o/c ✓



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(C)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC012696

VALID FROM 31/03/2022 TO 30/03/2027

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No. 202202000387

| | | | |
|--------------------------|--|-----------------------------|------------------------------|
| Name of the Owner | SACHIN AGRAWAL | Company Name | TEHRI PULP AND PAPER LIMITED |
| Designation | G. M. ENVIRONMENT | कंपनी का नाम | TEHRI PULP AND PAPER LIMITED |
| Company Address | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Authorization Letter | Download |
| अवनी का पता | | अधिकार पत्र | |
| Address of the Applicant | 122, SOUTH BHOPA ROAD, NEW MANDI, MUZAFFARNAGAR, UTTAR PRADESH | Application Form Serial No. | MZFN0322NIN0102 |
| Date of Submission | 26/02/2022 | Specimen Signature | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM BHOPA ROAD, MUZAFFARNAGAR | Municipality/Corporation | No |
| Land No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|--------|
| Date of Construction/Sinking of the Well | 20/03/1997 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (in meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 30.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 150.00 |



Maximum Allowable Rate: 150.00
Withdrawal (m³/hr.):

Maximum Allowable: 7.00
Running Hours Per Day:

Maximum Allowable Annual Extraction of Ground Water:

367500.00

This No Objection certificate authorizes the owner/applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (4), and for maximum allowable annual extraction of ground water as shown at Sl. (5) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS: IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(x) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.



all the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.

- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

• **SPECIFIC CONDITIONS:**

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII), Federation Indian Chamber of Commerce and Industry (FICCI), National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 07/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC018076

VALID FROM 31/03/2022 TO 30/03/2027

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202203000001

Name of the Owner SACHIN AGRAWAL

Designation G. M. ENVIRONMENT
प्रद.

Company Address 9TH KM, BHOPA ROAD, MUZAFFARNAGAR.
कंपनी का पता

Address of the Applicant 122, SOUTH BHOPA ROAD, NEW MANDU MUZAFFARNAGAR, UTTAR
PRADESH

Date of Submission 01/03/2022

Location Particulars

District Muzaffar Nagar

Plot No./Khasra No. 9TH KM BHOPA ROAD, MUZAFFARNAGAR

Land No./Holding No.

Company Name TEHRI PULP AND
कंपनी का नाम PAPER LIMITED

Authorization Letter Download
अधिकार पत्र

Application Form Serial MZFN0322NIN010
No.

Specimen Signature

Block MUZAFFARNAGAR

Municipality/Corporation No

N/A

Particular of the Existing Well and Pumping Device

Date of Construction/Sinking of the Well 20/03/1997

Type of Well Tube Well/Boring

Purpose of well Industrial

Strainer Position (For Tube Well)

Type of Pump Used Submersible

Operational Device Electric Motor

Depth of the Well (In meter) 125.00

Assembly Size (For Tube Well)

H.P. of the Pump 30.00

Rate of Withdrawal 150.00
(m³/hr.)



Maximum Allowable Rate 150.00
Withdrawal (m³/hr.):

Maximum Allowable 8.00
Running Hours Per Day:

Maximum Allowable Annual Extraction of Ground Water: 420000.00

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS: IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|----------------------|
| | | | Manual | D/WLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.



the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.

- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/tube well site for providing the location, piezometer/tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no. 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 07/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form B (C)

[See Page B(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC018699

VALID FROM 31/03/2022 TO 30/03/2027

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202203000002

| | | | |
|---------------------------------|--|--|------------------------------|
| Name of the Owner | SACHIN AGRAWAL | Company Name | TEHRI PULP AND PAPER LIMITED |
| Designation पद | G. M. ENVIRONMENT | कंपनी का नाम | TEHRI PULP AND PAPER LIMITED |
| Company Address कंपनी का पता | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR | Authorization Letter प्राधिकार पत्र | Download |
| Address of the Applicant | 122, SOUTH BHOPA ROAD, NEW MANDI, MUZAFFARNAGAR, UTTAR PRADESH | Application Form Serial No. | MZFN0322NN011 |
| Date of Submission | 01/03/2022 | Specimen Signature | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM BHOPA ROAD, MUZAFFARNAGAR | Municipality/Corporation | No |
| Vard No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|--------|
| Date of Construction/Sinking of the Well | 20/03/1997 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (in meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 30.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 150.00 |



Allowable Rate 150.00
drawal (m^3/hr):

Maximum Allowable 8.00
Running Hours Per Day:

Maximum Allowable Annual Extraction of Ground Water: 420000.00

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3k), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.



...regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its

- ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis
- A permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification
- Any other site specific requirement regarding safety and access for measurement may be taken care of

and other condition(s) that may be imposed by the concerned Authority

provide any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation

SPECIFIC CONDITIONS:

(A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:

- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources
- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry
- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution

(B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:

- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
- ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date : 07/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Sl. No.: 1780427E/Muzaffarnagar-2022

Date: 14/10/2022

1. Name of Industry: PULP AND PAPER LTD UNIT-I
2. Address of Industry: M/K. M. Stone, Dhepa Road, Muzaffarnagar (U.P.), MUZAFFARNAGAR, 251001
3. District: Muzaffarnagar
4. Description about sampling point: Foul Outlet Discharge of U.P.P
5. Type of Sample (Grab/Composite/Integrated): Grab
6. Sample Collected By: Anoop Kumar (City Magistrate, Muzaffarnagar & Vipul Kumar, A.E.E. Regional Office Muzaffarnagar)
7. Colour and Odour: Colourless-No Spec. Odor
8. Quantity and Packing: 2.0 Ltrs. PVC
9. Date of Sample Collection: 14/09/2022
10. Analysis Indented by: RO Muzaffarnagar
11. Date of sample receipt in Lab: 15/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| pH, 2490 H H Electronic method | - | 7.53 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total Suspended Solids dried at 103-105 OC | mg/l | 42.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 OC | mg/l | 838.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 OC | mg/l | 964.0 | - | 10- 50000 mg/l |
| BOD (5 day 20 OC IS 3025 (Part 44): 1993 B5) | mg/l | 22.0 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 126.0 | 250 | 5.0 -100000 mg/l |

Reference: (i) General Standards for discharge of environment Pollutants are as per-A Effluent Schedule-VI, The environment (Protection) Rules, 1986 source: <https://www.epa.gov/standards> (ii) Besides these standards refer EPA standards for specific purpose.

Reviewed by:

Authorized by:

[Ravi Keshav(SA)]

Authorized by:

Dr. G. N. T. Singh
 Director
 Central Laboratory
 Uttar Pradesh Pollution Control Board
 Lucknow-226010

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Note: 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of Laboratory; 3. The test report pertains to the sample as received in Lab.

U.P. Pollution Control Board

CONSENT ORDER

Ref No. :-
66769/U.P.PCB/Muzaffarnagar(U.P.PCBRO)/CTO/
water/MUZAFFARNAGAR/2019

Dated : 28/12/2019

To,

Shri SACHIN AGARWAL
M/s TEHRI PULP AND PAPER LTD UNIT 1
9th K.M. Stone, Bhopa Road, Muzaffarnagar (U.P.), MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub: Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. TEHRI PULP AND PAPER LTD UNIT 1

Reference Application No :6012187

Dated :28/12/2019

For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. TEHRI PULP AND PAPER LTD UNIT 1 is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their forssaid application .

This consent is valid for the period from 01/01/2020 to 31/12/2024 .

In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

Nishi Digitally signed
Kumar by Nishi Kumar
Chauhan Date: 29.12.2019
14:51:11 +05:30

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy to Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Digitally signed
Kumar by Nishi Kumar
Chauhan Date: 29.12.2019
14:52:00 +05:30

CEO

C-3.



U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s. TEHRI PULP AND PAPER LTD UNIT I vide

Consent Order No. 6012187/ Water

Dated : 28/12/2019

CONDITIONS OF CONSENT

This consent is valid for the approved production capacity of Kraft Paper- 250 MTD using Waste Paper as main raw material.

This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.

The quantity of maximum daily effluent discharge should not be more than the following:

| Effluent Discharge Details | | | |
|----------------------------|------------------|---------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge, KL/day | Treatment facility and discharge point |
| 1 | Domestic | 5 KLD | Septic Tank |
| 2 | Industrial | 1300 KLD | ETP |

Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.

The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent.

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 5 KLD |

The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms.

| Industrial Effluent | | |
|---------------------|------------------------|--------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Board Norms |
| 2 | BOD | As per Board Norms |
| 3 | COD | As per Board Norms |
| 4 | Oil & Grease | As per Board Norms |
| 5 | Quantity of Discharge | 1300 KLD |

Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory.

The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.

The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.

The industry shall submit Environmental Statement in prescribed form V rule no.14 of U.P. Rules, 1986.



The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.

Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.

Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.

If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.

Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1- The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.

2- In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-115/CPCB/P&P/14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.

3- The unit will not use agro based raw materials in the production process.

4- The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.

5- Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.

6- The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.

7- The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.

8- If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.

9- Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P. Rules 1986.

10- Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.

11- Industry shall install at sufficient height from the ground level Open to Network HD PTZ rotation Camera at the Inlet, Aeration tank, Secondary Clarifier and outlet of Effluent treatment plants for On Line Monitoring and its URL and password shall be provided to the UPPCB control room.

12- This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.

13- Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P. Pollution Control Board for protection and safe guard of environment from time to time.

14- Industry shall submit quarterly monitoring reports of treated effluent from a certified/ approved laboratory under E.P. Act 1986.

15- Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.

16- The unit shall submit the audited balance sheet for the current year.

17- Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.



Issued with the permission of competent authority.

Nishi
Kumar
Chauhan

Digitally signed
By Nishi Kumar
Chauhan
Date: 2019.12.28
14:52:21 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO
C-3.



U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
66997/UPPCB/Muzaffarnagar(U.P.PCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 28/12/2019

To,

Sri SACHIN AGARWAL
M/s. TEHRI PULP AND PAPER LTD UNIT 1
9th K.M. Stove, Bhopa Road, Muzaffarnagar (U.P.), MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub: Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. TEHRI PULP AND PAPER LTD UNIT 1

Reference Application No. 6031570

Dated : 28/12/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s. TEHRI PULP AND PAPER LTD UNIT 1, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.28
16:49:45 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.28
16:49:45 +05'30'

CEO
C-3.



CONDITIONS OF CONSENT

This consent is valid only for the approved production capacity of Kraft Paper-250 using Waste Paper as main raw material.

This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.

The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

Air Pollution Source Details

| Air Pollution Source Details | | | | | |
|------------------------------|----------------------|------------------|-----------|--------------------|--------------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 52 TPH Boiler | Coal and Biomass | 1 | Particulate Matter | 60 Meter |
| 2 | 1250 KVA DG Set | Diesel | 1 | Sulphur Dioxide | As per Board Norms |
| 3 | 1000 KVA DG Set | Diesel | 1 | Sulphur Dioxide | As per Board Norms |

The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|---------------------------------|----------|--------------------|--------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per Board Norms |
| 2 | 1 | Sulphur Dioxide | As per Board Norms |
| 3 | 1 | Sulphur Dioxide | As per Board Norms |

- The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
- Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
- The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
- The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
- The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
- The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
- The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.



13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.



Issued with the permission of competent authority.

High
Kumar
Chaudhary

Secretary
to the
Board

For and on behalf of U.P. Pollution Control Board.

CEO

C-3.





REGIONAL LABORATORY Muzaffarnagar
UTTAR PRADESH POLLUTION CONTROL BOARD
Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref No. 18129362/Muzaffarnagar/2022

Date: 19/10/2022

- 1- Name & Address of Industry: TEJARI PULP AND PAPER LTD UNIT 1
- 2- Sample Collected By: (1) Survesh Kumar (L.A) (2) Ravish Pratap Singh (J.R.E)
- 3- Date of Monitoring: 02/10/2022
- 4- Source of Sampling: Boiler
- 5- Stack attached to: Boiler
- 6- Stack Height: 60 Meters
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 52 TPH
- 9- Fuel used: (1) Coal (2) Rice Husk
- 10- Quantity of Fuel used: (1) Coal-65 TPD (2) Rice Husk-245 TPD
- 11- Flue Gas Velocity: 7.2 m/sec
- 12- Air Pollution Control Device: E.S.P
- 13- Other remarks (if any): At the time of inspection industry found operational
- 14- Further details of sample location and Test methods followed are appended overleaf:

| Sr no. | Parameter | Unit | Result | Standards |
|-----------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 138.20 | 150 |

Analysed by:-

[Survesh Kumar L.A]

Authorised Signatory:-

Ankit Singh RO

ANKIT
SINGH

Regionl Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 17515/UPPCB/MuzaffarNagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated : 03-08-2022

To:

M/s TEHRI PULP AND PAPER LTD UNIT 1

9th K.M stone Bhopa Road Muzaffarnagar, MUZAFFAR NAGAR, 251001

Tehsil : MuzaffarNagar

District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 17515 and 03/08/2022.
2. Reference of application (No. and date) 16681133 and 09/06/2022.
3. Mr. SACHIN AGARWAL of M/s TEHRI PULP AND PAPER LTD UNIT 1 is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9th K.M stone Bhopa Road Muzaffarnagar.

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity (ton/annum) |
|-------|--|--|----------------------|
| 1 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.125 MT/Annum |
| 2 | CATEGORY 33.1 AS PER SCHEDULE I (Empty Barrels/Containers/Liners Contaminated With Hazardous Chemicals/Wastes) | THROUGH TSDF | 1.5 MT/Annum |
| 3 | CATEGORY 5.1 AS PER SCHEDULE I (Used Or Spent Oil) | THROUGH TSDF | 0.375 MT/Annum |
| 4 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 3.0 Mt/Annum |

1. The authorization shall be valid for a period of 02-08-2027 from the date of issue of this letter.
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any).

A General Conditions of Authorization -

RAKESH KUMAR TYAGI

Digitally signed by Rakesh Kumar Tyagi

KUMAR TYAGI

Date: 2022.08.11 21:50:14 +05:30



1. The authorized person shall comply with the provisions of the Environment Protection Act 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the State Pollution Board.
3. The person authorized shall not use land, soil, transport or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorized things or personal equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakage, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on implementing liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty.
7. It is the duty of the authorized person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

1- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.

2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.

3- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.

4- Comprehensive safety measures must be followed in handling of wastes and the staff must be

RAKESH KUMAR TYAGI

Digitally signed by Rakesh Kumar Tyagi

DN: cn=Rakesh Kumar Tyagi

Date: 2023.10.11



properly trained.

5- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.

6- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

7- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

8- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.

9- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

10- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

11- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.

12- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

13- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.

14- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.

RAKESH KUMAR
TYAGI

Digitally signed by RAKESH
KUMAR TYAGI
Date: 2022.08.11 21:30:58 +05'30'



14. It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.

15. You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.

16. You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.

17. Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.

18. Ground water monitoring report of premises shall be submitted within one month.

19. Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

20. The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.

(Authorized Signatory)

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:31:14 +05'30'

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate for information and necessary action.

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:31:36 +05'30'

CEO/EE, I/C Circle



TAX INVOICE

IRN: 812034e31a6592a590df0cad43b514d7d970c936c04345d3c4c332f6a22c887b

Ack No: 142211735802201

Ack Dt: 1-May-2022

Status: Active

Amex/Ref - 80



Printed on 1-May-2022 04:51

(1st ORIGINAL FOR BUYER)

Bharat Oil & Waste Management Ltd.
 Gate No. 672, V/S, Kumbhi, Akharpur Road, NH - 2
 Haridwar-Dehal, UTTAR PRADESH - 209161
 STATE CODE: 09
 GSTIN/UIN: 03AAACB1155EN
 PAN: AAACB1155EN
 CIN: U1201DL2007PLC160944
 E-Mail: sales@bharatol.com

| | |
|--|--------------------------------------|
| Invoice No. KUBER5412223 | Date 1-May-2022 |
| Customer ID: 2952 | Mode/Term of Payment |
| Supplier's Ref: DELIVERY CHALLAN NO: TPPL/WASTEMATERIAL/22-23802 & OUTWARD GATE PASS NO.: 43 | Supplier's Ref Dated: 26-Apr-2022 |
| P.O. NO | P.O. DATE |
| WTS Reference No 53418 | WTS Dated 26-Apr-2022 |
| SEAL No: 1 | Vehicle No: UP12AT 6598 |
| Form - 10: 61058 | Eway bill: NA |
| LR NO. | LR Dated: |
| Reverse Charge Applicable: NO | Box/Cases: |

BUYER / RECIPIENT

Tehri Pulp and Paper Limited
 Unit - 2, 9th KM Stone, Bhoja Road, Muzaffarnagar, UTTAR PRADESH,
 251001, India
 GSTIN/UIN: 03AAACT0285B120
 PAN: AAAC0285B
 POS: UTTAR PRADESH - State Code: 09

CONSIGNER

Tehri Pulp and Paper Limited
 Unit - 2, 9th KM Stone, Bhoja Road, Muzaffarnagar, UTTAR PRADESH,
 251001, India
 STATE CODE: 09
 GSTIN/UIN: 03AAACT0285B120
 PAN: AAAC0285B

| Sl. No | Category | Description Of Goods | HSN/SAC | Quantity | Rate (₹) | Unit | Amount (₹) |
|--------|----------|---|---------|----------|----------|------|------------|
| 33.1 | | Hazardous Waste Disposal Services | | | | | |
| | | 33.1 - Empty barrels/containers/liners contaminated with hazardous chemicals / wt | 898432 | 485 | 17.00 | KG | 8,245.00 |
| | | Total Taxable Value | | | | | 8,245.00 |
| | | SGST | | | 9% | | 742.05 |
| | | CGST | | | 9% | | 742.05 |
| | | Round Off | | | | | 0.10 |
| | | Grand Total | | 485.0 | | KG | ₹ 9,729.00 |

Amount Chargeable (in words): INR Nine Thousand Seven Hundred And Twenty Nine Rupees Only

E & O E

| HSN/SAC | Taxable Value | Central Tax | | State Tax | | Total Tax Amount |
|---------|---------------|-------------|------------|-----------|------------|------------------|
| | | Rate (%) | Amount (₹) | Rate (%) | Amount (₹) | |
| 898432 | 8,245.00 | 9.00 | 742.05 | 9.00 | 742.05 | 1,484.10 |
| Total | 8,245.00 | | 742.05 | | 742.05 | 1,484.10 |

Tax Amount (in words): INR One Thousand Four Hundred And Eighty Four Rupees Only

Declaration:

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

I/weed @ 24% per annum payable if the bill is not cleared/paid within 07 days of presentation of documents.

Please pay only by RTGS/NEFT/DD/Cheque; IF DD/Cheque then Please send to with payment.

Axis BOWML, Attn: Accounts, 11 LGF, Community Center, East Of Kailash, New Delhi 110005, Tel: 11-4100071/26316456/9717706048 sales@bharatol.com

For Invoice is free, if no dispute notified in writing within 7 days of invoice.

Please use ONLY the IFSC code and account number below for RTGS/NEFT for automatic reconciliation.

Bank Name: Axis Bank Limited
 A/C NO.: BOWMK000541X2223
 Branch Add: Lajpat Nagar, New Delhi
 IFSC Code: UTIB0CCCH274

for Bharat Oil & Waste Management Ltd.



Digitally Signed By: Sameer Gaur
 Date: 2022-05-03 17:33:38
 ID: 34 36 176 177
 ID: 34 36 176 177
 Click here to E-sign

Generated from Waste Tracking & Management System (WTS) of www.bharatol.com

^473100495 dt 1.4.95
No. : 09AAACT0285B1Z0
U21022DL1993PLC119328

WTS-53418

100 337

TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

Q : 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

Ref. No. TPL/WASTEMATERIAL/22-23/002

Dated.....

25.04.2022

DELIVERY CHALLAN

To,

M/S Bharat Oil & Waste Management Ltd.

E-18, Site-IV, Sahibabad Industrial Area

Dist-Ghaziabad

Contact Person - Mr. Sandeep Kumar

GSTIN :- 09AADCB1158N2ZF

Please Receive the following material send through Driver Shri SHAKIR
Truck No :- UP12AT-6598

| No. | DESCRIPTION | Quantity | Weight | Remark |
|-----|---|----------|------------------------|--------------------------------|
| 1. | Unit-II Empty plastic drum & waste panni | 485 KG. | Approx. Wt. 545 KG. | Have No Commercial Value |
| 2. | Oil used | 60 KG. | | |
| | (Not for Sale) (Only for Disposal) | | | |
| | HSN Code :-..... | | | |
| | EWAY BILL NO :-..... | | | |

This is Subject to Muzaffarnagar jurisdiction

For TEHRI PULP & PAPER LIMITED
For Tehri Pulp & Paper Ltd.



Auth. Signatory
Delivery Incharge

CERTIFIED
ISO
9001 : 2000
MANUFACTURE

Regd. Office : 216, AGARWAL PRESTIGE MALL PLOT NO. 02
COMMUNITY CENTRE RANI BAGH, PITAMPURA, NEW DELHI - 110034

FORM 10

[See rule 19 (1)]

Copy for SPCB

61068

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

61068

Supplier's Name & Mailing Address
(including Phone No. and email)

Tehri Pul and Paper (tel Unit - 2

9th Km Stone Bhabar Road mu 2 Ahar Nagar

Sender's Authorization No.

3 Manifest Document No.

Challan No TPPL/Waste Material 22-23/002 Dt 26/4/24

4 Transporter's Name & Address
(including Phone No. and email)

Party

5 Type of Vehicle

(Truck / Tanker / Special Vehicle)

6 Transporter's Registration

7 Vehicle Registration No.

UPRAT 6598

8 Receiver's Name & Mailing Address
(including Phone No. and email)(I) BHARAT OIL COMPANY (I) REGD.
E-18, Site-IV, Sahibabad Industrial Area,
Ghaziabad, UP-201010 Tel.: 0120-4167924,
e-mail:sales@bharatoil.com(II) BHARAT OIL & WASTE MANAGEMENT LTD.
Mauza Mukimpur, Roorkee-Lakshar Road,
Roorkee - 247664 UK, Tel.: 08874207664
e-mail:sales@bharatoil.com(III) BHARAT OIL & WASTE MANAGEMENT LTD.
Plot # 672, Sikandra Road, NH-2, Kumbhi Village,
Tehsil Akbarpur, Kanpur Dehat, UP, Tel.: 0512-2285296
e-mail:sales@bharatoil.com

9 Receiver's Authorization No.

(I) 1403/UPPCB/Ghaziabad(UPPCBRO)/HMM/GHAZIABAD/2018 Valid upto: 03/05/2023

(ii) UEPCB/HO/Con-B-84/2018/548 Valid upto: 31/03/2023

(iii) 1403/UPPCB/KanpurDehat(UPPCBRO)/HMM/KANPUR DEHAT/2018 Valid upto: 30/04/2023

10 Waste Description

Empty plastic Drum, Used Oil

11 Total Quantity
No. of Containers405 kg, 60 kg or MT
Nos.

12 Physical Form

(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)

13 Special Handling Instructions & Additional
InformationDo not throw Drums from truck. In case of leakage/
seepage, use Washing soap at point of leak to stop its
leakage.

14 SENDER'S CERTIFICATE

Typed Name & Stamp :

Signature :

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised packed, marked,
and labeled, and are in all respects in proper condition for transport by road

Month

Day

Year

04

26

2022

15 Transporter Acknowledgement of Receipt of Waste

Typed Name & Stamp :

Signature :

Month

Day

Year

04

26

2022

16 Receiver's Certificate for Receipt of Hazardous and
Other Waste

Typed Name & Stamp :

Signature :

Month

Day

Year

04

26

2022

TAX INVOICE


999a003c894204b2d8e4af3694594ba31e2d2f0385696a8ef10b/69d581c0
142211235802335

4-May-2022

Status : Active



Printed on 3-May-2022 04:54
(1st ORIGINAL FOR BUYER)



Bharat Oil & Waste Management Ltd.
 Gate No. 672, VIE, Kumbhi, Akbarpur Road, NH - 2
 Kanpur-Dehat,UTTAR PRADESH - 209101
 STATE CODE : 09
 GSTIN/UIN : 09AAACB1158N2ZF
 PAN : AAACB1158N
 CIN : U11201DL2607PLC160944
 E-Mail : sales@bharatoli.com

BUYER / RECEIPT
 Tehri Pulp and Paper Limited
 Unit 1 - 9th KM Stone, Bhopa Road, Muzaffarnagar, UTTAR PRADESH
 251001, India
 GSTIN/UIN : 09AAACT0285B170
 PAN : AAACB1158N
 UTTAR PRADESH - State Code: 09

CONSIGNER
 Tehri Pulp and Paper Limited
 Unit 1 - 9th KM Stone, Bhopa Road, Muzaffarnagar, UTTAR PRADESH
 251001, India
 STATE CODE : 09
 GSTIN/UIN : 09AAACT0285B120
 PAN : AAACB1158N

Invoice No. :
 K/SEB/542/22-23

Customer ID : 2951

Supplier's Ref :- DELIVERY CHALLAN NO:
 TPPL/WASTEMATERIAL/22-23001 & OUTWARD GATE PASS
 NO.: 43

P.O. NO

WTS Reference No
 53419

SEAL No :-

Form - 10: 61067

LR NO.

Reverse Charge Applicable : NO

Dated
 3-May-2022

Mode/Term of Payment

Supplier's Ref
 Dated :- 26-Apr-2022

P.O. DATE

WTS Dated
 26-Apr-2022

Vehicle No :
 UP12AT 6598

Easy bill : NA

LR Dated :

Bois/Cases :

| Sl No | Category | Description Of Goods | HSN/SAC | Quantity | Rate (₹) | Unit | Amount (₹) |
|-------|----------|--|---------|----------|----------|------|------------|
| 1 | 33.1 | Hazardous Waste Disposal Services 33.1 - Empty barrels/containers/liners contaminated with hazardous chemicals / wa | 999432 | 485 | 17.00 | KG | 8,245.00 |
| | | Total Taxable Value | | | | | 8,245.00 |
| | | SGST | | | 9% | | 742.05 |
| | | CGST | | | 9% | | 742.05 |
| | | Round Off | | | | | 0.10 |
| | | Grand Total | | 485.0 | | KG | ₹ 9,729.00 |

E & O E

Amount Chargeable (in words) : INR Nine Thousand Seven Hundred And Twenty Nine Rupees Only

| HSN/SAC | Taxable Value | Central Tax | | State Tax | | Total Tax Amount |
|---------|---------------|-------------|------------|-----------|------------|------------------|
| | | Rate (%) | Amount (₹) | Rate (%) | Amount (₹) | |
| | 8,245.00 | 9.00 | 742.05 | 9.00 | 742.05 | 1,484.10 |
| 999432 | 8,245.00 | | 742.05 | | 742.05 | 1,484.10 |
| Total | 8,245.00 | | 742.05 | | 742.05 | 1,484.10 |

Tax Amount (in words) : INR One Thousand Four Hundred And Eighty Four Rupees Only

Declaration:
1. We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.
2. Interest @ 24% per annum payable if the bill is not cleared/paid within 07 days of presentation of the documents.
3. Please pay only by RTGS/NEFT/DD/Cheque. IF DD/Cheque then Please send to with payment
address: BOWML, A/c: Accounts, 11 LGF, Community Center, East Of Kailash, New Delhi 110065. Tel: 011-41006110/26216466/9717706048 sales@bharatoli.com
4. Bill/Invoice is final, if no dispute notified in writing within 7 days of invoice.

Please use ONLY the IFSC code and account number below for RTGS/NEFT for automatic reconciliation.

Bank Name : Axis Bank Limited
A/C NO. : BOWMK000542X2223
Branch Add : Lajpat Nagar, New Delhi
IFSC Code : UTIB0CCH274

for Bharat Oil & Waste Management Ltd.



Digitally Signed By: Sonu Gargi
Date: 2022-05-03 17:01:38
IP: 40.38.176.171
ID: y0YzMQm6nC7uPACJasGedQ=

Generated from Waste Tracking & Management System (WTS) of www.bharatoli.com

132/32-1

UD473100495 dt 1.4.95
NS: 09AAACT02B5B1Z0
U21022DL1993PLC119328

WTS-53419



TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001
0131-2468383, 2468384, 2468385, Fax : 0131 - 2468388 E-mail : info@tehripaper.com visit us : www.tehripaper.com

Ref No. TPEL/WASTEMATERIAL/22-23/001

Dated: 26.04.2022

DELIVERY CHALLAN

To,

M/S Bharat Oil & Waste Management Ltd.

E-18, Site-IV, Sahibabad Industrial Area

Dist-Ghaziabad

Contact Person - Mr. Sandeep Kumar

GSTIN :- 09AADCB1158N2ZF

Please Receive the following material send through Driver Shri SHAKIR
Truck No :- UP12AT-6598

| No. | DESCRIPTION | Quantity | Weight | Remark |
|-----|---------------------------------------|----------|--------------------|--------------------------|
| 2. | Unit-I | | | |
| 2. | Empty plastic drum & waste panni | 485 KG. | Approx.Wt. 545 KG. | Have No Commercial Value |
| 2. | Oil used | 50 KG. | | |
| | (Not for Sale) (Only for Disposal) | | | |
| | HSN Code :-..... | | | |
| | EWAY BILL NO :-..... | | | |

542

This is Subject to Muzaffarnagar jurisdiction

For TEHRI PULP & PAPER LIMITED
For Tehri Pulp & Paper Ltd.



Auth. Signatory Incharge
CERTIFIED
ISO
9001 : 2000
MANUFACTURE

Regd. Office : 216, AGARWAL PRESTIGE MALL PLOT NO. 02
COMMUNITY CENTRE RANI BAGH, PITAMPURA, NEW DELHI - 110034

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

Copy for SPCB

Unit 1
61067

| Occupier's Name & Mailing Address (including Phone No. and email) | | Tehri Pulp and Paper Ltd 9th Km Unit-I Stone Bhola Road Muzaffarnagar | | | | | | | |
|--|---|---|--|-------|-----|------|----|----|------|
| Sender's Authorization No. | | | | | | | | | |
| Manifest Document No. | | Challan No TPPL/Waste material/22-23/001 Dt 26/4/22 | | | | | | | |
| Transporter's Name & Address (including Phone No. and email) | | Party | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicles) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12 AT 6598 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel: 0120- e-mail:sales@bharatoil.com | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel : 0512-2285206 e-mail:sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1486/UPPCB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (ii) UEPPCB/HO/Con-B-84/2018/548 Valid upto: 31/03/2023 | (iii) 1403/UPPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | Empty plastic Drum, Used oil | | | | | | | | |
| 11 Total Quantity No. of Containers | 485 kg, 60 kg/m ³ or MT Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/ seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| 14 SENDER'S CERTIFICATE | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | |
| Typed Name & Stamp : | | Signature : | | | | | | | |
| | | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>04</td> <td>26</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 04 | 26 | 2022 |
| Month | Day | Year | | | | | | | |
| 04 | 26 | 2022 | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | | | | | | | | | |
| Typed Name & Stamp : | | Signature : | | | | | | | |
| | | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>04</td> <td>26</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 04 | 26 | 2022 |
| Month | Day | Year | | | | | | | |
| 04 | 26 | 2022 | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other waste | | | | | | | | | |
| Typed Name & Stamp : | | Signature : | | | | | | | |
| | | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>04</td> <td>26</td> <td>2022</td> </tr> </table> | | Month | Day | Year | 04 | 26 | 2022 |
| Month | Day | Year | | | | | | | |
| 04 | 26 | 2022 | | | | | | | |



TEHRI**PULP & PAPER LIMITED**Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

NO. TPPL/WASTEMATERIAL/21-22/008

Dated

28.12.2021

DELIVERY CHALLAN

To,

M/S Bharat Oil & Waste Management Ltd.

E-18, Site-IV, Sahibabad Industrial Area

Dist-Ghaziabad

Contact Person - Mr. Sandeep Kumar

GSTIN :- 09AADCB1158N2ZF

Please Receive the following material sand through Driver Shri JAGMOHAN
Truck No :- UP12BT-1407

| No. | DESCRIPTION | Quantity | Weight | Remark |
|-----|---|----------|-----------------------|--------------------------------|
| 1. | Unit-I Oil used (Not for Sale) (Only for Disposal) HSN Code :- EWAY BILL NO :- | 475 Kg. | Approx.Wt. 475 KG. | Have No Commercial Value |

This is Subject to Muzaffarnagar jurisdiction

For TEHRI PULP & PAPER LIMITED



Delivery Invoice

9001 : 2000

Regd. Sub. Invoice
27.12.21

MANIFEST FOR HAZARDOUS AND OTHER WASTE S.No.:

| Occupier's Name & Mailing Address (including Phone No. and email) | Tehri Pulp and Paper Ltd Unit-1 9th Km Stone Bhoga Road Muzaffarnagar | | | | | | | | |
|--|---|------|--|-------|-----|------|----|----|------|
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | Chulha No. DSB-24/11/21 | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party | | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12BT-1407 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) RE E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel.: 012 e-mail:sales@bharatoil.com | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MA Plot # 672, Sikandra Road, NH-2, Tehsil Akbarpur, Kanpur Dehat, UP e-mail:sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1486/UPPCB/Ghaziabad/UPPCBRO/HMM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (ii) UEPPCB/HOI/Con-B-84/2018/548 Valid upto: 31/03/2023 | (iii) 1403/UPPCB/KanpurDehat/UPPCBRO/HMM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | Oil Used | | | | | | | | |
| 11 Total Quantity No. of Containers | 47.5 kg m ³ or MT Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | | |
| Typed Name & Stamp : Signature : | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>28</td> <td>2021</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 28 | 2021 |
| Month | Day | Year | | | | | | | |
| 12 | 28 | 2021 | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>28</td> <td>2021</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 28 | 2021 |
| Month | Day | Year | | | | | | | |
| 12 | 28 | 2021 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |
| 16 Receiver's Certificate of Receipt of Hazardous and other Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>29</td> <td>2021</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 29 | 2021 |
| Month | Day | Year | | | | | | | |
| 12 | 29 | 2021 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |

Regd. Sub Inscr.



Fuel Consumptions & Ash Generation: -

| Month | Fuel Consumptions (Baggasse+Rice Husk+Coal) (mt) | Total Ash Generation (mt) | Ash Dispatched to | |
|--------------|--|---------------------------------|----------------------|---------------------|
| | | | Cement Plant (mt) | Brick Kilns (mt) |
| Feb, 22 | 13230 | 1058.40 | 207.65 | 850.00 |
| March, 22 | 8570 | 685.60 | 290.28 | 395.00 |
| April, 22 | 9460 | 756.80 | 283.74 | 476.00 |
| May, 22 | 8020 | 641.60 | 220.00 | 421.00 |
| June, 22 | 8900 | 712.00 | 181.72 | 531.00 |
| July, 22 | 6794 | 543.52 | 65.20 | 478.00 |
| Total | 54974.00 | 4397.92 | 1248.59 | 3151.00 |

Total Fuel Consumptions during Feb, 22 to July, 22 - 54974.00 MT

Total Ash generated during Feb, 22 to July, 22 - 4397.92 MT

Dispatch to Cement Plant during Feb, 22 to July, 22 - 1318.94 MT

Dispatched to Brick Kilns during Feb, 22 to July, 22 - 3050.00 MT

For - TEHRI PULP AND PAPER LTD

(Signature)
(K. GUPTA)
Authorised Signatory

TEHRI PULP AND PAPER LIMITED – MUZAFFARNAGAR

Fly Ash Generation & Dispatch detail sent to Cement Plant

(Period from February, 2022 to July, 2022)

| S. No. | Date | Vendor Name | Weight of Fly Ash (mt) | Vehicle/Capsule No. | Invoice No. | Sent to- |
|--------|----------|---------------------------------|------------------------|---------------------|--------------|--------------|
| 1. | 14.02.22 | Bulk ash supplier Muzaffarnagar | 30.910 | PB23H9281 | SLOTH/000041 | Cement Plant |
| 2. | 17.02.22 | Bulk ash supplier Muzaffarnagar | 30.000 | PB23H9281 | SLOTH/000042 | Cement Plant |
| 3. | 17.02.22 | Bulk ash supplier Muzaffarnagar | 29.620 | PB23M8381 | SLOTH/000043 | Cement Plant |
| 4. | 22.02.22 | Bulk ash supplier Muzaffarnagar | 26.890 | PBPB11BU3585 | SLOTH/000044 | Cement Plant |
| 5. | 23.02.22 | Bulk ash supplier Muzaffarnagar | 31.090 | PB23H6081 | SLOTH/000045 | Cement Plant |
| 6. | 23.02.22 | Bulk ash supplier Muzaffarnagar | 29.550 | PB23J5581 | SLOTH/000046 | Cement Plant |
| 7. | 24.02.22 | Bulk ash supplier Muzaffarnagar | 29.590 | PB13AB4585 | SLOTH/000047 | Cement Plant |
| 8. | 01.03.22 | Bulk ash supplier Muzaffarnagar | 38.190 | PB23T3281 | SLOTH/000049 | Cement Plant |
| 9. | 03.03.22 | Bulk ash supplier Muzaffarnagar | 31.350 | PB23H6081 | SLOTH/000050 | Cement Plant |
| 10. | 15.03.22 | Bulk ash supplier Muzaffarnagar | 36.860 | PB23H9281 | SLOTH/000053 | Cement Plant |
| 11. | 22.03.22 | Bulk ash supplier Muzaffarnagar | 33.520 | PB15AB4785 | SLOTH/000055 | Cement Plant |
| 12. | 25.03.22 | Bulk ash supplier Muzaffarnagar | 37.170 | HR58B3875 | SLOTH/000058 | Cement Plant |
| 13. | 25.03.22 | Bulk ash supplier Muzaffarnagar | 35.160 | PB23M7985 | SLOTH/000057 | Cement Plant |
| 14. | 25.03.22 | Bulk ash supplier Muzaffarnagar | 36.870 | PB23H7581 | SLOTH/000059 | Cement Plant |
| 15. | 27.03.22 | Bulk ash supplier Muzaffarnagar | 41.160 | PB13AB4785 | SLOTH/000060 | Cement Plant |
| 16. | 06.04.22 | Bulk ash supplier Muzaffarnagar | 35.710 | PB23H7581 | SLOTH/000001 | Cement Plant |
| 17. | 06.04.22 | Bulk ash supplier Muzaffarnagar | 37.620 | PB23M3685 | SLOTH/000002 | Cement Plant |
| 18. | 06.04.22 | Bulk ash supplier | 34.450 | HR58B5073 | SLOTH/000003 | Cement Plant |



| | | | | | | |
|-------|----------|---------------------------------|------------|------------|--------------|--------------|
| 19. | 07.04.22 | Muzaffarnagar Bulk ash supplier | 35.250 | HR58B0839 | SLOTH/000004 | Cement Plant |
| 20. | 08.04.22 | Muzaffarnagar Bulk ash supplier | 37.480 | HR58B9953 | SLOTH/000005 | Cement Plant |
| 21. | 09.04.22 | Muzaffarnagar Bulk ash supplier | 38.090 | PB11AB4585 | SLOTH/000006 | Cement Plant |
| 22. | 11.04.22 | Muzaffarnagar Bulk ash supplier | 35.610 | PB23H9281 | SLOTH/000007 | Cement Plant |
| 23. | 11.04.22 | Muzaffarnagar Bulk ash supplier | 34.030 | PB23H3685 | SLOTH/000008 | Cement Plant |
| 24. | 26.04.22 | Muzaffarnagar Bulk ash supplier | 29.950 | PB23H6081 | SLOTH/000010 | Cement Plant |
| 25. | 07.05.22 | Muzaffarnagar Bulk ash supplier | 16.070 | PB11AP2881 | SLOTH/000011 | Cement Plant |
| 26. | 09.05.22 | Muzaffarnagar Bulk ash supplier | 19.490 | PB11AP3081 | SLOTH/000013 | Cement Plant |
| 27. | 09.05.22 | Muzaffarnagar Bulk ash supplier | 19.180 | PB11AU3860 | SLOTH/000012 | Cement Plant |
| 27. | 10.05.22 | Muzaffarnagar Bulk ash supplier | 21.770 | PB11AP2681 | SLOTH/000014 | Cement Plant |
| 28. | 17.05.22 | Muzaffarnagar Bulk ash supplier | 31.730 | PB23M9581 | SLOTH/000016 | Cement Plant |
| 29. | 23.05.22 | Muzaffarnagar Bulk ash supplier | 26.520 | PB23K8385 | SLOTH/000018 | Cement Plant |
| 30. | 23.05.22 | Muzaffarnagar Bulk ash supplier | 28.130 | HR58B9846 | SLOTH/000019 | Cement Plant |
| 41. | 26.05.22 | Muzaffarnagar Bulk ash supplier | 29.640 | PB23K6685 | SLOTH/000020 | Cement Plant |
| 42. | 30.05.22 | Muzaffarnagar Bulk ash supplier | 27.470 | PB13BM7881 | SLOTH/000021 | Cement Plant |
| 43. | 16.06.22 | Muzaffarnagar Bulk ash supplier | 20.850 | UP36T4549 | SLOTH/000022 | Cement Plant |
| 44. | 04.07.22 | Muzaffarnagar Bulk ash supplier | 30.450 | PB11BU3585 | SLOTH/000027 | Cement Plant |
| 45. | 08.07.22 | Muzaffarnagar Bulk ash supplier | 24.740 | HR58B2847 | SLOTH/000028 | Cement Plant |
| 45. | 08.07.22 | Muzaffarnagar Bulk ash supplier | 29.270 | HR58B3875 | SLOTH/000029 | Cement Plant |
| 46. | 24.06.22 | Muzaffarnagar Bulk ash supplier | 19.320 | PB13AB4485 | SLOTH/000026 | Cement Plant |
| 47. | 24.06.22 | Muzaffarnagar Bulk ash supplier | 28.350 | PB23M9985 | SLOTH/000025 | Cement Plant |
| 48. | 22.06.22 | Muzaffarnagar Bulk ash supplier | 28.740 | PB11CQ0681 | SLOTH/000024 | Cement Plant |
| 49. | 28.07.22 | Muzaffarnagar Bulk ash supplier | 35.240 | PB13M7885 | SLOTH/000032 | Cement Plant |
| 50. | 29.07.22 | Muzaffarnagar Bulk ash supplier | 29.960 | PB11BU4181 | SLOTH/000033 | Cement Plant |
| Total | | | 1318.94 mt | | | |



TEHRI PULP AND PAPER LIMITED – MUZAFFARNAGAR

Plastic Waste Generation & Dispatch to Cement Plant

(From Feb, 2022 to July, 2022)

| S. No. | Date | Vendor Name | Weight of Plastic Waste (mt) | Vehicle No. | Purchase Order No. | Sent to- |
|--------|----------|------------------------------------|------------------------------|-------------|--------------------|---------------------------------|
| 1. | 18.02.22 | Ultra Tech Cement Cittorgarh | 24.880 | NL01AE/7205 | 1610502825 | Ultra Tech Cement Cittorgarh |
| 2. | 29.04.22 | Harshit Trading Co. Chittorgarh | 22.960 | NL01AF/2344 | 1610502825 | Nuvoco Cement Cittorgarh |
| 3. | 15.05.22 | Nuvoco Cement Cittorgarh | 29.090 | RJ01GB/3357 | 1610502825 | Nuvoco Cement Cittorgarh |
| 4. | 11.06.22 | Nuvoco Cement Cittorgarh | 25.830 | RJ01GB/3195 | 1610502825 | Nuvoco Cement Cittorgarh |
| 5. | 20.06.22 | Nuvoco Cement Cittorgarh | 30.110 | NL01AE/7496 | 1610502825 | Nuvoco Cement Cittorgarh |
| 6. | 13.07.22 | Nuvoco Cement Cittorgarh | 25.890 | NL01AE/8925 | 1610502825 | Nuvoco Cement Cittorgarh |
| Total | | | 158.76 mt | | | |

Plastic generated in February, 2022 – 27.07 MT against waste paper of 9023.95 MT

Plastic generated in March, 2022 - 21.32 MT against waste paper of 7107.78 MT

Plastic generated in April, 2022 - 20.47 MT against waste paper of 6822.14 MT

Plastic generated in May, 2022 - 35.52 MT against waste paper of 11842.39 MT

Plastic generated in June, 2022 -34.48 MT against waste paper of 11493.12 MT

Plastic generated in July, 2022 - 31.77 MT against waste paper of 10589.00 MT



Total Plastic generated during Feb, 2022 to July, 2022 – 170.63 MT

Plastic sent to Cement Plant for co-Processing - 158.76 MT

For – TEHRI PULP AND PAPER

K. K. Gupta

(K K Gupta)

Authorized Signatory



TEHRI

PULP & PAPER LIMITED

Office & Works 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

Tel: 0131-2468383, 2468384, 2468385, Fax: 0131-2468386 E-mail: info@tehripaper.com visit us: www.tehripaper.com

Ref No:

Dated:

Date - 10.08.2022

To,
The Chief Environment Officer (Circle - 3)
U. P. Pollution Control Board
T. C. - 12 V, Vibhuti Khand
Gomti Nagar
Lucknow - 226016

Ref. - letter no. 151796/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/both/Muzaffarnagar
/2022, dated 15.03.2022.

Sub. - Submission of Compliances against Consent Order under section 25 of the water
(Prevention and control of Pollution) Act, 1974 & section 21 of the Air (Prevention and
control of Pollution) Act, 1981 to M/s Tehri Pulp and Paper LTD, Muzaffarnagar.

(Consent No. - 15367508) UNIT-2

Dear Sir,

With reference to the above subject hereby we are submitting the point wise reply for
the implementation of General and Specific Consent conditions against Consent Order No.
15367508 for both Air & Water attached as Annexure-I & II.

Thanks and Regards,

Yours Faithfully,

For - TEHRI PULP AND PAPER LTD

(K K Gupta)
Authorized Signatory



17-8-22
17-8-22

Encl: -

Compliances Report of Water & Air Consent Order as Annexure-I & II.

Copy to cc: -

The Regional Officer, U. P. P. C. B. Muzaffarnagar (UP).

Regd. Office: 216, AGARWAL PRESTIGE MALL PLOT NO. 02
COMMUNITY CENTRE RANI BAGH, PITAMPURA, NEW DELHI - 110034



CERTIFIED
ISO
9001:2008
MANUFACTURE

POINT WISE COMPLIANCES WITH CONSENT CONDITIONS FOR AIR

Ref. - letter no. 151796/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/both/MUZAFFARNAGAR/
2022, dated 15.03.2022. (Consent Order No. 15367508/Water & Air). UNIT-2

REGARDING SPECIFIC CONDITIONS:-

1. Mill ensures to manufacture the Kraft Paper up to 350 TPD from waste paper only.
2. Mill has already established the Miyawaki Forest as Guidelines issued by UPPCB.
3. Mill is agreeing to revoke of earlier issued Water Consent Order by UPPCB.
4. Mill is agreeing to revoke of earlier issued Air Consent Order by UPPCB.
5. Industry insures to follow the mentioned Guideline issued by UPPCB.
6. Industry insures to follow the mentioned Guideline issued by UPPCB.
7. Industry insures to follow the mentioned Guideline issued by UPPCB.
8. Industry has already submitted a bank guarantee of Rs 50000/- as per CTE issued. A copy of bank Guarantee is being attached herewith for reference as Annexure-I.
9. Industry insures to follow the mentioned Guideline issued by UPPCB.
10. Industry insures to follow the mentioned Guideline issued by UPPCB.
11. Industry insures to follow the mentioned Guideline issued by UPPCB.
12. Industry insures to follow the mentioned Guideline issued by UPPCB.
13. Industry is already complying the above point mentioned in the Guidelines.
14. Industry insures to follow the mentioned Guideline issued by UPPCB.



11. Industry insures to follow the mentioned Guideline issued by UPPCB.
16. Industry it agreed to follow the mentioned Guideline issued by UPPCB.
17. Industry insures to follow the mentioned Guideline issued by UPPCB.
18. Industry insures to follow the mentioned Guideline issued by UPPCB.
19. Industry insures to follow the mentioned Guideline issued by UPPCB.
20. Industry insures to follow strictly the mentioned Guideline issued by UPPCB.
21. Industry insures to follow the mentioned Guideline issued by UPPCB.
22. Industry insures to follow the mentioned Guideline issued by UPPCB.
23. Industry insures to follow the mentioned Guideline issued by UPPCB.
24. Industry insures to follow strictly the mentioned Guideline issued by UPPCB.
25. Industry insures to follow the mentioned Guideline issued by UPPCB.
26. Industry insures to follow the mentioned Guideline issued by UPPCB.
27. Industry insures to follow the mentioned Guideline issued by UPPCB.
28. Industry insures to follow the mentioned Guideline issued by UPPCB.
29. Industry insures to follow the mentioned Guideline issued by UPPCB.
30. Industry insures to follow the mentioned Guideline issued by UPPCB.
31. Industry already installed a PTZ camera in ETP and its URL & password already submitted in UPPCB.
32. Industry insures to follow the mentioned Guideline issued by UPPCB.



33. Industry insures to follow the mentioned Guideline issued by UPPCB.
34. Industry insures to follow the mentioned Guideline issued by UPPCB.
35. Industry insures to follow the mentioned Guideline issued by UPPCB.
36. Industry insures to follow the mentioned Guideline issued by UPPCB.
37. Industry insures to follow the mentioned Guideline issued by UPPCB.

REGARDING GENERAL CONDITIONS: -

Industry insures to follow the mentioned Guideline issued by UPPCB.

1. Industry insures to follow the mentioned Guideline issued by UPPCB.
2. Industry insures to follow the mentioned Guideline issued by UPPCB.
3. Industry insures to follow the mentioned Guideline issued by UPPCB.
4. Industry insures to follow the mentioned Guideline issued by UPPCB.
5. Industry insures to follow the mentioned Guideline issued by UPPCB.
6. Industry insures to follow the mentioned Guideline issued by UPPCB.
7. Industry insures to follow the mentioned Guideline issued by UPPCB.
8. Industry insures to follow the mentioned Guideline issued by UPPCB.
9. Industry insures to follow the mentioned Guideline issued by UPPCB.
10. Industry insures to follow the mentioned Guideline issued by UPPCB.
11. Industry is agreed with the above mentioned Guideline.
12. Industry insures to follow the mentioned Guideline issued by UPPCB.



13. Industry insures to follow the mentioned Guideline issued by UPPCB.
14. Industry insures to follow the mentioned Guideline issued by UPPCB.
15. Industry is agreed with the above mentioned Guideline.
16. Industry insures to follow the mentioned Guideline issued by UPPCB.
17. Industry insures to follow the mentioned Guideline issued by UPPCB.
18. Industry insures to follow the mentioned Guideline issued by UPPCB.
19. Industry insures to follow the mentioned Guideline issued by UPPCB.
20. Industry insures to follow the mentioned Guideline issued by UPPCB.
21. Industry insures to follow the mentioned Guideline issued by UPPCB.
22. Industry insures to follow the mentioned Guideline issued by UPPCB.
23. Industry insures to follow the mentioned Guideline issued by UPPCB.
24. Industry insures to follow the mentioned Guideline issued by UPPCB.

For – TEHRI PULP AND PAPER LTD

(Handwritten Signature)

(K K Gupta)

Authorized Signatory





Punjab National Bank of Commerce

पंजाब नेशनल बैंक ऑफ़ कॉमर्स

राजस्थान

जयपुर

Date: 02/09/2021



Name & Address of the Controlling Office
where jurisdiction the branch is
exercising -

Chief Manager
Raj. Road Shakuntalam
Jaipur - 302001

Following Letter is issued to be annexed to the letter of Bank Guarantee
No. 338865 dated 02/09/2021 for Rs. 50000.00 (Rupees Fifty Thousand) valid
till 02/09/2023 issued by this office on under the joint signatures of:-

Mr. Arun Kumar
Chief Manager
No. 338865

Mr. Arun Kumar
Chief Manager
No. 313674

Signature of this Bank Guarantee if the same is desired should be obtained from the
Controlling Office named above.

Beneficiary's Name & Address:-
Rajasthan Control Board
Raj. Road Vibhuti Khand

Jaipur
Raj. Road

Signature
02/09/2021





सत्यमेव जयते

INDIA NON JUDICIAL Government of Uttar Pradesh

e-Stamp



Certificate No.

Certificate Issued Date

Account Reference

Unique Doc Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount (Rs.)

IN-UP48933576010741T

31-Aug-2021 03:05 PM

NEWIMPACC (SV)/ up14366804/ MUZAFFARNAGAR SADAR/ UP/ MJF

SUBIN-UPUP1436680486651924546913T

PUNJAB NATIONAL BANK CIRCULAR ROAD MZN

Article 5 Agreement or Memorandum of an agreement

FOR BANK DOCUMENT

PUNJAB NATIONAL BANK CIRCULAR ROAD MZN

Not Applicable

PUNJAB NATIONAL BANK CIRCULAR ROAD MZN

500

(Five Hundred only)



Please write or type below this line:

BANK GUARANTEE

Punjab National Bank stand guarantee to the extent of Rs. 50,000/- (Rs. Fifty thousand only) on behalf of our customer & client M/s. TEHRI PULP AND PAPER, UNIT-2, 9th Km Stone, Bhopa Road, Muzaffarnagar (U.P.) (hereinafter called 'the unit') under the terms & conditions of this guarantee for Two Years from the date of fulfilment of the terms & conditions mentioned below, imposed on

and 02/04/2021

2023



...on Control board by the said industrial unit on production of Bank
Guarantee of Rs. 50,000/- (Rs. Fifty Thousand only)

1. National Bank hereby undertake to pay the U.P. Pollution Control
amount not exceeding Rs. 50,000/- against any violation of terms &
conditions mentioned below imposed by U.P. Control Board :-

Specific Conditions:

1. Consent to Establish is valid for the expansion of production capacity in
the unit. After expansion the production capacity will be Kraft Paper
200 TPD to 350 TPD. In case of any change in production capacity, process,
raw materials use etc. the industry will have to intimate the Board. For any
enhancement of the above, fresh Consent to Establish has to be obtained
from U.P. Pollution Control Board.

2. Industry shall comply all the condition imposed in NOC provide by UPGWD
vide dated 03.02.2021 for extracting of ground water.

3. Industry shall install new Sludge Drying Beds for treatment of industrial
effluent.

4. Industry shall supply steam from sister concern unit M/s Tehri Pulp and
Paper (Unit-1), Bhopa Road, Muzaffarnagar.



Industry No. 0018111/0000321 dated 02-09-2021
date of expiry 01-05-2023



Industry shall comply the provisions of Hazardous and Other Waste (Management and Trans-boundary Movement) Rules 2016 and shall obtain authorization for the disposal of hazardous waste.

Consent to Establish (CTE) order shall automatically become invalid on Revocation of Closure order by C.P.C.B / UPPCB and further on Revoking of Closure order, the Consent order shall become valid.

Industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.

Industry shall comply with order passed by Hon'ble NGT time to time.

Industry shall ensure provisions of Roof Top Rain Water Harvesting Scheme and Ground Water Recharging Proposal/ compliance report should be sent to the Board within One month.

Industry shall establish Air Pollution Control System & ETP as proposed in the project report.

Minimum 33% of the land on which industry is established will be covered by the plantation of 1:1 trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf. Beside this,



Handwritten signature

Guarantee no 004811LG000321 dated 02-09-2021
Valid till 30/09/2023 - date of expiry 01-09-2023



the unit will install 5 additional saplings within the campus with protection measures for ensuring their survival.

- The unit shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).

- Industry shall dispose the hazardous waste through authorized recyclers/TSDF.

- Punjab National Bank do hereby undertake to pay the amounts due and payable under this guarantee without any demure merely on a demand from the U.P. Pollution Control Board stating that the amount claimed is due by way of violation of any of the conditions imposed by the U.P. Pollution Control Board mentioned above, by the said industrial unit. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. However our liability under this guarantee shall be restricted to an amount not exceeding Rs. 500/- (Rs. Fifty Thousand only).

- We the Bank undertake to pay to the U.P. Pollution Control Board the amount referred in the guarantee above so demanded notwithstanding any disputes raised by the industrial unit in any suit or proceeding pending



U.P. Pollution Control Board, Lucknow
Date: 02-09-2021
Date of expiry: 01-09-2023



before any Court of Law relating thereto our liability under this present being absolute and unequivocal.

The Punjab National Bank further agree that the guarantee herein contained shall retain in full force and effect during the period that has been specified for the performance of the above conditions and that it shall continue to be enforceable till the U.P. Pollution Control board certifies that the terms and conditions imposed by U.P. Pollution Control Board have been fully and properly carried out by the said industrial unit and accordingly discharges guarantee and, unless a demand or claim under this guarantee is made in writing on or before the we shall be discharged from all liability under this guarantee thereafter.

This Guarantee will not be discharged due to change in the constitution of the Bank or the industry.

The Punjab National Bank lastly undertake not to revoke this guarantee during the currently except with the previous consent of the U.P. Pollution Control Board in writing Notwithstanding anything contained herein :

our liability under this Bank guarantee shall not exceed Rs. 50,000/-
(Rs. Fifty Thousand only).



File no 004811LC0003 dated 02-09-2021
Date of expiry 04-10-2021



Page 1

TEHRI**PULP & PAPER LIMITED**

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001
 ☎ 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

Ref No. _____

Dated _____

Date - 01.08.2022

To
 The Chief Environment Officer (Circle - 3)
 U. P. Pollution Control Board
 T. C. - 12 V, Vibhuti Khand
 Gomti Nagar
 Lucknow - 226016

Ref. - Reference no. 66997/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Air/Muzaffarnagar/2019, dated 28.12.2019.

Sub. - Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981.
 (Reference Application No. - 6031570/Air, dated 28.12.2019) - UNIT-1

Dear Sir,

With reference to the above subject hereby we are submitting the point wise reply for the implementation of General and Specific Consent conditions against Consent Order Reference No. 6031570/Air here as under-

Point no. 1:-

Mill ensures to follow the Consent Conditions as per The Consent Order No. 6031570/Air in Reference letter no. 66997/UPPCB/Mzn(UPPCBRO)/CTO/Air/Muzaffarnagar/2019, dated 28.12.2019 for our Unit along with the mentioned Directives. Compliances of General and Specific Consent Conditions are being attached herewith as Annexure-1.

Point no. 2:-

Mill accept the validity of Air Consent Order granted by UPPCB.



CERTIFIED
 ISO
 9001 : 20

Regd. Office : 216, AGARWAL PRESTIGE MALL PLOT NO. 02
 COMMUNITY CENTRE RANI BAGH, PITAMPURA, NEW DELHI - 110034



TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

☎ : 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

Ref. No.

Dated

Point no. 3: -

Mill insures to follow the above Point strictly.

Thanks and Regards,

Yours Faithfully,

For - TEHRI PULP AND PAPER LTD

(K K Gupta)
(K K Gupta)
Authorized Signatory



Encl: -

- Compliances Report of Air Consent Order as Annexure-1.

Copy to cc: -

- The Regional Officer, U. P. P. C. B. Muzaffarnagar (UP).

(Signature)
17-8-22

TEHRI PULP & PAPER LTD

17-8-22



POINT WISE COMPLIANCES WITH CONSENT CONDITIONS FOR AIR

Ref. – letter no. 66997/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Air/MUZAFFARNAGAR/2019, dated 28.12.2019. (Consent Order No. 6031570/Air). UNIT-1

REGARDING GENERAL CONDITIONS:

1. Mill ensures to manufacture the Kraft Paper up to 250TPD from waste paper and agro residue waste only.
2. Mill ensures to follow the above mentioned Guideline strictly.
3. (a) Mill ensures to maintain the status of emissions Parameters as per the Norms Prescribed in Consent Order.

(b) Mill ensures to maintain the status of emissions Parameters strictly as per the Norms mentioned in the Consent Order.

(c) Mill ensures to maintain the status of emissions Parameters strictly as per the Norms mentioned in the Consent Order.
4. We assure you to maintain other emissions Pollutants also as per the Norms prescribed by the Board/MOEF & CC/ or otherwise mandatory.
5. Mill ensures to follow the status of Air Pollution Control Systems strictly as per the Guidelines mentioned in the Air Consent Order.
6. Mill ensures to follow the above point strictly as per the Direction mentioned in the Air Consent Order.
7. Mill ensures to follow the above point related to APCDs and its maintenance strictly as per the standards prescribed by the Board/MOEF & CC/ or otherwise mandatory mentioned in the Air Consent Order.
8. Mill ensures to follow the above point related to fugitive emissions as per the Norms prescribed by the Board/MOEF & CC/ or otherwise mandatory mentioned in the Air Consent Order.



9. Mill ensures to follow the above point mentioned in the Consent Order, a copy of recent stack emission monitoring report from NABL certified lab is being attached herewith as Annexure-1(a)

SPECIFIC CONDITIONS:

1. Mill ensures to manufacture the Craft Paper and Duplex Paper up to 100TPD by using waste paper and other chemicals as raw material only.
2. Mill agreed with the above mentioned conditions in Consent Order.
3. Mill ensures to follow the provisions of Charter as mentioned in Air Consent Order.
4. Mill ensures to comply with the conditions of CTE issued vide letter no. 1149/UPPCB/Allahbad (UPPCBRO)/CTE/air/ALLAHBAD/2017 dated 02.12.2017.
5. Mill ensures to follow the above point related to APCDs and its maintenance strictly as per the standards prescribed under E(P) Rules, 1986 and also ensures to submit the Emissions and Ambient Air Monitoring Reports accordingly as per mentioned in Air Consent Order.
6. Mill ensures to follow the above point related to installation of 10 TPH boiler, mentioned in Air Consent Order.
7. Mill ensures to follow the above point related to Fly Ash/Solid Waste Disposal, mentioned in The Air Consent Order.
8. Industry ensures to comply with the provisions of Hazardous and other waste (Management and Trans boundary Movement) Rules, 2016 and will follow as per the Condition mentioned in Consent Order.
9. Mill ensures to follow the above point related to green belt development, mentioned in The Air Consent Order.
10. Mill ensures to follow the above point related to uses of Bio fuel, mentioned in Air Consent Order.
11. Mill ensures to follow the above point mentioned in Air Consent Order.
12. Mill ensures to follow the above point mentioned in The Air Consent Order.

For – TEHRI PULP AND PAPER LTD



TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

☎ : 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehripaper.com visit us : www.tehripaper.com

Ref. No.

Dated

To,

Date – 01.08.2022

The Chief Environment Officer (Circle – 3)
U. P. Pollution Control Board
T. C. – 12 V, Vibhuti Khand
Gomti Nagar
Lucknow -226016

Ref. - letter no. 66769/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/Water/Muzaffarnagar
/2019, dated 28.12.2019.

Sub. - Consent under section 25/26 of the water (Prevention and control of Pollution) Act,
1974 (as amended) for discharge of effluent to M/s Tehri Pulp and Paper LTD.
(Reference Application No. – 6012187/Water), UNIT-1

Dear Sir,

With reference to the above subject hereby we are submitting the point wise reply for the implementation of General and Specific Consent conditions against Consent Order No. 6012187/Water here as under-

Point no. 1:-

Mill ensures to follow the Consent Conditions as per The Consent Order No. 6012187/Water in Reference letter no. 66769/UPPCB/Mzn(UPPCBRO)/CTO/Water/Muzaffarnagar/2019, dated 28.12.2019 for our Unit along with the mentioned Directives. Compliances of General and Specific Consent Conditions are being attached herewith as Annexure-1.

Point no. 2:-

Mill accepts the validity of Consent Order granted by UPPCB.



TEHRI

PULP & PAPER LIMITED

Office & Works 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

☎ 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

Ref. No. _____

Dated _____

Point no. 3: -

Mill insures to follow the above Point strictly.

Thanks and Regards,

Yours Faithfully,

For - TEHRI PULP AND PAPER LTD

(K K Gupta)

Authorized Signatory



Encl: -

- Compliances Report of Water Consent Order as Annexure-1.

Copy to cc: -

- The Regional Officer, U. P. P. C. B. Muzaffarnagar (UP).

17.8.22

प्रमाणित
प्रमाणित
प्रमाणित



CERTIFIED
ISO
9001 : 200

MANUFACTURE

POINT WISE COMPLIANCES WITH CONSENT CONDITIONS FOR WATER

Ref. - letter no. 66769/UPPCB/Mzn(UPPCBRO)/CTO/Water/Muzaffarnagar/2019, dated 28.12.2019. (Consent Orde No. 6012187/Water). UNIT-1

REGARDING GENERAL CONDITIONS:

1. Mill ensures to manufacture the Kraft Paper up to 200TPD from waste paper and 50TPD from agro residue waste only.
2. Mill ensures to maintain the status of Zero Liquid Discharge along with all the Norms Prescribed in Charter.
3. Mill ensures to follow the above point strictly as per mentioned in the Consent Order.
4. (a) Mill ensures to maintain all the Parameters of Domestic Effluent after treatment as per the Norms prescribed in Condition of Consent Order.

(b) Mill ensures to maintain all the Parameters to recycle the treated Effluent after Sedicell and before Aeration Tank to the Manufacturing Process as per the Norms of Zero Liquid Discharge status prescribed in Condition of Consent Order.
5. Mill ensures to follow the above mentioned Condition to maintain the ZLD Status as per The Norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory.
6. We assure you to maintain other Pollutant also which Norms are not prescribed come under manufacturing process related to water uses.
7. Mill ensures to follow the above point strictly as per mentioned in the Consent Order prescribed under The Environment (Protection) Act, 1986.
8. Mill ensures to follow the above mentioned Condition to maintain the ZLD Status as per The Norms prescribed under The Environment (Protection) Act, 1986.

SPECIFIC CONDITIONS:

1. Mill ensures to manufacture the Craft Paper and Duplex Paper up to 100TPD by using waste paper and other chemicals as raw material only.



2. Mill agreed with the above mentioned conditions in Consent Order.
3. Mill ensures to follow the above point mentioned in The Consent Order.
4. Mill ensures to comply with the conditions of CTE issued vide letter no. 1149/UPPCB/Allahbad (UPPCBRO)/CTE/air/ALLAHBAD/2017 dated 02.12.2017.
5. Mill has already been installed Electromagnetic Flow meter at all the Bore wells and being recorded in log book on regular basis. Industry will also submit the calibration certificate as per Directive issued in Consent Order.
6. Mill ensures to maintain the status of Zero Liquid Discharge along with all the Norms Prescribed in Charter.
7. Mill ensures to follow the above point mentioned in The Consent Order.
8. Mill ensures to follow the above point mentioned in The Consent Order.
9. Mill has already got the permission from CGWA for withdrawal of ground water and taken action to install rain water harvesting system as per guidelines of Ground Water Authority. A copy of CGWA approval is being attached herewith as Annexure-1(a).
10. Industry ensures to comply with the provisions of Hazardous and other waste (Management and Trans boundary Movement) Rules, 2016 and will follow as per the Condition mentioned in Consent Order.
11. Mill ensures to follow the above point mentioned in The Consent Order.
12. Mill ensures to follow the above point mentioned in The Consent Order.
13. Mill ensures to follow the above point mentioned in The Consent Order.
14. Mill ensures to follow the above point mentioned in The Consent Order.

For – TEHRI PULP AND PAPER LTD


(K K Gupta)
Authorized Signatory





उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

सदस्य संख्या: 1335/2022 दिनांक: 16/10/2022

1000

६. डा. कि.सी. भीषण चौक, जयपुर-सहायक-सूचना-मंत्रालय

यह कि पैसा के बिना ही पैसा पैदा हो रहा है, कुलित-1 व 2 को किनी, मोटा रोड, जलवा-मुजफ्फरगढ़ जिला के एक गाँव है। यहाँ पैसा के प्रयोग कर वाफ़र पैसा के उत्पादन हेतु ज़ायकत वर्गित गाँव पर कार्यरत है। यहाँ (ब्रह्मचर विद्यालय) के विद्यार्थी (अधिवेशन) 1981 वाफ़रशोधित की धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग वेस्ट किरी घंटा एच पर कि, युनिट - 0 वी किमी. भाग बर, जनपद-मुक्तसरनगर के विद्युत ला. एकजीटीसी में विद्युतकीन औद्योगिक संस्था 217/2022 निष्कास्य अती एव अन्य काम उत्तर प्रदेश सरकार ने जति जदर विनय-24.07.2022 के अनुपालन में बोड द्वारा गवित संयुक्त समिति द्वारा संयुक्त रूप से विनय-14.08.2022 को किया गया निर्देशन के समत विरि सई प्रपत्र/विवरण के अनुसार उद्योग में आधार से जति प्रसाई एव को निष्कास्य हेतु सीमेंट प्लागट को प्रेषित किए जाने तथा डिक किलन में डिक गैकिंग हेतु दिने जाने की सूचना दी गयी है परन्तु उद्योग द्वारा प्रसाई एव को निष्कास्य किने जाने वाले स्थल का उपसरा संस्था के विवरण उपलब्ध नहीं कराया गया तथा निस्तरण स्थल पर कुछ संसाधन की संकषा हेतु Green Cover, Water Sprinkling एवं Obstruction Wall के संबंध में कोई विवरण उपलब्ध नहीं कराया गया निरीक्षण के दौरान उद्योग के आसपास की क्षेत्र में विभिन्न स्थानीय घर भूमि पर भारी मात्रा में पतई एव अन्य काम तथा निस्तरण स्थल पर कुछ प्रदूषण नियंत्रण हेतु किसी प्रकार का बरत संस्था निरस्त स्वधिया नहीं कराया गया किनसे आसपास की क्षेत्र में वायु प्रदूषण की समस्या प्पान होना स्वाभाविक है। वेस्ट पेर अज्ञातित वल्य एच पर इजाईय में संयोजन उपाय कर 1.3% प्लास्टिक वेस्ट जति होता है। उद्योग की युनिट-0 एवं युनिट-2 में वेस्ट पेर अज्ञातित क्रान्त पेर उत्पान की कुल क्षमता-550 मीटन/माह होती है। अतः जति प्लास्टिक वेस्ट की मात्रा 214.50 मीटन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तरण के सम्बन्ध में विवरण प्रस्तुत किए गये। उद्योग द्वारा दिने गये विवरण के अनुसार कररी 2022 में जुलाई 2022 के गया कुल 28.44 मीटन/माह प्लास्टिक वेस्ट को सुरक्षित निस्तरण हेतु सीमेंट प्लागट की प्रेषित किया गया है तथा 77 186.06 मीटन/माह प्लास्टिक वेस्ट के निस्तरण के संबंध में कोई विवरण प्रस्तुत नहीं किया गया किनसे स्पष्ट है कि उद्योग में जति प्लास्टिक वेस्ट का निस्तरण नियमानुसार नहीं किया जा रहा है।

अद्वैत सदा एतज्जीवन्ती न विद्यारविन्द ओ३९० संख्या 277/2022 लियाका अली एवं अन्य प्रनाम उतातर उदरा संरक्षण
नै संश्लि ज्ञादेश दिनांक 21/07/2022 के संख्या अश निम्नप्रत है :-

3. In the report, the Joint Committee has given the description of waste generated (in liquid, (i.) used waste oil, Cation Resin etc; (ii.) Fly Ash generated from boiler operation and fill; Plastic Waste for palping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the current documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months...."

उद्योग को दिनांक-31.12.2024 तक सशर्त सहमति वायु निर्गत की शर्तों के तहत ही शर्तों का उल्लंघन किया जा रहा है। उद्योग के विरुद्ध विभिन्न मायमों से प्लानेटिक वस्तु प्रसारण को नियंत्रित करने की रही है। उद्योग द्वारा जारी की गई दिनांक-11.08.2024 द्वारा निर्गत सशर्त सहमति वायु की शर्तों एवं मा. एन.सी.टी. द्वारा निर्गत शर्तों का उल्लंघन किया जा रहा है।

नर १३ लोगों मिली एक एक बार कि सुनि १५ को मिली, भोगा होठ उन्धर-मुलककमगर डारा वसु प्रदुषण कि एक एक निपटारा अधिनियम, १९८१ अधिनियम की धारा-२१/२२ के अन्वये की अन्तर्गत बोर्ड से निर्गत मजदूरी जारी की जायगा यह आज-काल के अधिनियम पुर २२ अधिनियम की धारा-२१ पर प्रतिबन्ध प्रभाव लागू जा रहा है, जोकि वसु प्रदुषण अधिनियम पुर अधिनियम, १९८१ अधिनियम २२८ में विहित अन्तर्गत अधिनियम की धारा-२१ पर एक दण्डनीय अपराध है।

अतः हमें यह समझना होगा कि समाजशास्त्र के माध्यम से समाज को समझने का एक ही तरीका नहीं है।

[illegible]

7. यह कि यदि न मेसर्स टिहरी पल्ल एण्ड प्यर लि. युनिट-1, 9 वा किमी, भापा रोड, जगपद-मुजफ्फरनगर को बोर्ड के माध्यम से 11.03.2021 को निलंबित करवाया जाय, तो निलंबित (Suspend) कर दिया जाय।

[illegible]

राज्यपाल कार्यालय के परिधिस्थ में कारण बताओ नोटिफिकेशन के संबंध में पूर्ण विवरण को सशय अपना पक्ष 15 दिन के अन्दर नोटिफिकेशन जारी करने के बाद कारण बताओ नोटिफिकेशन का उत्तर न प्रेषित करने अथवा संतोषजनक उत्तर प्राप्त न होने पर उद्योग को निहित समुदाय (सम्पूर्ण निवेशक एवं निवेशक) अधिनियम, 1991 राज्यात्मकोषित की धारा-31(ए) समिति धारा 21(4) के अन्तर्गत जारी कारण बताओ नोटिफिकेशन को मुद्रित तार उल्लंघनकारी दिखाने हेतु पर्यावरणीय सतिवृत्ति अधिराषित कर दी जाएगी, जिसका सम्पूर्ण प्रकाशनादिष्ट अथवा स्वयं का होगा।

समस्त अधिकारी के द्वारा पत्र निगमन हेतु अधीकृत।

मुख्य व्यवस्थापक अधिकारी (वृत्त-3)

सुविधायि विद्यार्थिनिहा यां सूचयार्थं एव आधारात् तत्प्राप्तौ हेतु इति।

1. जिलाधिकारी, मुजफ्फरनगर।
2. अधिवासी अभियन्ता, उपर काल काँपौरान लि. विदुल बितरण खण्ड, मुजफ्फरनगर।
3. अधिवासी अभियन्ता, जल संस्थान, मुजफ्फरनगर।
4. मुख्य पर्यावरण अधिकारी, वन्य सैनेजमेन्ट डिपार्टमेंट-1/2 उप. प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. क्षेत्रीय अधिकारी, उप. प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के लक्ष्य में मुजफ्फरनगर जिले के निरीक्षण कर आदेश 15 दिन में आवश्यक रूप से प्रेषित किया जाना सुनिश्चित करें।

सुभाष चव्वाकर अभिषेक (कुल-3)

o/k *[Signature]*



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Annexure -85

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC012696

VALID FROM 31/03/2022 TO 30/03/2027

[UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019]

Registration No.: 202202000387

| | | | |
|---------------------------------|---|--|------------------------------|
| Name of the Owner | SACHIN AGRAWAL | Company Name | TEHRI PULP AND PAPER LIMITED |
| Designation पद | G. M. ENVIRONMENT | कंपनी का नाम | PAPER LIMITED |
| Company Address कंपनी का पता | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR. | Authorization Letter प्राधिकार पत्र | Download |
| Address of the Applicant | 122, SOUTH BHOPA ROAD, NEW MANDI (MUZAFFARNAGAR), UTTAR PRADESH | Application Form Serial No. | MZFN0322NIND108 |
| Date of Submission | 28/02/2022 | Specimen Signature | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM BHOPA ROAD, MUZAFFARNAGAR | Municipality/Corporation | No |
| Land No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|--------|
| Date of Construction/Sinking of the Well | 20/03/1997 | Depth of the Well (In meter) | 125.00 |
| Type of Well | Tube Well/Boring | Assembly Size (For Tube Well) | |
| Purpose of well | Industrial | H.P. of the Pump | 30.00 |
| Strainer Position (For Tube Well) | | Rate of Withdrawal (m ³ /hr.) | 150.00 |
| Type of Pump Used | Submersible | | |
| Operational Device | Electric Motor | | |



Item Allowable Rate 150.00
Withdrawal (m³/hr.)

Maximum Allowable 1.00
Running Hours Per Day

Maximum Allowable Annual Extraction of Ground Water

367500.00

This No Objection certificate authorizes the owner/applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3); for Running Hours per day as shown at Sl. (3a) and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS-15 standards) having telemetry system in the abstraction structure which record rate and quantum of extraction at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to the office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the existing tube wells has been stopped for about four to six hours.



- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no. 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 07/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC018076

VALID FROM 31/03/2022 TO 30/03/2027

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202203000001

| | | | |
|---------------------------------|---|--|------------------------------|
| Name of the Owner | SACHIN AGRAWAL | Company Name | TEHRI PULP AND PAPER LIMITED |
| Designation पद | G. M. ENVIRONMENT | Company Name कंपनी का नाम | TEHRI PULP AND PAPER LIMITED |
| Company Address कंपनी का पता | 9TH KMBHOPA ROAD,MUZAFFARNAGAR. | Authorization Letter प्राधिकार पत्र | Download |
| Address of the Applicant | 122,SOUTH BHOPA ROAD, NEW MANDI,MUZAFFARNAGAR,UTTAR PRADESH | Application Form Serial No. | MZFN0322NIN010 |
| Date of Submission | 01/03/2022 | Specimen Signature | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM BHOPA ROAD,MUZAFFARNAGAR | Municipality/Corporation | No |
| Field No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|--------|
| Date of Construction/Sinking of the Well | 20/03/1997 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 30.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 150.00 |



Maximum Allowable Rate 150.00
Withdrawal (m³/hr.):

Maximum Allowable 8.00
Running Hours Per Day:

Maximum Allowable Annual Extraction of Ground Water

420000.00

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3k), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS: IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NDC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50 - 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.



all the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.

- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

• **SPECIFIC CONDITIONS:**

- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - (i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - (ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - (iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - (iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no. 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - (v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - (vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - (vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - (i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - (ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 07/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form B (C)

[See Rule II(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC018699

VALID FROM 31/03/2022 TO 30/03/2027

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202203000002

| | | | |
|--------------------------|--|-----------------------------|------------------------------|
| Name of the Owner | SACHIN AGRAWAL | Company Name | TEHRI PULP AND PAPER LIMITED |
| Designation | G. M. ENVIRONMENT | कंपनी का नाम | TEHRI PULP AND PAPER LIMITED |
| Company Address | 9TH KM, BHOPA ROAD, MUZAFFARNAGAR. | Authorization Letter | Download |
| कंपनी का पता | | अधिकार पत्र | |
| Address of the Applicant | 122, SOUTH BHOPA ROAD, NEW MANDI, MUZAFFARNAGAR, UTTAR PRADESH | Application Form Serial No. | MZFN0322NIN0110 |
| Date of Submission | 01/03/2022 | Specimen Signature | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 9TH KM BHOPA ROAD, MUZAFFARNAGAR | Municipality/Corporation | No |
| Yard No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|--------|
| Date of Construction/Sinking of the Well | 20/03/1997 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 30.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 150.00 |



Maximum Allowable Rate of Withdrawal ($m^3/hr.$): 150.00

28/03/1997

Maximum Allowable Running Hours Per Day: 8.00

Maximum Allowable Annual Extraction of Ground Water

420000.00

This No-objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50 - 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.



- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 07/06/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



Ameyare-86

TEST REPORT: WASTE WATER LABORATORY

Ref No: 17801282/Muzaffarnagar/2022

Date: 17/10/2022

- 1- Name of Industry: TEHRU PULP AND PAPER LTD UNIT 2
- 2- Address of Industry: 9th Km Stone - Bhopa Road - Muzaffarnagar, MUZAFFAR NAGAR, 251001
- 3- District: Muzaffarnagar
- 4- Description about sampling point: Final Outlet Discharge of E.T.P
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Anoop Kumar City Magistrate - Muzaffarnagar & Vipul Kumar A.E.E Regional Office-Muzaffarnagar
- 7- Colour and Odour: Colourless No Specific
- 8- Quantity and Packing: 2.0 Ltrs PVC
- 9- Date of Sample Collection: 14/09/2022
- 10- Analysis Indented by: RO Muzaffarnagar
- 11- Date of sample receipt in Lab: 15/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| pH (4500 H B Electronic method) | - | 7.70 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total suspended Solids dried at 103-105 °C | mg/l | 35.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 897.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 932.0 | - | 10- 50000 mg/l |
| BOD ₅ , 3 day 27 °C IS 3025 (Part 44); 1993 Bio | mg/l | 21.0 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 148.0 | 250 | 5.0 -100000 mg/l |

Remarks: (1) General Standards for discharge of environment Pollutants are as per-A Effluent(Schedule-VI) The environment (Protection) Rules, 1986 subject to the pollution General Standards (G.S). Besides these standards, refer EPA standards for specific purpose.

Remarks: 2, 3, 4

Analysed by:

[Jyoti Tiwari (SA)]

Authorized by:

Dr. Anoop Kumar
 Regional Officer
 Muzaffarnagar
 District
 Dr. Anoop Kumar ASO

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed
 by RAM GOPAL
 Date: 2022.10.17
 18:14:18 +05:30

1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.



Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone-0522-2720878, 2720831, Fax-0522-2720764, Email- info@uppcb.com, Website- www.uppcb.com

Annexure - 87 & 88
(Consolidated)

151796/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/both/MUZAFFARNAGAR/2022 Date: 15/03/2022

To,

M/s

TEHRI PULP AND PAPER LTD UNIT 2

9th Km Stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981"

Consent No-15367508 Date-15/03/2022

CCA is hereby granted to **TEHRI PULP AND PAPER LTD UNIT 2** located at **9th Km Stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001**, subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **TEHRI PULP AND PAPER LTD UNIT 2** granted for the period from **15/03/2022** to **31/12/2026** and valid for manufacturing of following products with **Capital Investment/Net Assets Values 7578.00 Lakhs**

| S No | Product | Quantity | Unit |
|------|------------------------|----------|-------------------|
| 1 | KRAFT PAPER-350 MT/DAY | 350 | Metric Tonnes/Day |

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

| Kind of Effluent | Quantity(KLD) | Treatment facility and discharge point |
|------------------|---------------|--|
| Domestic | 6.0 KLD | Septic Tank |
| Industrial | 700 KLD | ETP |

(ii) **Trade Effluent Treatment and Disposal** :-The applicant shall operate **Effluent Treatment Plant** consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time to time :-

RAKESH KUMAR
TYAGI

Digitally Signed by
RUMAR TYAGI
Date: 2022.03.15 11:11:57 +05'30'



Industrial Effluent Quality Standard

| S.No. | Parameter | Standard |
|-------|------------------|-------------------------|
| 1 | pH | AS PER E(P) RULES, 1986 |
| 2 | SUSPENDED SOLIDS | AS PER E(P) RULES, 1986 |
| 3 | DISSOLVED SOLIDS | AS PER E(P) RULES, 1986 |
| 4 | TOTAL SOLIDS | AS PER E(P) RULES, 1986 |
| 5 | BOD | AS PER E(P) RULES, 1986 |
| 6 | COD | AS PER E(P) RULES, 1986 |

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards.

| S No. | Parameters | Standards |
|-------|------------|-----------|
|-------|------------|-----------|

3. Conditions under Air Act :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

Air Pollution Source Details

| S No. | Air Pollution Source | Type of fuel | Stack no | Control Device | Height of Stack |
|-------|--|--------------|----------|--------------------|-----------------|
| 1 | FROM SISTER UNIT M/S TEHRI PULP AND PAPER LTD (UNIT 1) | STEAM | 0 | Particulate Matter | 0 |

Emission Quality Standards

| S No. | Stack no | Parameters | Standards |
|-------|----------|------------|-----------|
|-------|----------|------------|-----------|

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective



areas zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

(iii) The unit will not use any type of restricted fuel.

| Standards for Noise level in db(A) Leq | Industrial Area | | Commercial Area | | Residential Area | | Silence Zone | |
|--|-----------------|------------|-----------------|------------|------------------|------------|--------------|------------|
| | Day Time | Night Time | Day Time | Night Time | Day Time | Night Time | Day Time | Night Time |
| | 75 | 70 | 65 | 55 | 55 | 45 | 50 | 40 |

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

**RAKESH KUMAR
TYAGI**

Digitally signed by RAKESH
KUMAR TYAGI
Date: 2022.05.23 11:56:27 +05'30'

Chief Environmental Officer (Circle 3)

Copy to:

Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate.

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR
TYAGI
Date: 2022.05.23 11:56:40 +05'30'

Chief Environmental Officer (Circle 3)

Annexure

Specific Conditions

1. This CTO is valid only for the production capacity KRAFT PAPER-350 MT/DAY BY USING WASTE PAPER, ALUM, ROSIN AND CAUSTIC AS A RAW MATERIAL.

2. The Unit shall submit Bank guarantee of Rs. 1,00,000/- for establishment of Miyawaki Forest as per the GO No. 1011/81-7-2021-09(writ)/2016, dated-13.10.2021 of Department of Environment, Forest and Climate Change within a month from the date of issue of this order with the proposal for proposed plantation.

3. Earlier Board has issued CTO Water to the said unit vide letter no-68229/UPPCB/MuzaffarNagar(UPPCBRO)/CTO/water/MUZAFFARNAGAR/2019, dated-28.12.2019 is revoked.

4. Earlier Board has issued CTO Air to the said unit vide letter no-68230/UPPCB/MuzaffarNagar(UPPCBRO)/CTO/air/MUZAFFARNAGAR/2019, dated-28.12.2019 is revoked.



5. The industry must comply conditions of NOC from State Ground Water Department issued to unit.
6. Industry shall submit ETP analysis report from MOEF&CC or UPPCB approved lab within a month after operation of the unit and on quarterly basis to the Board.
7. Unit shall submit the compliance of the conditions of CTE issued to unit vide Boards letter dated 11.08.2021 and point wise compliance of last issued CTO within one month to the Board and on Quarterly basis.
8. The industry shall submit a proof of Bank Guarantee submitted in the Board, if not then submit the Bank Guarantee as per CTE issued to unit on 11.08.2021 within a month.
9. The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
10. In compliance of the Central Pollution Control Board letter no. F No. B-100197 WQMII/CPCB-P&P/14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
11. The unit will not use agro based raw materials in the production process.
12. The industry shall ensure installation, operation and continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
13. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
14. The E.T.P. unit operation line up Strengthening is to be maintained.
15. The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
16. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
17. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
18. Unit shall abide by directions given by Commission for Air Quality Management in National Capital Region and Adjoining Areas.
19. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
20. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
21. Industry shall submit stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
22. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
23. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
24. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
25. Fly ash shall be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with storm water. Direct exposure of workers to fly ash & dust shall be avoided.
26. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
27. The industry shall obtain prior consents in the event of any addition of new emission generation sources, such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with



5. The industry must comply conditions of NOC from State Ground Water Department issued to unit.
6. Industry shall submit ETP analysis report from MOEF&CC or UPPCB approved lab within a month after operation of the unit and on quarterly basis to the Board.
7. Unit shall submit the compliance of the conditions of CTE issued to unit vide Boards letter dated 11.08.2021 and point wise compliance of last issued CTO within one month to the Board and on Quarterly basis.
8. The industry shall submit a proof of Bank Guarantee submitted in the Board, if not then submit the Bank Guarantee as per CTE issued to unit on 11.08.2021 within a month.
9. The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
10. In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM/CPCB/P&P/14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
11. The unit will not use agro based raw materials in the production process.
12. The industry shall ensure installation, operation and continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
13. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
14. The E.T.P. unit operation line up Strengthening is to be maintained.
15. The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
16. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
17. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
18. Unit shall abide by directions given by Commission for Air Quality Management in National Capital Region and Adjoining Areas.
19. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
20. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
21. Industry shall submit stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
22. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
23. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
24. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
25. Fly ash shall be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with storm water. Direct exposure of workers to fly ash & dust shall be avoided.
26. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
27. The industry shall obtain prior consents in the event of any addition of new emission generation sources, such as- Boiler, Furnace/ Heaters/ D.G. Sets or alteration of existing emission source in accordance with

21/22 of air Act 1981 (as amended respectively)

29. Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986
30. The industry shall ensure provisions of Roof Top Rain Water Harvesting system and Ground Water Recharging Proposal compliance report should be sent to the Board within One month.
31. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB
31. Industry shall install at sufficient height from the ground level Open to Network HD PTZ Camera at the outlet of the discharge drain of effluent from the factory premises and its URL and password shall be provided to the UP PCB Control room
32. The industry shall provide adequate arrangement for fighting the accidental leakages/ discharge of any air pollutant gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
33. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
34. Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
35. Industry shall comply with various Waste Management Rules as notified by MoEF &CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Transboundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016, Battery Rules 2000 and Noise Pollution (Regulation and Control) Rule, 2000.
36. The unit shall submit the audited balance sheet for the current year.
37. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018-02 dt. 16.02.2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidie_160218.pdf.

General Conditions:-

The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

1. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
2. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
3. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
4. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
5. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
6. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
7. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.



8. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
9. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
10. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
11. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
12. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
13. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
14. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
15. The authorization is valid for temporary storage of Hazardous Waste within premises only.
16. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
17. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
18. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
19. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
20. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
21. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
22. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
23. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
24. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

**RAKESH KUMAR
TYAGI**

Digitally signed by RAKESH
KUMAR TYAGI
Date: 2022.05.23 11:56:57 +05'30'

Chief Environmental Officer (Circle 3)





UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2726828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 17504/UPPCB/Muzaffarnagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated : 27/07/2022

To,

M/s TEHRI PULP AND PAPER LTD UNIT 2

9th Km Stone, Bhopa Road, Muzaffarnagar, MUZAFFARNAGAR, 251001

Tehsil : Muzaffarnagar

District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 17504 and 27/07/2022.
2. Reference of application (No. and date) 16669832 and 04/07/2022.
3. Mr SACHIN AGARWAL of M/s TEHRI PULP AND PAPER LTD UNIT 2 is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9th Km Stone, Bhopa Road, Muzaffarnagar.

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|---|--|---------------------|
| 1 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.175 MT/Annum |
| 2 | CATEGORY 33.1 AS PER SCHEDULE I (Empty Barrels/Containers/Liners Contaminated With Hazardous Chemicals/Wastes) | THROUGH TSDF | 2.0 MT/Annum |
| 3 | CATEGORY 5.1 AS PER SCHEDULE I (Used Or Spent Oil) | THROUGH TSDF | 0.50 MT/Annum |
| 4 | CATEGORY 34.2 AS PER SCHEDULE I (Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers) | THROUGH TSDF | 5.0 MT/Annum |

1. The authorization shall be valid for a period of 26/07/2027 from the date of issue of this letter.
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any).

A General Conditions of Authorization -

RAKESH KUMAR
TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:52:36 +05'30'



1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any .
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

- 1- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.
- 2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
- 3- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.
- 4- Comprehensive safety measures must be followed in handling of wastes and the staff must be

RAKESH KUMAR TYAGI



properly trained

5- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (C) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.

6- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

7- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

8- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.

9- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

10- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

11- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.

12- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

13- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.

14- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.

RAKESH KUMAR TYAGI



15- It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.

16- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.

17- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.

18- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.

19- Ground water monitoring report of premises shall be submitted within one month.

20- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

21- The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.

(Authorized Signatory)
Digitally signed by RAKESH KUMAR
TYAGI
Date: 2022.08.11 21:33:17 +05'30'

RAKESH KUMAR TYAGI
UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate for information and necessary action.

RAKESH KUMAR TYAGI Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.08.11 21:33:32 +05'30'

CEO/EE, I/C Circle _____



Annexure - 9



Printed on 3-May-2022 04:51
1st ORIGINAL FOR BUYER



Invoice No
KJSER54122-23

Dated
3-May-2022

Customer ID : 2952

| | |
|-----------------------|--|
| Model Term of Payment | |
|-----------------------|--|

Supplier's Ref :- DELIVERY CHALLAN NO:
TPIPL/WASTEMATERIAL/22-23/002 & OUTWARD GATE PASS
NO:- 43

Supplier's Ref
Dated :- 26-Apr-
2022

BUYER / RECEIPT

Tehri Pulp and Paper Limited
Unit - 2, 5th KM Stone, Bhopa Road, Muzaffarnagar, UTTAR PRADESH
251001, India
GSTIN/UIN : 05AAACT0285B120
PAN : 5AACT0285B
APE, UTTAR PRADESH - State Code: 09

P.O. NO.

PO DATE

WT8 Reference No
53418

WTS Dated
28-Apr-2022

SEAL No. 5

Vehicle No :
UP12AT 1529

DESIGNER

Teltri Pulp and Paper Limited
Unit - 2, 9th KM Stone, Bhopa Road, Muzaffarnagar, UTTAR PRADESH
201001, India
STATE CODE : 05
GSTIN/UIN : 05AAACT285B120
PAN : AAAC285B

Form - 10: 61063

Energy Bill : NA

LR NO.

LR Dated:

Reverse Charge Applicable : NO

BoxCases:

5

Amount Chargeable (in words) : INR Nine Thousand Seven Hundred And Twenty Nine Rupees Only

E & O.E

100

Tax Amount (in words) **INR One Thousand Four Hundred And Eighty Four Rupees Only**

Declaration

☐ We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

Interest @ 24% per annum payable if the bill is not cleared/paid within 07 days of presentation of documents.

Please pay only by RTGS/NEFT/DD/Cheque. IF DD/Cheque then Please send to with payment
Owais DOWML, Attn: Accounts, 11 LGF, Community Center, East Of Kailash, New Delhi 110085. Tel:
11-41003710/26216496/6717706348. sales@tharcoal.com

Bill Invoice is final, if no dispute notified in writing within 7 days of Invoice.

Please use ONLY the IFSC code and account number below for RTGS/NEFT for automatic reconciliation.

| | |
|---------------|-------------------------|
| Bank Name : | Axis Bank Limited |
| A/C NO. : | BOWMK000541X2223 |
| Branch Add. : | Lajpat Nagar, New Delhi |
| IFS Code : | UTIB0CCH274 |

for Bharat Oil & Waste Management Ltd.

for Bharat Oil & Waste Management Ltd.



Digitally Signed By Sonja Gaudin
Date: 2022-05-03 17:03:58
IP: 43.26.176.177
[Click here to E-sign](#)



Generated from Waste Tracking & Management System (WTS) of www.bharatoil.co

473100495 dt 14 05
No 09AAACT0285B1Z0
U21022DL1993PLC119328

WTS-33418

lad 33-1

TR

TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

☎ : 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehripaper.com visit us : www.tehripaper.com

Ref. No. TPPL/WASTEMATERIAL/22-23/002

Dated _____

25.04.2022

DELIVERY CHALLAN

To,

M/S Bharat Oil & Waste Management Ltd.

E-18, Site-IV, Sahibabad Industrial Area

Dist-Ghaziabad

Contact Person - Mr. Sandeep Kumar

GSTIN :- 09AADCB1158N2ZF

Please Receive the following material send through Driver Shri SHAKIR
Truck No :- UP12AT-6598

| No. | DESCRIPTION | Quantity | Weight | Remark |
|---------------------------------------|---|----------|-----------------------|--------------------------------|
| 1. | Unit-II Empty plastic drum & waste pannl | 485 KG. | Approx.Wt. 545 KG. | Have No Commercial Value |
| 2. | Oil used | 60 KG. | | |
| 541 | | | | |
| (Not for Sale) (Only for Disposal) | | | | |
| HSN Code :- | | | | |
| EWAY BILL NO :- | | | | |

This is Subject to Muzaffarnagar jurisdiction

For TEHRI PULP & PAPER LIMITED
For Tehri Pulp & Paper



Auth. Signatory
Delivery Incharge

CERTIFIED
ISO
9001 : 2000
MANUFACTURE

Regd. Office : 216, AGARWAL PRESTIGE MALL PLOT NO. 02
COMMUNITY CENTRE RANI BAGH, PITAMPURA, NEW DELHI - 110034

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

Supplier's Name & Mailing Address
(including Phone No. and email)

Tehri Hulpand Paper (ed Unit-2

9th km Stone Road Road mu 2 all for 12345

Sender's Authorization No.

3 Manifest Document No.

Challan No. TPL/Waste/Manifest/22-23/2022 Dt 26/4/22

4 Transporter's Name & Address
(including Phone No. and email)

Party

5 Type of Vehicle

(Truck / Tanker / Special Vehicle)

6 Transporter's Registration

7 Vehicle Registration No.

UPRAT 6598

8 Receiver's Name & Mailing Address
(including Phone No. and email)

(I) BHARAT OIL COMPANY (I) REGD.
E-18, Site-IV, Sahibabad Industrial Area,
Ghaziabad, UP-201010 Tel: 0120-4157324,
e-mail: sales@bharatoil.com

(II) BHARAT OIL & WASTE MANAGEMENT LTD.
Mauza Mukimpur, Roorkee-Lakshar Road,
Roorkee - 247664 UK, Tel: 08874207664
e-mail: sales@bharatoil.com

(III) BHARAT OIL & WASTE MANAGEMENT LTD.
Plot # 672, Sikandra Road, NH-2, Kumbhi Village,
Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2255296
e-mail: sales@bharatoil.com

9 Receiver's Authorization No.

(I) 1486/UPPCB/Ghaziabad/UPPCBRD/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023

(ii) UEPCB/HOI/Con-B-84/2018/548 Valid upto: 31/03/2023

(III) 1403/UPPCB/KanpurDehat/UPPCBRD/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023

10 Waste Description

Empty plastic Drum, Used Oil

11 Total Quantity

No. of Containers

405 kg, 60 kg m' or MT
Nos.

12 Physical Form

(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)

13 Special Handling Instructions & Additional
Information

Do not throw Drums from truck. In case of leakage/
seepage, use Washing soap at point of leak to stop its
leakage.

14 SENDER'S CERTIFICATE

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised packed, marked,
and labeled, and are in all respects in proper condition for transport by road

Typed Name & Stamp :

Signature :

Month

Day

Year

04

26

2022

Month

Day

Year

04

26

2022

15 Transporter Acknowledgement of Receipt of Waste

Typed Name & Stamp :

Signature :

16 Receiver's Certificate for Receipt of Hazardous and

Typed Name & Stamp :

Signature :

Month

Day

Year

04

26

2022

TAX INVOICE

9993c99420462d8e4a71694594ba71e7d295385696a8a710b68d581c0

142711235802335

3-May-2022

Status: Active

Printed on: 3-May-2022 04:54
(1st ORIGINAL FOR BUYER)

| | | | | |
|--|---|--|---|--|
|  | Bharat Oil & Waste Management Ltd. Gate No. 872, Vih. Kumbhki, Akbarpur Road, NH - 3 Kanpur-Delhi UTTAR PRADESH - 201001 STATE CODE - 09 GSTIN/UIN - 09AAACT0285B1Z0 PAN - AAACB1152N CIN - U11201PL2007PLC150944 E-Mail - sales@bharatol.com | | Invoice No K/SBR/543/22-23 | Dated 3-May-2022 |
| | | | Customer ID - 2951 | Mode/Term of Payment |
| | | | Supplier's Ref :- DELIVERY CHALLAN NO TPPL/WASTEMATERIAL/22-23/001 & OUTWARD GATE PASS NO :- 43 | Supplier's Ref Dated :- 25-Apr-2022 |
| | | | P.O. NO | P.O. DATE |
| BUYER / RECEIPT Telen Pulp and Paper Limited Unit 1 - 9th KM Stone, Shopa Road, Muzaffarnagar, UTTAR PRADESH 251001 India GSTIN/UIN - 09AAACT0285B1Z0 PAN - AAACB1152N UTTAR PRADESH - State Code: 09 | | | WTS Reference No 53419 | WTS Dated 25-Apr-2022 |
| | | | SEAL No :- | Vehicle No UP12AT 6096 |
| | | | Form - 10: 61067 | Way bill - NA |
| | | | LR NO. | LR Dated :- |
| CONSIGNER Telen Pulp and Paper Limited Unit 1 - 9th KM Stone, Shopa Road, Muzaffarnagar, UTTAR PRADESH 251001 India STATE CODE - 09 GSTIN/UIN - 09AAACT0285B1Z0 PAN - AAACB1152N | | | Reverse Charge Applicable : NO | Box/Cases :- |
| | | | | |
| | | | | |
| | | | | |

| SL No | Category | Description Of Goods | HSN/SAC | Quantity | Rate (₹) | Unit | Amount (₹) |
|---------------------|----------|--|---------|----------|----------|------|------------|
| 1 | 33.1 | Hazardous Waste Disposal Services 33.1 - Empty barrels/containers/liners contaminated with hazardous chemicals / etc | 999432 | 485 | 17.00 | KG | 8,245.00 |
| Total Taxable Value | | | | | | | 8,245.00 |
| SGST | | | | | 9% | | 742.05 |
| CGST | | | | | 9% | | 742.05 |
| Round Off | | | | | | | 0.10 |
| Grand Total | | | | 485.0 | | KG | ₹ 9,729.00 |

Amount Chargeable (in words) : INR Nine Thousand Seven Hundred And Twenty Nine Rupees Only

E & O E

| HSN/SAC | Taxable Value | Central Tax | | State Tax | | Total Tax Amount |
|---------|---------------|-------------|------------|-----------|------------|------------------|
| | | Rate (%) | Amount (₹) | Rate (%) | Amount (₹) | |
| 999432 | 8,245.00 | 9.00 | 742.05 | 9.00 | 742.05 | 1,484.10 |
| Total | 8,245.00 | | 742.05 | | 742.05 | 1,484.10 |

Tax Amount (in words) : INR One Thousand Four Hundred And Eighty Four Rupees Only

Declaration:

- We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.
- Interest @ 24% per annum payable if the bill is not cleared/paid within 07 days of presentation of this documents.
- Please pay only by RTGS/NEFT/DD/Cheque; If DD/Cheque then Please send it with payment advice BOWML, Attn: Accounts, 11 LGF, Community Center, East Of Kailash, New Delhi 110065. Tel: 011-4100617/1026218498/9717706048. sales@bharatol.com
- B/B Invoice is final, if no dispute notified in writing within 7 days of invoice.

Please use ONLY the IFSC code and account number below for RTGS/NEFT for automatic reconciliation.

Bank Name : Axis Bank Limited
 A/C NO. : BOWMK009542K2223
 Branch Add : Lajpat Nagar, New Delhi
 IFSC Code : UTIB00CH274

for Bharat Oil & Waste Management Ltd.



Digitally Signed By: Senior Accounts Officer
 Date: 2022-05-03 17:03:38
 IP: 49.36.176.177
 ID: y0NVM02mnd2YUWAGMGeGm
 Click here to E-sign

Generated from Waste Tracking & Management System (WTS) of www.bharatol.com

2473100495 d1 1 4 95
NS 09AAACT0285B1Z0
U21022DL1993PLC119328

WTS-53419

TR

TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

Tel: 0131-2468383, 2468384, 2468385, Fax: 0131-2468386 E-mail: info@tehripaper.com visit us: www.tehripaper.com

Dated

26.04.2022

Ref No: TPL/WASTEMATERIAL/22-23/001

DELIVERY CHALLAN

To,

M/S Bharat Oil & Waste Management Ltd.

E-18, Site-IV, Sahibabad Industrial Area

Dist-Ghaziabad

Contact Person - Mr. Sandeep Kumar

GSTIN :- 09AADC1158N2ZF

Please Receive the following material send through Driver Shri SHAKIR
Truck No :- UP12AT-6598

| No. | DESCRIPTION | Quantity | Weight | Remark |
|-----|---------------------------------------|----------|-----------------------|--------------------------------|
| 1. | Unit-I | | | |
| 2. | Empty plastic drum & waste pannl | 485 KG. | Approx.Wt. 545 KG. | Have No Commercial Value |
| 2. | Oil used | 60 KG. | | |
| | (Not for Sale) (Only for Disposal) | | | |
| | HSN Code :- | | | |
| | EWAY BILL NO :- | | | |

This is Subject to Muzaffarnagar jurisdiction

For TEHRI PULP & PAPER LIMITED
For Tehri Pulp & Paper Ltd.



Auth. Signatory
Delivery Incharge

CERTIFIED
ISO
9001 : 2000
MANUFACTURE

Regd. Office : 216, AGARWAL PRESTIGE MALL PLOT NO. 02
COMMUNITY CENTRE RANI BAGH, PITAMPURA, NEW DELHI - 110034

Unit 1

Copy for SPCB

61067

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

Supplier's Name & Mailing Address
(including Phone No. and email)

Tehri Pulp and Paper Ltd 9th KM
Unit-I
Stone Bhopa Road MYZaffar nagar

Sender's Authorization No.

Manifest Document No.

Challan No. TPA/L/waste material/22-23/001/ 3126/422

Transporter's Name & Address
(including Phone No. and email)

Party

(Truck / Tanker / Special Vehicle)

5 Type of Vehicle

6 Transporter's Registration

7 Vehicle Registration No.

UP12AT6598

8 Receiver's Name & Mailing Address
(including Phone No. and email)

(I) BHARAT OIL COMPANY (I)
E-18, Site-IV, Sahibabad Industrial
Ghaziabad, UP-201010 Tel : 0120-
e-mail:sales@bharatoil.com

(II) BHARAT OIL & WASTE MANAGEMENT LTD.
Mauza Mukimpur, Roorkee-Lakshar Road,
Roorkee - 247664 UK, Tel : 08874207664
e-mail:sales@bharatoil.com

(III) BHARAT OIL & WASTE MANAGEMENT LTD.
Plot # 672, Sikandra Road, NH-2, Kumbhi Village,
Tehsil Akbarpur, Kanpur Dehat, UP, Tel : 0512-2285296
e-mail:sales@bharatoil.com

9 Receiver's Authorization No.

(iii) UEPPCB/HQ/Con-B-84/2018/548 Valid upto: 31/03/2023

(I) 1486/UPPCB/Ghaziabad/UPPCERO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023

(iii) 1403/UPPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2014 Valid upto: 30/04/2023

10 Waste Description

Empty plastic Drum, Used oil

11 Total Quantity

No. of Containers

485 kg, 60 kg or MT
Nos.

12 Physical Form

(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)

13 Special Handling Instructions & Additional
Information

Do not throw Drums from truck. In case of leakage/
seepage, use Washing soap at point of leak to stop its
leakage.

4 SENDER'S CERTIFICATE

Typed Name & Stamp :

Signature :

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised packed, marked,
and labeled, and are in all respects in proper condition for transport by road

| Month | Day | Year |
|-------|-----|------|
| 04 | 26 | 2022 |

15 Transporter Acknowledgement of Receipt of Waste

Typed Name & Stamp :

Signature :

| Month | Day | Year |
|-------|-----|------|
| 04 | 26 | 2022 |

16 Receiver's Certificate for Receipt of Hazardous and
other Waste

Typed Name & Stamp :

Signature :

| Month | Day | Year |
|-------|-----|------|
| 04 | 26 | 2022 |



TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001
: 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

No. TPPL/WASTEMATERIAL/21-22/009

Dated 28.12.2021

DELIVERY CHALLAN

To,

M/S Bharat Oil & Waste Management Ltd.

E-18, Site-IV, Sahibabad Industrial Area

Dist-Ghaziabad

Contact Person - Mr. Sandeep Kumar

GSTIN :- 09AADCB1158N2ZF

Please Receive the following material send through Driver Shri JAGMOHAN
Truck No :- UP12BT-1407

| No. | DESCRIPTION | Quantity | Weight | Remark |
|-----|--|----------|-----------------------|--------------------------------|
| 1. | Unit-II Oil used (Not for Sale) (Only for Disposal) HSN Code :- EWAY BILL NO :- | 475 Kg. | Approx.Wt. 475 KG. | Have No Commercial Value |

This is Subject to Muzaffarnagar Jurisdiction

For TEHRI PULP & PAPER LIMITED



Harmohan Singh

Delivery Incharge
9001 : 2000

Regd. Sales Invoice

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

| Occupier's Name & Mailing Address (including Phone No. and email) | Tehri Pulp and Paper Ltd Unit-2 9th Km Stone Bhola Road Muzaffarnagar | | | | | | | | |
|--|--|------|--|-------|-----|------|----|----|------|
| 2 Sender's Authorization No. | Challan No TPE/2023-2024/11-22/009 31 28/12/21 | | | | | | | | |
| 3 Manifest Document No. | | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party | | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12BT1407 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) REC E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel.: 012 e-mail:sales@bharatoil.com | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel. :08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MA Plot # 672, Sikandra Road, NH-2 Tehsil Akbarpur, Kanpur Dehat, UP e-mail:sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1486/UPPCB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (ii) UEPPCB/HO/Con-B-84/2018/548 Valid upto: 31/03/2023 | (III) 1403/UPPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | oil used | | | | | | | | |
| 11 Total Quantity No. of Containers | 425 kgm ³ or MT Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/ seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked and labeled, and are in all respects in proper condition for transport by road | | | | | | | | |
| Typed Name & Stamp : Signature : | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>28</td> <td>2021</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 28 | 2021 |
| Month | Day | Year | | | | | | | |
| 12 | 28 | 2021 | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>28</td> <td>2021</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 28 | 2021 |
| Month | Day | Year | | | | | | | |
| 12 | 28 | 2021 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>28</td> <td>2021</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 28 | 2021 |
| Month | Day | Year | | | | | | | |
| 12 | 28 | 2021 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |



Regd Sales Swarni

TEHRI**PULP & PAPER LIMITED**Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

0131-2468383, 2468384, 2468385, Fax : 0131 - 2468388 E-mail : Info@tehrpaper.com visit us : www.tehrpaper.com

IVO TPPL/WASTEMATERIAL/21-22/008

Dated 28.12.2021

DELIVERY CHALLAN

To,

M/S Bharat Oil & Waste Management Ltd.

E-18, Site-IV, Sahibabad Industrial Area

Dist-Ghaziabad

Contact Person - Mr. Sandeep Kumar

GSTIN :- 09AADCB1158N2ZF

Please Receive the following material send through Driver Shri JAGMOHAN
Truck No :- UP12BT-1407

| No. | DESCRIPTION | Quantity | Weight | Remark |
|-----|---|----------|-----------------------|--------------------------------|
| 1. | Unit-I Oil used (Not for Sale) (Only for Disposal) HSN Code :- EWAY BILL NO :- | 475 Kg. | Approx.Wt. 475 KG. | Have No Commercial Value |

This is Subject to Muzaffarnagar jurisdiction

For TEHRI PULP & PAPER LIMITED



H. J. Mohan Singh

Delivery Invoice
CERTIFIED
9001 : 2000Regd. Sub. Invoice
27/12/21

FORM 10

[See rule 19 (1)]

Copy for SPCB

56407

MANIFEST FOR HAZARDOUS AND OTHER WASTE S.No.:

| 1 Occupier's Name & Mailing Address (including Phone No. and email) | Tehm Pulp and Paper Ltd Unit-1 9th Km Stone Bhoga Road Muzaffarnagar | | | | | | | | |
|--|---|------|--|-------|-----|------|----|----|------|
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | Challan No. DEB - 25/12/24 | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Dasty | | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12BT-1407 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) RE E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel.: 012 e-mail:sales@bharatoil.com | | | | | | | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207664 e-mail:sales@bharatoil.com | (III) BHARAT OIL & WASTE MA Plot # 672, Sikandra Road, NH-2, Tehsil Akbarpur, Kanpur Dehat, UP e-mail:sales@bharatoil.com | | | | | | | | |
| 9 Receiver's Authorization No. | (I) 1406/UPCB/Ghaziabad/UPPCBRO/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 | | | | | | | | |
| (II) UEPCB/HOI/Con-B-84/2018/548 Valid upto: 31/03/2023 | (III) 1403/UPCB/KanpurDehat/UPPCBRO/HWM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | | | | | | | |
| 10 Waste Description | Oil used | | | | | | | | |
| 11 Total Quantity No. of Containers | 475 kg m ³ or MT Nos. | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/ seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | | | | | | | |
| Typed Name & Stamp : Signature : | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>28</td> <td>2024</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 28 | 2024 |
| Month | Day | Year | | | | | | | |
| 12 | 28 | 2024 | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>28</td> <td>2024</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 28 | 2024 |
| Month | Day | Year | | | | | | | |
| 12 | 28 | 2024 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |
| 16 Receiver's Certificate of Receipt of Hazardous and other Waste | <table border="1"> <thead> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>29</td> <td>2024</td> </tr> </tbody> </table> | | | Month | Day | Year | 12 | 29 | 2024 |
| Month | Day | Year | | | | | | | |
| 12 | 29 | 2024 | | | | | | | |
| Typed Name & Stamp : Signature : | | | | | | | | | |


 Regd. Sales Invoice
 25/12/24

TEHRI PULP AND PAPER LIMITED – MUZAFFARNAGAR

Plastic Waste Generation & Dispatch to Cement Plant

(From Feb, 2022 to July, 2022)

| S. No. | Date | Vendor Name | Weight of Plastic Waste (mt) | Vehicle No. | Purchase Order No. | Sent to |
|--------|----------|------------------------------------|------------------------------|-------------|--------------------|---------------------------------|
| 1. | 18.02.22 | Ultra Tech Cement Cittorgarh | 24.880 | NL01AE/7205 | 1610502825 | Ultra Tech Cement Cittorgarh |
| 2. | 29.04.22 | Harshit Trading Co. Chittorgarh | 22.960 | NL01AF/2344 | 1610502825 | Nuvoco Cement Cittorgarh |
| 3. | 15.05.22 | Nuvoco Cement Cittorgarh | 29.090 | RJ01GB/3357 | 1610502825 | Nuvoco Cement Cittorgarh |
| 4. | 11.06.22 | Nuvoco Cement Cittorgarh | 25.830 | RJ01GB/3195 | 1610502825 | Nuvoco Cement Cittorgarh |
| 5. | 20.06.22 | Nuvoco Cement Cittorgarh | 30.110 | NL01AE/7496 | 1610502825 | Nuvoco Cement Cittorgarh |
| 6. | 13.07.22 | Nuvoco Cement Cittorgarh | 25.890 | NL01AE/8925 | 1610502825 | Nuvoco Cement Cittorgarh |
| Total | | | 158.76 mt | | | |

Plastic generated in February, 2022 – 27.07 MT against waste paper of 9023.95 MT

Plastic generated in March, 2022 - 21.32 MT against waste paper of 7107.78 MT

Plastic generated in April, 2022 - 20.47 MT against waste paper of 6822.14 MT

Plastic generated in May, 2022 - 35.52 MT against waste paper of 11842.39 MT

Plastic generated in June, 2022 -34.48 MT against waste paper of 11493.12 MT

Plastic generated in July, 2022 - 31.77 MT against waste paper of 10589.00 MT



Total Plastic generated during Feb, 2022 to July, 2022 – 170.63 MT

Plastic sent to Cement Plant for co-Processing - 158.76 MT

For – TEHRI PULP AND PAPER LTD.


(K K Gupta)
Authorized Signatory



POINT WISE COMPLIANCES WITH CONSENT CONDITIONS FOR AIR

Ref. – letter no. 151796/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/both/MUZAFFARNAGAR/2022, dated 15.03.2022. (Consent Order No. 15367508/Water & Air). UNIT-2

REGARDING SPECIFIC CONDITIONS: -

1. Mill ensures to manufacture the Kraft Paper up to 350 TPD from waste paper only.
2. Mill has already established the Miyawaki Forest as Guidelines issued by UPPCB.
3. Mill is agreeing to revoke of earlier issued Water Consent Order by UPPCB.
4. Mill is agreeing to revoke of earlier issued Air Consent Order by UPPCB.
5. Industry insures to follow the mentioned Guideline issued by UPPCB.
6. Industry insures to follow the mentioned Guideline issued by UPPCB.
7. Industry insures to follow the mentioned Guideline issued by UPPCB.
8. Industry has already submitted a bank guarantee of Rs 50000/- as per CTE issued. A copy of bank Guarantee is being attached herewith for reference as Annexure-I.
9. Industry insures to follow the mentioned Guideline issued by UPPCB.
10. Industry insures to follow the mentioned Guideline issued by UPPCB.
11. Industry insures to follow the mentioned Guideline issued by UPPCB.
12. Industry insures to follow the mentioned Guideline issued by UPPCB.
13. Industry is already complying the above point mentioned in the Guidelines.
14. Industry insures to follow the mentioned Guideline issued by UPPCB.



15. Industry insures to follow the mentioned Guideline issued by UPPCB.
16. Industry is agreed to follow the mentioned Guideline issued by UPPCB.
17. Industry insures to follow the mentioned Guideline issued by UPPCB.
18. Industry insures to follow the mentioned Guideline issued by UPPCB.
19. Industry insures to follow the mentioned Guideline issued by UPPCB.
20. Industry insures to follow strictly the mentioned Guideline issued by UPPCB.
21. Industry insures to follow the mentioned Guideline issued by UPPCB.
22. Industry insures to follow the mentioned Guideline issued by UPPCB.
23. Industry insures to follow the mentioned Guideline issued by UPPCB.
24. Industry insures to follow strictly the mentioned Guideline issued by UPPCB.
25. Industry insures to follow the mentioned Guideline issued by UPPCB.
26. Industry insures to follow the mentioned Guideline issued by UPPCB.
27. Industry insures to follow the mentioned Guideline issued by UPPCB.
28. Industry insures to follow the mentioned Guideline issued by UPPCB.
29. Industry insures to follow the mentioned Guideline issued by UPPCB.
30. Industry insures to follow the mentioned Guideline issued by UPPCB.
31. Industry already installed a PTZ camera in ETP and its URL & password already submitted in UPPCB.
32. Industry insures to follow the mentioned Guideline issued by UPPCB.



33. Industry insures to follow the mentioned Guideline issued by UPPCB.
34. Industry insures to follow the mentioned Guideline issued by UPPCB.
35. Industry insures to follow the mentioned Guideline issued by UPPCB.
36. Industry insures to follow the mentioned Guideline issued by UPPCB.
37. Industry insures to follow the mentioned Guideline issued by UPPCB.

REGARDING GENERAL CONDITIONS: -

Industry insures to follow the mentioned Guideline issued by UPPCB.

1. Industry insures to follow the mentioned Guideline issued by UPPCB.
2. Industry insures to follow the mentioned Guideline issued by UPPCB.
3. Industry insures to follow the mentioned Guideline issued by UPPCB.
4. Industry insures to follow the mentioned Guideline issued by UPPCB.
5. Industry insures to follow the mentioned Guideline issued by UPPCB.
6. Industry insures to follow the mentioned Guideline issued by UPPCB.
7. Industry insures to follow the mentioned Guideline issued by UPPCB.
8. Industry insures to follow the mentioned Guideline issued by UPPCB.
9. Industry insures to follow the mentioned Guideline issued by UPPCB.
10. Industry insures to follow the mentioned Guideline issued by UPPCB.
11. Industry is agreed with the above mentioned Guideline.
12. Industry insures to follow the mentioned Guideline issued by UPPCB.



13. Industry insures to follow the mentioned Guideline issued by UPPCB.
14. Industry insures to follow the mentioned Guideline issued by UPPCB.
15. Industry is agreed with the above mentioned Guideline.
16. Industry insures to follow the mentioned Guideline issued by UPPCB.
17. Industry insures to follow the mentioned Guideline issued by UPPCB.
18. Industry insures to follow the mentioned Guideline issued by UPPCB.
19. Industry insures to follow the mentioned Guideline issued by UPPCB.
20. Industry insures to follow the mentioned Guideline issued by UPPCB.
21. Industry insures to follow the mentioned Guideline issued by UPPCB.
22. Industry insures to follow the mentioned Guideline issued by UPPCB.
23. Industry insures to follow the mentioned Guideline issued by UPPCB.
24. Industry insures to follow the mentioned Guideline issued by UPPCB.

For – TEHRI PULP AND PAPER LTD.

K K Gupta


(K K Gupta)

Authorized Signatory



13. Industry insures to follow the mentioned Guideline issued by UPPCB.
14. Industry insures to follow the mentioned Guideline issued by UPPCB.
15. Industry is agreed with the above mentioned Guideline.
16. Industry insures to follow the mentioned Guideline issued by UPPCB.
17. Industry insures to follow the mentioned Guideline issued by UPPCB.
18. Industry insures to follow the mentioned Guideline issued by UPPCB.
19. Industry insures to follow the mentioned Guideline issued by UPPCB.
20. Industry insures to follow the mentioned Guideline issued by UPPCB.
21. Industry insures to follow the mentioned Guideline issued by UPPCB.
22. Industry insures to follow the mentioned Guideline issued by UPPCB.
23. Industry insures to follow the mentioned Guideline issued by UPPCB.
24. Industry insures to follow the mentioned Guideline issued by UPPCB.

For – TEHRI PULP AND PAPER LTD



(K K Gupta)

Authorized Signatory





सत्यमेव जयते

INDIA NON JUDICIAL Government of Uttar Pradesh

e-Stamp



Certificate No.
Certificate Issued Date
Account Reference

Unique Doc. Reference
Purchased by
Description of Document
Property Description
Consideration Price (Rs.)
First Party
Second Party
Stamp Duty Paid By
Stamp Duty Amount (Rs.)

IN-UP48933576010741T
31-Aug-2021 03:05 PM
NEWIMPACC (SV)/ up14366804/ MUZAFFARNAGAR SADARI UP.
MJF
SUBIN-UPUP1436680486651924546913T
PUNJAB NATIONAL BANK CIRCULAR ROAD MZN
Article 5 Agreement or Memorandum of an agreement
FOR BANK DOCUMENT

PUNJAB NATIONAL BANK CIRCULAR ROAD MZN
Not Applicable
PUNJAB NATIONAL BANK CIRCULAR ROAD MZN
500
(Five Hundred only)



Please write or type below this line.....

BANK GUARANTEE

We, Punjab National Bank stand guarantee to the extent of Rs. 50,000/- (Rs. Fifty Thousand only) on behalf of our customer & client M/s. TEHRI PULP AND PAPER LTD UNIT-2, 9th Km Stone, Bhopa Road, Muzaffarnagar (U.P.) (hereinafter called 'the unit') under the terms & conditions of this guarantee for Two Years from the date of fulfillment of the terms & conditions mentioned below, imposed by



[Signature]

dated 02-09-2021
date of expiry 02-09-2023



4. Pollution Control board by the said industrial unit on production of Bank Guarantee of Rs. 50,000/- (Rs. Fifty Thousand only).

5. The National Bank (s) hereby undertake to pay the U.P. Pollution Control Board an amount not exceed Rs. 50,000/- against any violation of terms & conditions mentioned below imposed by U.P. Control Board :-

Specific Conditions:

This Consent to Establish is valid for the expansion of production capacity in existing unit. After expansion the production capacity will be Kraft Paper 200 TPD to 350 TPD. In case of any change in production capacity, process, raw materials use etc. the industry will have to intimate the Board. For any enhancement of the above, fresh Consent to Establish has to be obtained from U.P. Pollution Control Board.

Industry shall comply all the condition imposed in NOC provide by UPGWD vide dated 03.02.2021 for extracting of ground water.

Industry shall install new Sludge Drying Beds for treatment of industrial effluent.

Industry shall supply steam from sister concern unit M/s Tehri Pulp and Paper (Unit-1), Bhopa Road, Muzaffarnagar.



Consent No. 004B11LG000371 dated 02-09-2021
Rs. 50,000/- date of expiry 01-03-2023



The industry shall comply the provisions of Hazardous and Other Waste Management and Transboundary Movement Rules, 2016 and shall obtain authorization for the disposal of hazardous waste.

If a Consent to Establish (CTE) order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on Revoking of Closure order, the Consent order shall become valid.

The industry shall provide adequate arrangement for fighting the accidental spillages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.

Industry shall comply the order passed by Hon'ble NGT time to time.

The Industry shall ensure provisions of Roof Top Rain Water Harvesting system and Ground Water Recharging Proposal/ compliance report should be sent to the Board within One month.

12. Industry shall establish Air Pollution Control System & ETP as proposed in the project report.

Minimum 33% of the land on which industry is established will be covered by the plantation of 1:1 trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dated 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf. Beside this,



Reference no:004811LG000321 dated 02-09-2021
Not valid after date of expiry 01-04-2023



will install additional saplings within the campus with protection
measures for ensuring their survival

- The Unit shall obtain prior consents in the event of any addition of new
emission generating sources such as Boiler/ Furnace/ Heaters/ D/G Set or
modification of existing emission sources in accordance with section- 21/22 of
the Air Act 1981 (as amended respectively).

The Unit shall dispose the hazardous waste through authorized
recyclers/TSDF.

- Punjab National Bank do hereby undertake to pay the amounts due
and payable under this guarantee without any demure merely on a demand
from the U.P. Pollution Control Board stating that the amount claimed is
due by way of violation of any of the conditions imposed by the U.P.
Pollution Control Board mentioned above, by the said Industrial unit. Any
such demand made on the Bank shall be conclusive as regards the amount
due and payable by the Bank under this Guarantee. However our liability
under this guarantee shall be restricted to an amount not exceeding Rs.
50,000/- (Rs. Fifty Thousand only).

We the Bank undertake to pay to the U.P. Pollution Control Board the
amount referred in the guarantee above so demanded notwithstanding any
disputes raised by the industrial unit in any suit or proceeding pending

Guarantee No 004811LG000377 dated 02-09-2021
Fud00/- date of expiry 01-04-2023

Page 1



before any Court of law relating thereto our liability under this present being absolute and unequivocal.

Mr Punjab National Bank further agree that the guarantee herein contained shall retain in full force and effect during the period that has been specified for the performance of the above conditions and that it shall continue to be enforceable till the U.P. Pollution Control board certifies that the terms and conditions imposed by U.P. Pollution Control Board have been fully and properly carried out by the said industrial unit and accordingly discharges guarantee and, unless a demand or claim under this guarantee is made on us in writing on or before the we shall be discharged from all liability under this guarantee thereafter.

This Guarantee will not be discharged due to change in the constitution of the Bank or the industry.

Mr Punjab National Bank lastly undertake not to revoke this guarantee during the currently except with the previous consent of the U.P. Pollution Control Board in writing Notwithstanding anything contained herein :

- i) Our liability under this Bank guarantee shall not exceed Rs. 50,000/- (Rs. Fifty Thousand only).



Document no 004811LG0003 dated 02-09-2021
Date of expiry 02-09-2023



(ii) This Bank Guarantee shall be valid upto 01/09/2023 and

(iii) We are liable to pay the guaranteed amount of Rs. 50,000/- (Rs. Fifty Thousand only) Under this Bank Guarantee only. If you serve upon us a written claim of demand on or before the date of expiry.

Notwithstanding anything contained here in above our liability under this Guarantee shall be limited to Rs. 50,000/- (Rs. Fifty Thousand only) and will remain valid upto 01/09/2023 and we are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if you serve upon us a written claim duly received by an authorized official of the bank of demand on or before 01/09/2023 (including claim lodged if any, from the date of expiry of this bank Guarantee as mentioned above).

DATE: 02/09/2021

[Signature]



Muzaffar Nagar

[Signature]

004810/CC/12
Date of expiry: 01/09/2023

dated 02-09-2021
2023





उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ संख्या: 1181239 की अ. 43 / 634/2022 दिनांक 11 / 10 / 2022

[illegible]

अदालत माओ २-१०-२०२१ में विचारणीय आदेश संख्या २७७/२०२२ निष्काशित अली एवं अन्य बनाम राज्य सरकार में पक्षों आदेश दिनांक-२१.०७.२०२२ के मुख्य अंश निम्नलिखित है :-

5. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i) used waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and hence is no mention in the report to which TSDF used waste oil is being handed over, where the low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water. But the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months.

उद्योग को दिनांक-31.12.2026 तक राशते राशनति जस्त तथा वायु मिर्मा को सही हो पर्यावरण (संरक्षण) अधिनियम, 1986 सम्पादित आर्षाष्ट प्लान्टिङ नियम, 2016 पर्यावरणमिर्मा, 2002 के प्रविधानी जल सल्लिखन विधि को सही हो।

अतएव अनहित एवं जनसमाचार को स्वच्छ वातावरण प्रदान करने के लिए यह आवश्यक है कि जहाँ जहाँ संचालन होगा उसे।



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form B (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC038113

VALID FROM 19/01/2022 TO 18/01/2027

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202112000597

| | | | |
|--------------------------|---------------------------------|--------------------------|------------------------------------|
| Name of the Owner | NAVEEN AGARWAL | Company Name | TIRUPATIBAALAJI FIBERS PVT.LTD. |
| Designation | DIRECTOR | Authorization Letter | Download |
| Company Address | 9TH KM,BHOPA ROAD,MUZAFFARNAGAR | Application Form Serial | MZFN1221NIN0093 |
| Address of the Applicant | 9TH KM BHOPA ROAD MUZAFFARNAGAR | No. | |
| Date of Submission | 27/12/2021 | Specimen Signature | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No. /Khasra No. | 9TH KM BHOPA ROAD,MUZAFFARNAGAR | Municipality/Corporation | No |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|-------|
| Date of Construction/Sinking of the Well | 15/04/1994 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 60.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 33.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 50.00 |

Maximum Allowable Rate of
Withdrawal ($m^3/hr.$) 60.00

Maximum Allowable
Running Hours Per Day: 10.00

Maximum Allowable Annual Extraction of Ground Water:

216000

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 5".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.

- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

dt: 05/02/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building No TC-12V Vibhuti Khand, Ganti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Lab No: 17798096/Muzaffarnagar/2022

Date: 17/10/2022

1. Name of Industry: TIRUPATI BALAJI FIBERS PRIVATE LIMITED

2. Address of Industry: 9th Km Bhopa Road

3. District: Muzaffarnagar

4. Description about sampling point: Final Outlet Discharge of E.T.P

5. Type of Sample (Grab/Composite/Integrated): Grab

6. Sample Collected By: Anoop Kumar City Magistrate; Muzaffarnagar & Imran Ali A.E.E Regional Office-Muzaffarnagar

7. Colour and Odour: Colourless No Specific

8. Quantity and Packaging: 2.0 Ltrs PVC

9. Date of Sample Collection: 13/09/2022

10. Analysis Indented by: RO Muzaffarnagar

11. Date of sample receipt in Lab: 14/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| pH, 4500 H-B Electronic method | - | 8.08 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total Solids dried at 103-105 °C | mg/l | 38.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 949.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 987.0 | - | 10- 50000 mg/l |
| BOD, 5 day 20 °C IS 3025 (Part 44); 1993 Bio | mg/l | 22.0 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 178.0 | 250 | 5.0 -100000 mg/l |

1. The listed Standards for discharge of environment Pollutants are as per-A Effluent(Schedule-VI) The environment (Protection) Rules, 1986 source:

2. The listed General Standards.pdf. Besides these standards, refer EPA standards for specific purpose

4. Signature of

Analysed by

[Prashant Prasad (SA)]

5. Authorized by

[Prashant Prasad (SA)]

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed by
 RAM GOPAL
 Date: 2022.10.17
 18:00:00 +0530

1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.

U.P. Pollution Control Board

CONSENT ORDER

Dated : 27/01/2020

Ref No. -
69143/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/
water/MUZAFFARNAGAR/2019

To,

Shri NAVEEN AGARWAL
M/s TIRUPATI BALAJI FIBRES LTD
9th Km, Bhopa Road, Muzaffarnagar (U.P.), MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. TIRUPATI BALAJI FIBRES LTD

Reference Application No : 6210038

Dated : 27/01/2020

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. TIRUPATI BALAJI FIBRES LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 01/01/2020 to 31/12/2024 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

Nishi Kumar
Chauhan
Digitally signed by Nishi Kumar
Date: 2020.01.27
10:44:26 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Kumar
Chauhan
Digitally signed by Nishi Kumar
Date: 2020.01.27
10:44:26 +05'30'

CEO

C-3.

2

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s. TIRUPATI BALAJI FIBRES LTD vide

Consent Order No. 6210038/ Water

Dated : 27/01/2020

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Writing, Printing and Kraft Paper-150 MTD using waste paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|---------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge, KL/day | Treatment facility and discharge point |
| 1 | Domestic | 7 KLD | Septic Tank |
| 2 | Industrial | 350 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|-------------------|------------------------|----------------------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 7 KLD |
| 2 | Total Suspended Solids | As per EP Rules 1986 |
| 3 | COD | As per EP Rules 1986 |
| 4 | BOD | As per EP Rules 1986 |
| 5 | Total Suspended Solids | |
| 6 | Oil & Grease | As per EP Rules 1986 |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

| Industrial Effluent | | |
|---------------------|------------------------|----------------------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 350 |
| 2 | Total Suspended Solids | As per EP Rules 1986 |
| 3 | BOD | As per EP Rules 1986 |
| 4 | COD | As per EP Rules 1986 |
| 5 | Oil & Grease | As per EP Rules 1986 |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.

7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.
9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ Camera at the inlet, Aeration Tank, Secondary Clarifier and outlet of Effluent Treatment Plant for On Line Monitoring and its URL and password shall be provided to the UPPCB Control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified / approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Nishi
Kumar
Chauhan

(Digitally signed
by Nishi Kumar
Chauhan
Date: 2020.02.
10 14:50:10)

CE
C.

U.P. Pollution Control Board

CONSENT ORDER

Dated : 27/01/2020

Ref No. -
69154/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

To,

Shri NAVEEN AGARWAL
M/s TIRUPATI BALAJI FIBRES LTD
9th Km, Bhopa Road, Muzaffarnagar (U.P.), MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. TIRUPATI BALAJI FIBRES LTD

Reference Application No. 6210302

Dated : 27/01/2020

1. With reference to the application for consent for emission of air pollutants from the plant of M/s TIRUPATI BALAJI FIBRES LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Nishi Kumar
Chauhan
Digitally signed by Nishi Kumar
Date: 2020.01.27
16:47:06 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Kumar
Chauhan
Digitally signed by Nishi Kumar
Date: 2020.01.27
16:47:06 +05'30'

CEO
C-3.

U.P. Pollution Control Board

Dated : 27/01/2020

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Writing, Printing and Kraft Paper-150 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|----------------------|--------------------|-----------|--------------------|----------------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | Boiler 1 & 2 | Coal and Agro fuel | 1 | Particulate Matter | As per EP Rules 1986 |
| 2 | | | 1 | Sulphur Dioxide | As per EP Rules 1986 |
| 3 | | | 1 | Oxides of Nitrogen | As per EP Rules 1986 |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|---------------------------------|----------|--------------------|----------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per EP Rules 1986 |
| 2 | 1 | Sulphur Dioxide | As per EP Rules 1986 |
| 3 | 1 | Oxides of Nitrogen | As per EP Rules 1986 |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.

12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.
14. The Industry will use minimum 20% Bio Briquettes as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OGEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority.

Nishi
Kumar
Chauhan

Digitally signed
by Nishi Kumar
Chauhan
Date: 2018.02.17
16:47:41 +05'30'

For and on behalf of U.P. Pollution Control Board.

CEO
C-3.



**REGIONAL LABORATORY Muzaffar Nagar
UTTAR PRADESH POLLUTION CONTROL BOARD**

Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

Ref No. 18081735/MuzaffarNagar/2022

Date: 17/10/2022

- 1- Name & Address of Industry: TIRUPATI BALAJI FIBERRS PRIVATE LIMITED
- 2- Sample Collected By: (1) Vipul Kumar ;A.E.E (2) Muneesh Kumar; J.R.F
- 3- Date of Monitoring: 30/09/2022
- 4- Source of Sampling: Stock
- 5- Stack attached to: Boiler (IBL)
- 6- Stack Height: 30 Meter
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 15 TPH
- 9- Fuel used: (1) Wood Chips (2) Green Leaves Cutting
- 10- Quantity of Fuel used: (1) Wood Chips-30 TPD (2) Green Leaves Cutting-10 TPD
- 11- Flue Gas Velocity: 8.20 m/sec
- 12- Air Pollution Control Device: Multi Cyclone & Wet Scrubber
- 13- Other remarks (if any): At the time of inspection Industry found operational.
- 14- Further details of sample location and Test methods followed are appended overleaf:

| Sr No. | Parameter | Unit | Result | Standards |
|-----------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 136.80 | 150 |

Analysed by-

[Muneesh Kumar JRF]

Authorised Signatory-

Ankit Singh RO

ANKIT SINGH
Digitally signed by ANKIT SINGH
Date: 2022.10.17
13:01:01 +05'30'
Regional Officer



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD
TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Ref. No. **HA2-W2** C-3/HA2-231/MZR/2017

Dated :

Regd. **17-11-17**

To:

M/s Tirupati Balaji Fibers Ltd,
9th Km. Binopa Road,
Muzaffarnagar.

Subject: Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

1. Number of authorization and date of issue : **2531C7/HA2-231/17 94-17/11/17**

2. Reference of application (No. and date) : **06.10.2017**

3. Mr Naveen Agarwal, Director of M/s Tirupati Balaji Fibers Ltd is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9th Km. Binopa Road, Muzaffarnagar.

Details of Authorisation

| Sr. No. | Category of Hazardous Waste as per the Schedules I,II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity (ton/annum) |
|---------|---|--|---|
| 1 | As per schedule I Cat. 3.1 Used or spent oil/ Regenerant Cat. 3.2 Contaminated waxen paper or other cleaning materials | Disposal through TSDF | 160 Kg/Annum 120 Kg/Annum 12 Kg/Annum |

The authorization shall be valid for a period of **Five years** from the date of issue of this letter.

2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any):

General conditions of authorization:

- The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board.
- The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
- Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation.
- The person authorised shall implement Emergency Response Procedure (ERP) for which the authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
- The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Generation and Disposal of Hazardous Waste and penalty".

7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

B Specific conditions:

1. The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
2. The authorised person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorisation has been requested. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
3. It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.
4. The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.
5. In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.
6. It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.
7. The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

(M/s Tirupati Balaji Fibers Ltd, 9th Km, Bhopa Road, Muzaffarnagar.)

8. In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
9. Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.
10. It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorisation issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
11. The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.
12. You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.
13. It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard has been issued by Central Pollution Control Board from time to time.
14. You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
15. You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.
16. Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.
17. Ground water monitoring report of premises shall be submitted within one month.
18. Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.


Member Secretary

Copy to: To the Regional Officer, U.P. Pollution Control Board, Muzaffarnagar for information and necessary action.

EE, I/C Circle-3

Annexure - 100
ISO 9001:2015

BHARAT OIL & WASTE MANAGEMENT LTD. (BOWML)

www.bharatoil.com

Passionately Protecting Mother-Nature Since 1978

MEMBERSHIP CERTIFICATE

M/s. **Tirupatibaalaji Fiberr Private Limited**

9th KM Bhoba Road, Muzaffarnagar Muzaffarnagar-251001, UP

is a registered member of our facility



BOWML/K/4670/22

Gata No. 672. Vill. Kumbhi, Akbarpur Road, NH - 2 Kanpur-Dehat-209101, UP

for safe, legal & scientific Disposal of Hazardous Waste

BOWML/K/4670/22

Member # :

February 28, 2023

Expiry Date :



Scan & Verify

One may verify 'active' membership by calling

Bharat Oil & Waste Management Ltd. at

011-4100 0710, 2621 6466 or Email : sales@bharatoil.com

For Bharat Oil & Waste Management Ltd.

Digitally Signed By: Pragati Roshni
Date: 2022-03-17 11:03:18
IP: 127.0.0.1
ID: ydR@PragatiRoshni@BOWML
Click here to E-verify

Authorized Signatory



For Bharat Oil & Waste Management Ltd.

Digitally Signed By: Bharat Mangani
Date: 2022-03-17 14:04:48
IP: 49.36.182.150
ID: 16E7822U0eGkM5wCO==
Click here to E-verify

Authorized Signatory



*Membership is subject to the terms & conditions of agreement & may be terminated by BOWML, upon non-payment of dues / payment.

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:

| 1 Occupier's Name & Mailing Address (including Phone No. and email) | | | | | | | | | |
|---|---|------|--|-------|-----|------|----|----|------|
| 2 Sender's Authorization No. | | | | | | | | | |
| 3 Manifest Document No. | 56 / 12 / 23 / 31 | | | | | | | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Parker - Self | | | | | | | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | | | | | | | |
| 6 Transporter's Registration | | | | | | | | | |
| 7 Vehicle Registration No. | UP12 BT 2442 | | | | | | | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (i) BHARAT OIL COMPANY (I) E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel: 0120- e-mail: sales@bharatoil.com | | | | | | | | |
| (ii) BHARAT OIL & WASTE MANAGEMENT LTD. Maaza Mikampur, Roorkee-Lakshar Road, Roorkee - 247664 UK Tel: 0597420766 e-mail: sales@bharatol.com | (iii) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP. Tel: 0512-222 e-mail: sales@bharatol.com | | | | | | | | |
| 9 Receiver's Authorization No. | (i) 148SUPPCB/Ghaziabad/UPPCB/ROH/MAHAZABAD/2018 Valid upto: 31/03/2023 | | | | | | | | |
| (ii) LEPPCB/HQ/CoB-B-64/2018/548 Valid upto: 31/03/2023 | (iii) 148SUPPCB/KanpurDehat/UPPCB/ROH/MAHAZABAD/2018 Valid upto: 31/03/2023 | | | | | | | | |
| 10 Waste Description | Waste oil, waste cloth, waste 175 Ltr 12 m ² or MT Nos | | | | | | | | |
| 11 Total Quantity No. of Containers | | | | | | | | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | | | | | | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | | | | | | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed and labeled, and are in all respects in proper condition for transport. | | | | | | | | |
| Typed Name & Stamp: Signature: | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>03</td> <td>23</td> <td>2023</td> </tr> </table> | | | Month | Day | Year | 03 | 23 | 2023 |
| Month | Day | Year | | | | | | | |
| 03 | 23 | 2023 | | | | | | | |
| 15 Transporter Acknowledgement of Receipt of Waste | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>03</td> <td>23</td> <td>2023</td> </tr> </table> | | | Month | Day | Year | 03 | 23 | 2023 |
| Month | Day | Year | | | | | | | |
| 03 | 23 | 2023 | | | | | | | |
| Typed Name & Stamp: Signature: | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>03</td> <td>23</td> <td>2023</td> </tr> </table> | | | Month | Day | Year | 03 | 23 | 2023 |
| Month | Day | Year | | | | | | | |
| 03 | 23 | 2023 | | | | | | | |
| 16 Receiver's Certificate for Receipt of Hazardous and Other Waste | <table border="1"> <tr> <th>Month</th> <th>Day</th> <th>Year</th> </tr> <tr> <td>03</td> <td>23</td> <td>2023</td> </tr> </table> | | | Month | Day | Year | 03 | 23 | 2023 |
| Month | Day | Year | | | | | | | |
| 03 | 23 | 2023 | | | | | | | |
| Typed Name & Stamp: Signature: | | | | | | | | | |

GSTIN : 09AAACB3161E123
PAN : AAACB3161E

DELIVERY CHALLAN

☐ ORIGINAL
☐ DUPLICATE
☐ TRIPLICATE



TIRUPATIBAALAJI FIBERRS PVT. LIMITED

(Formerly Known as : TIRUPATIBAALAJI FIBERRS LIMITED)

9th KM. BHOPA ROAD, MUZAFFARNAGAR-251 001 • State : Uttar Pradesh • Code : 09
CIN : U21000UP1995PTC073074 • E-mail : info.tirupatibalaaji@gmail.com • Mob. : 7500300051

Consignee Details :

Name Harshit Trading Company
Address Plot No. 9, Rajendra Vihar-1
near Post Colony, Shwariya
State Rajasthan Code 08
GSTIN 08C1LPS3622P1Z1

Challan No. : 15
Challan Date : 21/06/2022
Place of Supply : Rajasthan

Transport Details :

Transportation Mode Road (C.R.No. 1026) Vehicle No. RJ01MC-4740
Transport Company Keshav Express Despatch Date 21/06/2022

| S.No. | Production Description | HSN/SAC Code | QUANTITY | Value of Supply |
|-------|---|-----------------|-----------------|-----------------|
| | <u>Waste Plastic & Paper</u> <u>Note:- No Commercial Value. Not for Sale for Disposal purpose only -</u> | <u>39153090</u> | <u>19.25 kg</u> | <u>0.00</u> |

Total Value (in Words) :

No Commercial Value.

0.00

- E & O. E.
- All Disputes Subject to Muzaffarnagar Jurisdiction.

For TIRUPATIBAALAJI FIBERRS PVT. LIMITED

[Signature]
Director / Auth. Signatory

GSTIN No. : 08CILPS3624M2ZL

ALL SUBJECT TO JAIPUR JURISDICTION ONLY

PAN : CILPS3624M

Mob. : 900
98296

KESHAV ENTERPRISES



DAILY SERVICE : U.P., DELHI, PUNJAB, UTTARAKHAND RAJSTHAN GUJRAT HARYANA

Head Office : 3-A-2 Hindustan Times Apt. Mayur Vihar Phase-I New Delhi-110091

Branch Office : S/C-18, 32 Shopping Centre Road No. 9, V.K.I. Area, Jaipur-302013

E-mail : prakash.feb82@gmail.com

AT OWNER'S RISK

CAUTION

This Consignment will not be detained, divert routed or rebooked without consignee Bank's written permission.

G.R. No 26 Date 21/06/22

INSURANCE

The Customer has stated that :-

He has insured/not insured

the consignment Company

Policy No. _____ Date _____

Truck No. R301WC-4740

FROM : MUZAFFARNAGAR

TO : CHITTORGARH

Consignor's Name & Address

TIRUVATI RAJALAKSHI PRIVATE LTD.

CHITTORGARH

GSTIN

CHITTORGARH

STATE : UP

Consignee's Name & Address

HARSHIT TRADING COMPANY (JAIPUR)

CHITTORGARH

GSTIN

CHITTORGARH

STATE : RAJ

Driver Name

SANDU SIMBH

Mob No. : 9413413305

GSTIN

STATE : RAJ

Description (Said to Contain)

Plastic waste

Weight

Actual

Charged

Rate

Amount to Pay/Paid

Freight

SGST.....%

CGST.....%

IGST.....%

Total Amount

After Tax

Advance

Balance

To be Paid

BANK DETAIL:

Bank Name : AXIS BANK, Mansarovar, Jaipur

A/C No. : 920020067781819

IFSC Code : UTIB0001523

Consignment Value

Note : GST Payable by : ☐ Consignee ☐ Consignor ☐ Transporter

e : Company is not Responsible for any Leakage, Breakage & Accident.

For : KESHAV ENTERPRISES

Signature



TIRUPATIBAALAJI FIBERRS PVT. LIMITED

(Formerly Known as : TIRUPATIBAALAJI FIBERRS LIMITED)

9th KM. BHOPA ROAD, MUZAFFARNAGAR-251 001 • State : Uttar Pradesh • Code : 09
 CIN : U21000UP1995PTC073074 • E-mail : info.tirupatibalaaji@gmail.com • Mob. : 7500300051

Consignee Details :

Name Hareesh & Tooling Company
 Address Plot No. 9, Rajendra Vihar
Nagar Brij Colony, Meharoda
Rajasthan State Rajasthan Code 3622
 GSTIN 08CITLP33622P1Z1

Challan No. : 18Challan Date : 04/05/2022Place of Supply : Rajasthan

Transport Details :

Transportation Mode Road (C.R.No. 1004) Vehicle No. NLO-1AF-1126
 Transport Company Kushav Enterprises Despatch Date 04/05/2022

| S.No. | Production Description | HSN/SAC Code | QUANTITY | Value of Supply |
|---|------------------------|--------------|----------|-----------------|
| | Waste Plastic & Paper | 39153090 | 22500kg | 0.00 |
| Note :- No Commercial Value - Not for Sale for Disposal Purpose only. | | | | |

Total Value (in Words) :

No Commercial Value

0.00

- E & O. E.
- All Disputes Subject to Muzaffarnagar Jurisdiction.

For TIRUPATIBAALAJI FIBERRS PVT. LIMITED

[Signature]
 Director / Auth. Signatory

GSTIN No. : 08CILPS3624M2ZL
PAN : CILPS3624M

ALL SUBJECT TO JAIPUR JURISDICTION ONLY

KESHAV ENTERPRISES

DAILY SERVICE : U.P., DELHI, PUNJAB, UTTARAKHAND RAJSTHAN GUJRAT HARYANA

Head Office : 3-A-2 Hindustan Times Apt. Mayur Vihar Phase-I New Delhi-110081

Branch Office : S/C-18, 32 Shopping Centre Road No. 9, V.K.I. Area, Jaipur-302013

E-mail : prakash.feb82@gmail.com

AT OWNER'S RISK

CAUTION
This Consignment will not be detached, diverted routed or rebooked without consignee Bank's written permission.

G.R. No. 100 Date 04/05/2022

INSURANCE
The Customer has stated that :-
He has insured/not insured
the consignment Company
Policy No. _____ Date _____

Consignor's Name & Address TILUPATI BABAJI FIBRES, LIMITED RAJ. M.
POPA ROAD MUMBAI GSTIN 09AAACT1141E123

Consignee's Name & Address MARSHY TADJIM COMPANY (JAI PUR)
08CILPS3624M2ZL GSTIN 08CILPS3624M2ZL

Driver Name KAM LAL Mob No. 9352596739

Truck No. ML01AF-1124
FROM : MUMBAI
TO : KHATTAH (PAJ)

STATE : UP
State Code : 09
STATE : PAJ
State Code : 08

| Packages | Description (Said to Contain) | WEIGHT | | Rate | Amount to Pay/Paid |
|----------|-------------------------------|----------|---------|---------------------------|--------------------|
| | | Actual | Charged | | |
| 1 | Plastic waste For | 22500 kg | | Freight | |
| | | | | SGST.....% | |
| | | | | CGST.....% | |
| | | | | IGST.....% | |
| | | | | Total Amount After Tax | |
| | | | | Advance | |
| | | | | Balance | |
| | | | | | To Be Paid |

BANK DETAIL:

Bank Name : AXIS BANK, Manesarovar, Jaipur

A/C No. : 920020067781819

IFSC Code : UTIB0001623

Consignment Value _____

Note : GST Payable by : ☐ Consignee ☐ Consignor ☐ Transporter

Note : Company is not Responsible for any Leakage, Breakage & Accident.

For : KESHAV ENTERPRISES

Signature



THE PATRICK J. HENRYS LIMITED

Casey Company, New York Road 130

0 2541053 2 1

For: TIRUPATI BALAJI FIBERS PVT. LTD.

Kores

Enrolment No.: 09AKDPN6485.170

State: U.P. + State Code: 09

**NEW STAR ROAD LINES****COMMISSION AGENT**Kukra Bypass Chowk, Delhi-Haridwar Highway, Muzaffarnagar (U.P.)
E-mail: newstarroadlines6@gmail.com**PHONE: 7417763198, 8191958616, 9837005444**

G. R. No.

128

Date

26/09/19

Bill No.

00-03

From

Muzaffarnagar

To

Chhargah

Truck No.

1301GB 191

Bill No.

00-03

Driver's Name

Rakesh Singh

Lic No.

Owner's Name

REMARKS

Sender's Name

M/s. Anand Kumar & Sons

Goods

Rate

Amount

REMARKS

GSTIN:

27ADPC0968D

Receiver's Name

M/s. Anand Kumar & Sons

GST PAYABLE BY RECIPIENT

Bill Charge

REMARKS

GSTIN:

27ADPC0968D

BANK DETAILS:

Bank Name: UNION BANK OF INDIA

Branch: Bhiraheri, Muzaffarnagar

/C No.: 726305010000001

SC Code: UBIN0572632

n. of Sender

Sign. of Driver

Sign. of Manager

Delivery:

Chhargah

Way Exp.

Total

REMARKS

GSTIN:

Chhargah

Advance

Balance

REMARKS

Value of Goods

Chhargah

Way Exp.

Total

REMARKS

RAVAT

विकास

TIRUPATI BAAJI
FIBEROS PRIVATE LIMITED
CIN: U21800UP19001PTD000004
GSTIN: 09AAACB5181E129
Regd. Office & Works
9th Km, Bhopa Road
Muzaffarnagar - 251002 (U.P.) INDIA

RJ01
GB7747

खशाल

विशाल

J161E123
d1E

DELIVERY CHALLAN

☐ ORIGINAL
☐ DUPLICATE
☐ T

TIRUPATI BALAJI FIBERNS PVT. LIMITED

(Formerly Known as : TIRUPATI BALAJI FIBERNS Limited)

9th KM. BHOPA ROAD, MUZAFFARNAGAR-251 001 • State : Uttar Pradesh • Code : 09
CIN : U21000UP1995PTC073074 • E-mail : info.tirupatibalaji@gmail.com • Mob. : 7500300051

consignee Details :

Name Aditya Cement Works
Address Ultra Tech Cement Limited
Chittorgarh, Shambhupura
Pin 307 Chittorgarh
Code 02
STN SRADACL644212AChallan No. : 54Challan Date : 01/05/2022

Place of Supply :

transport Details :

Transportation Mode RoadVehicle No. NR5111 1501Transport Company New Star RoadlinesDespatch Date 01/05/2022

| No. | Production Description | HSN/SAC Code | QUANTITY | Value | Supply |
|-----|---|--------------|-----------------|-------|--------|
| | <u>Waste Plastic & Panni</u> <u>Vendor Code 605799</u> <u>(No Commercial value, not for sale, sent for disposal only)</u> | <u>3015</u> | <u>18655 kg</u> | | |

Total Value (in Words) : Nil

E.S.O. E.

All Disputes Subject to Muzaffarnagar Jurisdiction.

For Tirupati Balaji Fiberns Pvt. Limited

Amresh Kumar
Director

Enrolment No. : 09AKDPN6489K1Z0

State : U.P. + State Code : 09



NEW STAR ROAD LINES

COMMISSION AGENT

Kukra Bypass Chowk, Delhi-Haridwar Highway, Muzaffarnagar (U.P.)
E-mail : newstarroadlines6@gmail.com

PHONE : 7417763198, 8191958616, 9837005444

G. R. No. 5259
Date 11/11
Bill No. 511

| | |
|--|--------------------------|
| From Muzaffarnagar To Delhi | |
| Truck No. MZ-111111 | Bill No. 511 |
| Driver's Name Anand Kumar | Owner's Name Anand Kumar |
| Lic No. 09AKDPN6489K1Z0 | |
| Sender's Name M/s. Anand Kumar | |
| GSTIN : 09AKDPN6489K1Z0 | |
| Receiver's Name M/s. Anand Kumar | |
| GSTIN : 09AKDPN6489K1Z0 | |
| BANK DETAILS: Bank Name : UNION BANK OF INDIA Branch : Hiraaheri, Muzaffarnagar A/c No. : 7263050100000001 IFSC Code : UBIN0572632 | |
| Sign. of Sender | |
| Sign. of Truck Driver | |
| Sign. of Manager | |

| Weight | Goods | Rate | Amount Rs. | REMARKS |
|--------------------------|-------------|------|------------|---------|
| 1000 | Waste Paper | | 20.00 | Paid |
| To Pay Rs. | | | | |
| GST PAYABLE BY RECIPIENT | | | | |
| Delivery : Anand Kumar | | | | |
| GSTIN : 09AKDPN6489K1Z0 | | | | |
| Value of Goods 20.00 | | | | |
| Bilty Charge 20.00 | | | | |
| Way Exp. | | | | |
| Total 20.00 | | | | |
| Advance | | | | |
| Balance | | | | |



00521





उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

सदर संचय: H/3238/सी-3/नायु/331/2022

दिनांक: 18/10/2022

सेवा में

प्रजीकृत

मैसर्स तिरुपति बालाजी फाइवर्स लि,
9 वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर।

यह कि मैसर्स तिरुपति-बालाजी फाइवर्स लि, 9 वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर जोकि वेस्ट पेपर का प्रयोग कर राइफिंग, फिनिशिंग एवं क्राफ्ट पेपर के उत्पादन हेतु उपरोक्त वर्णित स्थल पर कार्यरत है, वायु (प्रदूषण नियंत्रण एवं निबंधन) अधिनियम, 1986 यथासंशोधित की धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग मैसर्स तिरुपति बालाजी फाइवर्स लि, 9 वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर जे विरुद्ध मा0 एन0जी0टी0 में विचारणीय ओएण0 संख्या-277/2022 नियाकत अली एवं अन्य वनाम उत्तर प्रदेश सरकार ने प्रति आदेश दिनांक-21.07.2022 के अनुपालन में बोर्ड द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-13.09.2022 को किया गया।

निरीक्षण के समय उद्योग द्वारा ब्रायलर से जनित फ्लाई ऐश के निस्तारण के संबंध में कोई सूचना उपलब्ध नहीं करायी गयी न ही उद्योग द्वारा फ्लाई ऐश को निस्तारित किये जाने वाले स्थल का क्षेत्रफल एवं उसका संख्या का विवरण भी उपलब्ध नहीं कराया गया तथा निस्तारण स्थल पर धूल उत्सर्जन की रोकथाम हेतु Green Cover, Water Sprinkling एवं Obstruction Wall के संबंध में भी कोई विवरण उपलब्ध नहीं कराया गया। निरीक्षण के दौरान उद्योग के आसपास के क्षेत्र में विभिन्न स्थानों पर भूमि पर भारी मात्रा में फ्लाई ऐश डम्प फया गया है। एक निस्तारण स्थलों पर वायु प्रदूषण निबंधन हेतु किसी प्रकार का डस्ट सप्रेसन सिस्टम स्थापित नहीं पाया गया, जिससे आसपास के क्षेत्र में वायु प्रदूषण की समस्या ब्याप्त होना स्वाभाविक है। वेस्ट पेपर आधारित पल्प एण्ड पेपर इकाईयों में सामान्यतः उत्पाद का 1.5% प्लास्टिक वेस्ट जनिता होता है। उद्योग में वेस्ट पेपर आधारित क्राफ्ट पेपर उत्पादन की कुल क्षमता-150 मी.टन/दिन होती है। आगे जनिता प्लास्टिक वेस्ट की मात्रा 5850 मी.टन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में विवरण प्रस्तुत नहीं किया गया जिससे स्पष्ट है कि उद्योग से जनिता प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अनेतर मा0 एन0जी0टी0 में विचारणीय ओएण0 संख्या 277/2022 नियाकत अली एवं अन्य वनाम उत्तर प्रदेश सरकार ने प्रति आदेश दिनांक-21.07.2022 के मुख्य अंश निम्नवत् है :-

".....3. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months....."

उद्योग को दिनांक-31.12.2024 तक सशर्त सहमति वायु निर्गत की गयी है, जिसकी शर्तों का उल्लंघन किया जा रहा है। उद्योग के विरुद्ध विभिन्न माध्यमों से प्लास्टिक वेस्ट जलाने की शिकायतें प्राप्त हो रही हैं। उद्योग द्वारा बोर्ड के पत्र दिनांक-27.01.2023 द्वारा निर्गत सशर्त सहमति वायु की शर्तों एवं मा0 एन0जी0टी0 द्वारा प्रति आदेशों का उल्लंघन किया जा रहा है।

यह कि मैसर्स तिरुपति बालाजी फाइवर्स लि, 9 वां कि.मी. भोपा रोड, जनपद-मुजफ्फरनगर द्वारा वायु (प्रदूषण नियंत्रण एवं निबंधन) अधिनियम, 1986 यथासंशोधित की धारा-21/22 के के प्रावधानों के अन्तर्गत बोर्ड से निर्गत आदेशों की शर्तों का

उत्पन्न होकर और भी अधिक प्रदूषण का जो मानस प्रभाव पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु प्रदूषण नियंत्रण अधिनियम, 1986, धारा-31(ए) अधिनियम के अन्तर्गत है।

अतः उचित एवं अनिवार्यता को देखते वायु प्रदूषण नियंत्रण अधिनियम, 1986, धारा-31(ए) अधिनियम के अन्तर्गत है कि उद्योग का संरक्षण

जो वायु प्रदूषण नियंत्रण अधिनियम, 1986 धारा-31(ए) अधिनियम के अन्तर्गत है कि उद्योग का संरक्षण

1. कि जो न मैक्सिमम लिमिट वाला फाइवर्स लि. 9 या किमी. बोपा रोड, जनपद-मुजफ्फरनगर को

2. कि जो न मैक्सिमम लिमिट वाला फाइवर्स लि. 9 या किमी. बोपा रोड, जनपद-मुजफ्फरनगर की समस्त

3. कि जो न मैक्सिमम लिमिट वाला फाइवर्स लि. 9 या किमी. बोपा रोड, जनपद-मुजफ्फरनगर को तत्काल प्रभाव से बन्द कर दे।

उद्योग को अधिनियम के अन्तर्गत है कि उद्योग का संरक्षण

उद्योग को अधिनियम के अन्तर्गत है कि उद्योग का संरक्षण

उद्योग को अधिनियम के अन्तर्गत है कि उद्योग का संरक्षण

मुख्य पर्यावरण अधिकारी (वृत्त-3)

निम्नलिखित को सूचना एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. निम्नलिखित, मुजफ्फरनगर।
2. अधीनस्थ, अधिनियम, उच्च न्यायालय, विद्युत वितरण, राज्य, मुजफ्फरनगर।
3. अधिनियम, अधिनियम, उच्च न्यायालय, मुजफ्फरनगर।
4. मुख्य पर्यावरण अधिकारी, वेस्ट मैनेजमेंट डिवीजन-1/2, राज्य प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. ए.पी.सी. अधिकारी, राज्य प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के

मुख्य पर्यावरण अधिकारी (वृत्त-3)

dlc



GROUND WATER DEPARTMENT.
(Namami Gange & Rural Water Supply Department)
Ministry of Jal Shakti
Government of Uttar Pradesh



Form 8 (E)

[See rules 15(2)]

**(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR
SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/
INFRASTRUCTURAL OR BULK USER OF GROUND WATER)
AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO:
REG035409**

VALID FROM 27/08/2021 TO 26/08/2026

Registration No.: 202107000007

| | | | |
|--------------------------|--|-----------------------------|--|
| Name of the Owner | MAYANK BINDAL | | |
| Address of the Applicant | 8th Km stone , Bhopa Road , Muzaffarnagar | Application Form Serial No. | MZFN0721RIN0030 |
| Date of Submission | 01/07/2021 | Specimen Signature | |
| Company Name | M/s BINDALS PAPERS MILLS LIMITED | Company Address | 8th Km Stone, Bhopa Road, Muzaffarnagar |

Location Particulars

| | | | |
|----------------------|--|--------------------------|---------------|
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 8th Km Stone, Bhopa Road, Muzaffarnagar | Municipality/Corporation | Yes |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|---|------------------|------------------------------|--------|
| Date of Construction/Sinking of the Well | 15/01/2008 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |



| | | | |
|---|----------------|--|----------|
| Pump Used | Submersible | H.P. of the Pump | 100.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 139.00 |
| Date of Energization (In Case of Electric Pump) | 12/02/2008 | | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 139.00 | Maximum Allowable Running Hours Per Day: | 1.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 41700.00 |

Reason for renewal of N.O.C. NOC ISSUED FROM CGWA WAS VALID TILL 12.03.2020
 एन.ओ.सी. के नवीनीकरण का कारण

Against Case

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3k), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table.

Monitoring Mechanism

| S No | Quantum of Ground water withdrawal (cum/day) | No of piezometers required | Manual | DWLR with Telemetry |
|------|--|----------------------------|--------|---------------------|
| • | | | | |

| | | | | |
|---|---------|---|---|---|
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.





GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh



Form 8 (E)

[See rules 15(2)]

**(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR
SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/
INFRASTRUCTURAL OR BULK USER OF GROUND WATER)
AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO:
REG047692**

VALID FROM 27/08/2021 TO 26/08/2026

Registration No.: 202107000008

| | | | |
|--------------------------|--|-----------------------------|--|
| Name of the Owner | MAYANK BINDAL | | |
| Address of the Applicant | 8th Km stone , Bhopa Road , Muzaffarnagar | Application Form Serial No. | M2FN0721RIN0031 |
| Date of Submission | 01/07/2021 | Specimen Signature | |
| Company Name | M/s BINDALS PAPERS MILLS LIMITED | Company Address | 8th Km Stone, Bhopa Road, Muzaffarnagar |

Location Particulars

| | | | |
|----------------------|--|--------------------------|---------------|
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 8th Km Stone, Bhopa Road, Muzaffarnagar | Municipality/Corporation | Yes |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|---|------------------|------------------------------|--------|
| Date of Construction/Sinking of the Well | 19/01/2008 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |



| | | | |
|---|----------------|--|-----------|
| ..mp Used | Submersible | H.P. of the Pump | 100.00 |
| ..ational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 160.00 |
| Date of Energization (In Case of Electric Pump) | | 12/02/2008 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 160.00 | Maximum Allowable Running Hours Per Day: | 14.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 672000.00 |

Reason for renewal of N.O.C. CGWA NOC EXPIRED ON 12.03.2020
एन.ओ.सी. के नवीनीकरण का कारण

Against Case

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NDC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NDC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table

Monitoring Mechanism

| S No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Manual | DWLR with Telemetry |
|------|--|-----------------------------|--------|---------------------|
| • | | | | |

| | | | | |
|---|---------|---|---|---|
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

• SPECIFIC CONDITIONS:

- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - (i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - (ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - (iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - (iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and, Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - (v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - (vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - (vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - (i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - (ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 19/04/2022

Place: Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh



Form 8 (E)

[See rules 15(2)]

**(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR
SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/
INFRASTRUCTURAL OR BULK USER OF GROUND WATER)
AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO:
REG046425**

VALID FROM 27/08/2021 TO 26/08/2026

Registration No.: 202107000009

| | | | |
|--------------------------|--|-----------------------------|--|
| Name of the Owner | MAYANK BINDAL | | |
| Address of the Applicant | 8th Km stone , Bhopa Road , Muzaffarnagar | Application Form Serial No. | MZFN0721RIND0032 |
| Date of Submission | 01/07/2021 | Specimen Signature | |
| Company Name | M/s BINDALS PAPERS MILLS LIMITED | Company Address | 8th Km Stone, Bhopa Road, Muzaffarnagar |

Location Particulars

| | | | |
|----------------------|--|--------------------------|---------------|
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 8th Km Stone, Bhopa Road, Muzaffarnagar | Municipality/Corporation | Yes |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|---|------------------|------------------------------|--------|
| Date of Construction/Sinking of the Well | 24/01/2008 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |



| | | | |
|---|----------------|--|-----------|
| Pump Used | Submersible | H.P. of the Pump | 100.00 |
| Pumping Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 160.00 |
| Date of Energization (In Case of Electric Pump) | | 12/02/2008 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.): | 160.00 | Maximum Allowable Running Hours Per Day: | 12.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 576000.00 |

Reason for renewal of N.O.C. CGWA NOC EXPIRED ON 12.03.2020
एन.ओ.सी. के नवीनीकरण का कारण

Against Case

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3k), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
 - (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
 - (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
 - (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
 - (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
 - (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
 - (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
 - (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
 - (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
 - (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table

| S No | Quantum of Ground water withdrawal (cum/day) | No of piezometers required | Monitoring Mechanism | |
|------|--|----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| • | | | | |



| | | | | |
|---|---------|---|---|---|
| | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 19/04/2022

Place Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh



Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER) AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG025383

VALID FROM 27/08/2021 TO 26/08/2026

Registration No.: 202107000011

| | | | |
|--------------------------|--|-----------------------------|--|
| Name of the Owner | MAYANK BINDAL | | |
| Address of the Applicant | 8th Km stone , Bhopa Road , Muzaffarnagar | Application Form Serial No. | MZFN0721RIN0033 |
| Date of Submission | 01/07/2021 | Specimen Signature | |
| Company Name | M/s BINDALS PAPERS MILLS LIMITED | Company Address | 8th Km Stone, Bhopa Road, Muzaffarnagar |

Location Particulars

| | | | |
|----------------------|--|--------------------------|---------------|
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khasra No. | 8th Km Stone, Bhopa Road, Muzaffarnagar | Municipality/Corporation | Yes |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|---|------------------|------------------------------|--------|
| Date of Construction/Sinking of the Well | 30/01/2008 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 125.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |



| | | | |
|--|----------------|--|-----------|
| Ap Used | Submersible | H.P. of the Pump | 100.00 |
| ational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 160.00 |
| Date of Energization (In Case of Electric Pump) | | 15/02/2008 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.) | 160.00 | Maximum Allowable Running Hours Per Day: | 12.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 576000.00 |

Reason for renewal of N.O.C. CGWA NOC EXPIRED ON 12.03.2020
एन.ओ.सी. के नवीनीकरण का कारण

Against Case

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

Monitoring Mechanism

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Manual | DWLR with Telemetry |
|------|--|-----------------------------|--------|---------------------|
| . | | | | |



| | | | | |
|---|---------|---|---|---|
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/ June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date 19/04/2022

Place Muzaffar Nagar

This certificate is electronically generated and does not require digital signature





CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building: No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref. No: 17798112/Muzaffarnagar/2022

Date: 14/10/2022

1. Name of Industry: BINDAL'S PAPERS MILLS LTD
2. Address of Industry: 8th Km Stone , Dhopa Road , Muzaffarnagar, MUZAFFAR NAGAR, 251001
3. District: Muzaffarnagar
4. Description about sampling point: Final Outlet Discharge of E.T.P
5. Type of Sample (Grab/Composite/Integrated): Grab
6. Sample Collected By: Anoop Kumar City Magistrate , Muzaffarnagar & Imraan Ali A.E.E Regional Office-Muzaffarnagar
7. Colour and Odour: Colourless No Specific
8. Quantity and Packing: 2.0 Ltrs PVC
9. Date of Sample Collection: 13/09/2022
10. Analysis Indented by: RO Muzaffarnagar
11. Date of sample receipt in Lab: 14/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| pH, 4500 H B Electronic method | - | 7.13 | 7.0-8.5 | 02-12 |
| Suspended Solids , 2540 D Total | mg/l | 44.0 | 50 | 10-20000 mg/l |
| Suspended Solids dried at 103-105 °C | mg/l | | | |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 634.0 | 2100 | 10- 50000 mg/l |
| Total Solids , 2540 B Total Solids dried at 103-105 °C | mg/l | 678.0 | - | 10- 50000 mg/l |
| BOD, 3 day 27 °C IS 3025 (Part 44): 1993 Bio | mg/l | 24.0 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 136.0 | 250 | 5.0 -100000 mg/l |

Reference: Effluent Standards for discharge of environment Pollutants are as per-A Effluent(Schedule-VI),The environment (Protection) Rules, 1986, since 2017, as per Central Standards pH. Besides these standards, refer EPA standards for specific purpose.

Checked by
 [Elect: Keshavi SA]

Authorized by
 [Signature]
 [Signature]
 [Signature]
 Period: ASD

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Notes: 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without permission of laboratory; 3. The test report pertains to the sample as received in Lab.

U.P. Pollution Control Board

CONSENT ORDER

Ref No. :-
08297/UPPCB/MuzaffarNagar(UPPCBRO)/CTO/
water MUZAFFARNAGAR/2019

Dated : 30/12/2019

To,

Shri MAYANK BINDAL
M/s BINDALS PAPERS MILLS LTD
8th Km Stone , Bhopa Road , Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

SUBJECT: Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. BINDALS PAPERS MILLS LTD

Reference Application No :6140794

Dated :30/12/2019

For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. BINDALS PAPERS MILLS LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure, in reference to their foresaid application.

This consent is valid for the period from 01/01/2020 to 31/12/2024.

In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended.

This consent is being issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.31
11:09:14 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy to : Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.31
11:09:14 +05'30'

CEO

C-3.



U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.BINDALS PAPERS MILLS LTD vide

Consent Order No. 6140794/ Water

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Writing Printing Paper-300 MT/Day using Agro Waste, Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.

The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|--------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge,KL/day | Treatment facility and discharge point |
| 1 | Domestic | 15 KLD | Septic Tank |
| 2 | Industrial | 5900 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent.

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 15 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms.

| Industrial Effluent | | |
|---------------------|------------------------|--------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Board Norms |
| 2 | BOD | As per Board Norms |
| 3 | COD | As per Board Norms |
| 4 | Oil & Grease | As per Board Norms |
| 5 | Quantity of Discharge | 5900 KLD |

Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory.

The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.

The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.

The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:



- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will use agro waste and waste paper as raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no. 14 of E.P. Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ rotation Camera at the Inlet, Aeration tank, Secondary Clarifier and outlet of Effluent treatment plants for On Line Monitoring and its URL and password shall be provided to the UPPCB control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified/approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Digitally signed by Nishi Kumar Chauhan
Date: 2018.12.30 11:19:38 +05:30

For and on behalf of U.P. Pollution Control Board.

CEO
C-3.

U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
68309/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 30/12/2019

To,

Shri MAYANK BINDAL
M/s BINDALS PAPERS MILLS LTD
5.5 Km Stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. BINDALS PAPERS MILLS LTD

Reference Application No. 6143223

Dated : 30/12/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s BINDALS PAPERS MILLS LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Nishi Digitally signed
Kumar by Nishi Kumar
Chauhan
Date: 2019.12.30
12:12:21 +0530

For and on behalf of U.P. Pollution Control Board

CEO

C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Digitally signed
Kumar by Nishi Kumar
Chauhan
Date: 2019.12.30
12:12:21 +0530
CEO
C-3.



U.P. Pollution Control Board

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Writing Printing Paper-300 MT/Day using Agro Waste, Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|----------------------|------------------|-----------|--------------------|----------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 100 TPH Boiler | Coal and Biomass | 1 | Particulate Matter | 65 Meter |
| 2 | 300 TPD Boiler | Coal and Biomass | 1 | Particulate Matter | 65 Meter |
| 3 | 1500 KVA DG Set | Diesel | 1 | Sulphur Dioxide | 12 Meter |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|---------------------------------|----------|--------------------|--------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per Board Norms |
| 2 | 1 | Particulate Matter | As per Board Norms |
| 3 | 1 | Sulphur Dioxide | As per Board Norms |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P. Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P. Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P. Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month of the end of the year.

13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:



1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will use agro waste and waste paper as raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall submit the stack/ambient air quality monitoring report from approved Laboratory within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority.

Nishi
Kumar
Chauhan

Digitally signed
by Nishi Kumar
Chauhan
DN: cn=Nishi Kumar
Chauhan, o=U.P. Pollution Control Board, ou=U.P. Pollution Control Board, email=Nishi.Kumar@uppcb.com

For and on behalf of U.P. Pollution Control Board.

CEO
C-3.



REGIONAL LABORATORY MuzaffarNagar
UTTAR PRADESH POLLUTION CONTROL BOARD
 Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

IC/I No.18095961/MuzaffarNagar/2022

Date: 17/10/2022

- 1- Name & Address of Industry: BINDALS PAPERS MILLS LTD
- 2- Sample Collected By: (1) Vipul Kumar ;A.E.E (2) Maneesh Kumar; J.R.F
- 3- Date of Monitoring: 01/10/2022
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler (ENMASS ANDRITEZ)
- 6- Stack Height: 65 Meters
- 7- Total No. of Boiler: 01 (Recovery Boiler)
- 8- Capacity of Boiler: 40 TPH
- 9- Fuel used: Black Liquor
- 10- Quantity of Fuel used: 300 TPD
- 11- Flue Gas Velocity: 7.79
- 12- Air Pollution Control Device: Electrostatic Precipitator
- 13- Other remarks (if any): At the time of inspection industry found operational.
- 14- Further details of sample location and Test methods followed are appended overleaf:

| Sr no. | Parameter | Unit | Result | Standards |
|--------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 133.80 | 150 |

Analysed by-

[Maneesh Kumar JRF]

Authorised Signatory-

Ankit Singh RO

ANKIT SINGH
Digitally signed by ANKIT SINGH
 Date: 2022.10.17
 23:40:59 +05'30'
 Regional Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 16861/UPPCB/MuzaffarNagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated : 27/04/2022

To,

M/s BINDALS PAPERS MILLS LTD

8th Km Stone , Bhopa Road , Muzaffarnagar, MUZAFFAR NAGAR, 251001

Tehsil : MuzaffarNagar

District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016


1. Number of authorization and date of issue 16861 and 27/04/2022 .
2. Reference of application (No. and date) 15591768 and 24/03/2022 .
3. Mr MAYANK BINDAL of M/s BINDALS PAPERS MILLS LTD is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 8th Km Stone , Bhopa Road , Muzaffarnagar .

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|--|--|---------------------|
| 1 | CATEGORY 33.2, SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.1 T/ANNUM |
| 2 | CATEGORY 33.1, SCHEDULE I (Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes) | THROUGH TSDF | 3.0 MT/ANNUM |
| 3 | CATEGORY 5.1, SCHEDULE I (USED OR SPENT OIL) | THROUGH TSDF | 0.425 MT/ANNUM |
| 4 | CATEGORY 34.1, SCHEDULE I (Chemical Containing Residue Arising From Decontamination) | THROUGH TSDF | 0.150 MT/ANNUM |
| 5 | CATEGORY 34.2, SCHEDULE I (Sludge From Treatment Of Waste Water Arising Out Of Cleaning/Disposal Of Barrels /Containers) | THROUGH TSDF | 45.0 MT/ANNUM |

1. The authorization shall be valid for a period of 26/04/2027 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -



1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

1- This Authorization is valid for Contaminated Cotton Rags Or Other Cleaning Materials-0.1 T/Annum, Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes-3 T/Annum, Used Or Spent Oil-0.425 T/Annum, Chemical Containing Residue Arising From Decontamination-0.150 T/Annum And Sludge From Treatment Of Waste Water Arising Out Of Cleaning/Disposal Of Barrels /Containers-45 T/Annum disposed through TSDF.

2- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.

3- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in

the premises and must be fenced, covered and duly marked.

4- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.

5- Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.

6- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.

7- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

8- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

9- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.

10- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

11- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

12- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.

13- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

14- The stored waste shall not be taken out of the storage area except with the written permission of



the State Pollution Control Board in this regard.

15- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.

16- It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.

17- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.

18- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.

19- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.

20- Ground water monitoring report of premises shall be submitted within one month.

21- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

22- The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.

(Authorized Signatory)

RAKESH KUMAR TYAGI Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.05.16 12:21:14 +05'30'

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate. for information and necessary action .

RAKESH KUMAR TYAGI Digitally signed by RAKESH KUMAR
TYAGI
Date: 2022.05.16 12:21:24 +05'30'
CEO/EE, I/C Circle



FORM 10







[See rule 19 (1)]

Copy for SPCB

61593

MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.:-

| | | | |
|--|--|---|--|
| Supplier's Name & Mailing Address (including Phone No. and email) | | Brcal's Paper Mills Ltd 8th km Bhopa Road muzaffer Nagar | |
| Sender's Authorization No. | | | |
| 3 Manifest Document No. | | Challan No BPCH/047 DT 17/5/22 | |
| 4 Transporter's Name & Address (including Phone No. and email) | | Party | |
| 5 Type of Vehicle | | (Truck / Tanker / Special Vehicle) | |
| 6 Transporter's Registration | | | |
| 7 Vehicle Registration No. | | UP567 6969 | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | | (I) BHARAT OIL COMPANY (I) RE E-18, Site-IV, Sahibabad Industrial Area, Ghaziabad, UP-201010 Tel.: 0120-4167924, e-mail:sales@bharatoil.com | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel.: 08874207664 e-mail:sales@bharatoil.com | | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhari Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel.: 0512-2285298 e-mail:sales@bharatoil.com | |
| 9 Receiver's Authorization No. | | (I) 1486/UPPCB/Ghaziabad/UPPCBRO/HMM/GHAZIABAD/2018 Valid upto: 01/05/2023 | |
| (ii) UEPPCBHO/Con-B-84/2018/548 Valid upto: 31/03/2023 | | (iii) 1403/UPPCB/KanpurDehat/UPPCBRO/HMM/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | |
| 10 Waste Description | | ETP Pulp Sludge, Used oil, Empty Drums | |
| 11 Total Quantity- No. of Containers | | 5430 kg, 170 ^{lit} m ³ or MT, 4 Pcs. Nos. | |
| 12 Physical Form | | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | |
| 13 Special Handling Instructions & Additional Information | | Do not throw Drums from truck. In case of leakage/ seepage, use Washing soap at point of leak to stop its leakage. | |
| 14 SENDER'S CERTIFICATE | | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | |
| Typed Name & Stamp :  | | Signature :  | |
| 15 Transporter Acknowledgement of Receipt of Waste | | Month Day Year 05 17 2022 | |
| Typed Name & Stamp :  | | Signature :  | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | | Month Day Year 05 17 2022 | |
| Typed Name & Stamp :  | | Signature :  | |

Details of Boiler Fly ash Generation and disposal for the month of February 2022 to July - 2022.

| Month | Fly ash generation (M.T) | Fly ash disposal (M.T) |
|-------------|--------------------------|------------------------|
| Feb -22 | 3121 | 3121.01 |
| March-22 | 3818 | 3818.45 |
| April - 22 | 3410 | 3409.35 |
| May - 2022 | 2000 | 1990.09 |
| June - 2022 | 2700 | 2727.47 |
| July - 2022 | 2110 | 2087.37 |
| Total | 17159 | 17153.74 |



Point wise compliance of Water (Prevention and control of Pollution) Act, 1974 as per Consent.

General Conditions

| S. No | Conditions | Compliance Status |
|--------|--|-------------------|
| 1. | Consent is valid for approved Production Capacity of Writing Printing Paper – 300 MT/Day and Mill is producing within the compliance limit. (Annual Production 2020-21 – 81,770.40 MT/annum, Annual Production 2021-22 – 97,298.44 MT/annum | Fully Complied |
| 2. | Regarding approval of Products & Quality mentioned above so Mill is producing the quality as mentioned in CTO | Fully Complied |
| 3. | The quantity of discharge is within limits as prescribed in CTO (It is 4000± 200 KLD against 5915 KLD). | Fully Complied |
| 4. | Arrangement for separating collection of water used in Process and domestic effluent. Domestic effluent is treated through Soak Pits and further treated in ETP. Both effluent are treated in ETP and discharged outside the Mill premises | Fully Complied |
| 4. (a) | Domestic effluent quantity is around 10-11 KLD against prescribed limits of 15 KLD in CTO. | Fully Complied |
| 4.(b) | All parameters are within norms as specified in CTO and quarterly samples are taken by UPPCB Regional office and found within limits. | Fully Complied |
| 5. | Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washings of floor etc. is treated before finally in ETP before its disposal and entire effluent is discharged through V-Notch and OCMS and it is as per Environment (Protection) Act, 1986. | Fully Complied |
| 6. | The Method for collecting Industrial effluent and its analysis is purely legal and carried out as per BIS standards/CPPRI manuals/TAPPI test methods and it is as per Environment (Protection) Act, 1986. | Fully Complied |
| 7. | Industry have valid NOC from UPGWD for ground water extraction and following all directions | Fully Complied |
| 8. | The Industry is submitting Environment Statement (Form – V) rule No. 14 of EP Rules, 1986. | Fully Complied |
| 9. | The Industry is complying all various provisions of Air (Prevention & Control of Pollution) Act 1981 as amended and Water (Prevention & Control of | Fully Complied |

| | | |
|-----|--|----------------|
| | Pollution) act 1974 and applicable rules notified under E.P Act,1986. | |
| 10. | Mill is having Plantation in 33 % of Mill area and also acquiring outside area for plantation as per Board Office order No- H-1640/220/2018/02 dtd.16.02.2018/ | Fully Complied |
| 11. | The Industry have installed OCEMS at final discharge and connected to CPCB/UPPCB server. | Fully Complied |
| 12. | Flow meters are installed at Bore wells at all extraction stages. | Fully Complied |
| 13. | Mill is following all compliances. | Fully Complied |
| 14. | Industry is abide by all directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safeguards of environment time to time. | Fully Complied |

SPECIFIC CONDITIONS

| | | |
|-----------|--|----------------|
| <u>1.</u> | The Unit is maintaining strict supervision in operating parameters in each unit of ETP and Qualified & skilled crew is deputed in all areas of ETP. Mill is testing all parameters of ETP unit wise and details are sent every month to UPPCB. | Fully Complied |
| <u>2.</u> | In compliance of the Central Pollution Control Board letter no B-190193/WQM-II/CPCB/P&P/14212 dated 08/12/2017, Industry is following all effluent discharge standards as notified in Environment Protection Rules,1986. | Fully Complied |
| <u>3.</u> | The Unit is using prescribed Raw Material as per CTO for production of Writing & Printing Paper. | Fully Complied |
| <u>4.</u> | The industry is giving continuous and uninterrupted supply to GCEMS installed on final discharge. | Fully Complied |
| <u>5.</u> | Flow meters are installed on extraction of Ground water at all Bore wells. | Fully Complied |
| <u>6.</u> | The Unit has deployed qualified manpower in ETP to step up* self monitoring mechanism of 24 x 7 basis | Fully Complied |
| <u>7.</u> | The Industry have NOC for Water extraction from UPGWD. | Fully Complied |
| <u>8.</u> | Regarding closure order, industry will follow all directions prescribed from Boards. | Fully Complied |
| <u>9.</u> | Industry is submitting Form V (Environment Statement) as per rule No 14 of EP rules, 1986. | Fully Complied |



| | | |
|------------|--|----------------|
| <u>10.</u> | Unit has followed all compliances as per "Charter for Recycling & Pollution Prevention in Pulp and Paper Industries formulated by CPCB. | Fully Complied |
| <u>11.</u> | Industries have installed a PTZ camera covering Aeration Tank, Secondary Clarifier, Tertiary treatment and discharge etc. | Fully Complied |
| <u>12.</u> | Mill is using prescribed Raw material and Paper qualities as per CTO issued to Mill and for any change mill will take NOC from UPPCB. | Fully Complied |
| <u>13.</u> | Industry is abide by orders / directions issued by Hon'ble Supreme Court and Hon'ble National Green Tribunal. | Fully Complied |
| <u>14.</u> | Industry is producing quarterly monitoring reports of trade effluents by NABL accredited laboratory to authorities. | Fully Complied |
| <u>15.</u> | Industry is complying all amendments and provisions of Air (Prevention & Control of Pollution) Act 1981 and Water (Air (Prevention & Control of Pollution) Act 1974. | Fully Complied |
| <u>16.</u> | The Unit has Audited Balance Sheet and submitted it at the time of renewal. | Fully Complied |
| <u>17.</u> | Mill is having Plantation in 33 % of Mill area and also acquiring outside area for plantation as per Board Office order No- H-1640/220/2018/02 dtd.16.02.2018/ | Fully Complied |





Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
NABL ISO/IEC 17025 : 2017 (Testing, Cert. No. TC-5526) Accredited Laboratory
Recognised by MOEFCC



Website : www.newconlab.in

TEST REPORT

TEST REPORT NO : NCL/BPBM/1608/3/180502/57

DATE OF REPORT : 23-05-2022

Page 1 Of 1

EFFLUENT WATER ANALYSIS REPORT

| | |
|------------------------------|---|
| Name And Address Of Customer | BINDAL PAPERS LTD. 8.5TH, KM. STONE, BHOPA ROAD. , MUZAFFARNAGAR, UTTAR PRADESH, INDIA |
|------------------------------|---|

SAMPLING DETAILS

| | | | |
|----------------------|--------------------------------|-------------------|---------------------|
| Analysis Start Date | 18-05-2022 | Analysis End Date | 23-05-2022 |
| Date of Sampling | 17-05-2022 | Sampling ID No. | 180502/57/2022-2023 |
| Time of Sampling | 15:40 | | |
| Sampling Done By | CUSTOMER | | |
| Sampling Location | ETP OUTLET | | |
| Sampling Description | EFFLUENT WATER AFTER TREATMENT | | |
| Sampling Protocol | IS:3025 Part-1 | Sampling Quantity | TWO LI |
| Packing Condition | Sealed | Packed In | PVC BOTTLE |

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Standards (CPCB) (Max) | |
|-------|---|-------|---------------|--------|------------------------|---------------|
| | | | | | Inland Surface Water | Public Sewer |
| 1 | pH | — | APHA-4500(H+) | 7.43 | 5.5-9.0 | 5.5-9.0 |
| 2 | Total Suspended Solids (TSS) | mg/L | APHA-2540 (D) | 41.0 | 100 | 600 |
| 3 | Total Dissolved Solids (TDS) | mg/L | APHA-2540 (C) | 1186 | Not Specified | Not Specified |
| 4 | Bio Chemical Oxygen Demand (3 days at 27°C) | mg/L | APHA-5210 (B) | 23.0 | 30 | 350 |
| 5 | Chemical Oxygen Demand (COD) | mg/L | APHA-5220 (F) | 132 | 250 | Not Specified |
| 6 | Colour | Hazen | APHA-2120 (C) | 60 | Not Specified | Not Specified |

**** End Of Report****

FOR NEWCON CONSULTANTS & LABORATORIES



AUTHORIZED SIGNATORY

NOTE : 1. The Results reported above pertain to the Test performed on the sample submitted to the Laboratory. 2. All degrees subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoked value only.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

Date: 16.08.2022

Point wise compliance of Air (Prevention and control of Pollution) Act, 1981 as per Consent.

General Conditions

| S. No | Conditions | Compliance Status |
|--------|---|-------------------|
| 1. | The consent is valid for approved production capacity of Writing & Printing Paper – 300 MT/day using Wood, Agro Waste & waste Paper as Raw material and mill is fully complying this condition , Mill is not using any other raw material than the specified raw materials. | Fully Complied |
| 2. | The Mill is producing only Writing & printing grades of Paper as per Consent conditions. | Fully Complied |
| 3.(a) | The maximum rate of flue gas is not more than emission norms for the stacks, it is followed and test reports of NABL accredited labs are enclosed. | Fully Complied |
| 3.(b) | Air Pollution source details are same as prescribed in Consent | Fully Complied |
| 3. (c) | The emission by various stacks in to the environment are as per Board norms and test reports of NABL accredited labs are enclosed. | Fully Complied |
| 4. | The Industry is operated in such manner that it does not adversely affect the environment and solid waste generated such as ash etc. is disposed in friendly manner (Solid waste is disposed to Cement Plants and industry is equipped with efficient APCS (Air pollution control system i.e. ESP running 24x7) and test reports of NABL accredited labs are enclosed | Fully Complied |
| 5. | There is no any source of emission other than mentioned in Consent | Fully Complied |
| 6. | Industry ensures herewith the operation of Air pollution control system (APCS) in such manner that air emission confirms the standard prescribed under E.P Act 1986 as amended. (OCEMS is installed on ESP and running 24x7 and all data is linked with CPCB/UPPCB server and test reports of | Fully Complied |



| | | |
|-----|---|----------------|
| | NABL accredited labs are enclosed | |
| 7. | Industry is submitting Environmental Statement in pres as per rule no.14 as per E.P rules 1986.(copy enclosed) | Complied |
| 8. | Industry is abide by orders / directions issued by Hon'ble Supreme court, Hon'ble High court, Hon'ble court, Hon'ble NGT, Central Pollution Control Board, U.P Pollution Control Board and always following all directions given by above authorities. | Fully Complied |
| 9. | Industry is doing monthly monitoring reports of all stacks and ambient air quality (Reports enclosed) | Fully Complied |
| 10. | Industry is complying with various provisions of Air (Prevention and control of pollution) act 1981 as amended and all other applicable rules notified under E.P act 1986. | Fully Complied |
| 11. | The industry ensures hereby the continuous and uninterrupted supply from the OCEMS to CPCB and SPCB and it is being followed regularly. | Fully Complied |
| 12. | The unit has submitted audited balance sheet for the current year at the time of renewal of NOC. | Fully Complied |
| 13. | Industry is not using any Pet Coke and Furnace oil as a fuel in factory as restricted from Hon'ble Supreme court | Fully Complied |
| 14. | Industry is using minimum 20 % Bio Briquette as fuel in Boiler depending upon its availability. | Fully Complied |
| 15. | Industry is complying and in future will obtain prior consents in the event of any addition of new emission generation sources as – Boiler/Heaters/D.G sets or alteration of existing sources in accordance with section – 21/22 of air act 1981 as amended respectively. | Fully Complied |
| 16. | Mill is having Plantation in 33 % of total area and also acquiring outside area for plantation as per Board Office order No- H-1640/220/2018/02 dtd.16.02.2018. | Fully Complied |
| 17. | Regarding closure order issued by CPCB/UPPCB, industry will follow all directions prescribed from Boards. | Fully Complied |
| 18. | Industry is abide by orders / directions issued by Hon'ble Supreme Court and CPPCB/UPPCB for safe gurads of environment from time to time. | Fully Complied |

SPECIFIC CONDITIONS

| | | |
|------------|---|----------------|
| <u>1.</u> | Industry is operated in such a manner that it does not adversely affect environment and the solid waste generated is recycled maximum and balance is disposed to cement plants. | Fully Complied |
| <u>2.</u> | There is no other source of emission other than prescribed in CTO. | Fully Complied |
| <u>3.</u> | All air pollution control system (APCS) are working efficiently and confirming standards of E.P Act, 1986. | Fully Complied |
| <u>4.</u> | The Industry is submitting Environment Statement (Form – V) rule No. 14 of EP Rules, 1986. (report enclosed) | Fully Complied |
| <u>5.</u> | Industry does not have any dyeing and deinking process. | Fully Complied |
| <u>6.</u> | Mill is producing Finish Paper and Raw Material as per CTO conditions. | Fully Complied |
| <u>7.</u> | Industry has installed OCEMS on stack as per direction of CPCB. | Fully Complied |
| <u>8.</u> | Industry is submitting Ambient Air Quality and Stack Quality report tested by NABL accredited laboratory. (enclosed) | Fully Complied |
| <u>9.</u> | Industry is abide by orders / directions issued by Hon'ble Supreme Court and Hon'ble National Green Tribunal. | Fully Complied |
| <u>10.</u> | Unit is submitting quarterly monitoring reports of all stacks and ambient air quality. | Fully Complied |
| <u>11.</u> | Industry is abide to comply Air (Prevention & Control of Pollution act 1981, Water (Prevention & Control of Pollution act 1974 | Fully Complied |
| <u>12.</u> | Mill is not using any Pet Coke and Furnace oil in Mill as fuel. | Fully Complied |



| | | |
|------------|---|----------------|
| <u>13.</u> | Unit is ensuring all time bound compliance of "Charter for Water Recycling in Pulp and Paper Industries" and fully equipped with all compliances. | Fully Complied |
| <u>14.</u> | Industry will follow all guidelines in case of any closure. | Fully Complied |
| <u>15.</u> | Unit will submit audited balance sheet. | Fully Complied |
| <u>16.</u> | Industry is using bio fuel (20 % min) in Boiler. | Fully Complied |
| <u>17.</u> | Industry is complying and shall obtain prior permission for addition of any Boiler/Furnace/D.G set or alteration of existing emission sources in accordance with Section – 21/22 of air Act 1981. | Fully Complied |
| <u>18.</u> | In Industry 33 % of the land is covered with plantation and outside land is also acquired by Mill for plantation every year. | Fully Complied |





Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory
NABL ISO/IEC 17025 : 2017 (Testing, Cert. No. TC-5526) Accredited Laboratory
Recognized by MOEFCC



Website : www.newconlab.in

TEST REPORT

STACK EMISSION MONITORING AND ANALYSIS REPORT

Page 1 Of 1

| | |
|--|---|
| TEST REPORT NO : NCL/BPBM/1608/3/180502/55 | DATE OF REPORT : 23-05-2022 |
| Name And Address Of Customer | BINDAL PAPERS LTD. 8.5TH, KM. STONE, BHOPA ROAD. , MUZAFFARNAGAR, UTTAR PRADESH, INDIA |

SAMPLING DETAIL

| | | | |
|---------------------|---|----------------------|------------|
| Analysis Start Date | 18-05-2022 | Analysis End Date | 23-05-2022 |
| Date Of Sampling | 17-05-2022 | Sampling Done By | NCL |
| Sampling Protocol | AS PER CPCB GUIDELINES | Duration Of Sampling | 30 minute |
| Equipment Used | Vayubodhan Stack Sampler No 1 VSS-1(S.No 321 DTC 01). . . | | |

DETAILS OF STACK

| | | | |
|-------------------------------------|--------------|--------------------------|---------|
| Stack Attached To | BOILER | | |
| Capacity | 40 TPH | | |
| Type Of Fuel Used | BLACK LIQUOR | | |
| Quantity Of Fuel Used | 26.5CM/HR | Stack Dia At The Top | 2000 mm |
| Stack Height Above The Ground level | 65 Mtr | Material Of Construction | RCC |
| Normal Operation Schedule | 24 HRS | | |
| Attached APCs | ESP | | |

PHYSICAL OBSERVATIONS

| | | | |
|------------------------------|-------------|---------------------------------|-------------------------|
| Ambient Temperature | 34°C | Flue Gas Temperature | 125°C |
| Velocity Of Flue Gases | 8.0 Mtr/Sec | Sampling Flow Rate For SPM | 25.0 LPM |
| Sampling Flow Rate For Gases | 2.2 LPM | Quantity Of Emission Discharged | 90432m ³ /hr |

TEST RESULT

| S.No. | Parameter | Unit | Protocol | Result | Specification/ Limit (As Per CPCB) |
|-------|------------------------------------|--------------------|----------------|--------|------------------------------------|
| 1 | Particulate Matters (PM) | mg/Nm ³ | IS:11255 (P-1) | 91.0 | 150 (for 15 & > 15TPH Boilers) |
| 2 | Sulphur Dioxide (SO ₂) | mg/Nm ³ | IS:11255 (P-2) | 258 | 600 |
| 3 | Carbon Monoxide (CO) | % by Vol | IS:13270 | 0.38 | 1% By Volume |
| 4 | Oxide of Nitrogen | mg/Nm ³ | IS:11255 (P-7) | 112.0 | 300 |

*** End Of Report***

FOR NEWCON CONSULTANTS & LABORATORIES

CHECKED BY

PREPARED BY

AUTHORIZED SIGNATORY

NOTE : 1. The Results reported above pertains to the Tested parameters only. Enforceability of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoice value only.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

Point wise compliance of Hazarduous and other wastes (Management and Transboundary Movement Rules, 2016.

General Conditions

| S. No | Conditions | Compliance Status |
|--------------|---|--------------------------|
| 1. | The Authorized person is complying with all provisions of Environment Protection Act, 1986 regularly and sending all compliances time to time to regulatory authorities. | Fully Complied |
| 2. | The Authorization or its renewal is produced every time during inspection of officer by the State Pollution Control Board | Fully Complied |
| 3. | The Authorized person is agree to bound the condition not to rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through it authorization. | Fully Complied |
| 4. | Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization | Fully Complied |
| 5. | The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all sites specific possible scenarios such as spillages' leakages, fire etc. and other possible impacts and also carry out mock drill in this regard at regular intervals of time. | Fully Complied |
| 6. | The person authorized is complying with the provisions outlined in the Central Pollution Control Board guidelines on implementing Liabilities for Environmental damages due to Handling and Disposal of Hazardous Waste and penalty. | Fully Complied |
| 7. | Authorized person is fully complying to take prior permission of the State Pollution Control Board to close down the facility. | Fully Complied |
| 8. | The imported hazardous and other wastes are fully insured for transit as well as accidental occurrence and its clean-up operation. | Fully Complied |
| 9. | The record of consumption and fate of the imported hazardous and other wastes are maintained. | Fully Complied |
| 10. | The hazardous and other wastes which get generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes are treated and disposed as per specific conditions of authorization. | Fully Complied |



| | | |
|-----|---|----------------|
| 11. | The importer or exporter bears the cost of import or export and mitigation of damages if any. | Fully Complied |
| 12. | An application for its renewal of an authorization is made as laid down under the rules. | Fully Complied |
| 13. | Any other conditions for compliance as per guidelines issued by the Ministry of Environment, Forest and Climatic Changes or Central Pollution Control Board from time to time are followed. | Fully Complied |
| 14. | Annual return are files by June 30 th for the period ensuring 31 st march of the year are followed. | Fully Complied |
| 15. | The Unit will file renewal application at least 2 months prior to expiry of the current order. | Fully Complied |

SPECIFIC CONDITIONS

| | | |
|-----------|---|----------------|
| <u>1.</u> | This Authorization is valid for Contaminated Cotton Rags Or Other Cleaning Materials-0.1T/Annum, Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes-3T/Annum, Used Or Spent Oil-0.425 T/Annum, Chemical Containing Residue Arising From Decontamination-0.150 T/Annum And Sludge From Treatment Of Waste Water Arising Out Of Cleaning/Disposal Of Barrels /Containers-45 T/Annum disposed through TSDF. | Fully Complied |
| <u>2.</u> | The unit is agree and will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stands automatically cancelled. | Fully Complied |
| <u>3.</u> | The Unit is agree to follow the conditions of wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked | Fully Complied |
| <u>4.</u> | The authorized person/agency is agree to ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested. | Fully Complied |
| <u>5.</u> | Comprehensive safety measures are being followed in handling of wastes and the staffs are properly trained. | Fully Complied |
| <u>6.</u> | Unit will follow the instruction as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorization. It is also provided in the same order that industries which are not complying with the conditions shall not be | Fully Complied |



| | | |
|------------|---|-------------------|
| | allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice. | |
| <u>7.</u> | The applicant will file returns on prescribed Form 4 along with a compliance report of this letter. Unit also maintain records on Form-3 and present it to Board's inspecting officials. | Fully Complied |
| <u>8.</u> | In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken. | Fully Complied |
| <u>9.</u> | Unit always follow the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months. | Fully Complied |
| <u>10.</u> | The authorized person does not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorization of the Board. | Fully Complied |
| <u>11.</u> | In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled | Fully Complied |
| <u>12.</u> | Proposal regarding waste minimization and reuse of wastes will be sent. Details of any recovery/ reuse system will be sent within two months | Fully Complied |
| <u>13.</u> | Unit is agree to follow the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. | Fully Complied |
| <u>14.</u> | The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard. | Fully Complied |



| | | |
|------------|---|----------------|
| <u>15.</u> | Unit is displaying online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter. | Fully Complied |
| <u>16.</u> | Unit is agree to follow the mandatory duty of the authorized person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time. | Fully Complied |
| <u>17.</u> | Unit provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month. | Fully Complied |
| <u>18.</u> | Unit provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest. | Fully Complied |
| <u>19.</u> | Unit provides Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month. | Fully Complied |
| <u>20.</u> | Ground water monitoring report of premises shall be submitted within one month. | Fully Complied |
| <u>21.</u> | Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016. | Fully Complied |
| <u>22.</u> | The authorized actual user of hazardous and other wastes are maintaining records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization. | Fully Complied |





उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

Annexure - 112

सदर सलाह: 1-18/24/सी-3/प्रापु/64/2022

दिनांक: 18/10/2022

प्रति,

सजोया

मैसर्स बिन्दुस पेपर मिल्स लि,
8 बां किमी, भोपा रोड, जनपद-मुजफ्फरनगर।

यह कि मैसर्स बिन्दुस पेपर मिल्स लि, 8 बां किमी, भोपा रोड, जनपद-मुजफ्फरनगर जोकि वेस्ट पेपर एवं एग्री वेस्ट पेपर का प्रयोग कर राइटिंग प्रिंटिंग पेपर के उत्पादन हेतु उपरोक्त वर्णित स्थल पर कार्यरत है, वायु प्रदूषण नियंत्रण एवं निवारण अधिनियम, 1981 यथासंशोधित की धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग मैसर्स बिन्दुस पेपर मिल्स लि, 8 बां किमी, भोपा रोड, जनपद-मुजफ्फरनगर को दिनांक 20 एग्रीजिटी में विचारणीय ओएच संख्या-277/2022 लियावत अली एवं अन्य बनाम उत्तर प्रदेश सरकार में पंरित आदेश दिनांक-21.07.2022 के अनुपालन में कोर्ट द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-13.08.2022 को किया गया। निरीक्षण के समय दिये गये प्रपत्र/विवरण के अनुसार उद्योग में ब्याथर से जनित प्लाई एश का निस्तारण हेतु होमेट साइट एवं लोकल टेम्पर्ट्स को दिये जाने की सूचना दी गयी है, जिसके संबंध में उद्योग द्वारा टेक्स इन्फार्म एंड कंट्रोल का विवरण उपलब्ध कराया गया है, परन्तु उद्योग द्वारा लोकल टेम्पर्ट्स के माध्यम से प्लाई एश का निस्तारण किये जाने वाले स्थल का ब्याथर एवं खसरा संख्या का विवरण उपलब्ध नहीं कराया गया तथा निस्तारण स्थल पर खुल अवसर्जन की संरक्षण हेतु Green Cover, Water Sprinkling एवं Obstruction Wall से संबंध में कोई विवरण उपलब्ध नहीं कराया गया। निरीक्षण के दौरान उद्योग के अवसर्जन के क्षेत्र में विभिन्न स्थानों पर भूमि पर भारी मात्रा में प्लाई एश डम्प पाया गया है तथा निस्तारण स्थलों पर वायु प्रदूषण नियंत्रण हेतु किसी प्रकार का डस्ट सप्रेसन सिस्टम स्थापित नहीं पाया गया, जिससे अवसर्जन के क्षेत्र में वायु प्रदूषण की समस्या व्याप्त होना स्वाभाविक है। वेस्ट पेपर आधारित पल्प एण्ड पेपर इकाईयों में सामान्यतः उत्पाद का 1.5% प्लास्टिक वेस्ट जनित होता है, जिससे स्पष्ट है कि उद्योग से जनित प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अतः माओ एग्रीजिटी में विचारणीय ओएच संख्या-277/2022 लियावत अली एवं अन्य बनाम उत्तर प्रदेश सरकार में पंरित आदेश दिनांक 21.07.2022 के मुख्य अंश निम्नवत है :-

"...3. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSD facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing unit but the Joint Committee has not taken any points to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSD used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing unit to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

4. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the financial position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months.

सादर को दिनांक-31.12.2024 तक सख्त सखति वायु निर्गत की गयी है, जिसकी शर्तों का उल्लंघन किया जा रहा है। उद्योग के विरुद्ध विभिन्न माध्यमों से प्लास्टिक वेस्ट जलाने की शिकायतें प्राप्त हो रही हैं। उद्योग द्वारा कोर्ट के पत्र दिनांक 31.12.2024 द्वारा निर्गत उद्योग सखती वायु की शर्तों एवं माओ एग्रीजिटी द्वारा पंरित आदेशों का पालन किया जा रहा है।

यह कि मैसर्स बिन्दुस पेपर मिल्स लि, 8 बां किमी, भोपा रोड, जनपद-मुजफ्फरनगर द्वारा वायु प्रदूषण नियंत्रण एवं निवारण अधिनियम, 1981 यथासंशोधित की धारा-21/22 के के प्रावधानों के अन्तर्गत कोर्ट से निर्गत सखती शर्तों का उल्लंघन कर अन्य-पत्र के पर्यावरण एवं जन मानस के स्वास्थ्य पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु प्रदूषण नियंत्रण एवं निवारण अधिनियम, 1981 यथासंशोधित में विहित आज्ञावली प्रावधानों का उल्लंघन तथा एक दण्डनीय अपराध है।

Website: www.spdc.com



GROUND WATER DEPARTMENT

(Narmada Ganga & Rural Water Supply Department)
Ministry of Jal Shakti
Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

VALID UP TO :

Registration No.: 201107006236

| | | | |
|--|---|--|---|
| Name of the Owner | DIVESH BANSAL | Application Form Serial No. | MZFNO721RND0035 |
| Address of the Applicant | 9th Km Stone, Bhoga Road, Muzaffarnagar | Specimen Signature | 9th Km Stone, Bhoga Road, Muzaffarnagar |
| Date of Submission | 18/07/2021 | Company Address | 9th Km Stone, Bhoga Road, Muzaffarnagar |
| Company Name | M/s SHREE BHAGESHWARI PAPERS PVT LTD | | |
| NOC issued By: | अनुमति प्रदान कर (द्वारा निर्दिष्ट) | | |
| Central Ground Water Authority | केन्द्रीय भूगर्भ जल प्राधिकरण | | Yes |
| Certificate Number | CGWYNOC/IND/ORG/2018/9544 | Issue Date | 30/07/2018 |
| Expiry Date | 30/07/2020 | | |
| Ground Water Department Uttar Pradesh | भूगर्भ जल विभाग उत्तर प्रदेश सरकार | | No |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khassra No. | 9th Km Stone, Bhoga Road, Muzaffarnagar | Municipality/Corporation | Yes |
| Ward No./Holding No. | | | 251001 |
| Particular of the Existing Well and Pumping Device | | | |
| Date of Construction/Sinking of the Well | 06/02/1995 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (in meter) | 180.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 25.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 131.00 |
| Date of Energization (in Case of Electric Pump) | | | 11/02/1995 |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.) | 131.00 | Maximum Allowable Running Hours Per Day | 17.06 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 746045 |

Reason for renewal of N.O.C.

NOC ISSUED FROM CGWA WAS VALID TILL 30.07.2021

एन.ओ.सी. के नवीनीकरण का कारण

Against Case

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3k), for running hours per day as shown at Sl. (3k) and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Place

Date

Yours Faithfully
Signature of the Issuing Authority
and Designation

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of three years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for installation of Piezometers and their Monitoring
- Piezometer is a borewell tube well used only for measuring the water level by lowering the tape sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50 - 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director.

Ground Water Department, Uttar Pradesh, for chemical analysis

- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care off.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (13) Any other condition imposed by the concerned Authority.
- **SPECIFIC CONDITIONS:**
- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 160 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no. 10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

This NOC is not authorized by any Official. This should only be used for Preview purpose.

यह अनुमति प्रमाणपत्र किसी प्राधिकारी द्वारा प्रमाणित नहीं है। इसे मात्र पूर्वावलोकन के उद्देश्य से प्रयोग किया जाना चाहिए।



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

VALID UP TO :

Registration No.: 202107000236

| | | | |
|---|---|--|---|
| Name of the Owner | DIVESH BANSAL | | |
| Address of the Applicant | 5th Km Stone, Bhopa Road, Muzaffarnagar | Application Form Serial No. | MZFN0721RIN0035 |
| Date of Submission | 10/07/2021 | Specimen Signature | |
| Company Name | M/s SHREE BHAGESHWARI PAPERS PVT LTD | Company Address | 5th Km Stone, Bhopa Road, Muzaffarnagar |
| NOC Issued By: अनापत्ति प्रमाण पत्र (इस निमित्त) | | | |
| Central Ground Water Authority केन्द्रीय भूगर्भ जल प्राधिकरण | | | Yes |
| Certificate Number प्रमाणपत्र संख्या | CGW/NOC/IND/DRIG/2018/3944 | Issue Date निर्गत्य तिथि | 31/07/2018 |
| Expiry Date अन्तिम तिथि | 30/07/2020 | | |
| Ground Water Department Uttar Pradesh भूगर्भ जल विभाग उत्तर प्रदेश सरकार | | | No |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khata No. | 5th Km Stone, Bhopa Road, Muzaffarnagar | Municipality/Corporation | Yes |
| Ward No./Holding No. | | | 251001 |
| Particular of the Existing Well and Pumping Device | | | |
| Date of Construction/Sinking of the Well | 05/02/1995 | | |
| Type of Well | Tube Well/Spring | Depth of the Well (in meter) | 180.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 25.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 131.00 |
| Date of Energization (in Case of Electric Pump) | | 11/02/1995 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.) | 131.00 | Maximum Allowable Running Hours Per Day | 17.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 746045 |

Reason for renewal of N.O.C.
एन.ओ.सी. के नवीनीकरण का कारण

NOC ISSUED FROM GOWA WANS VALID TILL 24.09.2020.

Against Case

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3g), for running hours 1 day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Place

Date

Yours Faithfully,
Signature of the Issuing Authority
and Designation

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of three years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell/tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No of piezometers required | Monitoring Mechanism | |
|------|--|----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 l, capacity bottle) to the concerned Director.

Ground Water Department, Uttar Pradesh for chemical analysis.

- A Permanent display board should be installed at piezometer/tube wells site for providing the location, piezometer/tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care off.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (13) Any other condition imposed by the concerned Authority
- **SPECIFIC CONDITIONS**
- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/day shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

This NOC is not authorized by any Official. This should only be used for Preview purpose.
 यह अनापत्ति प्रमाणपत्र किसी अधिकारी द्वारा प्रमाणित नहीं है। इसे मात्र पूर्वदर्शन के उद्देश्य से प्रयोग किया जाना चाहिए।



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gombi Nagar, Lucknow-226010



Annexure-114

TEST REPORT: WASTE WATER LABORATORY

Ref No: 17801315/MuzaffarNagar/2022

Date:17/10/2022

- 1- Name of Industry: SHREE BHAGESHWARI PAPERS PVT LTD UNIT I
- 2- Address of Industry: 9th KM stone, Bhoga Road, Muzaffarnagar (U.P), MUZAFFAR NAGAR, 251001
- 3- District: Muzaffarnagar
- 4- Description about sampling point: Final Outlet Discharge of E.T.P
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Anoop Kumar City Magistrate, Muzaffarnagar & Vipul Kumar A.E.E Regional Office-Muzaffarnagar
- 7- Colour and Odour: Colourless No Specific
- 8- Quantity and Packing: 2.0 Ltrs PVC
- 9- Date of Sample Collection: 14/09/2022
- 10- Analysis Indented by: RO MuzaffarNagar
- 11- Date of sample receipt in Lab: 15/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|--|------|---------|----------|------------------|
| +H, 1500 H B Electronic method | - | 7.59 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total Suspended Solids dried at 103-105 °C | mg/l | 40.0 | 50 | 10-20000 mg/l |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 884.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 924.0 | - | 10- 50000 mg/l |
| BOD, 3 day 27 °C IS 3025 (Part 44): 1993 Bio | mg/l | 23.4 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 198.0 | 250 | 5.0 -100000 mg/l |

1. General: (1) General Standards for discharge of environment Pollutants are as per-A Effluent (Schedule-VI), The environment (Protection) Rules, 1986 source:

2. Standards: (2) GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose.

Ref: IS: VI

Analysed by

[Arvi Gupta(SA)]

Authorized by

Dr. J. C. T. (Signature)
 J. C. T. (Name)
 J. C. T. (Designation)
 J. C. T. (Address)

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed
 by RAM GOPAL
 DN: cn=RAM GOPAL,
 o=U.P.P.C.B., c=IN

1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without
 the permission of laboratory; 3. The test report pertains to the sample as received in Lab.



U.P. Pollution Control Board

CONSENT ORDER

Dated : 30/12/2019

Ref No. -
68526/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/
water/MUZAFFARNAGAR/2019

To,

Shri DIVESH BANSAL
M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 1
9th Km Stone , Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. SHREE BHAGESHWARI PAPERS PVT LTD UNIT 1

Reference Application No :6162484

Dated :30/12/2019

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. SHREE BHAGESHWARI PAPERS PVT LTD UNIT 1 is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 01/01/2020 to 31/12/2024 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.30
12:29:08 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.30
12:30:08 +05'30'

CEO
C-3.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SHREE BHAGESHWARI PAPERS PVT LTD UNIT 1 vide

Consent Order No. 6162484/ Water

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Kraft Paper-100 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|--------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge,KL/day | Treatment facility and discharge point |
| 1 | Domestic | 8 KLD | Septic Tank |
| 2 | Industrial | 1100 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 8 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

| Industrial Effluent | | |
|---------------------|------------------------|--------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Board Norms |
| 2 | BOD | As per Board Norms |
| 3 | COD | As per Board Norms |
| 4 | Oil & Grease | As per Board Norms |
| 5 | Total Suspended Solids | 1100 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II/CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ rotation Camera at the Inlet, Aeration tank, Secondary Clarifier and outlet of Effluent treatment plants for On Line Monitoring and its URL and password shall be provided to the UPPCB control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified/ approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.30
12:16:21 +05'30'

For and on behalf of U.P. Pollution Control Board .

CEO

C-3.

U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
68528/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 30/12/2019

To,

Shri DIVESH BANSAL,
M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT I
9th Km Stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub: Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SHREE BHAGESHWARI PAPERS PVT LTD UNIT I

Reference Application No. 6162588

Dated : 30/12/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT I, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.30
12:18:44 +05'30'

For and on behalf of U.P. Pollution Control Board

CEo

C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.12.30
12:18:44 +05'30'

CEo

C-3.

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Kraft Paper-100 MTD using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| S.No | Air Pollution Source | Air Pollution Source Details | | | |
|------|--|------------------------------|-----------|--------------------|--------|
| | | Type of Fuel | Stack No. | Parameters | Height |
| 1 | Common Captive Power Plant for Both Units (Shree Bhageshwari Paper Furnace unit) | | | Particulate Matter | |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board .

| S.No | Emission Quality Details Detail | | |
|------|---------------------------------|-----------|----------|
| | Stack No | Parameter | Standard |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner .
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board .
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P. Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P. Rules 1986 .
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time .
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986 .
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB .
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order .

14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
11. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
12. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
13. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
14. The unit shall submit the audited balance sheet for the current year.
15. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
16. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
17. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Date: 20/01/2020
Chauhan is the signatory

For and on behalf of U.P. Pollution Control Board .

CEo

C-3,



REGIONAL LABORATORY MuzaffarNagar
UTTAR PRADESH POLLUTION CONTROL BOARD
 Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

R/L No.18084956/MuzaffarNagar/2022

Date: 17/10/2022

- 1- Name & Address of Industry: SHREE BHAGESHWARI PAPERS PVT LTD
- 2- Sample Collected By: (1) Vipul Kumar ;A.E.E (2)Maneesh Kumar;J.R.F
- 3- Date of Monitoring: 30/09/2022
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler(THERMAX)
- 6- Stack Height: 52 Meters
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 36 TPH
- 9- Fuel used: (1) Coal (2) Rice Husk
- 10- Quantity of Fuel used: (1) Coal-80 TPD (2) Rice Husk-70 TPD
- 11- Flue Gas Velocity: 7.64 m/sec
- 12- Air Pollution Control Device: Electrostatic Precipitator
- 13- Other remarks (If any): At the time of inspection Industry found operational,
- 14- Further details of sample location and Test methods followed are appended overleaf:

| Sr no. | Parameter | Unit | Result | Standards |
|--------|-----------|--------|--------|-----------|
| 1 | PM | mg/Nm3 | 105.40 | 150 |

Analysed by-

[Maneesh Kumar JRF]

Authorised Signatory-

Ankit Singh RO

ANKIT SINGH
Digitally signed
 by ANKIT SINGH
 Date: 2022.10.17
 23:41:21 +05'30'
Regional Officer

**UTTAR PRADESH POLLUTION CONTROL BOARD**

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 18245/UPPCB/MuzaffarNagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated : 19/09/2022

To,

M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 1

9th Km Stone , Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001

Tehsil : MuzaffarNagar

District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 18245 and 19/09/2022 .
2. Reference of application (No. and date) 12597365 and 26/08/2022 .
3. Mr DIVESH BANSAL of M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 1 is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9th Km Stone , Bhopa Road, Muzaffarnagar .

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|--|--|---------------------|
| 1 | CATEGORY 5.1 AS PER SCHEDULE I (Used Or Spent Oil) | THROUGH TSDF | 0.150 MT/ANNUM |
| 2 | CATEGORY 33.1 AS PER SCHEDULE I (Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes) | THROUGH TSDF | 0.80 MT/Annum |
| 3 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.10 MT/ANNUM |

1. The authorization shall be valid for a period of 13/09/2027 from the date of issue of this letter
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A. General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
DN: cn=RAKESH KUMAR TYAGI, o=UPPCB, ou=UPPCB, email=info@uppcb.com, c=IN

3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

- 1- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.
- 2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
- 3- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.
- 4- Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
- 5- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.09.28 16:36:12 +05'30'

Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.

6- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

7- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

8- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.

9- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

10- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

11- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.

12- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

13- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.

14- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.

15- It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central

RAKESH KUMAR TYAGI

Digitally signed by Rakesh Kumar Tyagi
DN: cn=Rakesh Kumar Tyagi, o=U.P. Pollution Control Board, email=rakesh.tyagi@uppcb.gov.in

Pollution Control Board from time to time.

- 16- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
- 17- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.
- 18- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.
- 19- Ground water monitoring report of premises shall be submitted within one month.
- 20- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 21- The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.
- 22- Unit must submit waste generation and disposal balance for last 2 years along with copies of log book and manifest (form 10) within 7 days of issuing this certificate.
- 23- Unit must submit point wise compliance report of CTO and point wise compliance of last issued HWA certificate within 7 days of issuing this certificate.

(Authorized Signatory)

RAKESH KUMAR TYAGI Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.09.28 16:36:35 +05'30'

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate. for information and necessary action .

RAKESH KUMAR TYAGI Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.09.28 16:36:45 +05'30'

CEO/EE, I/C Circle




FORM 10
[See rule 19 (1)]

S. No. **0539**

MANIFEST FOR HAZARDOUS AND OTHER WASTE

To be forwarded by the Sender to the State Pollution Control Board after signing all the seven copies.

Copy 1 (White)

| | | | |
|--|---|---|--|
| 1. | Sender's name and mailing address (including Phone No. and e-mail): |  | 9TH KM STONE, BHOPA ROAD, MUZAFFARNAGAR-251002 (U.P.) E-MAIL: sbppmzn@gmail.com |
| 2. | Sender's Authorisation No. : | | |
| 3. | Manifest Document No. : | 0539 | 08/07/2022 |
| 4. | Transporter's name and address: (including Phone No. and e-mail) | S. W. M. P | |
| 5. | Type of Vehicle : | (Truck/Tanker/Special Vehicle) | |
| 6. | Transporter's Registration No. : | | |
| 7. | Vehicle Registration No. : | UP-14F T-2770 | |
| 8. | Receiver's name and mailing address (including Phone No. and e-mail): | M/S SHEETALA WASTE MANAGEMENT PROJECT D-26, UPSIDC Industrial Area, Tehsil- Sikandrabad, District Bulandshahr, Uttar Pradesh - 203206 Mob. : 9643764441, Email : swmp@sheetalawaste.com | |
| 9. | Receiver's Authorisation No. : |  | 13443/UPPCB/Bulandshahr(UPPCBRO)/HWM/ BULAND SHAHAR/2020 Dated :08/01/2021-Valid up to 6-1-2026 |
| 10. | Waste Description : | Waste Oil, Inade, Process Sludge 223 | |
| 11. | Total Quantity : No. of Containers : | 565 Kgm ³ or MT InadebottNos. | |
| 12. | Physical Form : | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | |
| 13. | Special handling instructions and additional information : | In case of leakage/spillage, use washing soap at the point of leakage to prevent it. All material should be properly packed in spillage proof containers. Do not throw any material from vehicle. | |
| 14. | Sender's Certificate | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations. | |
| SHREE BHAGESHWARI PAPERS PRIVATE LIMITED  AUTH. SIGNATORY | | Name and stamp: Signature: Month Day Year 07 08 2022 | |
| 15. | Transporter acknowledgement of receipt of Wastes | Muzaffarnagar Industries Area Muzaffarnagar (U.P.) - 203206 GSTIN-09ADSFS7354L122 Signature: Month Day Year 07 08 2022 | |
| 16. | Receiver's certification for receipt of hazardous and other waste | Name and stamp: Signature: Month Day Year [] [] [] [] [] [] [] [] | |



DT.01.05.2021

WORK ORDER

A Contract was made on 01-05-2021 between Shree Bhageshwari Papers Pvt Ltd, 9KM Bhopa Road Muzaffar Nagar and G.M.R. Contractors, 141, Nangla Buzurg, Muzaffarnagar for Disposal of Waste material like Ash, Building Waste Material etc.

The Agreement was made on the basis of payment of Rs. 2,00,000 /- (Rs. Two Lakh only) per month.

TERMS & CONDITION

1. Shree Bhageshwari Papers Private Ltd. will make payment on receipt of Bill from M/S G.M.R. Contractors after 20 days Approx.
2. Ash & Waste Material lifting through Tipper (10 WHEELER Dumper). G.M.R. Contractors will arrange to Dump the material at the site map provided by them or arrange to send the material to Cement Plant.
3. The agreement is valid for Two Years ie from 01-05-2021 to 30-04-2023.
Subject to renewal on agreement from both parties

For Shree Bhageshwari Papers Private Ltd.


(DIRECTOR)

For G.M.R. Contractors


(PARTNER)

THE PAPER PEOPLE



Works & Regd. Office :
5th Km Stone, Bhopa Road,



0131-2468389, 2468390
2468391



sbpplmzn@gm



**SHREETM
BHAGESHWARI**
PAPERS PRIVATE LIMITED



GSTIN: 09AAACB9178R1ZK
CIN: U21012UP1996PTC020389



दिनांक- 16.08.2022

सेवा में,
क्षेत्रीय अधिकारी,
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड,
मुज़फ़्फ़रनगर
विषय :- उद्योग में जनित प्लास्टिक वेस्ट का निस्तारण के सम्बन्ध में

महोदय,

उद्योग में जनित प्लास्टिक वेस्ट का निस्तारण हमारे द्वारा अल्ट्राटेक सीमेंट (आदित्य सीमेंट वर्क्स) चित्तौरगढ़ को किया जा रहा है जिसके प्रमाण स्वरूप रिकॉर्ड / मटेरियल बैलेंस प्रस्तुत हैं

Waste Plastics Generation/ Disposal Report From Feb-2022 to July-2022

| | | Opening in M.T. | Production in M.T. | Generation in M.T. | Disposal to Ultratech in M.T. | Closing in M.T. |
|---|-------------------|--------------------|-----------------------|-----------------------|-------------------------------------|-----------------|
| 1 | February- 2022 | 17.639 | 4101.933 | 36.917 | 27.500 | 27.056 |
| 2 | Marh-2022 | 27.056 | 3953.636 | 35.583 | 57.600 | 5.039 |
| 3 | April-2022 | 5.039 | 4224.009 | 50.688 | 44.200 | 11.527 |
| 4 | may-2022 | 11.527 | 4136.151 | 49.634 | 50.180 | 10.981 |
| 5 | june-2022 | 10.981 | 2846.073 | 34.153 | 44.470 | 0.664 |
| 6 | july-2022 | 0.664 | 4218.570 | 33.749 | 23.500 | 10.913 |

आशा है कि आप हमारे विवरण से सन्तुष्ट होंगे

धन्यवाद

वास्ते श्री भागेश्वरी पेपर्स प्राइवेट लिमिटेड
David Bansa
(डायरेक्टर)

- संलग्न : 1. प्लास्टिक वेस्ट डिस्पैच चालान की छाया प्रतिलिपि
2. अल्ट्राटेक सीमेंट द्वारा जारी सर्टिफिकेट का छाया प्रतिलिपि

THE PAPER PEOPLE



Works & Regd. Office :
9th Km Stone, Bhopa Road,
Muzaffarnagar - 251001 U.P. (INDIA)



0131-2468389, 2468390
2468391



sbpplmzn@gmail.com

GSTN: 09AAAC89178112R

CHALLAN CUM-GATE PASS

Ph: 9131-2468389

Fax: 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/18

Date: 10/02/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAAC16442L12A


Please receive the following material through Truck No RJ51GA0878

G.R. No. 410

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 27500 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory



UTCL/AC/AFR/DC/SBPPL/FEB-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD." at our Aditya Cement Works, Chittaurgarh during the month Feb-22.

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| Feb-22 | Plastic Waste | 27.330 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 12.02.2022 | 18 | 27.330 | RJ51GA0878 |
| Total | | | 27.330 | |


Authorized Signatory

GSTN: 09AAACB9178R128

CHALLAN CUM-GATE PASS

Ph: 0131-2468389

Fax: 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.8th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/19

Date: 04/03/2022

To: M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ06GC1091

G.R. No. 438

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 30100 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory

GSTN: 05AAACB9178R12R

CHALLAN CUM-GATE PASS

Ph.0131-2468389

Fax.91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.

GTH Kns. Stereo, Bhoga Road, MUZAFFARPUR-251 001 (U.P.)

Challan No-PW/21-21/20

Date: 20/03/2022

To, M/S ADITYA CEMENT WORKS

P. O - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ06GC1091

G.R. No. 449

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 27500 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory



UTCL/AC/AFR/DC/SBPPL/MAR-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD." at our Aditya Cement Works, Chittaurgarh during the month Mar-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| Mar-22 | Plastic Waste | 48.240 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 05-03-2022 | 19 | 25.510 | RJ06GC1091 |
| 2 | 22-03-2022 | 20 | 22.730 | RJ06GC1091 |
| Total | | | 48.240 | --- |

Authorized Signatory

ESTN: 08AAACB9178R12R

CHALLAN CUM-GATE PASS

Ph: 0131-2468389

Fax: 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001 (U.P.)

Sl. No. W/22-23/01

Date: 12/04/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

ESTN- 08AAACI6442L1ZA

We receive the following material through Truck No RJ06GC1091

G.R. No. 472

| ITEM NO. | PARTICULARS | QNTY (IN K.G.) | JOB |
|----------|--|----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 26510 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver



Authorised Signatory

GSTN: 08AAACB917BR1ZR

CHALLAN CUM-GATE PASS

Ph.0131-2468389

Fax.91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9TH. Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/02

Date: 13/04/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ30GA0717

G.R. No. 473

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 21510 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver



Authorised Signatory



UTCL/AC/AFR/DC/SBPPL/APR-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD" at our Aditya Cement Works, Chittaurgarh during the month APR-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| APR-22 | Plastic Waste | 44.200 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 14-04-2022 | 1 | 23.360 | RJ06GC1091 |
| 2 | 15-04-2022 | 2 | 20.840 | RJ30GA0717 |
| Total | | | 44.200 | |


Authorized Signatory

GSTN: 08AAACB9178R12R

CHALLAN CUM GATE PASS

Ph.0331-2468389

Fax.91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/03

Date: 07/05/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ06GC1091

G.R. No. 493

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 27100 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/04

Date: 08/05/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ01GA7284

G.R. No. 494

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 25150 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver

Authorised Signatory





UTCL/AC/AFR/DC/SBPPL/MAY-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD, "at our Aditya Cement Works, Chittaurgarh during the month May-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| May-22 | Plastic Waste | 51.890 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 08-05-2022 | 3 | 28.810 | RJ06GC1091 |
| 2 | 11-05-2022 | 4 | 23.080 | RJ01GA7284 |
| Total | | | 51.890 | --- |


Authorized Signatory

GSTN: 09AAACB917BR1ZR

CHALLAN CUM-GATE PASS

Ph: 0131-2468389

Fax: 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9TH, Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/05

Date: 06/06/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ51GA0878

G.R. No. 514

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 23200 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver
Signatory
Authorised

GSTN: 09AAACR9178R12R

CHALLAN CUM-GATE PASS

Ph 0131-2468389
Fax 91-131-2468391**SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.**3rd Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/06

Date: 28/06/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L12A

Please receive the following material through Truck No RJ01GA7284

G.R. No. 531

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 25700 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver
Signatory
Authorised



UTCL/AC/AFR/DC/SBPPL /JUN-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LIMITED" at our Aditya Cement Works, Chittaurgarh during the month JUN-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| JUN-22 | Plastic Waste | 44.470 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 08-06-2022 | 5 | 21.480 | RJ51GA0678 |
| 2 | 29-06-2022 | 6 | 22.990 | RJ01GA7284 |
| Total | | | 44.470 | --- |

Authorized Signatory

GSTN: 09AAAC0917BR12R

CHALLAN CUM-GATE PASS

Ph: 0131-2468389

Fax: 01-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Store, Bhopa Road, MUZAFFARNAGAR-251 003(U.P.)

Challan No-PW/22-23/07

Date: 21/07/2022

To: M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ51GA1938 G.R. No.554

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 23500 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver
Signatory
Authorised



UTCL/AC/AFR/DC/SBPPL/JULY-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from 'SHREE BHAGESHWARI PAPERS PRIVATE LIMITED' at our Aditya Cement Works, Chittaurgarh during the month JULY-22

| Month | Type of Waste Material | Qty. Received (MT) |
|---------|------------------------|--------------------|
| JULY-22 | Plastic Waste | 22.810 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 22-07-2022 | 7 | 22.810 | RJ51GA1938 |
| Total | | | 22.810 | --- |

Authorized Signatory

To

The Regional officer

Uttar Pradesh Pollution Control Board,

Muzaffarnagar-251001

Sub: Point wise compliance to the Consent under Section 25/26 of The **Water** (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent

Dear Sir,

Kindly refer to the above subject and our consent application no. 6162484 dated 30/12/2019 we wish to submit the point wise compliance of the consent conditions as under -

1. We understand that the consent is granted for production capacity of 100 MT/day of kraft Paper using waste paper as raw material.
2. We shall take prior approval before making any modifications in product, raw materials, fuels, plant machinery etc.
3. Qty. Of maximum discharge shall remain less than 900 KLD for industrial treated effluent and less than 6 KLD for domestic effluent treated through septic tanks.
4. (a) The industrial & domestic effluents are kept separately and met in the final discharge drain after treatment. We have installed online flow meter for industrial effluent quantification at discharge point. There is no other kind of discharge being done through any means from the industry. Domestic effluent is also kept separate from storm water drains.
(b) The industrial effluent is treated in full fledged ETP with tertiary treatment level and conforming the discharge standards as per EPA rules 1986.
5. We have made arrangements in the mill in such a way that all kind of floor washing, equipment washing, cooling tower bleed etc. Are collected in common collection tank and treated further as per scheme of treatment in ETP as per the norms prescribed in EPA 1986.
6. The analysis of the wastewater samples are followed as per IS standards of BIS.
7. We have obtained the ground water abstraction permission from UPGWA, Lucknow. All its conditions are being complied as per various provisions of authorities.
8. We are regularly submitting the Environmental statement report in Form-V annually.
9. We are complying various provisions of the EP Act, 1986 including their amendments time to time.
10. A well maintained green belt is available in the premises as per the guidelines.
11. OCEEMS is installed at final treated effluent discharge point since 2015 and its data is being transmitted to CPCB and UPPCB servers regularly.
12. Digital electromagnetic flow meters are installed on outlet line of bore well. The data is submitted to the board and its calibration certificate also submitted to the board.
13. We shall comply the conditions so that the closure directions will not be issued against the mill.
14. We shall abide by all the conditions given by respective courts, CPCB or SPCB.
15. We shall file the renewal application at least 2 months before expiry of current consent order.

Specific Conditions –


1. We shall maintain strict supervision on the fluctuations in operating parameters in ETP units.

2. We shall maintain the effluent discharge standards as notified by CPCB and as notified under EPA Act, 1986.
3. We shall ensure continuous & uninterrupted transmission of OCEEMS data to CPCB & SPCB servers.
4. Flow meter is already installed and its data is being monitored regularly.
5. Qualified staff is appointed to run the ETP and maintaining the online monitoring system.
6. We have obtained the permission from SGWA and informed the board about it.
7. We understand and will comply the same.
8. We shall submit the Environmental statement report as per provisions.
9. We have already implemented all the conditions of the "Charter for water recycling & pollution Prevention in Pulp & Paper Industries by CPCB. Its compliance report was also submitted to state & Central Board, respectively.
10. We have installed HD PTZ camera at suitable place and shared its user name & password with state board for online monitoring.
11. We understand that the consent is for Kraft paper production @ 100 TPD using 30 TPD agro pulp & 70 TPD waste paper pulp. Any changes in above shall be done only after taking prior permission from the state board.
12. We shall abide by all the conditions given by respective courts, CPCB or SPCB.
13. We shall submit the quarterly reports of treated effluent from NABL approved laboratory.
14. We shall comply all the conditions of the Air (Prevention & Control of Pollution) Act, 1974 and all other applicable rules under EPA, 1986.
15. We shall submit the audited balance sheet to the board.
16. A well maintained green belt is available in the premises as per the guidelines.

Sir, we hope that the above compliance conditions are sufficient for the consent order. We assure you that in future also, if there is any more directions issued to industry, we shall abide by that also.

Thanking you with regards

For Shri Bhageshwari Papers Pvt. Ltd. Unit I


[Director]

To

The Regional officer

Uttar Pradesh Pollution Control Board,

Muzaffarnagar-251001

Sub: Point-wise compliance to the Consent under Section 21/22 of The Air (Prevention and control of Pollution) Act, 1981 (as amended) for discharge of effluent

Dear Sir,

Kindly refer to the above subject and our consent application no. 6162484 dated 30/12/2019, we wish to submit the point-wise compliance of the consent conditions as under -

1. We understand that the consent is granted for production capacity of 100 MT/day of kraft paper using waste papras raw material.
2. We shall take prior approval before making any modifications in product, raw materials, fuels, plant machinery etc.
3. (a) The boiler is installed at its sister concern unit. The boiler is equipped with an Electro-Static Precipitator (ESP) to control the emission parameters.
(b) The source of emission is boiler installed at its sister concern M/s Shri Bhageshwari Papers Pvt. Ltd. (Furnace Unit).
(c) There is no stack that emanates the pollutants in air in this unit.
4. We are operating the industry in a manner that nearby area do not get polluted by industry operations. The fly ash from boiler in its sister concern is also disposed off in eco-friendly manner.
5. We do not have any other source of emission except those mentioned above.
6. Our sister concern is operating the boilers with proper APCS (ESP). The emission standards are as per EP Act, 1986.
7. We are regularly submitting the Environmental statement report in Form-V annually.
8. We shall abide by all the orders given by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble NGT and Hon'ble State courts, CPCB or SPCB.
9. We shall submit the monthly monitoring program of the stack & ambient air quality reports from NABL approved laboratory.
10. We shall comply with various provisions of Air (P&C of Pollution) Act, 1981, Water (P&C of Pollution Act, 1974 and EP Act, 1986 as amended from time to time.
11. We shall ensure continuous & uninterrupted data supply to the CPCB & SPCB.
12. We shall submit the audited balance sheet to the board.
13. We shall not use pet coke & furnace oil in compliance to directions given by Hon'ble Supreme Court.
14. We agree to use 20% bio-briquettes as fuel if the same is available to industry.
15. We shall obtain prior permission from the board for any addition of new emission generation source.
16. A well maintained green belt is available in the premises as per the guidelines.

17. We understand that if closure order is issued, this consent order will be suspended till all the conditions imposed by Hon'ble Courts, CPCB or SPCB will not be complied.
18. We shall abide by all the conditions given by respective courts, CPCB or SPCB.

We shall file the renewal application atleast 2 months before expiry of current consent order.


Specific Conditions –

1. We are operating the industry in a manner that nearby area do not get polluted by industry operations. The fly ash from boiler in its sister concern is also disposed off in eco-friendly manner.
2. We do not have any other source of emission except those mentioned above.
3. Our sister concern is operating the boilers with proper APCS (ESP). The emission standards are as per EP Act, 1986.
4. We are regularly submitting the Environmental statement report in Form-V annually.
5. We understand that the consent is for Kraft paper production @ 100 TPD using 30 TPD agro pulp & 70 TPD waste paper pulp. Any changes in above shall be done only after taking prior permission from the state board.
6. OCIMS is installed as per directions of the CPCB on the boiler stack.
7. We shall submit the air quality report from NABL approved lab within a month.
8. We shall abide by all the conditions given by respective courts, CPCB or SPCB.
9. We shall submit the quarterly reports of treated effluent from NABL approved laboratory.
10. We shall comply with various provisions of Air (P&C of Pollution) Act, 1981, Water (P&C of Pollution Act, 1974 and EP Act, 1986 as amended from time to time.
11. We shall not use pet coke & furnace oil in compliance to directions given by Hon'ble Supreme Court.
12. We have already implemented all the conditions of the "Charter for water recycling & pollution Prevention in Pulp & Paper Industries by CPCB. Its compliance report was also submitted to state & Central Board, respectively.
13. We understand that if closure order is issued, this consent order will be suspended till all the conditions imposed by Hon'ble Courts, CPCB or SPCB will not be complied.
14. We shall submit the audited balance sheet to the board.
15. We agree to use 20% bio-briquettes as fuel if the same is available to industry.
16. We shall obtain prior permission from the board for any addition of new emission generation source.
17. A well maintained green belt is available in the premises as per the guidelines.

Sir, we hope that the above compliance conditions are sufficient for the consent order. We assure you that in future also, if there is any more directions issued to industry, we shall abide by that also.

Thanking you with regards

For Shri Bhageshwari Papers Pvt. Ltd. Unit I


[Director]

To

The Regional officer

Uttar Pradesh Pollution Control Board,

Muzaffarnagar - 251001

Sub: Point wise compliance to the Authorization issued under the provisions of Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Dear Sir,

Kindly refer to the above subject and our authorization no. 346/C3/Haz-226 dated 06/10/2017, we wish to submit the point-wise compliance of the consent conditions as under -

1. We shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules, made there under.
2. We shall produce the records and authorization during inspection by an officer of the board.
3. We shall not rent, lend, sell, transfer or otherwise transport hazardous or other wastes permitted in this authorization.
4. We shall take prior permission before making any changes in personnel, equipment or working conditions.
5. We shall implement the ERP for the hazardous & other wastes as per the guidelines and submit a copy of the report to the board.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty".
7. We shall take the local pollution control board office in confidence before closing down the facility.
8. We shall ensure the insurance during transit of hazardous waste to recycling/ disposal facility.
9. The hazardous waste for which authorization is taken is domestic and not imported.
10. We are practicing the sorting of each hazardous waste and collect them at different places for each of them.
11. We are not importing/ exporting the hazardous waste, hence, it is not applicable to us.
12. We shall file the renewal application at least 2 months before expiry of current authorization.
13. We shall abide by any conditions/ order/ rules laid by MoEF & CC and CPCB in future.
14. We shall submit the reports as per specified time period in authorization.

Specific Conditions -


1. The wastes are collected in leak proof containers & bags, marked duly on them and stored in an isolated area, covered & fenced.
2. We ensure that nearby water, air & land do not get contaminated with hazardous wastes.
3. We shall apply for the authorization well in advance as per the ruling of Supreme Court.
4. We shall file the returns in Form-4 and records will be maintained in Form-3 as well.

5. We shall record accidents in Form-H and will be reported to SPCB, in case of any eventuality and take action as per FRP procedure.
6. We have taken the membership from Sheetal waste Management Project of TSDF facility to dispose of the hazardous waste as per requirement of the rules.
7. We shall not take any kind of wastes from unauthorized persons/ agency in our designated area. The hazardous waste we maintain is transferred to authorized person only.

Sir, we hope that the above compliance conditions are sufficient for the consent order. We assure you that in future also, if there is any more directions issued to industry, we shall abide by that also.

Thanking you with regards

For Shri Bhageshwari Papers Pvt. Ltd. Unit I



[Director]



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड UTTAR PRADESH POLLUTION CONTROL BOARD

Annexure - 124

सदस्य संख्या 15220/सी-3/वायु/358/2022

दिनांक 12/10/2022

प्रति,

प्रतीक

मैसर्स श्री भागेश्वरी पैपर्स प्रा. लि. (यूनिट-1),
प्लॉट नं. 01, भोपा रोड, जलपद-मुजफ्फरनगर।

यह कि मैसर्स श्री भागेश्वरी पैपर्स प्रा. लि. (यूनिट-1), प्लॉट नं. 01, भोपा रोड, जलपद-मुजफ्फरनगर जोकि वेस्ट पैपर एवं वेस्ट पैपर का प्रयोग कर काप्ट पैपर के उत्पादन हेतु उपरोक्त वर्णित स्थल पर कार्यरत है, वायु प्रदूषण नियंत्रण एवं निवारण अधिनियम 1981 अध्यादेशों की धारा-40 के अन्तर्गत एक कम्पनी है।

यह कि उद्योग मैसर्स श्री भागेश्वरी पैपर्स प्रा. लि. (यूनिट-1), प्लॉट नं. 01, भोपा रोड, जलपद-मुजफ्फरनगर के विरुद्ध न्यायवादी नं. एन.जी.टी.डी. में विचाराधीन ओ.एस. संख्या 277/2022 लियाका अली एवं अन्य बनाम उत्तर प्रदेश सरकार में धारित आदेश दिनांक-21.07.2022 के अनुपालन में बोर्ड द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-14.09.2022 को किया गया। उद्योग में वायु की आपूर्ति सह-इकाई मैसर्स श्री भागेश्वरी पैपर्स प्रा. लि. (फर्निश डिजीजन), भोपा रोड, जलपद-मुजफ्फरनगर में स्थापित वायुशक्ति से की जाती है। निरीक्षण के समय दिये गये प्रपत्र/विवरण के अनुसार उद्योग में वायुशक्ति से जलित जलाई ऐश को निस्तारण हेतु सीमेंट प्लांट मैसर्स जी.एम.आर. कान्स्ट्रक्शंस को सीमेंट प्लांट में प्रेषण के लिए अनुबंध की गयी है। उद्योग द्वारा जलाई ऐश को खसरा संख्या-187, 228 एवं 354 ग्राम-नंगला बुजुर्ग में भण्डारित किये जाने की सूचना दी गयी है, परन्तु उद्योग द्वारा जलाई ऐश को निस्तारित किये जाने वाले स्थल पर धूल उपसर्जन की रोकथाम हेतु Green Cover, Water Sprinkling एवं Obstruction Wall के संबंध में कोई विवरण उपलब्ध नहीं करवाया गया। वेस्ट पैपर अक्षारित पदार्थ वेस्ट पैपर इकाईयों में सामान्यतः उत्पाद का 1.5% प्लास्टिक वेस्ट जनिता होता है। यूनिट-1 एवं यूनिट-2 में वेस्ट पैपर अक्षारित पदार्थ वेस्ट पैपर उत्पादन की कुल क्षमता-170 मी.टन/दिन है। अतः जनिता प्लास्टिक वेस्ट की मात्रा 65.3 मी.टन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में यूनिट-1 एवं यूनिट-2 को सम्मिलित करते हुए अभिलेख प्रस्तुत किये गये। उद्योग द्वारा दिये गये विवरण के अनुसार करवरी 2022 से जुलाई 2022 के माध्यम कुल 41.24 मी.टन/माह प्लास्टिक वेस्ट को प्रशिक्षित निस्तारण हेतु सीमेंट प्लांट को प्रेषित किया गया है तथा शेष 25.06 मी.टन/माह प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में कोई विवरण प्रस्तुत नहीं किया गया, जिससे स्पष्ट है कि उद्योग से जनिता प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अतः न्यायवादी नं. एन.जी.टी.डी. में विचाराधीन ओ.एस. संख्या 277/2022 लियाका अली एवं अन्य बनाम उत्तर प्रदेश सरकार में धारित आदेश दिनांक-21.07.2022 के मुख्य अंश निम्नवत् है:-

"...5. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months...."

उद्योग को दिनांक-31.12.2025 तक सशर्त सहमति वायु निगम की गयी है, जिसकी शर्तों का उल्लंघन किया जा रहा है। उद्योग को विरुद्ध विभिन्न माध्यमों से प्लास्टिक वेस्ट जलाने की शिकायतें प्राप्त हो रही हैं। उद्योग द्वारा बोर्ड के पत्र दिनांक-11.08.2021 द्वारा निगत सशर्त सहमति वायु निगम की शर्तों एवं मा. एन.जी.टी. द्वारा धारित आदेशों का उल्लंघन किया जा रहा है।

यह वि. नैसर्ग की भाग्यवरी पैर्स प्रालि (युनिट-1), 9वां कि.मी., मोषा रोड, जलपद-मुजफ्फरनगर द्वारा वायु (प्रदूषण नियंत्रण) अधिनियम 1986 अधिनियम की धारा-31(ए) सम्पटित धारा 21(4) के अन्तर्गत बोर्ड से निर्गत सहमति शर्तों के अन्तर्गत आता है। इस धारा के अन्तर्गत यह जल नैसर्ग की धारा पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु (प्रदूषण नियंत्रण) अधिनियम 1986 अधिनियम में निर्दिष्ट अध्यात्मक प्राधिकारी का उत्तरदायन तथा एक दण्डनीय अपराध है।

अतः निर्गत यह जलपद-मुजफ्फरनगर की अन्तर्गत अध्यात्मक प्रभाव डालने के लिए यह आवश्यक है कि उद्योग का संभालन

यह वि. नैसर्ग की भाग्यवरी पैर्स प्रालि (युनिट-1), 9वां कि.मी., मोषा रोड, जलपद-मुजफ्फरनगर की अन्तर्गत आता है। इस धारा के अन्तर्गत यह जल नैसर्ग की धारा पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु (प्रदूषण नियंत्रण) अधिनियम 1986 अधिनियम में निर्दिष्ट अध्यात्मक प्राधिकारी का उत्तरदायन तथा एक दण्डनीय अपराध है।

यह वि. नैसर्ग की भाग्यवरी पैर्स प्रालि (युनिट-1), 9वां कि.मी., मोषा रोड, जलपद-मुजफ्फरनगर की अन्तर्गत आता है। इस धारा के अन्तर्गत यह जल नैसर्ग की धारा पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु (प्रदूषण नियंत्रण) अधिनियम 1986 अधिनियम में निर्दिष्ट अध्यात्मक प्राधिकारी का उत्तरदायन तथा एक दण्डनीय अपराध है।

यह वि. नैसर्ग की भाग्यवरी पैर्स प्रालि (युनिट-1), 9वां कि.मी., मोषा रोड, जलपद-मुजफ्फरनगर की अन्तर्गत आता है। इस धारा के अन्तर्गत यह जल नैसर्ग की धारा पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु (प्रदूषण नियंत्रण) अधिनियम 1986 अधिनियम में निर्दिष्ट अध्यात्मक प्राधिकारी का उत्तरदायन तथा एक दण्डनीय अपराध है।

यह वि. नैसर्ग की भाग्यवरी पैर्स प्रालि (युनिट-1), 9वां कि.मी., मोषा रोड, जलपद-मुजफ्फरनगर की अन्तर्गत आता है। इस धारा के अन्तर्गत यह जल नैसर्ग की धारा पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु (प्रदूषण नियंत्रण) अधिनियम 1986 अधिनियम में निर्दिष्ट अध्यात्मक प्राधिकारी का उत्तरदायन तथा एक दण्डनीय अपराध है।

अतः निर्गत यह जलपद-मुजफ्फरनगर की अन्तर्गत अध्यात्मक प्रभाव डालने के लिए यह आवश्यक है कि उद्योग का संभालन

यह वि. नैसर्ग की भाग्यवरी पैर्स प्रालि (युनिट-1), 9वां कि.मी., मोषा रोड, जलपद-मुजफ्फरनगर की अन्तर्गत आता है। इस धारा के अन्तर्गत यह जल नैसर्ग की धारा पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि वायु (प्रदूषण नियंत्रण) अधिनियम 1986 अधिनियम में निर्दिष्ट अध्यात्मक प्राधिकारी का उत्तरदायन तथा एक दण्डनीय अपराध है।

रक्षक अधिकारी के द्वारा यह निर्गमन हेतु अधिकृत

Ratyagi
मुख्य पर्यावरण अधिकारी (वृत्त-3)

अधिकृत निर्देशिका को सूचनाएं एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. जलपद-मुजफ्फरनगर
2. जलपद-मुजफ्फरनगर, 9वां धारा कार्यालय जि. विद्युत वितरण खण्ड मुजफ्फरनगर
3. जलपद-मुजफ्फरनगर, जल नैसर्ग, मुजफ्फरनगर
4. मुख्य पर्यावरण अधिकारी, जल नैसर्ग, डिप्टी कमिश्नर-1/2 एड. प्रदूषण नियंत्रण बोर्ड, लखनऊ
5. जलपद-मुजफ्फरनगर, 9वां धारा कार्यालय जि. विद्युत वितरण खण्ड मुजफ्फरनगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के अन्तर्गत उद्योग का संभालन निरीक्षण कर आस्था 15 दिन में आवश्यक रूप से प्रेषित किया जाना सुनिश्चित करें।

Ratyagi
मुख्य पर्यावरण अधिकारी (वृत्त-3)

OR *[Signature]*



GROUND WATER DEPARTMENT

(Narsimh Ganga & Rural Water Supply Department)
Ministry of Jal Shakti
Government of Uttar Pradesh

Form B (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

VALID UP TO :

Registration No.: 202107000241

| | | | |
|---|---|---|---|
| Name of the Owner | DNESH BANSAL | Application Form Serial No. | MZPN0721RIN0036 |
| Address of the Applicant | 9th Km Stone, Bhopa Road, Muzaffarnagar | Specimen Signature | |
| Date of Submission | 18/07/2021 | Company Address | 9th Km Stone, Bhopa Road, Muzaffarnagar |
| Company Name | M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT - 2 | | |
| NOC Issued By | अनापति प्रमाण पत्र (इसका निर्माण) | | Yes |
| Central Ground Water Authority | केन्द्रीय भूगर्भ जल प्राधिकरण | Issue Date | 25/09/2018 |
| Certificate Number | CGWA/NOC/IND/OR/Gr2018/142 | निर्माण तिथि | |
| प्रमाणपत्र संख्या | | | |
| Expiry Date | 24/09/2020 | | No |
| अवधि तिथि | | | |
| Ground Water Department Uttar Pradesh | भूगर्भ जल विभाग उत्तर प्रदेश सरकार | | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| Plot No./Khassra No. | 9th Km Stone, Bhopa Road, Muzaffarnagar | Municipality/Corporation | Yes |
| | | | 251001 |
| Ward No./Holding No. | | | |
| Particular of the Existing Well and Pumping Device | | | |
| Date of Construction/Sinking of the Well | 09/05/2009 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 180.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 25.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr) | 125.00 |
| Date of Energization (In Case of Electric Pump) | | 18/05/2009 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr) | 125.00 | Maximum Allowable Running Hours Per Day | 16.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 434200 |

8/27/2021

NOC ISSUED FROM GOWA WAS VALID TILL 24.09.2020

Reason for renewal of N.O.C.
एन.ओ.सी. के नवीनीकरण का कारण

Against Case

This No-Objection certificate authorizes the owner/applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3k) for running hours 1 day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Place

Date

Yours Faithfully,
Signature of the Issuing Authority
and Designation

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case any of the particulars/information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of three years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for installation of Piezometers and their Monitoring
- Piezometer is a borewell tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as in case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No. | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|-------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50-500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director,

9/27/2024

- Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
 - Any other site-specific requirement regarding safety and access for measurement may be taken care off.
 - (11) Any other condition(s) that may be imposed by the concerned Authority.
 - (12) In case any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
 - (13) Any other condition imposed by the concerned Authority.
- SPECIFIC CONDITIONS:**
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
 - (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

This NOC is not authorized by any Official. This should only be used for Preview purpose
 यह अवधि प्रमाणपत्र किसी अधिकारी द्वारा प्रमाणित नहीं है। इसे मात्र पूर्वविवरण के उद्देश्य से प्रयोग किया जाना चाहिए।



GROUND WATER DEPARTMENT

(Narmada Ganga & Canal Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

VALID UP TO :

Registration No.: 202107000241

| | | | |
|--|---|--|---|
| Name of the Owner | DIVESH BANSAL | Application Form Serial No. | MZFN0721RIN0036 |
| Address of the Applicant | 9th Km Stone, Bhopa Road, Muzaffarnagar | Specimen Signature | |
| Date of Submission | 10/07/2021 | Company Address | 9th Km Stone, Bhopa Road, Muzaffarnagar |
| Company Name | M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT - 2 | | |
| NOC Issued By: | अनुमति प्रमाण पत्र (आम निर्दिष्ट) | | |
| Central Ground Water Authority | केन्द्रीय भूगर्भ जल प्राधिकरण | Yes | |
| Certificate Number | CGWA/NOC/IND/ORIG/2018/4142 | Issue Date | 25/06/2018 |
| प्रमाणपत्र संख्या | | निर्गमन तिथि | |
| Expiry Date | 24/09/2020 | | |
| अवधि तिथि | | | |
| Ground Water Department Uttar Pradesh | भूगर्भ जल विभाग उत्तर प्रदेश सरकार | No | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | MUZAFFARNAGAR |
| PLOT No./Khata No. | 9th Km Stone, Bhopa Road, Muzaffarnagar | Municipality/Corporation | Yes |
| Ward No./Holding No. | | | 251001 |
| Particular of the Existing Well and Pumping Device | | | |
| Date of Construction/Sinking of the Well | 08/05/2009 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (in meter) | 180.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 25.00 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 125.08 |
| Date of Energization (In Case of Electric Pump) | | 18/05/2009 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.) | 125.00 | Maximum Allowable Running Hours Per Day: | 16.00 |
| Maximum Allowable Annual Extraction of Ground Water: | | | 434000 |

Reason for renewal of N.O.C.

NOC ISSUED FROM CGWA WAS VALID TILL 30.07.2021

एन.ओ.सी. के नवीनीकरण का कारण

Against Case

This No-Objection certificate authorizes the owner/applicant (user) to sink a well in the location specified at SL (1) for extraction of ground water at a rate not exceeding that as shown at SL (3), for running hours / day as shown at SL (3k), and for maximum allowable annual extraction of ground water as shown at SL (3k) and is valid subject to the observance of the conditions stated overleaf.

Place

Date

Yours Faithfully,
Signature of the Issuing Authority
and Designation

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of three years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 51- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director.

Ground Water Department, Uttar Pradesh, for chemical analysis.

- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care off.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (13) Any other condition imposed by the concerned Authority
- **SPECIFIC CONDITIONS:**
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
 - iv) Construction of observation well(s) / piezometer(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

This NOC is not authorized by any Official. This should only be used for Preview purpose.

यह अनुमति प्रमाणपत्र किसी अधिकारी द्वारा प्रमाणित नहीं है। इसे मात्र पूर्ववलोकन के उद्देश्य से प्रयोग किया जाना चाहिए।



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



Annexure - 126

TEST REPORT: WASTE WATER LABORATORY

Lab No: 17801325/Muzaffarnagar/2022

Date: 14/10/2022

- 1- Name of Industry: SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2
- 2- Address of Industry: 9th Km Bhopa Road
- 3- District: Muzaffarnagar
- 4- Description about sampling point: Final Outlet Discharge of E.T.P
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Anoop Kumar City Magistrate - Muzaffarnagar & Vipul Kumar A.E.E Regional Office-Muzaffarnagar
- 7- Colour and Odour: Colourless No Specific
- 8- Quantity and Packing: 2.0 Ltrs PVC
- 9- Date of Sample Collection: 14/09/2022
- 10- Analysis Indented by: RO Muzaffarnagar
- 11- Date of sample receipt in Lab: 15/09/2022

| Parameter/Method Name | Unit | Results | Standard | Detection Range |
|---|------|---------|----------|------------------|
| pH, 4500 H B Electronic method | - | 7.24 | 7.0-8.5 | 02-12 |
| Suspended Solids, 2540 D Total | mg/l | 44.0 | 50 | 10-20000 mg/l |
| Suspended Solids dried at 103-105 °C | mg/l | | | |
| Dissolved Solids, 2540 C Total Dissolved Solids dried at 180 °C | mg/l | 1180.0 | 2100 | 10- 50000 mg/l |
| Total Solids, 2540 B Total Solids dried at 103-105 °C | mg/l | 1224.0 | - | 10- 50000 mg/l |
| BOD, 3 day 20 °C IS 3025 (Part 44): 1993 Bin | mg/l | 26.0 | 30 | 1.0 -50000 mg/l |
| COD, 5220 B Open Reflux Method | mg/l | 164.0 | 250 | 5.0 -100000 mg/l |

NOTE: Source: (1) Klemard Standards for discharge of environment Pollutants are as per A Effluent/Schedule-VI, The environment (Protection) Rules, 1986 source:

-----> < a href = " https://www.epa.gov/standards/standards.pdf " > https://www.epa.gov/standards/standards.pdf. Besides these standards, refer EPA standards for specific purpose

Signature: [Signature]

Analysed by:

[Rishika Agarwal (SA)]

Authorized by:

21/07/22
 17801325
 17801325
 17801325

17801325 Prasad ASU

RAM
 GOPAL
 Chief Environmental Officer
 Central Laboratory

Digitally signed
 by RAM GOPAL
 Date: 2022.10.14
 08:05:56 +05'30'

1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without
3. The test report pertains to the sample as received in Lab.

U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
68530/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/
water/MUZAFFARNAGAR/2019

Dated : 30/12/2019

To,

Shri DIVESH BANSAL,
M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2
9th Km Stone, Bhopa Road, Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2

Reference Application No :6162720

Dated :30/12/2019

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2 is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure, in reference to their foresaid application.
2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended.

This consent is being issued with the permission of competent authority.

Nishi
Kumar
Chauhan
Digitally signed by Nishi Kumar
Date: 2019.12.30
12:24:46 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi
Kumar
Chauhan
Digitally signed by Nishi Kumar
Date: 2019.12.30
12:24:46 +05'30'

CEO
C-3.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2 vide

Consent Order No. 6162720/ Water

Dated : 30/12/2019

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Writing and Printing Paper-100 MT/Day using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|-----------------------------------|-------------------------|---------------------------------------|---|
| S.No | Kind of Effluent | Maximum daily discharge,KL/day | Treatment facility and discharge point |
| 1 | Domestic | 8 KLD | Septic Tank |
| 2 | Industrial | 1800 KLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|--------------------------|-----------------------|-----------------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 8 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms .

| Industrial Effluent | | |
|----------------------------|------------------------|--------------------|
| S.No | Parameter | Standard |
| 1 | Total Suspended Solids | As per Board Norms |
| 2 | BOD | As per Board Norms |
| 3 | COD | As per Board Norms |
| 4 | Oil & Grease | As per Board Norms |
| 5 | Quantity of Discharge | 1800 KLD |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.

9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.11-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-H/CPCB/P&P/14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x7 basis.
- 7-The industry will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ rotation Camera at the Inlet, Aeration tank, Secondary Clarifier and outlet of Effluent treatment plants for On Line Monitoring and its URL and password shall be provided to the UPPCB control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified/ approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16- The unit shall submit the audited balance sheet for the current year.
- 17-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

Nishi
Kumar
Chauhan

Digitally signed
by Nishi Kumar
Chauhan
Date: 2019.11.30
12:26:54 +05'30'

For and on behalf of U.P. Pollution Control Board .

CEO
C-3.

U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
68531/UPPCB/Muzaffarnagar(UPPCBRO)/CTO/air/MUZAFFARNA
GAR/2019

Dated : 30/12/2019

To,

Shri DIVESH BANSAL
M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2
9th Km Stone , Blopa Road , Muzaffarnagar, MUZAFFAR NAGAR, 251001
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2

Reference Application No. 6162735

Dated : 30/12/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 01/01/2020 to 31/12/2024.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

For and on behalf of U.P. Pollution Control Board

CEO
C-3.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

CEO
C-3.

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Writing and Printing Paper-100 MT/Day using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|------------------------------|--|--------------|-----------|--------------------|--------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | Common Captive Power Plant for Both Units (Shree Bhageshwari Paper Furnace unit) | | | Particulate Matter | |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|---------------------------------|----------|-----------|----------|
| S.No | Stack No | Parameter | Standard |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.

14. The industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dyeing, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro-based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall submit the stack monitoring report from approved laboratory to the Board quarterly of its sister units where the boiler has been installed.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority.

For and on behalf of U.P. Pollution Control Board.

CEO

C-3.



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 18244/UPPCB/MuzaffarNagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2022

Dated : 19/09/2022

M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2

9th Km Stone , Bhopa Road , Muzaffarnagar, MUZAFFAR NAGAR, 251001

Tehsil : MuzaffarNagar

District : MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 18244 and 19/09/2022 .
2. Reference of application (No. and date) 17583143 and 26/08/2022 .
3. Mr DIVESH BANSAL of M/s SHREE BHAGESHWARI PAPERS PVT LTD UNIT 2 is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at 9th Km Stone , Bhopa Road , Muzaffarnagar .

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity(ton/annum) |
|-------|--|--|---------------------|
| 1 | CATEGORY 5.1 AS PER SCHEDULE I (Used Or Spent Oil) | THROUGH TSDF | 0.150 MT/ANNUM |
| 2 | CATEGORY 33.1 AS PER SCHEDULE I (Empty Barrels/Containers /Liners Contaminated With Hazardous Chemicals /Wastes) | THROUGH TSDF | 0.80 MT/Annum |
| 3 | CATEGORY 33.2 AS PER SCHEDULE I (Contaminated Cotton Rags Or Other Cleaning Materials) | THROUGH TSDF | 0.10 MT/ANNUM |

1. The authorization shall be valid for a period of 13/09/2027 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR TYAGI
DN: cn=RAKESH KUMAR TYAGI, o=UPPCB, ou=UPPCB, email=info@uppcb.com

Date: 2022.09.19 16:54:09 +05'30'

3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any .
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

- 1- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.
- 2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
- 3- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested.
- 4- Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
- 5- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and

(Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.

6- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.

7- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

8- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.

9- The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.

10- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

11- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.

12- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

13- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.

14- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.

15- It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central

RAKESH KUMAR TYAGI

Digitally signed by RAKESH KUMAR
TYAGI
DN: cn=RAKESH KUMAR TYAGI, o=U.P. Pollution Control Board, c=IN

Pollution Control Board from time to time.

- 16- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
- 17- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.
- 18- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.
- 19- Ground water monitoring report of premises shall be submitted within one month.
- 20- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 21- The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.
- 22- Unit must submit waste generation and disposal balance for last 2 years along with copies of log book and manifest (form 10) within 7 days of issuing this certificate.
- 23- Unit must submit point wise compliance report of CTO and point wise compliance of last issued HWA certificate within 7 days of issuing this certificate.

(Authorized Signatory)

RAKESH KUMAR TYAGI Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.09.28 16:35:31 +05'30'


UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate. for information and necessary action .

RAKESH KUMAR TYAGI Digitally signed by RAKESH KUMAR TYAGI
Date: 2022.09.28 16:35:44 +05'30'

CEO/EE, I/C Circle _____

To be forwarded by the Sender to the State Pollution Control Board after signing all the seven copies.

 sbpplmzn@gmail.com

Annexure -131

GSTN: 09AAAC69178R12R

CHALLAN/CHIM-GATE PASS

Ph:0131-2468388

Fax:91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/18

Date: 10/02/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT, CHITTORGARH

GSTN- 08AAACI6442L1ZA


Please receive the following material through Truck No RJ51GA0878

G.R. No. 410

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 27500 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory



UTCL/AC/AFR/DC/SBPPL/FEB-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD." at our Aditya Cement Works, Chittaurgarh during the month Feb-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| Feb-22 | Plastic Waste | 27.330 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 12.02.2022 | 18 | 27.330 | RJ51GA0878 |
| Total | | | 27.330 | --- |

Authorized Signatory

GSTN: 09AAAC09178R1DR

CHALLAN CUM-GATE PASS

Ph. 0131-2468889
Fax. 91-331-2468202**SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.**9TH Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/12-23/19

Date: 04/03/2022

To: M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No. RJ06GC1091

G.R. No. 438

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|---|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANI P.O. NO. - 1610503060 NOT FOR SALE | 30100 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory

GSTN: 03AAACB9178R12R

CHALLAN (CUM-GATE PASS)

Ph. 0131-2468389

Fax 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/21-22/20

Date: 20/03/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L12A

Please receive the following material through Truck No RJ06GC1091

G.R. No. 449

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|---|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO - 1610503060 NOT FOR SALE | 27500 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory



UTCL/AC/AFR/DC/SBPPL/MAR-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD." at our Aditya Cement Works, Chittaurgarh during the month Mar-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| Mar-22 | Plastic Waste | 48.240 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 05-03-2022 | 19 | 25.510 | RJ06GC1091 |
| 2 | 22-03-2022 | 20 | 22.730 | RJ06GC1091 |
| Total | | | 48.240 | |


Authorized Signatory

GSTN: 09AAACB9138R12R

CHALLAN CUM-GATE PASS

Ph: 0131-2468385
Fax: 01-131-2468391**SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.**9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001[U.P.]

Challan No. PW/22-23/01

Date: 12/04/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Carry from the following material through Truck No RJ06GC1091

G.R. No. 472

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|--------------------|------------------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 26510 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver



Authorised Signatory

GSTN: 08AAACB9178R12R

CHALLAN CUM-GATE PASS

Ph. 0131-2468389

Fax. 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhops Road, MUZAFFARNAGAR-251001(U.P.)

Challan No-PW/22-23/02

Date: 13/04/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ30GA0717

G.R. No. 473

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|--------------------|------------------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 21510 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver



Authorised Signatory



UTCL/AC/AFR/DC/SBPPL/APR-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD" at our Aditya Cement Works, Chittaurgarh during the month APR-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| APR-22 | Plastic Waste | 44.200 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 14-04-2022 | 1 | 23.360 | RJ06GC1091 |
| 2 | 15-04-2022 | 2 | 20.840 | RJ30GA0717 |
| Total | | | 44.200 | |


Authorized Signatory

GSTN: 09AAACB9178R17R

CHALLAN CUM-GATE PASS

Ph.0331-2468389

Fax.91-331-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9TH. Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/03

Date: 07/05/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L12A


Please receive the following material through Truck No RJ06GC1091

G.R. No. 493

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 27100 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver


Authorised Signatory

GSTN: 09AAACR9178R12R

CHALLAN CUM-GATEPASS

Ph.0131-2468189

Fax.91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th, Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/04

Date: 08/05/2022

To: M/S ADITYA CEMENT WORKS

P. O. -- ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ01GA7284

G.R. No. 494

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|---|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. -- 1610503060 NOT FOR SALE | 25150 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver

Authorised Signatory





UTCL/AC/AFR/DC/SBPPL/MAY-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LTD." at our Aditya Cement Works, Chittaurgarh during the month May-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| May-22 | Plastic Waste | 51.890 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 08-05-2022 | 3 | 28.810 | RJ06GC1091 |
| 2 | 11-05-2022 | 4 | 23.080 | RJ01GA7284 |
| Total | | | 51.890 | --- |


Authorized Signatory

GSTN: 08AAACB0178R128

CHALLAN CUM GATE PASS

Ph 0131-2468389

Fax 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No PW/22-23/05

Date: 06/06/2022

To: M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ51GA0878

G.R. No. 514

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 23200 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private

Limited.

Signature Receiver
Signatory
Authorised

GSTN: 09AAA/CB9178R12R

CHALLAN CUM-GATE PASS

Ph: 0131-2468388

Fax: 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th Km. Stone, Bhopa Road, MUZAFFARNAGAR-251 001(U.P.)

Challan No-PW/22-23/06

Date: 28/06/2022

To, M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L12A

Please receive the following material through Truck No RJ01GA7284

G.R. No. 531

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 25700 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver

Signatory


Authorised

ADITYA BIRLA

**UltraTech**

UTCL/AC/AFR/DC/SBPPL/JUN-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LIMITED" at our Aditya Cement Works, Chittaurgarh during the month JUN-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| JUN-22 | Plastic Waste | 44.470 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 08-06-2022 | 5 | 21.480 | RJ51GA0876 |
| 2 | 29-06-2022 | 6 | 22.990 | RJ01GA7284 |
| Total | | | 44.470 | --- |



Authorized Signatory

GSTN: 08AAAC69178R12R

CHALLAN CUM-GATE PASS

Ph. 0131-2468389

Fax. 91-131-2468391

SHREE BHAGESHWARI PAPERS PRIVATE LIMITED.9th, 8th Stone, Bhopa Road, MUZAFFARNAGAR-251 001 (U.P.)

Challan No-PW/22-23/07

Date: 21/07/2022

To: M/S ADITYA CEMENT WORKS

P. O. - ADITYAPURAM SAMBHUPURA DISTT. CHITTORGARH

GSTN- 08AAACI6442L1ZA

Please receive the following material through Truck No RJ51GA1938 G.R. No.554

| ITEM NO. | PARTICULARS | QNTY. (IN K.G.) | JOB |
|----------|--|-----------------|---------------------------|
| 1. | OLD PLASTIC WASTE- KACHRA PANNI P.O. NO. - 1610503060 NOT FOR SALE | 23500 | ONLY FOR DISPOSAL PURPOSE |

For Shree Bhageshwari Papers Private Limited.

Signature Receiver
Signatory
Authorised

ADITYA BIRLA



UltraTech

UTCL/AC/AFR/DC/SBPPL/JULY-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "SHREE BHAGESHWARI PAPERS PRIVATE LIMITED "at our Aditya Cement Works, Chittaurgarh during the month JULY-22

| Month | Type of Waste Material | Qty. Received (MT) |
|---------|------------------------|--------------------|
| JULY-22 | Plastic Waste | 22.810 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 22-07-2022 | 7 | 22.810 | RJ51GA1938 |
| Total | | | 22.810 | --- |

Authorized Signatory

To

The Regional officer

Uttar Pradesh Pollution Control Board,

Muzaffarnagar-251001

Sub: Point wise compliance to the Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent

Dear Sir,

Kindly refer to the above subject and our consent application no. 6162720 dated 31/12/2019, we wish to submit the point-wise compliance of the consent conditions as under -

1. We understand that the consent is granted for production capacity of 100 MT/day of writing & printing paper (100 TPD on waste paper based raw materials).
2. We shall take prior approval before making any modifications in product, raw materials, fuels, plant machinery etc.
3. Qty. Of maximum discharge shall remain less than 1800 KLD for industrial treated effluent and less than 8 KLD for domestic effluent treated through septic tanks.
4. The industrial & domestic effluents are kept separately and met in the final discharge drain after treatment. We have installed online flow meter for industrial effluent quantification at discharge point. There is no other kind of discharge being done through any means from the industry. Domestic effluent is also kept separate from storm water drains.
 - (a) Domestic effluent is treated in septic tank and its quantity per day will not exceed 8 KL/day.
 - (b) The industrial effluent is treated in full fledged ETP with tertiary treatment level and conforming the discharge standards as per EPA rules 1986.
5. We have made arrangements in the mill in such a way that all kind of floor washing, equipment washing, cooling tower bleed etc. Are collected in common collection tank and treated further as per scheme of treatment in ETP as per the norms prescribed in EPA 1986.
6. The analysis of the wastewater samples are followed as per IS standards of BIS.
7. We have obtained the ground water abstraction permission from UPGWA, Lucknow. All its conditions are being complied as per various provisions of authorities.
8. We are regularly submitting the Environmental statement report in Form-V annually.
9. We are complying various provisions of the EP Act, 1986 including their amendments time to time.
10. A well maintained green belt is available in the premises as per the guidelines.
11. OCEMS is installed at final treated effluent discharge point since 2015 and its data is being transmitted to CPCB and UPPCB servers regularly.
12. Digital electromagnetic flow meters are installed on outlet line of borewell. The data is submitted to the board and its calibration certificate also submitted to the board.
13. We shall comply the conditions so that the closure directions will not be issued against the mill.
14. We shall abide by all the conditions given by respective courts, CPCB or SPCB.

Specific Conditions -

1. We shall maintain strict supervision on the fluctuations in operating parameters in ETP units.
2. We shall maintain the effluent discharge standards as notified by CPCB and as notified under EPA Act, 1986.
3. We shall not use agro-based raw materials in production process.
4. We shall ensure continuous & uninterrupted transmission of OCEEMS data to CPCB & SPCB servers.
5. Flow meter is already installed and its data is being monitored regularly.
6. Qualified staff is appointed to run the ETP and maintaining the online monitoring system.
7. We have obtained the permission from SGWA and informed the board about it.
8. We understand and will comply the same.
9. We shall submit the Environmental statement report as per provisions.
10. We have already implemented all the conditions of the "Charter for water recycling & pollution Prevention in Pulp & Paper Industries by CPCB. Its compliance report was also submitted to state & Central Board, respectively.
11. We have installed HD PTZ camera at suitable place and shared its user name & password with state board for online monitoring.
12. We understand that the consent is for writing & printing paper production @ 100 TPD using waste paper as raw material only. Any changes in above shall be done only after taking prior permission from the state board.
13. We shall abide by all the conditions given by respective courts, CPCB or SPCB.
14. We shall submit the quarterly reports of treated effluent from NABL approved laboratory.
15. We shall comply all the conditions of the Air (Prevention & Control of Pollution) Act, 1974 and all other applicable rules under EPA, 1986.
16. We shall submit the audited balance sheet to the board.
17. A well maintained green belt is available in the premises as per the guidelines.

Sir, we hope that the above compliance conditions are sufficient for the consent order. We assure you that in future also, if there is any more directions issued to industry, we shall abide by that also.

Thanking you with regards

For Shri Bhageshwari Papers Pvt. Ltd. Unit II

Ganesh Bansa
[Director]

To

The Regional officer

Uttar Pradesh Pollution Control Board,

Muzaffarnagar-251001

Sub: Point-wise compliance to the Consent under Section 21/22 of The Air (Prevention and control of Pollution) Act, 1981 (as amended) for discharge of effluent

Dear Sir,

Kindly refer to the above subject and our consent application no. 6162735 dated 30/12/2019, we wish to submit the point-wise compliance of the consent conditions as under -

1. We understand that the consent is granted for production capacity of 100 MT/day of writing printing paper using waste paper as raw material.
2. We shall take prior approval before making any modifications in product, raw materials, fuels, plant machinery etc.
3. (a) The boiler is installed at its sister concern unit. The boiler is equipped with an Electro-Static Precipitator (ESP) to control the emission parameters.
(b) The source of emission is boiler installed at its sister concern M/s Shri Bhageshwari Papers Pvt. Ltd. (Furnace Unit).
(c) There is no stack that emanates the pollutants in air in this unit.
4. We are operating the industry in a manner that nearby area do not get polluted by industry operations. The fly ash from boiler in its sister concern is also disposed off in eco-friendly manner.
5. We do not have any other source of emission except those mentioned above.
6. Our sister concern is operating the boilers with proper APCS (ESP). The emission standards are as per EP Act, 1986.
7. We are regularly submitting the Environmental statement report in Form-V annually.
8. We shall abide by all the orders given by Hon'ble Supreme Court, Hon'ble High Court, Hon'ble NGT and Hon'ble State courts, CPCB or SPCB.
9. We shall submit the monthly monitoring program of the stack & ambient air quality reports from NABL approved laboratory.
10. We shall comply with various provisions of Air (P&C of Pollution) Act, 1981, Water (P&C of Pollution Act, 1974 and EP Act, 1986 as amended from time to time.
11. We shall ensure continuous & uninterrupted data supply to the CPCB & SPCB.
12. We shall submit the audited balance sheet to the board.
13. We shall not use pet coke & furnace oil in compliance to directions given by Hon'ble Supreme Court.
14. We agree to use 20% bio-briquettes as fuel if the same is available to industry.
15. We shall obtain prior permission from the board for any addition of new emission generation source.
16. A well maintained green belt is available in the premises as per the guidelines.

17. We understand that if closure order is issued, this consent order will be suspended till all the conditions imposed by Hon'ble Courts, CPCB or SPCB will not be complied.
18. We shall abide by all the conditions given by respective courts, CPCB or SPCB.

We shall file the renewal application atleast 2 months before expiry of current consent order.

Specific Conditions –

1. We are operating the industry in a manner that nearby area do not get polluted by industry operations. The fly ash from boiler in its sister concern is also disposed off in eco-friendly manner.
2. We do not have any other source of emission except those mentioned above.
3. Our sister concern is operating the boilers with proper APCS (ESP). The emission standards are as per EP Act, 1986.
4. We are regularly submitting the Environmental statement report in Form-V annually.
5. We understand that the consent is for Kraft paper production @ 100 TPD using 30 TPD agro pulp & 70 TPD waste paper pulp. Any changes in above shall be done only after taking prior permission from the state board.
6. OCEMS is installed as per directions of the CPCB on the boiler stack.
7. We shall submit the air quality report from NABL approved lab within a month.
8. We shall abide by all the conditions given by respective courts, CPCB or SPCB.
9. We shall submit the quarterly reports of treated effluent from NABL approved laboratory.
10. We shall comply with various provisions of Air (P&C of Pollution) Act, 1981, Water (P&C of Pollution) Act, 1974 and EP Act, 1986 as amended from time to time.
11. We shall not use pet coke & furnace oil in compliance to directions given by Hon'ble Supreme Court.
12. We have already implemented all the conditions of the "Charter for water recycling & pollution Prevention in Pulp & Paper Industries by CPCB. Its compliance report was also submitted to state & Central Board, respectively.
13. We understand that if closure order is issued, this consent order will be suspended till all the conditions imposed by Hon'ble Courts, CPCB or SPCB will not be complied.
14. We shall submit the audited balance sheet to the board.
15. We agree to use 20% bio-briquettes as fuel if the same is available to industry.
16. We shall obtain prior permission from the board for any addition of new emission generation source.
17. A well maintained green belt is available in the premises as per the guidelines.

Sir, we hope that the above compliance conditions are sufficient for the consent order. We assure you that in future also, if there is any more directions issued to industry, we shall abide by that also.

Thanking you with regards

For Shri Bhageshwari Papers Pvt. Ltd. Unit II


[Director]

17. We understand that if closure order is issued, this consent order will be suspended till all the conditions imposed by Hon'ble Courts, CPCB or SPCB will not be complied.
18. We shall abide by all the conditions given by respective courts, CPCB or SPCB.

We shall file the renewal application atleast 2 months before expiry of current consent order.

Specific Conditions –

1. We are operating the industry in a manner that nearby area do not get polluted by industry operations. The fly ash from boiler in its sister concern is also disposed off in eco-friendly manner.
2. We do not have any other source of emission except those mentioned above.
3. Our sister concern is operating the boilers with proper APCS (ESP). The emission standards are as per EP Act, 1986.
4. We are regularly submitting the Environmental statement report in Form-V annually.
5. We understand that the consent is for Kraft paper production @ 100 TPD using 30 TPD agro pulp & 70 TPD waste paper pulp. Any changes in above shall be done only after taking prior permission from the state board.
6. OCEMS is installed as per directions of the CPCB on the boiler stack.
7. We shall submit the air quality report from NABL approved lab within a month.
8. We shall abide by all the conditions given by respective courts, CPCB or SPCB.
9. We shall submit the quarterly reports of treated effluent from NABL approved laboratory.
10. We shall comply with various provisions of Air (P&C of Pollution) Act, 1981, Water (P&C of Pollution) Act, 1974 and EP Act, 1986 as amended from time to time.
11. We shall not use pet coke & furnace oil in compliance to directions given by Hon'ble Supreme Court.
12. We have already implemented all the conditions of the "Charter for water recycling & pollution Prevention in Pulp & Paper Industries by CPCB. Its compliance report was also submitted to state & Central Board, respectively.
13. We understand that if closure order is issued, this consent order will be suspended till all the conditions imposed by Hon'ble Courts, CPCB or SPCB will not be complied.
14. We shall submit the audited balance sheet to the board.
15. We agree to use 20% bio-briquettes as fuel if the same is available to industry.
16. We shall obtain prior permission from the board for any addition of new emission generation source.
17. A well maintained green belt is available in the premises as per the guidelines.

Sir, we hope that the above compliance conditions are sufficient for the consent order. We assure you that in future also, if there is any more directions issued to industry, we shall abide by that also.

Thanking you with regards

For Shri Bhageshwari Papers Pvt. Ltd. Unit II


[Director]

To

The Regional officer

Uttar Pradesh Pollution Control Board,

Muzaffarnagar-251001

Sub: Point wise compliance to the Authorization issued under the provisions of Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Dear Sir,

Kindly refer to the above subject and our authorization no. 347/C3/Haz-227 dated 06/10/2017, we wish to submit the point-wise compliance of the consent conditions as under -

1. We shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules, made there under.
2. We shall produce the records and authorization during inspection by an officer of the board.
3. We shall not rent, lend, sell, transfer or otherwise transport hazardous or other wastes permitted in this authorization.
4. We shall take prior permission before making any changes in personnel, equipment or working conditions.
5. We shall implement the ERP for the hazardous & other wastes as per the guidelines and submit a copy of the report to the board.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty".
7. We shall take the local pollution control board office in confidence before closing down the facility.
8. We shall ensure the insurance during transit of hazardous waste to recycling/ disposal facility.
9. The hazardous waste for which authorization is taken is domestic and not imported.
10. We are practicing the sorting of each hazardous waste and collect them at different places for each of them.
11. We are not importing/ exporting the hazardous waste, hence, it is not applicable to us.
12. We shall file the renewal application at least 2 months before expiry of current authorization.
13. We shall abide by any conditions/ order/ rules laid by Mo EF & CC and CPCB in future.
14. We shall submit the reports as per specified time period in authorization.

Specific Conditions –

1. The wastes are collected in leak proof containers & bags, marked duly on them and stored in an isolated area, covered & fenced.
2. We ensure that nearby water, air & land do not get contaminated with hazardous wastes.
3. We shall apply for the authorization well in advance as per the ruling of Supreme Court.
4. We shall file the returns in Form-4 and records will be maintained in Form-3 as well.

5. We shall record accidents in Form-H and will be reported to SPCB, in case of any eventuality and take action as per ERP procedure.
6. We have taken the membership from Sheetal waste Management Project of TSDF facility to dispose of the hazardous waste as per requirement of the rules.
7. We shall not take any kind of wastes from unauthorized persons/ agency in our designated area. The hazardous waste we maintain is transferred to authorized person only.

Sir, we hope that the above compliance conditions are sufficient for the consent order. We assure you that in future also, if there is any more directions issued to industry, we shall abide by that also.

Thanking you with regards

For Shri Bhageshwari Papers Pvt. Ltd. Unit II

Gaurav Bansa
c/o

[Director]



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

सदर संख्या 1183233/सी-3/राय/2022

दिनांक 18/10/2022

शेष में

पंजीकृत

मेरस श्री भागेश्वरी पेपर्स प्रा. लि. यूनिट-2

9 वां कि.मी. मोरा रोड, जनपद-गुजरावरनगर।

यह कि मेरस श्री भागेश्वरी पेपर्स प्रा. लि. यूनिट-2, 9 वां कि.मी. मोरा रोड, जनपद-गुजरावरनगर जोकि गैरत फ़ैर का प्रयोग कर राइडिंग एंव प्रिंटिंग पेपर के उत्पादन हेतु उपरोक्त वर्गीत स्थल पर कार्यरत है।

यह कि उद्योग मेरस श्री भागेश्वरी पेपर्स प्रा. लि. यूनिट-2, 9 वां कि.मी. मोरा रोड, जनपद-गुजरावरनगर के विरुद्ध मा0 एन0जी0टी0 में विद्यमान ओ0ए0 संख्या-277/2022 तिराकत अली एवं अन्य बनाव उत्तर प्रदेश सरकार से पारित आदेश दिनांक-21.07.2022 के अनुपालन में योर्ष द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-14.09.2022 को किया गया। वेस्ट पेपर आधारित पल्प एण्ड पेपर इकाईयों में सामान्यतः लपपाव का 1.5% प्लास्टिक वेस्ट जनित होता है। उद्योग की यूनिट-1 एवं यूनिट-2 में वेस्ट पेपर आधारित क्राफ्ट पेपर उत्पादन की कुल क्षमता 170 मी0टन/दिन है। जत जनित प्लास्टिक वेस्ट की मात्रा 66.3 मी0टन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में यूनिट-1 एवं यूनिट-2 को सम्मिलित कराते हुए अभिलेख प्रस्तुत किये गये। उद्योग द्वारा दिये गये विवरण के अनुसार पारवरी 2022 से जुलाई 2022 के मध्य कुल 41.24 मी0टन/माह प्लास्टिक वेस्ट को सुरक्षित निस्तारण हेतु सीमेन्ट प्लांट को प्रेषित किया गया है तथा शेष 25.06 मी0टन/माह प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में कोई विवरण प्रस्तुत नहीं किया गया जिससे स्पष्ट है कि उद्योग से जनित प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अतएव मा0 एन0जी0टी0 में विद्यमान ओ0ए0 संख्या 277/2022 तिराकत अली एवं अन्य बनाव उत्तर प्रदेश सरकार से पारित आदेश दिनांक-21.07.2022 के मुख्य अंश निम्नवत् है :-

"5. In the report, the Joint Committee has given the description of waste generated (solid/liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSD facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSD used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months."

उद्योग को दिनांक-31.12.2024 तक सार्ज सड़मति जत तथा वायु निर्गत की गयी है। पर्यावरण (संरक्षण) अधिनियम, 1986 संपठित अपशिष्ट प्लास्टिक नियम, 2016 सभासशोभित, 2022 के ध्रुविधानों का उल्लंघन किया जा रहा है।

अतएव जनहित एवं जनसाधारण को स्वच्छ वातावरण प्रदान करने के लिए यह आवश्यक है कि उद्योग का समायोजन रोका जाए।

अंत पर्यावरण (संरक्षण) अधिनियम, 1986 की धारा-5 संपटित अपशिष्ट प्लास्टिक नियम, 2016 ब्यासशास्त्र, 2022 के अन्तर्गत, मोटा रोड की प्रदूषण शक्तियों को अधीन गैसों की भाग्यशरी पेशों प्रालि, यूनिट-2, 9 वां कि.मी., मोटा रोड, जनपद-मुजफ्फरनगर को सक्षम अधिकारी की अनुमति से निम्नलिखित कारण बताओ नोटिस जारी किया जाता है-

1. कि यहाँ न गैसों की भाग्यशरी पेशों प्रालि, यूनिट-2, 9 वां कि.मी., मोटा रोड, जनपद-मुजफ्फरनगर को गैसों की पेशों दिनांक-30.12.2019 द्वारा निर्गत सहनति जल तथा वायु को निलम्बित (Suspend) कऱ दिया जायै।
 2. कि यहाँ न गैसों की भाग्यशरी पेशों प्रालि, यूनिट-2, 9 वां कि.मी., मोटा रोड, जनपद-मुजफ्फरनगर की समस्त उत्तरादन / संचालन क्रिया बन्द कर दी जाए।
 3. कि यहाँ न सक्षम अधिकारियों से यह अपेक्षा की जायै गैसों की भाग्यशरी पेशों प्रालि, यूनिट-2, 9 वां कि.मी., मोटा रोड, जनपद-मुजफ्फरनगर को मिलने वाली विद्युत एवं जल आपूर्ति को तत्काल प्रभाव से बन्द कर देने तथा मोटा रोड, जनपद-मुजफ्फरनगर को मिलने वाली विद्युत एवं जल आपूर्ति को तत्काल प्रभाव से बन्द कर देने के लिये आवश्यक कार्यवाही करने के लिये।
- उपरोक्त कारण बताओ नोटिस के संबंध में पूर्ण विवरण के साथ अपना पक्ष 15 दिन के अन्दर मोटा रोड, जनपद-मुजफ्फरनगर को प्रेषित करें। उल्लेख द्वारा कारण बताओ नोटिस का उत्तर न प्रेषित करने अथवा संतोषजनक उत्तर प्रेषित करने पर उल्लेख के विरुद्ध पर्यावरण (संरक्षण) अधिनियम, 1986 की धारा-5 संपटित अपशिष्ट प्लास्टिक नियम, 2016 ब्यासशास्त्र, 2022 के अन्तर्गत जारी कारण बताओ नोटिस की पुष्टि कर दी जाएगी, जिसका सम्पूर्ण उत्तरदायित्व आपका शब्द का होगा।


सक्षम अधिकारी के द्वारा पत्र निर्गमन हेतु अधिकृत।


मुख्य पर्यावरण अधिकारी (पृष्ठ-3)

प्रतिनिधि: निम्नलिखित को सूचना एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. निताधिकारी, मुजफ्फरनगर।
2. अधिशासी अभियन्ता, उ.प्र. पंचर कार्पोरेशन लि. विद्युत वितरण खण्ड, मुजफ्फरनगर।
3. अधिशासी अभियन्ता, जल संस्थान, मुजफ्फरनगर।
4. मुख्य पर्यावरण अधिकारी, वेस्ट मैनेजमेंट डिवीजन-1/2, उ.प्र. प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. क्षेत्रीय अधिकारी, उ.प्र. प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के संबंध में इकाई का अद्यतन निरीक्षण कर आख्या 15 दिन में आवश्यक रूप से प्रेषित किया जाना सुनिश्चित करें।


मुख्य पर्यावरण अधिकारी (पृष्ठ-1-3)

o/c 



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC013790

VALID FROM 31/03/2022 TO 30/03/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202203000277

| | | | |
|---------------------------------|---|--|---|
| Name of the Owner | GYANPRAKASH BHATIA | Company Name | GALAXY PAPERS PRIVATE LIMITED |
| Designation पद | DIRECTOR | Authorization Letter प्राधिकार पत्र | Download |
| Company Address कंपनी का पता | 8TH KM STONE, JOLLY ROAD, MUZAFFARNAGAR | Application Form Serial No. | MZFN0322NN0115 |
| Address of the Applicant | 8th km, jolly road, muzaffarnagar | Specimen Signature | |
| Date of Submission | 14/03/2022 | | |
| Location Particulars | | | |
| District | Muzaffar Nagar | Block | Municipal Corporation/Nagar Palika Parishad, Muzaffar Nagar |
| Plot No./Khasra No. | 478/1 | Municipality/Corporation | No |
| Ward No./Holding No. | | | N/A |

Particular of the Proposed Well and Pumping Device

| | | | |
|---|------------------|--|-------|
| Date of Construction/Sinking of the Well | 20/12/2021 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 50.00 |
| Purpose of well | Industrial | Assembly Size (For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 5.50 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 20.00 |
| Date of Energization (In Case of Electric Pump) | 20/12/2021 | | |

Maximum Allowable Rate of Withdrawal (m³/hr.): 20.00

Maximum Allowable Running Hours Per Day: 5.00

Maximum Allowable Annual Extraction of Ground Water: 30000.00

Recharge Required 30000.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 30000.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meter's.
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR) Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.

- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer(s)) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date :18/08/2022

Place:Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG010917

VALID FROM 19/07/2020 TO 18/07/2025

Registration No.: 202201000342

| | | | |
|--------------------------|------------------------------------|-----------------------------|---|
| Name of the Owner | GYANPRAKASH BHATIA | Application Form Serial No. | MZFN0122RIN0085 |
| Address of the Applicant | 9th km, jolly road, muzaaffarnagar | Specimen Signature | |
| Date of Submission | 18/01/2022 | Company Address | 9TH KM STONE, JOLLY ROAD, MUZAFFARNAGAR |
| Company Name | GALAXY PAPERS PRIVATE LIMITED | | |

Location Particulars

| | | | |
|----------------------|----------------|--------------------------|---|
| District | Muzaffar Nagar | Block | Municipal Corporation/Nagar Palika Parishad, Muzaffar Nagar |
| Plot No./Khasra No. | 478/1 | Municipality/Corporation | No |
| Ward No./Holding No. | | | N/A |

Particular of the Existing Well and Pumping Device

| | | | |
|--|------------------|--|----------|
| Date of Construction/Sinking of the Well | 01/09/1992 | | |
| Type of Well | Tube Well/Boring | Depth of the Well (In meter) | 50.00 |
| Purpose of well | Industrial | Assembly Size(For Tube Well) | |
| Strainer Position (For Tube Well) | | | |
| Type of Pump Used | Submersible | H.P. of the Pump | 5.50 |
| Operational Device | Electric Motor | Rate of Withdrawal (m ³ /hr.) | 20.00 |
| Date of Energization (In Case of Electric Pump) | | 01/09/1992 | |
| Maximum Allowable Rate of Withdrawal (m ³ /hr.) | 20.00 | Maximum Allowable Running Hours Per Day: | 10.00 |
| Maximum Allowable Annual Extraction of Ground Water: | 60000.00 | Recharge Required | 60000.00 |

Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण THE TIME PERIOD OF THE PREVIOUS CGWA NOC EXPIRED

Against Case

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3l) and is valid subject to the observance of the conditions stated overleaf.

- Holder of this NDC is hereby directed to assure annual recharge of 60000.00 cubic meter, as specified under the application form.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(x) shall not exceed to the recorded rate from water meters.
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NDC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NDC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

| S.No | Quantum of Ground water withdrawal (cum/day) | No. of piezometers required | Monitoring Mechanism | |
|------|--|-----------------------------|----------------------|---------------------|
| | | | Manual | DWLR with Telemetry |
| 1 | < 10 | 0 | 0 | 0 |
| 2 | 11 - 50 | 1 | 1 | 0 |
| 3 | 50- 500 | 1 | 0 | 1 |
| 4 | > 500 | 2 | 0 | 2 |

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:

- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date :18/08/2022

Place Muzaffar Nagar

This certificate is electronically generated and does not require digital signature



UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Dated : 15/02/2021

Ref No. -
110866/UPPCB/MuzaffarNagar(UPPCBRO)/CT
O/water/MUZAFFARNAGAR/2020

To ,

Shri GYANPRAKASH BHATIA
M/s GALAXY PAPERS PRIVATE LIMITED
9.4 KM, JOLLY ROAD, VILL BHANDURA,MUZAFFAR NAGAR,
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. GALAXY PAPERS PRIVATE LIMITED

Reference Application No :10151372

Dated :15/02/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. GALAXY PAPERS PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
 2. This consent is valid for the period from 01/01/2021 to 31/12/2022 .
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .
- This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar
Chauhan
Date: 2021.02.15 11:00:13 +05'30'

**Chief Environmental Officer,
Circle-3**

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar
Chauhan
Date: 2021.02.15 11:01:03 +05'30'

**Chief Environmental Officer,
Circle-3**

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.GALAXY PAPERS PRIVATE LIMITED vide

Consent Order No. 10151372/ Water

Dated : 15/02/2021

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Grey Board and Kraft Paper-100 MT/Day using Waste Paper as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

| Effluent Discharge Details | | | |
|----------------------------|------------------|--------------------------------|--|
| S.No | Kind of Effluent | Maximum daily discharge,KL/day | Treatment facility and discharge point |
| 1 | Domestic | 30 KLD | Septic Tank |
| 2 | Industrial | ZLD | ETP |

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

| Domestic Effluent | | |
|-------------------|-----------------------|----------|
| S.No | Parameter | Standard |
| 1 | Quantity of Discharge | 30 KLD |

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms .

| Industrial Effluent | | |
|---------------------|-----------|----------|
| S.No | Parameter | Standard |

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.
9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.11-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

- 1-The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 2-In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQM-II-CPCB/P&P/ 14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
- 3-The unit will not use agro based raw materials in the production process.
- 4-The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
- 5-Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6-The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 x 7 basis.
- 7- The industry will have to ensure permission from the SGWA (State Ground Water Authority) within 03 month, failing which consent shall be deemed automatically cancelled.
- 8-If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
- 9-Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
- 10-Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
- 11-Industry shall install at sufficient height from the ground level Open to Network HD PTZ Camera at the inlet, Aeration Tank, Secondary Clarifier and outlet of Effluent Treatment Plant for On Line Monitoring and its URL and password shall be provided to the UPPCB Control room.
- 12-This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 13-Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
- 14-Industry shall submit quarterly monitoring reports of treated effluent from a certified /approved laboratory under E.P. Act 1986.
- 15-Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 16-The unit shall submit the audited balance sheet for the current year.
- 17-This consent is valid only for ZLD based industry.
- 18-Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Nishi Kumar Chauhan

*Digitally signed by Nishi Kumar Chauhan
Date: 2021.02.11 11:21:10 +05'30'*

Chief Environmental Officer,
Circle-3



UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831, Fax: 0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Dated : 15/02/2021

Ref No. :-
108874/UPPCB/MuzaffarNagar(UPPCBRO)/CTO/air/MUZAFFARN
AGAR/2020

To ,

Shri GYANPRAKASH BHATIA
M/s GALAXY PAPERS PRIVATE LIMITED
9.4 KM, JOLLY ROAD, VILL BHANDURA, MUZAFFAR NAGAR.
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. GALAXY PAPERS PRIVATE LIMITED

Reference Application No. 9957469

Dated : 15/02/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s GALAXY PAPERS PRIVATE LIMITED, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
 2. This consent is valid for the period from 01/01/2021 to 31/12/2022 .
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Nishi Kumar Chauhan Digitally signed by Nishi Kumar Chauhan
Date: 2021.02.15 11:01:42 +05'30'

Chief Environmental Officer,
Circle-3

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Muzaffarnagar.

Nishi Kumar Chauhan Digitally signed by Nishi Kumar
Chauhan
Date: 2021.02.15 11:01:55 +05'30'

Chief Environmental Officer,
Circle-3

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Grey Board and Kraft Paper-100 MT/Day using as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b). Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|-------------------------------------|-----------------------------|---------------------------|------------------|--------------------|----------------------------|
| S.No | Air Pollution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 12 TPH Boiler | Bagasse and Imported Coal | 1 | Particulate Matter | 30 Meter From Ground Level |

- 3(c). The emissions by various stacks into the environment should be as per the norms of the Board.

| Emission Quality Details Detail | | | |
|--|-----------------|--------------------|-----------------------|
| S.No | Stack No | Parameter | Standard |
| 1 | 1 | Particulate Matter | As per EPA Rules 1986 |

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.

15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. be disposed in eco friendly manner.
2. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
3. The industry should ensure the operation of the Air Pollution Control System (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
4. The industry shall submit Environmental Statement in prescribed format in Form V of rule-14 of E.P Rules 1986.
5. The dying, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.
6. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
7. Industry shall install OCEMS on stack as per the direction of CPCB.
8. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, after starting the production within one month.
9. The industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10. The industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.
12. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.
13. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
14. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
15. The unit shall submit the audited balance sheet for the current year.
16. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.
17. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
18. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar Chauhan
Date: 2021.02.15 11:02:18 +05:30

Chief Environmental Officer,
Circle-3



Annexure - 137

REGIONAL LABORATORY Muzaffarnagar
UTTAR PRADESH POLLUTION CONTROL BOARD
Kamal Cinema Building, Railway Road, Muzaffarnagar

Stack Emission Test Report

R/L No.18129420/Muzaffarnagar/2022

Date: 18/10/2022

- 1- Name & Address of Industry: GALAXY PAPERS PRIVATE LIMITED
- 2- Sample Collected By: (1) Sarvesh Kumar ;L.A (2) Ravish Pratap Singh ;J.R.F
- 3- Date of Monitoring: 02/10/2022
- 4- Source of Sampling: Boiler
- 5- Stack attached to: Boiler
- 6- Stack Height: 30Meter
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 12 TPH
- 9- Fuel used: Wood
- 10- Quantity of Fuel used: 45 TPD
- 11- Flue Gas Velocity: 7.7 m/sec
- 12- Air Pollution Control Device: Multi cyclone & Wet Scrubber
- 13- Other remarks (if any): At the time of inspection Industry found operational.
- 14- Further details of sample location and Test methods followed are appended overleaf:

| Sr no. | Parameter | Unit | Result | Standards |
|--------|-----------|--------------------|--------|-----------|
| 1 | PM | mg/Nm ³ | 254.40 | 600 |

Analysed by-

[Sarvesh Kumar LA]

Authorised Signatory-

Ravish Singh RO

ANKIT SINGH
Digitally signed by ANKIT SINGH
Date: 2022.10.19 15:56:00 +05'30'
Regional Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Annexure-138

Ref. No: 13320/UPPCB/MuzaffarNagar(UPPCBRO)/HWM/MUZAFFARNAGAR/2020

Dated :01/03/2021

To,

M/s GALAXY PAPERS PRIVATE LIMITED

9.4 KM, JOLLY ROAD, VILL BHANDURA, MUZAFFAR NAGAR,

Tehsil :MuzaffarNagar

District :MUZAFFARNAGAR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 13320 and 01/03/2021
2. Reference of application (No. and date) 9956981 and 31/10/2020
3. Mr GYANPRAKASH BHATIA of M/s GALAXY PAPERS PRIVATE LIMITED is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at within premises.

Details of Authorisation

| S No. | Category of Hazardous Waste as per the Schedules I, II and III of these rules | Authorised mode of disposal or recycling or utilization or co-processing, etc. | Quantity (ton/annum) |
|-------|---|--|----------------------|
| 1 | Schedule-I, Cat. 5.1 Used or spent oil | Through TSDF | 0.15 KL/Annum |
| 2 | Schedule-I, Cat. 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes | Through TSDF | 100 Pcs/Annum |
| 3 | Schedule-I, Cat. 33.2 Contaminated cotton rags or other cleaning materials | Through TSDF | 0.05 Ton/Annum |

1. The authorization shall be valid for a period of 27/02/2026 from the date of issue of this letter
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any).

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.

4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

1. The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.
2. The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
3. The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
4. It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.
5. The applicant must file returns on prescribed Form 4 along with a compliance report of this letter.

- You should also maintain records on Form-3 and present it to Board's inspecting officials.
6. In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.
 7. It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.
 8. The authorised person shall not receive, collect, or store any hazardous waste from any unauthorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.
 9. In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
 10. Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.
 11. It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
 12. The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.
 13. You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.
 14. It is the mandatory duty of the authorised person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.
 15. You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
 16. You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.
 17. Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.
 18. Ground water monitoring report of premises shall be submitted within one month.
 19. Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

(Authorized Signatory)

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar Chauhan
Date: 2021.03.02 12:09:07 +05'30'

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, MuzaffarNagar
for information and necessary action .

Nishi Kumar Chauhan

Digitally signed by Nishi Kumar
Chauhan
Date: 2021.05.02 12:09:25 +0530

CEO/EE, I/C Circle

FORM 10
[See rule 19 (1)]

Copy for SPCB

MANIFEST FOR HAZARDOUS AND OTHER WASTE S.No.: 60060

| | | | |
|--|---|--|--|
| 1 Occupier's Name & Mailing Address (including Phone No. and email) | Galaxy Paper Private Limited 9.4 Km Tolly Road Dhondara M22 | | |
| 2 Sender's Authorization No. | | | |
| 3 Manifest Document No. | 46 Dt 29/3/22 | | |
| 4 Transporter's Name & Address (including Phone No. and email) | Party - Self | | |
| 5 Type of Vehicle | (Truck / Tanker / Special Vehicle) | | |
| 6 Transporter's Registration | | | |
| 7 Vehicle Registration No. | UP12T7392 | | |
| 8 Receiver's Name & Mailing Address (including Phone No. and email) | (I) BHARAT OIL COMPANY (I) E-18, Site-IV, Sahibabad Industrial Ghaziabad, UP-201010 Tel: 0120-4100000 e-mail: sales@bharatoil.com | | |
| (II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247654 UK, Tel: 08874207654 e-mail: sales@bharatoil.com | (III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285296 e-mail: sales@bharatoil.com | | |
| 9 Receiver's Authorization No. | (I) 1486UPPCB/Ghaziabad/UPPCBRO/HMW/GHAZIABAD/2018 Valid upto: 03/05/2023 | | |
| (ii) UEPPCB/HO/Con-B-84/2018/548 Valid upto: 31/03/2023 | (iii) 1483UPPCB/KanpurDehat/UPPCBRO/HMW/KANPUR DEHAT/2018 Valid upto: 30/04/2023 | | |
| 10 Waste Description | Oily cotton, Plastic waste | | |
| 11 Total Quantity No. of Containers | 3518 m ³ or MT 14018 Nos. | | |
| 12 Physical Form | (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) | | |
| 13 Special Handling Instructions & Additional Information | Do not throw Drums from truck. In case of leakage/seepage, use Washing soap at point of leak to stop its leakage. | | |
| 14 SENDER'S CERTIFICATE | I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road | | |
| Typed Name & Stamp : For Galaxy Papers Pvt Ltd | Signature : Auth Sign | | |
| 15 Transporter Acknowledgement of Receipt of Waste | Month Day Year 03 29 2022 | | |
| Typed Name & Stamp : Signature : | Month Day Year 03 29 2022 | | |
| 16 Receiver's Certificate for Receipt of Hazardous and other Waste | Month Day Year 03 29 2022 | | |
| Typed Name & Stamp : | | | |

8/10/22, 2:05 PM

IMG-20220810-WA0050.jpg

NUVOCO VISTAS CORP. LTD.

NUVOCO
 Shaping a new world

Ref. no - NVCI/ACT/Env/2022-23/15

Dated - 9/06/2022

Certificate of material received for Co-processing

It is to certify that we have received the plastic waste materials set out below, collected from M/S GALAXY PAPERS PVT LTD. SITUATED AT 113-B New Mandi Muzaffarnagar 251001 (GST Reg # 09AABCG1394P1Z0) through our business associate M/s Harshit Trading Company (GST Reg # 08CILPS3622P1Z1) at our Chittur Cement Plant, Chittorgarh during the month of May'22.

M/s Harshit Trading Company (GST Reg # 08CILPS3622P1Z1) collects scrap plastic & reduces the moisture in the material after proper washing & drying of the material. M/s Harshit Trading Company then supplies the same to us in dedicated vehicle for co-processing.

M/s Harshit Trading Company (GST Reg # 09AABCG1394P1Z0) has collected plastic waste from "M/S GALAXY PAPERS PVT LTD. (GST Reg # 09AABCG1394P1Z0) Muzaffarnagar 251001 (U.P.) :-

| Month | Type of Waste | Qty Received (MT) |
|--------|---------------|-------------------|
| May'22 | Plastic Waste | 17.40 |

Thanking you with regards

For Nuvoco Vistas Corp. Ltd.


 Bharti Kumari Purohit

(Environment Cell- Chittur Cement Plant)

Nuvoco Vistas Corp. Ltd.



UTCL/AC/APR/DC/GPPL/APR-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "GALAXY PAPERS PRIVATE LIMITED" at our Aditya Cement Works, Chhattaurgarh during the month APR-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| APR-22 | Plastic Waste | 20,950 |

The vehicles wise receipt details are as below.

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 07-04-2022 | 2 | 20,950 | RJ30GAC117 |
| Total | | | 20,950 | |


Authorized Signatory

ADITYA BIRLA



UltraTech

UTCL/AC/AFR/DC/GPPL/MAR-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "GALAXY PAPERS PRIVATE LIMITED" at our Aditya Cement Works, Chittaurgarh during the month Mar-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| Mar-22 | Plastic Waste | 15.710 |

The vehicles wise receipt details are as below:

| Sr. No | Received Date | Challan No | Net Qty. (MT) | Vehicle No. |
|--------|---------------|------------|---------------|-------------|
| 1 | 07-03-2022 | 39 | 15.710 | RJ36GA0586 |
| Total | | | 15.710 | --- |


Authorized Signatory



UTCL/AC/AFR/DC/GPPL/FEB-22/01

Certificate of Material received for Co-processing

This is to certify that we have received the Plastic waste materials set out below, collected from "GALAXY PAPERS PRIVATE LIMITED" at our Aditya Cement Works, Chittaurgarh during the month Feb-22

| Month | Type of Waste Material | Qty. Received (MT) |
|--------|------------------------|--------------------|
| Feb-22 | Plastic Waste | 18.700 |

The vehicles wise receipt details are as below

| Sr. No. | Received Date | Challan No. | Net Qty. (MT) | Vehicle No. |
|---------|---------------|-------------|---------------|-------------|
| 1 | 08-02-2022 | 38 | 18.700 | RJ51GA0878 |
| Total | | | 18.700 | |


Authorized Signatory



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

सर्व संख्या 183303/सी-3/सि.प. / 12.12/2022 दिनांक 12/10/2022

प्रति,

मैसर्स मैलेक्सी पेपर्स प्रा.लि.
9वां कि.मी. जौली रोड, जनपद-मुजफ्फरनगर।

प्रतीकृत

यह कि मैसर्स मैलेक्सी पेपर्स प्रा.लि. 9वां कि.मी. जौली रोड, जनपद-मुजफ्फरनगर जोकि वेस्ट पेपर का प्रयोग कर रहे हैं वेस्ट पेपर के उत्पादन हेतु उपरोक्त वर्णित स्थल पर कार्यरत हैं, वायु (प्रदूषण नियंत्रण एवं नियंत्रण) अधिनियम, 1981 अधिनियम की धारा-40 के अन्तर्गत एक कम्पनी हैं।

यह कि उद्योग मैसर्स मैलेक्सी पेपर्स प्रा.लि. 9वां कि.मी. जौली रोड, जनपद-मुजफ्फरनगर के विरुद्ध मा. एन.जी.टी.डी. में विचारणीय ओ.ए.ओ. संख्या 277/2022 लियान्त अली एवं अन्य बनाम उत्तर प्रदेश सरकार में पारित आदेश दिनांक-21.07.2022 के अनुपालन में बोर्ड द्वारा गठित संयुक्त समिति द्वारा संयुक्त रूप से दिनांक-13.09.2022 को किया गया। निरीक्षण के समय दिये गये प्रत्यक्ष/विवरण के अनुसार उद्योग में ब्याबलर से जनित फ्लाई ऐश जनरेसन एवं निस्तारण के संबंध में कोई सूचना उपलब्ध नहीं करायी गयी है। उद्योग के आसपास के क्षेत्र में विभिन्न स्थानों पर भूमि पर भारी मात्रा में फ्लाई ऐश डम्प पाया गया है तथा निस्तारण स्थल पर वायु प्रदूषण नियंत्रण हेतु किसी प्रकार का इस्टीमेशन सिस्टम स्थापित नहीं पाया गया, जिससे आसपास के क्षेत्र में वायु प्रदूषण की समस्या ध्यान में लाना स्वाभाविक है। वेस्ट पेपर आधारित पल्प एण्ड पेपर इकाईयों में सामान्यतः उद्योग का 1.5% प्लास्टिक वेस्ट जनित होता है। उद्योग में वेस्ट पेपर आधारित क्राफ्ट पेपर उत्पादन की कुल क्षमता-100 मी.टन/दिन है। अतः जनित प्लास्टिक वेस्ट की मात्रा 39 मी.टन/माह होती है। उद्योग द्वारा प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में विवरण प्रस्तुत किया गया। उद्योग द्वारा दिये गये विवरण के अनुसार फरवरी 2022 से जुलाई 2022 के मध्य कुल 18.19 मी.टन/माह प्लास्टिक वेस्ट को सुरक्षित निस्तारण हेतु सीमेंट प्लांट को प्रेषित किया गया है तथा शेष 20.81 मी.टन/माह प्लास्टिक वेस्ट के निस्तारण के सम्बन्ध में कोई विवरण प्रस्तुत नहीं किया गया जिससे स्पष्ट है कि उद्योग से जनित प्लास्टिक वेस्ट का निस्तारण नियमानुसार नहीं किया जा रहा है।

अंतर मा. एन.जी.टी.डी. में विचारणीय ओ.ए.ओ. संख्या 277/2022 लियान्त अली एवं अन्य बनाम उत्तर प्रदेश सरकार में पारित आदेश दिनांक 21.07.2022 के मुख्य अंश निम्नवत् है :-

".....5. In the report, the Joint Committee has given the description of waste generated (Solid/Liquid) as (i.) used/waste oil, Cotton Rags etc; (ii.) Fly Ash generated from boiler operation and (iii.) Plastic Waste for pulping section but the Joint Committee has not mentioned the quantity of waste generated. The Joint Committee has reported that used/waste oil is being handed over to TSDF facility for safe disposal, generated fly ash is utilized for low lying land filling and generated plastic waste is sent to co-processing units but the Joint Committee has not taken any pains to inspect the relevant record and verify the actual disposal of the waste by the units in question and there is no mention in the report to which TSDF used/waste oil is being handed over, where low lying land is being filled by fly ash and what is the mode of transportation of fly ash to the land fill site and what are the details of co-processing units to whom plastic waste is being sent. The Joint Committee has not referred to the consent documents and consent conditions and has not reported about compliance by the industries with consent conditions. The Joint Committee has reported that the industries have taken permission from UPGWD for drawing ground water but the Joint Committee has not mentioned about compliance by the industries with conditions regarding recharge of ground water and use of treated water and any restriction imposed on the industries.

6. The Joint Committee is directed to undertake further visits to the above said industries, look into all relevant aspects including aspects referred to above, obtain copies of the consent documents, verify the factual position including compliance with consent conditions and environmental norms and take remedial steps by following due process of law and submit report before this Tribunal within two months"

उद्योग को दिनांक-31.12.2022 तक सशर्त सहमति वायु निर्गत की गयी है, जिसकी शर्तों का उल्लंघन किया जा रहा है। उद्योग को विरुद्ध विभिन्न माध्यमों से प्लास्टिक वेस्ट जलाने की शिकायतें प्राप्त हो रही हैं। उद्योग द्वारा बोर्ड के पत्र दिनांक-15.02.2021 द्वारा निर्गत सशर्त सहमति वायु की शर्तों एवं मा. एन.जी.टी.डी. द्वारा पारित आदेशों का उल्लंघन किया जा रहा है।

यह कि मैसर्स मैलेक्सी पेपर्स प्रा.लि. 9वां कि.मी. जौली रोड, जनपद-मुजफ्फरनगर द्वारा वायु (प्रदूषण नियंत्रण एवं नियंत्रण) अधिनियम, 1981 अधिनियम की धारा-21/22 के अन्तर्गत बोर्ड से निर्गत सहमति शर्तों का उल्लंघन

जोकि वायु प्रदूषण नियंत्रण अधिनियम, 1986 अधिनियमों में निर्दिष्ट अडान्स प्रविष्टि का उल्लंघन तथा एक दण्डनीय अपराध है।

[illegible]

1. यह कि वर्क न मैसर्स मैलेक्सी एपेंस प्रा. लि. 9वां किमी, लौली रोड जनपद-मुजफ्फरनगर को बॉर्डर के पत्र दिनांक-13.02.2022 द्वारा निर्गत सदमति श्रुत को निलंबित (Suspend) कर दिया जावे।
2. यह कि वर्क न मैसर्स मैलेक्सी एपेंस प्रा. लि. 9वां किमी, लौली रोड जनपद-मुजफ्फरनगर की समस्त उत्पादन/सुप्लाय प्रक्रिया बन्द कर दी जाए।
3. यह कि वर्क न सहज प्रबंधिकाओं से यह अपेक्षा की जाये मैसर्स मैलेक्सी एपेंस प्रा. लि. 9वां किमी, लौली रोड जनपद-मुजफ्फरनगर को दिनेश वार्ड विद्युत एवं जल आपूर्ति को तत्काल प्रभाव से बन्द कर दे।
उल्लेखित से आतिरिक्त यह भी स्पष्ट करे कि वर्क न सा राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा भारत आदेशों से अनुसूच न दिनेश वार्ड विद्युत निरोध बॉर्डर द्वारा विकसित की गयी मेगाप्रोजेक्टों को अनुसूच उद्योग मैसर्स मैलेक्सी एपेंस प्रा. लि. 9वां किमी, लौली रोड, जनपद-मुजफ्फरनगर पर सहज अतिवारी के अनुमोदनोपरान्त निरोध दिनांक-13.09.2022 से पर्यावरणीय मानकों का दस्तावेज मान्य हो चुके रुपये-30,000/- प्रतिदिन की दर से सुधारान्तर कार्यवाई किये जाने तक उल्लंघनकारी दिवसों की समस्त शु. पर्यावरणीय अतिवृत्ति अतिरिक्त कर लका की क्षमता की जाए।
उपरोक्त सभी के परिपेक्ष में कारण बताने नोटिस के संकेत में पूर्ण विवरण के साथ अपना पत्र 15 दिन के अन्दर बॉर्डर को भेजना करे। कारण द्वारा कारण बताने नोटिस का उत्तर न भिजित करने अथवा संतोषजनक उत्तर प्राप्त न होने पर उद्योग को विनियम अनु. 27(1) निवारण एवं निलंबन अधिनियम, 1981 बंधनसंज्ञित की धारा-31(ए) सपडिट धारा 21(4) के अन्तर्गत जारी उल्लंघन बॉर्डर नोटिस की मुक्ति तथा उल्लंघनकारी दिवसों हेतु पर्यावरणीय अतिवृत्ति अतिरिक्त कर दी जाएगी, जिसका सम्पूर्ण दस्तावेज आगमन स्वयं की होना।

यसम अधिकारी के द्वारा पत्र निर्गमन हेतु अधिकृत।

Reyes

मुख्य पर्यावरण अधिकारी (वृत्त-3)

—किंकि विन्नाहिरिण मा सुचनार्थे एवं आवरण कार्यवाही हेतु भिजि—

1. विकास अधिकारी, मुजफ्फरनगर।
2. अधिकांसी अभियन्ता, स.प्र. पावर कारपोरेशन लि., विद्युत वितरण खण्ड, मुजफ्फरनगर।
3. अधिकांसी अभियन्ता, जल संस्थान, मुजफ्फरनगर।
4. मुख्य परीक्षण अधिकारी, वेम। मैनेजमेंट डिवीजन-5/2, स.प्र. प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. संचोदक अधिकारी, स.प्र. प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ कि उपरोक्त आदेशों के अनुपालन के लिए वे तुरंत या अत्यंत गैरसहज ढंग में आवश्यक रूप से प्रेषित किया जाना सुनिश्चित करें।

Remy

मुख्य पर्यावरण अधिकारी (दस्ता-3)

o/c J. J. J.

कार्यालय मुख्य अभियन्ता(गंगा)
सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश,
मेरठ

पत्रांक— /मु.अ.गंगा/एन0जी0टी0 दिनांक—
विषय :- मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या-277/2022 लियाकत अली व अन्य बनाम उ0प्र0 के सम्बन्ध में।

संदर्भ:- आपका पत्रांक-346/मु0अ0(ज0सं0)/अनिम-1, दिनांक 13.10.2022

मुख्य अभियन्ता(जल संसाधन), सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश, लखनऊ।

कृपया उपरोक्त विषयक अपने संदर्भित पत्र का संदर्भ ग्रहण करने की कृपा करें, जिसके द्वारा मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ0ए0 संख्या- 277/2022 लियाकत अली व अन्य बनाम उ0प्र0 द्वारा विषयगत प्रकरण में पारित आदेश दिनांक 21.07.2022 के क्रम में मा0 अधिकरण के समक्ष अग्रिम सुनवाई की तिथि 21.10.2022 को फरीदकोट हाउस, कॉपरनिकस मार्ग, नई दिल्ली में नियत है तथा मा0 अधिकरण के आदेशों के अनुपालना हेतु सिंचाई विभाग, उ0प्र0 से सम्बन्धित तथ्यों के परिप्रेक्ष्य में नियमानुसार आवश्यक कार्यवाही करते हुए समुचित उत्तर प्रेषित कर प्रभावी पंरवी किये जाने की वांछना की गयी है।

मा0 अधिकरण के आदेश दिनांक 21.07.2022 के क्रम में अधिशासी अभियन्ता मुजफ्फरनगर खण्ड गंगा नहर, मुजफ्फरनगर के पत्र संख्या- सी 77/मुखगनमु/एन0जी0टी0, दिनांक 14.10.2022 द्वारा उपलब्ध करायी गयी आख्या से निम्नानुसार अवगत कराया गया है कि मा0 राष्ट्रीय अधिकरण में योजित ओ0ए0 संख्या-277/2022 लियाकत अली व अन्य बनाम उ0प्र0 राज्य में पारित आदेश दिनांक 21.07.2022 के सुसंगत अंश ".....9. Notice be also issued to Principal Secretary, Department of Irrigation and water Resources, Government of Uttar Pradesh, requiring him to file response regarding the functional status of Dhandhera drain and related aspects including its de-silting. Use of its discharge for irrigation, quality of discharge going to any river etc., within two months at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR support PDF and not in the form of Image PDF."

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के पारित आदेश दिनांक 21.07.2022 के अनुक्रम में अवगत कराना है कि धन्धेडा ड्रेन मुजफ्फरनगर खण्ड गंगा नहर, मुजफ्फरनगर के कार्यक्षेत्र में निहित है। धन्धेडा ड्रेन जनपद मुजफ्फरनगर में स्थित है। धन्धेडा ड्रेन की कुल लम्बाई 19.708 कि0मी0 एवं डिस्चार्ज 200 क्यूसेक है। ड्रेन का आउटफाल मुख्य मुजफ्फरनगर नाले में है। धन्धेडा ड्रेन के कि0मी0 12.800 के आस-पास पेपर बनाने की 13 फैक्ट्रियां स्थित हैं तथा 01 फैक्ट्री ड्रेन के कि0मी0 8.670 पर स्थित है, इस प्रकार ड्रेन पर कुल 14 फैक्ट्रियां स्थापित हैं। जिनका शोधित जल लगभग 10 क्यूसेक धन्धेडा ड्रेन में प्रवाहित होता है। धन्धेडा ड्रेन में वर्ष 2018-19 में नाले के टेल भाग में 3.00 कि0मी0 लम्बाई में, वर्ष 2019-20 में ड्रेन के टेल के 3.00 कि0मी0 भाग को छोड़कर शेष लम्बाई 16.708 कि0मी0 में, वर्ष 2020-21 में कि0मी0 4.00 से कि0मी 10.200 तक (लम्बाई 6.200 कि0मी0) में सिल्ट सफाई का कार्य आवश्यकतानुसार सम्पादित कराया गया है। वर्ष 2021-22 में कि0मी0 10.200 से 19.600 तक(कुल लम्बाई 9.400 कि0मी0) में सिल्ट सफाई का कार्य वर्षाकाल से पूर्व (30 जून 2021 से पहले) सम्पादित कराया गया। वर्षाकाल में ड्रेन के जलागम क्षेत्र(catchment area) का पानी सुचारु रूप से प्रवाहित करने के लिए ड्रेन की विभाग के द्वारा आवश्यकतानुसार नियमित सफाई करायी जाती है।

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के पारित आदेश दिनांक 21.07.2022 की अनुपालना के क्रम में धन्धेडा ड्रेन की सिल्ट सफाई का कार्य दिनांक 1 अक्टूबर, 2022 से प्रारम्भ कर दिनांक 14 अक्टूबर 2022 तक पूर्ण करा दिया गया है। करायी गयी सिल्ट सफाई के कार्यों के फोटोग्राफ संलग्न है। ड्रेन में प्रवाहित होने वाले डिस्चार्ज का प्रयोग सिंचाई हेतु नहीं किया जाता है। ड्रेन के पानी की गुणवत्ता के विषय में अवगत कराना है कि धन्धेडा ड्रेन पर पेपर बनाने वाली 14 फेक्ट्रियों के द्वारा उत्सर्जित प्रदूषण को सत्यापन के लिए मा0 अधिकरण के द्वारा दिनांक 28.04.2022 में उ0प्र0 प्रदूषण नियंत्रण बोर्ड एवं जिलाधिकारी मुजफ्फरनगर की एक संयुक्त समिति का गठन किया गया। समिति द्वारा फेक्ट्रियों की वास्तविक स्थितियों का आंकलन कर Action Taken report दो माह में उपलब्ध कराये जाने के निर्देश दिये गये। इसकी अनुपालना में गठित संयुक्त समिति द्वारा दिनांक 01.06.2022, 7.06.2022 व 10.06.2022 को फेक्ट्रियों का निरीक्षण किया गया। निरीक्षणोपरान्त दिनांक 18.07.2022 में Action Taken report submit की गयी। समिति की समस्त 14 फेक्ट्रियों पर observations निम्नवत है :-

- 1- The unit found operational at the time of inspection producing craft paper 220 MT/day by using waste paper as raw material.
- 2- The unit has Effluent Treatment Plant for treatment of polluted effluent generated from process which found operational at the time of inspection. During inspection sample of treated effluent being collected and analysed in Regional Laboratory, Muzaffarnagar. As per the analysis report, all parameters found within norms. At the end point of ETP, online Continuous Effluent Monitoring System has installed which is connected with the server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of discharged effluent, during inspection all the parameters displayed on the screen found within the stipulated norms.
- 3- During inspection, air pollution control system (Multi-Cyclone Dust Collector, Wet Scrubber) found operational. Unit has online continuous emission Monitoring system which is connected with the server of CPCB Delhi and UPPCB, Lucknow for continuous monitoring of emission emitted into ambient environment. During inspection all the parameters displayed on the screen found within the stipulated norms.

उपरोक्त आख्या से स्पष्ट है कि फेक्ट्रियों का शोधित जल ही धन्धेडा ड्रेन में प्रवाहित हो रहा है। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ0ए0 संख्या- 277/2022 लियाकत अली व अन्य बनाम उ0प्र0 में पारित आदेश दिनांक 21.07.2022 द्वारा दिय गये निर्देशों के क्रम में अनुपालन आख्या आवश्यक अग्रिम कार्यवाही हेतु प्रेषित है।

संलग्नक-उपरोक्तानुसार।

मुख्य अभियन्ता(गंगा)
सिंचाई एवं जल संसाधन विभाग
उ0प्र0, मेरठ

पत्रांक- 11319 / मु.अ.गंगा / तदिनांक 14/10/22 — 03 —

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है :-

1. प्रमुख अभियन्ता एवं विभागाध्यक्ष, सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश लखनऊ।
2. सदस्य सचिव, उ०प्र० प्रदूषण नियंत्रण बोर्ड लखनऊ।
3. जिलाधिकारी, मुजफ्फरनगर।
4. निजी सचिव, प्रमुख सचिव, सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश शासन, लखनऊ।
5. उपसचिव, सिंचाई एवं जल संसाधन अनुभाग-4, उ०प्र० शासन, लखनऊ।
6. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर।
7. अधीक्षण अभियन्ता, प्रथम मण्डल सिंचाई कार्य, मेरठ।
8. अधिशासी अभियन्ता, मुजफ्फरनगर खण्ड गंगा नहर, मुजफ्फरनगर को उनके पत्र के क्रम में इस निर्देश के साथ प्रेषित है कि विषयक प्रकरण पर यथाआवश्यक कार्यवाही करना सुनिश्चित करें।

मुख्य अभियन्ता (गंगा)
सिंचाई एवं जल संसाधन विभाग
उ०प्र०, मेरठ

14/10/22