

**BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPLE BENCH, NEW DELHI
O.A. No. 438/2018.**

IN THE MATTER OF:

ARTI

...APPLICANT

VERSUS

CENTRAL GROUND WATER AUTHORITY & ORS.

...RESPONDENT(S)

INDEX

Sl.No.	Particulars	Page(s)
1.	Action Taken Report in Compliance to Hon'ble NGT, PB, Order dated 10.09.2020 in the matter of O.A. No. 438/2018 titled as <i>Arti vs. CGWA & Ors.</i>	1-6
2.	Annexure I – Copy of Office Order (No. 4(237_NGT)CGWB/NR/S&I/2022-245) dated 21.03.2022	7-8
3.	Annexure II – Copy of the Action Taken Report with respect to respondent units in Ghaziabad	9-13
4.	Annexure III – Copy of Letter to DM, Ghaziabad dated 11.04.2022	14
5.	Annexure IV – Copy of Letter to DM, Ghaziabad dated 26.05.2022	15-16
6.	Annexure V –Public Notice dated 23.10.2017 appointing District Magistrates / Deputy Commissioners as "Authorized Officers"	17
7.	Annexure VI – Copy of Letter to DM, Ghaziabad dated 04.08.2022	18

8.	Annexure VII - Copy of Letter to DM, Ghaziabad dated 17.08.2022	19
9.	Annexure VIII - Copy of Letter to DM, Ghaziabad dated 02.09.2022	20-24
10.	Annexure IX - Copy of Letter to DM, Ghaziabad dated 14.09.2022	25
11.	Annexure X - Copy of Office Memorandum dated 15.03.2022	26
12.	Annexure XI - Office Order (No. 4(237_NGT)CGWB/NR/S&I/2022-212) dated 21.03.2022	27-30
13.	Annexure XII - Letter dated 27.04.2022 to Director, U.P. Ground Water Department	31
14.	Annexure XIII -Joint Committee Report for Gautam Buddha Nagar	32-62
15.	Annexure XIV (i) -Joint Committee Report for Jhansi-Part-I	63-80
16.	Annexure XIV (ii) -Joint Committee Report for Jhansi-Part-II	81-103
17.	Annexure XV (i) - Joint Committee Report for Gorakhpur-Part-I	104-114
18.	Annexure XV (ii) - Joint Committee Report for Gorakhpur-Part-II	115-132
19.	Annexure XVI - Joint Committee Report for Bareilly	133-190
20.	Annexure XVII - Joint Committee Report for Meerut	191-217
21.	Annexure XVIII (i) - Joint Committee Report for Kanpur Nagar-Part-I	218-270
22.	Annexure XVIII (ii) - Joint Committee Report for Kanpur Nagar-Part-II	271-298
23.	Annexure XIX - Joint Committee Report for Lucknow	299-354
24.	Annexure XX (i) - Joint Committee Report for Varanasi-Part-I	355-419
25.	Annexure XX (ii) - Joint Committee Report for Varanasi-Part-II	420-526
26.	Annexure XXI (i) - Joint Committee Report for Agra-Part-I	527-541
27.	Annexure XXI (ii) - Joint Committee Report for Agra-Part-II	542-586
28.	Annexure XXII - Letter issued to DM Meerut for Remedial Action after submitting complete JIR	587-592

29.	Annexure XXIII - Letter issued to DM GB Nagar for Remedial Action after submitting complete JIR	593-598
30.	Annexure XXIV - Letter issued to DM Jhansi for Remedial Action after submitting complete JIR	599-604
31.	Annexure XXV - Letter issued to DM Gorakhpur for Remedial Action after submitting complete JIR	605-610
32.	Annexure XXVI - Letter issued to DM Kanpur Nagar for Remedial Action after submitting complete JIR	611-616
33.	Annexure XXVII - Letter issued to DM Lucknow for Remedial Action after submitting complete JIR	617-622
34.	Annexure XXVIII - Letter issued to DM Varanasi for Remedial Action after submitting complete JIR	623-628
35.	Annexure XXIX - Letter issued to DM Agra for Remedial Action after submitting complete JIR	629-634

Place: Lucknow
Dated: 26.9.22


Regional Director
CGWB, Northern Region
S. G. BHARTIYA
Regional Director
Central Ground Water Board, N.R.
Ministry of Jal Shakti
Govt. of India
Lucknow-226021

**ACTION TAKEN REPORT ON BEHALF OF CENTRAL GROUND WATER
AUTHORITY IN COMPLIANCE TO THE HON'BLE NGT ORDER DATED
25.02.2022 IN O.A. NO. 438/2018 (ARTI VS. CGWA & ORS.)**

Introduction

1. That the Hon'ble NGT has taken cognizance of an application by Smt. Arti with regard to the condition of ground water in District Ghaziabad. It was contended that ground water is depleting very rapidly particularly, on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, were impleaded as Respondents 5 to 126.
2. That in compliance of the direction of Hon'ble NGT, the Joint Inspection Committee visited the premises of the Respondent units to carry out inspections of ground water withdrawal by these hotels in Ghaziabad from 11.11.2021 to 16.11.2021.
3. That a Report was prepared by the Joint Inspection Committee incorporating complete information about the status of the use of tube wells for extraction of ground water and the observations / data collected by the Committee Members was submitted before the Hon'ble Tribunal.

NGT Orders

4. That the Hon'ble NGT was pleased to pass an order dated 25.02.2022 in the case, wherein the following directions were passed :-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109,

111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month."

Action Taken in compliance of Order dated 25.02.2022

- **Respondents units in Ghaziabad**(in compliance of Para 46, p.37 of Order dated 25.02.2022)

5. That it is submitted that vide another Office Order (No. 4(237_NGT)CGWB/NR/S&I/2022-245) dated **21.03.2022**, a Meeting was called on 04.04.2022 with the representatives from Uttar Pradesh Pollution Control Board, Minor Irrigation Department (Ghaziabad) and Uttar Pradesh Jal Nigam to decide on the modalities regarding re-inspection of respondent hotel units in Ghaziabad and further necessary action in compliance to the Order of Hon'ble NGT.

Copy of Office Order dated 21.03.2022 is marked herewith and annexed as **Annexure-I**. [Pages 7 to 8]

6. That in compliance to the Hon'ble NGT Order, notices were issued by Regional Office, Ghaziabad to all 94 respondent units in appropriate mode. Furthermore, the Committee re-inspected the hotels on 04.04.2022 and 05.04.2022 for verification of the addresses as well as the status of operation of the units.

Copy of the Action Taken Report with respect to respondent units in Ghaziabad is marked herewith and annexed as **Annexure-II**. [Pages 9 to 13]

7. That following the inspection and re-verification by the Joint Committee, vide letters dated **11.04.2022** and **26.05.2022**, remedial actions to be taken against the defaulting units which are abstracting ground water without valid NOC were provided to the District Magistrate, Ghaziabad, so that necessary action in this regard may be issued. It is submitted that vide Public Notice dated 23.10.2017, District Magistrates / District Commissioners are the Authorized Officers delegated with the power to inspect whether all the existing users owning tubewells in their premises have obtained/ applied for NOC for ground water

withdrawal. The DM/DC is also authorized to initiate action in case of violation like sealing of illegal wells, launching of prosecution against offenders etc. including grievance related to ground water.

Copy of Letters dated 11.04.2022 and 26.05.2022 are marked herewith and annexed as **Annexure-III** and **Annexure-IV**. [Pages 14 to 16]

Copy of Public Notice dated 23.10.2017 is marked herewith and annexed as **Annexure-V**. [Page no. 17]

8. That reminder letters dated **04.08.2022, 17.08.2022, 02.09.2022** and **14.09.2022** have been sent to DM, Ghaziabad to take the remedial actions on priority, **but no communication has been received till date.**

Copy of Letters dated 04.08.2022, 17.08.2022, 02.09.2022 and 14.09.2022 are marked herewith and annexed as **Annexure-VI, Annexure-VII, Annexure-VIII** and **Annexure-IX**. [Pages 18 to 25]

- **Inspection in 9 cities**(in compliance of Para 47, p.37 of Order dated 25.02.2022)

9. That at the foremost, vide **Office Memorandum dated 15.03.2022** issued by CGWA, Joint Committees were constituted to find out hotels, marriage/ banquet halls/ resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, comprising of the following Members:-

- (i) Regional Director, CGWB, Northern Region / or his Representative;
- (ii) Officer(s) from Uttar Pradesh Pollution Control Board not below the rank of CEO or his representative;
- (iii) Concerned District Magistrate/ or his representative.

Copy of Office Memorandum dated 15.03.2022 is marked herewith and annexed as **Annexure-X**. [Page no. 26]

10. That vide **Office Order** (No. 4(237_NGT)CGWB/NR/S&I/2022-212) dated **21.03.2022**, Officers of CGWB, NR, Lucknow were nominated to conduct the inspections as part of the Joint Committee for each city.

Copy of Office Order dated 21.03.2022 is marked herewith and annexed as **Annexure-XI**. [Pages 27 to 30]

11. That vide letter dated **27.04.2022**, a meeting was called with the Director, Uttar Pradesh Ground Water Department, for a mutual discussion to ensure smooth and timely compliance of the direction of Hon'ble NGT in the 9 cities of Uttar Pradesh. The Meeting was held on 29.04.2022, wherein the modalities regarding the inspections with proper coordination of both the departments.

Copy of letter dated 27.04.2022 is marked herewith and annexed as **Annexure-XII**. [Page no. 31]

12. That for conducting effective inspections, a complete list of all hotels, marriage/banquet halls/resorts, guest houses was sought from the concerned District Magistrate (registered under Sarai Act) / Regional Tourism Office of concerned district and the Inspections were commenced at the earliest.

13. That the Joint Committees in each district has completed the inspections in each of the 9 cities - Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur. However, due to enormous and extensive nature of work as well as insufficient manpower, the inspections have taken more time than expected. The summary of Inspections completed is given in following table:-

Table: Summary of inspected Hotels/ Guest House/ Marriage Halls etc.

Sl.No.	District/ City	Total No. of Hotel/ Banquet Hall/ etc. (Targets)	No of Hotels who have not obtained NOC's	No of Hotels who have obtained NOC's	No of Hotels could not be located	No of Hotels do not exist	No of Hotels who have not provided the data	No of Hotels repeated in the list	No of Hotels which do not require NOC's due to having supply through water supplying agencies.
1	Agra	424	386	10	0	18	0	0	10
2	Bareilly	117	44	27	27	0	0	4	15
3	G.B. Nagar	34	20	0	2	0	0	0	12
4	Gorakhpur	131	119	1	0	10	0	0	1
5	Jhansi	86	75	0	3	2	3	0	3
6	Kanpur	233	145	0	0	73	6	9	0
7	Lucknow	333	148	7	58	97	15	0	8
8	Meerut	132	106	0	0	3	3	0	20
9	Varanasi	413	364	10	3	0	17	4	15
	Total	1903	1407	55	93	203	44	17	84

14. The DM Bareilly has initiated remedial actions which is mentioned in the Report.

(Annexure-XVI)

The Copies of the Reports by Joint Committees for all the cities are marked herewith and annexed as **Annexure-XIII to Annexure-XXI**. [Pages 32 to 586]

15. The District Magistrates of all the remaining eight districts have been requested to take suitable remedial actions.

Copy of Letters dated 19.09.2022 and 22.09.2022 for all the cities are marked herewith and annexed as **Annexure-XXII to Annexure-XXIX**. [Pages 587 to 634]

16. The above is submitted for perusal of Hon'ble NGT and the present Action Taken Report may kindly be taken on record.

Place: Lucknow
Dated: 26.9.22.


Regional Director
CGWB, Northern Region
S. G. BHARTARIYA
Regional Director
Central Ground Water Board, N.R.
Ministry of Jal Shakti
Govt. of India
Lucknow-226021



भारत सरकार
जन शक्ति मंत्रालय
केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुबल भवन
सेक्टर-बी, सितापुर रोड योशाना, अलीगढ़
लखनऊ - 226021
दूरभाष: (0522)-2363812
ई-मेल: rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BIHARAL BHAWAN
SECTOR-B, SITAPUR ROAD YOJANA, ALIGANJ
LUCKNOW-226021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



पत्र सं. 4(237_NGT)/के.भू.ज.बो./उ.क्षे./एस&आई/2022- २५८

दिनांक:

21 MAR 2022

कार्यालय ज्ञापन

विषय: मा. राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित Compliance of Order dated 25.02.2018 in Arti vs. CGWA & Ors. (OA No. 438/2018) के अनुपालन के संबंध में।

संदर्भ: केन्द्रीय भूमि जल प्राधिकरण की मेल दिनांक 14.03.2022

कृपया उपरोक्त विषय का संदर्भ ग्रहण करने का कष्ट करें। माननीय राष्ट्रीय हरित अधिकरण (एनजीटी), नई दिल्ली में योजित OA No. 438/2018 Arti vs. CGWA & Ors. में पारित आदेश दिनांक 25.02.2022 को पैरा 46 के अंतर्गत निम्न निर्देश दिया गया है।

"In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail."

माननीय राष्ट्रीय हरित अधिकरण (एनजीटी), नई दिल्ली के उपरोक्त पारित निर्देश के अनुपालन को दृष्टिगत रखते हुए, केन्द्रीय भूमि जल प्राधिकरण, नई दिल्ली द्वारा सभी यूनिट्स का re-inspection तथा आवश्यक कार्रवाई करने के लिए दिनांक 04.04.2022 को एक बैठक पूर्वहन 11.30 बजे क्षेत्रीय अधिकारी कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, 19/266, सत्यम, वसुंधरा, गाजियाबाद में प्रस्तावित है। अतः आपसे अनुरोध है कि उक्त बैठक में प्रतिभाग करने का कष्ट करें। उक्त प्रकरण में मा. राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा निर्देशित रिपोर्ट अतिशीघ्र भेजी जा सके। उपरोक्त के क्रम में बैठक, संयुक्त पुनः निरीक्षण एवं कम्प्लायंस रिपोर्ट हेतु निम्नलिखित अधिकारियों को पुनः नामित किया जाता है जोकि पूर्व की भांति माह नवंबर, 2021 में संयुक्त निरीक्षण समिति में शामिल थे।

1. श्री जगदम्बा प्रसाद, वैज्ञानिक-डी, केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र, लखनऊ
मो.न.: 9452985988 / 6307854411
2. श्री मोहन प्रकाश पासवान, अधिशासी अभियंता / नोडल अधिकारी, लघु सिंचाई विभाग, जनपद-गाजियाबाद
मो.न.: 8005312016
3. श्री इमरान खान, पर्यावरण अभियंता, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, लखनऊ
मो.न.: 9450272511
4. श्री योगेश कुमार, सहायक अभियंता, कंसट्रक्शन डिवीजन (E/M), उत्तर प्रदेश जल निगम (Urban) गाजियाबाद
मो.न.: 7599201523

संलग्नक: उपरोक्तानुसार।

(Handwritten signature)

(Handwritten signature)
(पी.के. त्रिपाठी)
कार्यालय प्रमुख

वितरण:

1. श्री जगदम्बा प्रसाद, वैज्ञानिक-डी, केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र, लखनऊ
2. श्री मोहन प्रकाश पासवान, अधिशासी अभियंता / नोडल अधिकारी, लघु सिंचाई विभाग, जनपद-गाजियाबाद

3. श्री हमरान खान, पर्यावरण अभियंता, उत्तर प्रदेश प्रदूषण निवर्तन बोर्ड, लखनऊ
4. श्री योगेश कुमार, सहायक अभियंता, कंसट्रक्शन डिवीजन (E/M), उत्तर प्रदेश जल निगम (Urban) गाजियाबाद
5. जिलाधिकारी गाजियाबाद को इस आशय के साथ प्रेषित कि बैठक एवं पुनःनिरीक्षण हेतु प्रतिनिधि को नामित कर संबंधित कार्य संपादित कराने में सहयोग प्रदान करें।
6. कार्यालय क्षेत्रीय अधिकारी, उत्तर प्रदेश प्रदूषण निवर्तन बोर्ड, 19/266, सत्यम, कसुंधरा, गाजियाबाद को इस आशय के साथ प्रेषित कि बैठक एवं पुनःनिरीक्षण हेतु प्रतिनिधि को नामित कर संबंधित कार्य संपादित कराने में सहयोग प्रदान करें।

प्रतिलिपि:

1. सदस्य सचिव, केन्द्रीय भूमि जल प्राधिकरण, 18/11, जामनगर हाऊस, मानसिंह रोड, नई दिल्ली-110 011 को उनके पत्रांक CGWA-21/19/2021-CGWA-Part(1)-1198 दिनांक 11.10.2021 के संदर्भ में।
2. निदेशक, भूगर्भ जल विभाग, उ० प्र०, 9वें तल, इन्दिरा भवन, अशोक मार्ग, लखनऊ को उनके पत्रांक 1278/भूजल/एन-26 कोर्ट केस (एन.जी.टी) दिनांक 22 अक्टूबर 2021 के संदर्भ में।
3. मुख्य पर्यावरण अधिकारी, सर्किल-1, उत्तर प्रदेश प्रदूषण निवर्तन बोर्ड, टी.सी.-12 वी, विभूति खण्ड, गोमती नगर, लखनऊ को उनके पत्रांक H6 7414 /सी-1/NGT-122/2021 दिनांक 22.10.2021 के संदर्भ में।
4. मुख्य अभियंता (E/M), उत्तर प्रदेश जल निगम (Urban), मुख्यालय 6 राणा प्रताप मार्ग, लखनऊ को उनके पत्रांक 37/CH(E/H/2061-0009/21 दिनांक 22.10.2021 के संदर्भ में।
5. अध्यक्ष के तकनीकी सहायक, केन्द्रीय भूमि जल बोर्ड, भूजल भवन, एन.एच-4, फरीदाबाद।


 (पी.के. त्रिपाठी)
 कार्यालय प्रमुख

Action Taken Report in compliance to order dated 25.02.2022 passed by Hon'ble National Green Tribunal in OA No. 438/2018 Arti Verses CGWA &Ors.

In reference to the above, Hon'ble National Green Tribunal on O.A. no. 438/2018 Arti versus CGWA &Ors passed order on 25.02.2022 which is as below. In response of order passed by Hon'ble National Green Tribunal, the following actions has been taken with para.



".....44. We therefore, direct that notice be issued to respondents no. 7, 10,12, 14,16,17,18,19,20,21,22,23,24,25,27,30,31,32,33,36,37 , 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month....."




Action has been taken by UPPCB, Ghaziabad:-Notices have been issued vide letter no 2216/OA-438/2018/2022 dated 15.03.2022 by Regional Office, UPPCB, Ghaziabad to all above **94 number of respondents** in appropriate mode.

".....45. In para 8(E) 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not....."

Action has been taken by joint Committee members of CGWA, State PCB and UP Jal Nigam, Ghaziabad:- The committee re -inspected on dated **04.04.2022 and 05.04.2022** in the all above mentioned 11 numbers of hotels for rechecking and verification those were repeated , whose addresses were not corrected in the list and whose closed during the earlier inspection . The status of all of those hotels is same as the time of the inspection.

The detail of re-inspection and photographs are given as below:-

Sl. No	Respondent No. (As per OA)	Name of Respondents	Date of re-Inspection	Observation of the committee members during the re-inspection	Photographs
1	9 & 96 (Repeated)	Clarks INN 371/1 Pacific Business Park Site IV, Sahibabad Industrial Area, Sahibabad, Ghaziabad- 201010	04.04.2022	Earlier inspection was done on dated 12.11.2021 & Hotel was found closed. The status is same as the time of the earlier inspection. However ground water is being extracted through tube well for water supply of offices	
2	11&91 (Repeated)	Citrus Hotel Ghaziabad C-2 Raj Nagar District Centre, Adjacent to Mahalaxmi Mall, Ghaziabad - 201001	05.4.2022	Earlier inspection was done on dated 14.11.2021 and Hotel was found closed. However ground water is being extracted through tube well for water supply of mall/offices.	
3	Respondent No 26	OYO 058 Ghaziabad 153/157, Ahasan Ali Compound, Bazaria, Ghaziabad, 200101	05.4.2022	Earlier inspection was done on dated 16.11.2021. No Hotel was exist. The status is same as the time of the earlier inspection.	

4	Respondent No 28	OYO Flagship 046 Vaishali Max Hospital Plot No.1-3,4, Vaishali, Sector 1. Ghaziabad, 201010	04.44.2022	Earlier inspection was done on dated 12.11.2021 & Hotel was found closed. The status is same as the time of the earlier inspection. No ground water extraction is being observed during the re-inspection.	
5	Respondent No 29	Hotel Abhay Palace Plot No 4, Sector 1. Vaishali, Near Pushpanjani Crosslay Hosp. Ghaziabad- 201001	04.4.2022	Earlier inspection was done on dated 12.11.2021 & Hotel was found closed. The status is same as the time of the earlier inspection. No ground water extraction is being observed during the re-inspection.	
6	Respondent No 34	OYO 8349 D' Sapphire Crown Plot No. 1358-5, Vasundhara Sector 5. Ghaziabad- 201012	04.4.2022	The hotel could not located in the earlier inspection in the name of D OYO 8349 D' Sapphire Crown. At present the name of hotel found as Crown Palace which is under renovation. No ground water extraction is being observed during the re-inspection.	
7	Respondent No 68	Finestays Homestay No 1/584, Sector 1, Ashok Marg, Ghaziabad- 110032	05.04.2022	Earlier inspection was done on dated 16.11.2021. Address could not located in the	


				list. The status is same as the time of the earlier inspection.	
8	Respondent No 71	Hotel Skylark Shop No-65, Near Post Office, Old Munsfi Rd, Navyug Market, NayaGanj Ghaziabad-201002	05.04.2022	Earlier inspection was done on dated 15.11.2021 & Hotel was found closed. The status is same as the time of the earlier inspection. No ground water extraction is being observed during the re-inspection.	
9	Respondent No 108	Bhim Hotel R-11/40, Block 11, Raj NagarGhaziabad-201002	04.04.2022	Earlier inspection was done on dated 16.11.2021. No Hotel exist. The status is same as the time of the earlier inspection	
10	Respondent No 116	Buddha Residency 5/87 Sector 2, Rajendra Nagar, Near Buddha Park, Ghaziabad-201005	04.04.2022	Earlier inspection was done on dated 15.11.2021. No Hotel exist. The status is same as the time of the earlier inspection	
11	Respondent No 125	Hotel Metro 3 141 Loha Mandi, Ghaziabad-201012	05.04.2022	Earlier inspection was done on dated 16.11.2021 & Hotel was found closed. Iron store was found Name of Shree Ji Kirpa Store. The status is same as the time of the earlier inspection. No ground water extraction is being observed during the re-inspection	


.....46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.....”


Action has been taken by joint Committee members of CGWA and UP Jal Nigam:-

The letter has been written by CGWA to District Magistrate, Ghaziabad to provide relevant data of in the Hotels. In this regards District Magistrate, Ghaziabad has nominated Nodal Officer from Minor irrigation department Ghaziabad to collect the relevant data.

A meeting was held with DM Ghaziabad , CDO Ghaziabad and ADM city Ghaziabad on 05.04.2022 regarding remedial action on account of the violation of environmental laws with regards to abstraction of ground water illegally by the proponents. District Administration Ghaziabad has directed Executive Engineer, Minor Irrigation to include representatives of task force of UP Ground water Regulation and Management with other line departments representatives i.e Ghaziabad Nagar Nigam Jal Kal Ghaziabad and DIC Ghaziabad , and UP Jal Nigam (Civil Division), Ghaziabad for collection of relevant data and initiates as per law thereafter.


(Imran Khan)
Environment Engineer ,
Uttar Pradesh Pollution Control Board,
Lucknow.


(Yogesh Kumar)
Assistant Engineer,
Uttar Pradesh Jal Nigam,
Ghaziabad


05/04/22
(Jagdamba Prasad)
Scientist -D,
Central Ground Water Board,
Lucknow



माननीय मंत्रालय
जल शक्ति मंत्रालय
केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-III, सीतापुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cghw@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-III, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
E-mail : cghw@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

(S.G. Bhartariya)
Regional Director



भारत सरकार
जन शक्ति शिवालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुवन भवन
सेक्टर-बी, सीतापुर रोड योजना, अजगढ़
मकान नं - 226021
दूरभाष : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BIRJAL SHAWAN
SECTOR-B, SITAPUR ROAD YOJANA, AJGAJI
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



अनुसमारक-1

पत्र सं. 4(237_NGT)/के.भू.ज.बो./उ.क्षे./एस&आई/2022-304, दिनांक 11 अप्रैल, 2022

दिनांक

26 MAY 2022

सेवा में,

जिलाधिकारी,
जिला गाज़ियाबाद।

विषय: मा. राष्ट्रीय हरित अधिकरण, नई दिल्ली में चोित Compliance of Order dated 25.02.2018 in Arti vs. CGWA & Ors. (OA No. 438/2018) के अनुपालन के संबंध में।

संदर्भ: 1. कार्यालय पत्रांक संख्या 4(237_NGT)/के.भू.ज.बो./उ.क्षे./एस&आई/2022-304, दिनांक 11 अप्रैल, 2022
2. कार्यालय पत्रांक संख्या 4(237_NGT)/के.भू.ज.बो./उ.क्षे./एस&आई/2022-340, दिनांक 28 अप्रैल, 2022

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करने का कष्ट करें, जिसमें होटलवार सूचना/ आंकड़े प्राथमिकता के आधार पर प्रदान करने हेतु आग्रह किया गया था, जिसका विवरण तालिका में दर्शाया गया था, किन्तु अभी तक कोई आंकड़े उपलब्ध नहीं हो पाए हैं। अतः आपसे पुनः अनुरोध है कि निम्नलिखित तालिका के अनुसार सूचना/ आंकड़े अतिशीघ्र उपलब्ध करवाने का कष्ट करें, ताकि माननीय एनबीटी, नई दिल्ली के आदेश का अनुपालन में रिपोर्ट उपचारात्मक कार्यवाही (Remedial Action) के साथ निश्चित समय सीमा के अंदर जमा की जा सके।

होटल का नाम व पता-		
क्रम संख्या	आवश्यक विवरण	प्राप्त विवरण
1.	स्थापना/ पंजीकरण का वर्ष	
2.	पानी की सप्लाई का स्रोत	(अ) नगर निगम से (के.एल.डी.)
3.		(ब) ट्यूबवेल/ बोरेवेल से (के.एल.डी.)
4.	स्थापित नलकूप का विवरण	(अ) नलकूप की गहराई (मीटर)
5.		(ब) नलकूप का व्यास (मिली मीटर)
6.		(स) लगे हुए पम्प की क्षमता (हॉर्सपावर)
7.		(ड) निस्तारण क्षमता (एलपीएम)
8.	कमरों की संख्या	(अ) सिंगल बेड
9.		(ब) डबल बेड
10.		(स) अन्य
11.	कर्मचारियों की संख्या	
12.	अन्य संबंधित सूचना (यदि कोई हो तो)	

भवदीय

संजय
(एस.जी. भरतारिया)
क्षेत्रीय निदेशक

प्रतिलिपि:

1. मुख्य विकास अधिकारी, विकास भवन, गाजियाबाद को आवश्यक कार्य एवं सूचनार्थ हेतु।
2. कार्यालय क्षेत्रीय अधिकारी, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, 19/266, सत्यम, वसुंधरा, गाजियाबाद को इस आशय के साथ प्रेषित कि जिलाधिकारी कार्यालय से समन्वय स्थापित कर उपरोक्त आंकड़े / सूचना एकत्रित करने हेतु।
3. श्री लीओम, अधिग्रासी अभियंता / नोडल अधिकारी, लघु सिंचाई विभाग, जन्पद-गाजियाबाद को इस आशय के साथ प्रेषित कि जिलाधिकारी कार्यालय से समन्वय स्थापित कर उपरोक्त आंकड़े / सूचना एकत्रित करने हेतु।
4. अधिग्रासी अभियंता, कंसट्रक्शन डिवाजन (E/M), उत्तर प्रदेश जल निगम (Urban) गाजियाबाद को इस आशय के साथ प्रेषित कि जिलाधिकारी कार्यालय से समन्वय स्थापित कर उपरोक्त आंकड़े / सूचना एकत्रित करने हेतु।
5. श्री योगेश कुमार, सहायक अभियंता, कंसट्रक्शन डिवाजन (E/M), उत्तर प्रदेश जल निगम (Urban) गाजियाबाद को इस आशय के साथ प्रेषित कि जिलाधिकारी कार्यालय से समन्वय स्थापित कर उपरोक्त आंकड़े / सूचना एकत्रित करने हेतु।
6. सदस्य सचिव, केन्द्रीय भूमि जल प्राधिकरण, 18/11 जामनगर हाउस, मनसिंह रोड, नई दिल्ली-110011 को आवश्यक कार्य एवं सूचनार्थ हेतु।
7. निदेशक, भूगर्भ जल विभाग, उ.प्र., प्लॉट नं. 1, इन्दिरा भवन, अशोक मार्ग, लखनऊ को आवश्यक कार्य एवं सूचनार्थ हेतु।
8. मुख्य पर्यावरण अधिकारी, सर्किल-1, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, टी.सी.-12 बी, विभूति खण्ड, गोमती नगर, लखनऊ को आवश्यक कार्य एवं सूचनार्थ हेतु।
9. मुख्य अभियंता (E/M), उत्तर प्रदेश जल निगम (Urban), मुख्यालय, 6 राणा प्रताप मार्ग, लखनऊ को आवश्यक कार्य एवं सूचनार्थ हेतु।
10. अध्यक्ष के तकनीकी सहायक, केन्द्रीय भूमि जल बोर्ड, पूजल भवन, एन.एच.-IV, फरीदाबाद को आवश्यक कार्य एवं सूचनार्थ हेतु।

CENTRAL GROUND WATER AUTHORITY
MINISTRY OF WATER RESOURCES, RIVER DEVELOPMENT & GANGA
REJUVENATION

[Constituted under Section 3(3) of Environment (Protection) Act, 1986]

Dated the 23rd October, 2017

APPOINTMENT OF THE DISTRICT MAGISTRATE/ DEPUTY COMMISSIONER AS THE AUTHORIZED OFFICER TO MONITOR COMPLIANCE OF DIRECTIONS OF CENTRAL GROUND WATER AUTHORITY

Whereas on the direction of the Hon'ble Supreme Court vide it's Order dated 10th December, 1996, the Central Government has constituted the Central Ground Water Authority (hereinafter referred to as the Authority) vide notification number S.O. 38 (E), dated 14th January, 1997, followed by notifications S.O. 40(E) dated 13th January, 1998, S.O. 9(E) dated 5th January, 1999, S.O. 1024(E) dated 6th November, 2000 and S.O. 1121(E), dated 13th May, 2010, for the purposes of regulation and control of groundwater development and management in the whole of India;

And whereas the Authority has been issuing No Objection Certificate (NOC) for ground water withdrawal to industries/ infrastructure projects/ Mining Projects etc., in terms of guidelines issued in this connection from time to time;

And whereas some of the State Governments/Union Territories, have enacted legislations and/ or issued regulatory directions/ orders on ground water development and management in accordance with the Local/State/UT law/order;

And whereas the Hon'ble National Green Tribunal, New Delhi vide order dated 15.04.2015 in O.A. No. 204 of 2014 and others, has issued directions to Authority to ensure that *any person, operating tube well, or any means to extract ground water shall obtain permission from Authority* and shall operate the same subject to law in force, even if such unit is existing unit or the unit is still to be established;

Now therefore, in pursuance of the directions of the Hon'ble National Green Tribunal and in exercise of powers conferred under Section 4 of the Environment (Protection) Act, 1986 vide notification No. S.O. 1024 (E) dated 6th November, 2000, Central Ground Water Authority appoints the District Magistrate/ Deputy Commissioner of each revenue area in the States of Arunachal Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Jharkhand, Madhya Pradesh, Maharashtra, Manipur, Meghalaya, Mizoram, Nagaland, Odisha, Punjab, Rajasthan, Tripura, Uttar Pradesh, Uttarakhand, Andaman & Nicobar Islands, Dadra & Nagar Haveli, Daman & Diu and Lakshadweep Islands as the 'Authorized Officer' for the purpose of enforcement of directions of CGWA in the respective revenue areas under his/ her jurisdiction and conditions laid down in the No Objections Certificates for ground water withdrawal issued by the Authority.

The District Magistrate/ Deputy Commissioner (Revenue) of each revenue area in the respective State/ Union Territory, who is the Authorized Officer, is further delegated with the power to inspect whether all the existing users owning tubewells in their premises have obtained/ applied for NOC for ground water withdrawal. The DM/DC is also authorized to initiate action in case of violation like sealing of illegal wells, launching of prosecution against offenders etc. including grievance redressal related to ground water.


 (AKHIL KUMAR)
 CHAIRMAN



भारत सरकार
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
बुजुल भवन
सेक्टर-8, सितापुर रोड योआना, अलीगढ़
लखनऊ - 226021
दूरभाष: (0522)-2363812
ई-मेल: rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YOJANA, ALIGARH
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



Reminder-I

No. 4(237_NGT)/ CGWB/NR/S&I/2022- 616

Dated:

04 AUG 2022

To,

The District Magistrate
Ghaziabad

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by mail dated 29.11.2021
2. Action Taken Report by the committee members mail dated on 08.04.2022
3. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-295 dated 11.04.2022
4. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-429 dated 26.05.2022

Sir,

With references to subject cited above, it is to inform that joint inspection report of Ghaziabad City was sent as per Sl. No. 1 followed by action taken report as per Sl. No. 2. Further vide letters dated 11.04.2022 and 26.05.2022, the possible remedial actions were also communicated as per Sl. No.3 & 4. But no communication has been received to this office till today.

Since, next date of hearing is **24.08.2022**, it is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the remedial actions as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Ghaziabad City which are abstracting ground water without valid NOC to file the reply in Hon'ble NGT, New Delhi and also communicate to this office latest by **11.08.2022**.

Yours faithfully


(S.G. Bhartiya)
Regional Director

Copy to:

1. **Additional Chief Secretary**, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. **Director**, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. **Regional Officer**, Uttar Pradesh Pollution Control Board, Ghaziabad for information and necessary action.
4. **Nodal Officer**, Minor Irrigation Department & Ground Water Regulation and Management, Ghaziabad City for information and necessary action.
5. **Member**, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
6. **TS to Chairman**, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



भारत सरकार
जल शक्ति विभाग
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-बी, सीतापुर रोड योजना, अलीगढ़
संख्यक - 226021
दूरभाष : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD YOJANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
E-MAIL : rdnr-cgwb@nic.in



Reminder-II

No. 4(237_NGT)/ CGWB/NR/S&I/2022-1633

Dated:

7 AUG 2022

To,

The District Magistrate
Ghaziabad

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.


Ref: 1. Joint Inspection Report submitted by mail dated 29.11.2021
2. Action Taken Report by the committee members mail dated on 08.04.2022
3. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-295 dated 11.04.2022
4. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-429 dated 26.05.2022
5. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-616 dated 04.08.2022

Sir,

With references to subject cited above, it is to inform that joint inspection report of Ghaziabad City was sent as per Sl. No. 1 followed by action taken report as per Sl. No. 2. Further vide letters dated 11.04.2022, 26.05.2022 and 04.08.2022 the possible remedial actions were also communicated as per Sl. No.3, 4 & 5. But no communication has been received to this office till today.

Since, next date of hearing is 24.08.2022, it is further requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the remedial actions as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Ghaziabad City which are abstracting ground water without valid NOC to file the reply in Hon'ble NGT, New Delhi and also communicated to this office latest by 18.08.2022.

Yours faithfully


(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Regional Officer, Uttar Pradesh Pollution Control Board, Ghaziabad for information and necessary action.
4. Nodal Officer, Minor Irrigation Department & Ground Water Regulation and Management, Ghaziabad City for information and necessary action.
5. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
6. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



भारत सरकार
जल शक्ति विभाग
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सितापुर रोड योजना, अलीगढ़
गणपत - 202021
फ़ोन : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YDJANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



Reminder-III

No. 4(237_NGT)/ CGWB/NR/S&I/2022- / 668

Dated: 02 SEP 2022

To,

The District Magistrate
Ghaziabad

Sub: Remedial action on account of abstracting Ground Water without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.


Ref: 1. Joint Inspection Report submitted by mail dated 29.11.2021
2. Report on reverification by the committee members through e-mail dated 08.04.2022
3. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-295 dated 11.04.2022
4. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-429 dated 26.05.2022
5. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-616 dated 04.08.2022
6. Office letter No. 4(237_NGT)/ CGWB/NR/S&I/2022-633 dated 17.08.2022

Sir,

With references to subject cited above, it is to inform that joint inspection report of Ghaziabad City was sent as per Sl. No. 1 followed by reverification report as per Sl. No. 2. Further vide letters dated 11.04.2022, 26.05.2022, 04.08.2022 and 17.08.2022, the possible remedial actions to be taken were also communicated as per Sl. No. 3, 4, 5 & 6. But no communication has been received to this office till today.

Since, next date of hearing is 28.09.2022, it is once again requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the remedial actions on priority as suggested earlier (at sl. no. 3) against those hotels, marriage/ banquet halls/ resorts, guest houses in Ghaziabad City which are abstracting ground water without valid NOC and communicate to us the Action taken report latest by 12.09.2022 so that proper reply is submitted to Hon'ble NGT in time.

Yours faithfully


(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process to grant NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Regional Officer, Uttar Pradesh Pollution Control Board, Ghaziabad for information and necessary action.
4. Nodal Officer, Minor Irrigation Department & Ground Water Regulation and Management, Ghaziabad City for information and necessary action.
5. The Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
6. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER**

ORDER

1. This OA 438/2018 [hereinafter referred to as '**OA**'] has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issues Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e., Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. List on 04.04.2022.

49. A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जल शक्ति विभाग
केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-बी, सीतापुर रोड जोड़ना, अलीगढ़
सामान्य - 226021
दूरभाष : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD JOZANA, ALIGARH
LUCKNOW-226021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



MOST-URGENT/NGT CASE

Reminder-IV

No. 4(237_NGT)/CGWB/NR/S&I/2022-1707

Dated:

14 SEP 2022

To,

The District Magistrate
Ghaziabad

Sub: Remedial action on account of abstracting Ground Water without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by mail dated 29.11.2021
2. Report on reverification by the committee members through e-mail dated 08.04.2022
3. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022
4. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-429 dated 26.05.2022
5. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-616 dated 04.08.2022
6. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-633 dated 17.08.2022
7. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-668 dated 02.09.2022

Sir,

With references to subject cited above, it is to inform that joint inspection report of Ghaziabad City was sent as per Sl. No. 1 followed by reverification report as per Sl. No. 2. Further vide letters dated 11.04.2022, 26.05.2022, 04.08.2022 and 17.08.2022, the possible remedial actions to be taken were also communicated as per Sl. No. 3, 4, 5, 6 & 7. But no communication has been received to this office till today.

Since, next date of hearing is 28.09.2022, it is once again requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the remedial actions on priority as suggested earlier (at sl. no. 3) against those hotels, marriage/ banquet halls/ resorts, guest houses in Ghaziabad City which are abstracting ground water without valid NOC and communicate to us the Action taken report latest by 20.09.2022 so that proper reply is submitted to Hon'ble NGT in time.

Yours faithfully

(S.G. Bhattacharya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process to grant NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Regional Officer, Uttar Pradesh Pollution Control Board, Ghaziabad for information and necessary action.
4. Nodal Officer, Minor Irrigation Department & Ground Water Regulation and Management, Ghaziabad City for information and necessary action.
5. The Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
6. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

File no: CGWA-21/19/2021-CGWA-Part(1)-75
 Government of India
 Ministry of Jal Shakti
 Department of Water Resources, RD & GR
 Central Ground Water Authority
 18/11, Jamnagar House, Mansingh Road New Delhi – 110011
 E-mail: cgwa@nic.in

Date –15.03.2022

OFFICE MEMORANDUM


Subject :- Constitution of Joint Committee in compliance to NGT Order dated 25.02.2022 in Arti vs. CGWA & Ors. (OA No. 438/2018) before Hon'ble NGT, New Delhi

The Hon'ble National Green Tribunal vide its Order dated 25.02.2022 in Arti vs. CGWA & Ors. (OA No. 438/2018) before Hon'ble NGT, New Delhi has directed that:

"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month...."

In pursuance to the directions and compliance of Hon'ble NGT Order, Joint Committees comprising of following members is hereby constituted to find out hotels, marriage/ banquet halls /resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority and take further remedial action:-

1. Regional Director, CGWB, Northern Region / or his Representative
2. Officer(s) from Uttar Pradesh Pollution Control Board not below the rank of CEO or his representative.
3. Concerned District Magistrate/ or his representative.


 (Sunil Kumar)
 Chairman

Copy to:-

1. Regional Director, Central Ground Water Board, Northern Region with a request to coordinate with the Members of the Joint Committees.
2. Member Secretary, Uttar Pradesh Pollution Control Board for necessary action and nomination of Members of the Joint Committees.
3. District Magistrates (Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur) for necessary action.
4. Member Secretary, Uttar Pradesh State Ground Water (Management and Regulatory) Authority for information.



भारत सरकार
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
मुख्य भवन
सेक्टर-बी, सीतापुर रोड योआना, अग्रा
तारकड - 228021
दूरभाष : 05223-2363812
ईमेल : rdre-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BRIGAL BHAVAN
SECTOR-B, SITAPUR ROAD YOIANA, AGRAN
LUCKNOW-228 021
PHONE : 05223-2363812
e-mail : rdre-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022-

Dated: 21.03.2022

Office Order

Sub: Constitution of Joint Committee in compliance to NGT Order dated 25.02.2022 in Arti vs CGWA & Ors. (OA No. 438/2018) before Hon'ble NGT, New Delhi

Ref: Office Memorandum file No. CGWA-21/19/2021-CGWA-Part(1)-75 dated 15.03.2022.

In pursuance to the directions and compliance of Hon'ble NGT order, joint committees comprising of the Members from CGWB-NR, UPPCB and District Magistrate has to be constituted for finding out the Hotels, Marriage / Banquet Halls / Resorts, Guest House etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting Ground Water without NOC from the Competent Authority, to take further remedial action and submit report within one month.

In this regard, the following Officers of CGWB, NR, Lucknow are hereby nominated.

Sl. No.	District	Officer's Name / Designation
1.	Agra	Sh. Tejas Y. Mankikar, Scientist-B
2.	Bareilly	Sh. Madhukar Singh, Scientist-B
3.	Gautam Buddha Nagar	Sh. Rahul Kumar, AHG
4.	Gorakhpur	Dr. Fakhre Alam, AHG
5.	Jhansi	Sh. Tapan Kumar Pant, Scientist-B
6.	Kanpur	Sh. Sujatro Ray Chowdhuri, Scientist-B
7.	Lucknow	Dr. Shaista Khan, Scientist-B
8.	Meerut	Sh. Vikash Kumar, AHG
9.	Varanasi	Sh. Vipin Mishra, AHG, CGWB, SUO, Allahabad


(P.K. Tripathi)
Head of Office

Copy to:

1. The Member (CGWA), Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information.
2. The Member Secretary, UPPCB, Lucknow for necessary action and nomination of members for the joint committee with intimation to this office.
3. The District Magistrates (Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur) for necessary action and nomination of members for the joint committee with intimation to this office.
4. The Member Secretary, Uttar Pradesh State Ground Water (Management and Regulatory Authority) for information.

5. Sh. Tapan Kumar Pant, Scientist-B / Dr. Shaista Khan, Scientist-B / Sh. Madhukar Singh, Scientist-B / Sh. Sujatro Ray Chowdhuri, Scientist-B / Sh. Tejas Y. Mankikar, Scientist-B / Dr. Fakhre Alam, AHG / Sh. Rahul Kumar, AHG / Sh. Vikash Kumar, AHG, CGWB, NR, Lucknow for necessary action.
6. Sh. Vipin Mishra, AHG, CGWB, SUO, Allahabad for necessary action

(P.K. Tripathi)
Head of Office

File no: CGWA-21/19/2021-CGWA-Part(1)-75
 Government of India
 Ministry of Jal Shakti
 Department of Water Resources, RD & GR
 Central Ground Water Authority
 18/11, Jamnagar House, Mansingh Road New Delhi – 110011
 E-mail: cgwa@nic.in

Date –15.03.2022

OFFICE MEMORANDUM


Subject :- Constitution of Joint Committee in compliance to NGT Order dated 25.02.2022 in Arti vs. CGWA & Ors. (OA No. 438/2018) before Hon'ble NGT, New Delhi

The Hon'ble National Green Tribunal vide its Order dated 25.02.2022 in Arti vs. CGWA & Ors. (OA No. 438/2018) before Hon'ble NGT, New Delhi has directed that:

"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month...."

In pursuance to the directions and compliance of Hon'ble NGT Order, Joint Committees comprising of following members is hereby constituted to find out hotels, marriage/ banquet halls /resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority and take further remedial action:-

1. Regional Director, CGWB, Northern Region / or his Representative
2. Officer(s) from Uttar Pradesh Pollution Control Board not below the rank of CEO or his representative.
3. Concerned District Magistrate/ or his representative.


 (Sunil Kumar)
 Chairman

Copy to:-

1. Regional Director, Central Ground Water Board, Northern Region with a request to coordinate with the Members of the Joint Committees.
2. Member Secretary, Uttar Pradesh Pollution Control Board for necessary action and nomination of Members of the Joint Committees.
3. District Magistrates (Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur) for necessary action.
4. Member Secretary, Uttar Pradesh State Ground Water (Management and Regulatory) Authority for information.

भारत सरकार
जल शक्ति विभाग
जल संसाधन, नदी विद्युत और गंगा संरक्षण विभाग
केन्द्रीय सूक्ष्म प्रशासन
18/11 जामनगर हाउस, मंसिंह रोड
नई दिल्ली-110011
ई-मेल: cgwa@nic.in



Government of India
Ministry of Jal Shakti
Department of Water Resources, RD & GR
Central Ground Water Authority
18/11, Jamnagar House, Mansingh Road
New Delhi - 110011
E-mail: cgwa@nic.in

File No.: CGWA-21/6/2020-CGWA-Part(1)
Date: 27.04.2022

To,
The Director
Ground Water Department, Uttar Pradesh
Ground Water Directorate
9th Floor, Indira Bhawan,
Ashok Marg Lucknow-226001
Email- id: upgwd.in@gmail.com

Sub: Meeting Notice regarding compliance of Hon'ble NGT order dated 26.02.2022 in O.A. No. 438/2018 in the matter of Arti vs. CGWA & Ors.

Sir,

This is in reference to the Hon'ble NGT order dated 25.02.2022 (copy enclosed) in O.A. No. 438/2018 in the matter of Art vs. CGWA & Ors wherein Hon'ble NGT in para 47 has directed the following:-

"47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month."

In this context, as desired by Member Secretary, CGWA, a VC is proposed to be held on 29.04.2022 at 11.00 a.m. for a mutual discussion to ensure smooth & timely compliance of the said Hon'ble NGT direction as the matter pertains to regulation and management of ground water in the cities of State of Uttar Pradesh.

Kindly make it convenient to attend the meeting at the link provided below:

<https://sixthinfotech.my.webex.com/sixthinfotech.my/j.php?MTID=m20655f2cd5be401aaab27789588960ct>


Friday, Apr 29, 2022 11:00 am

Password: 2022

A line of confirmation will be appreciated.

Copy to - The Regional Director, CGWB, Northern region

Yours faithfully,


Dr. Rajesh Kumar Chandra
Sec 'E', CGWA

Dr. Rajesh Kumar Chandra
Sec 'E', CGWA

Inspection Report in compliance to order dated 25.02.2022 passed by Hon'ble National Green Tribunal in OA No. 438/2018 Arti Verses CGWA&Ors.

In reference to the above, Hon'ble National Green Tribunal in O.A. no. 438/2018 Arti Versus CGWA &Ors passed order on 25.02.2022, para 47 mentioned as below:-

"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities can Not be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without N.O.C from the competent authority, take remedial action and submit report within one month...."

A Committee has been constituted by Regional Director, Central Ground Water Board, Northern Region, Lucknow vide letter no 4 (237) NGT/CGWB/NR/S&I/2022/255 dated 23 March 2022 for compliance of Hon'ble National Green Tribunal order.

The joint team comprising of member from Central Ground Water Board, Lucknow, Ground Water Department, Lucknow and Uttar Pradesh Pollution Control Board, Lucknow for inspection of Hotels.

The following nominated joint team members visited to carry out for inspection of **34 nos** of hotels in G.B.Nagar from **05.05.2022 to 11.05.2022**.

1. Shree Rahul kumar, Assistant Hydrologist, Central Ground Water Board, Lucknow
2. Shree Vivek Kumar, Junior Engineer, Uttar Pradesh Pollution Control Board, Greater Noida, Uttar Pradesh
3. Shree Purnaditya pratap Singh , A.E.E , Uttar Pradesh Pollution Control Board, Noida, Uttar Pradesh
4. Shree Himanshu Gautam , A.E, Minor Irrigation, G.B Nagar, Uttar Pradesh

Total 34 hotels/marriage/banquet halls/ guest houses were inspected. The complete information about the status of compliance of N.O.C as below-

Sl No.	Name and address of hotels/marriage/banquet halls/ guest houses etc	Date of Inspection	Status of N.O.C taken by CGWA/ SGWA	Approximate Ground Water Withdrawal Reported by hotel representative.	No. of existing tube wells.	Observation of the committee members during the inspection
1	Jaypee Greens, G Block Old Karna, Road, Surajpur, Greater Noida, Uttar Pradesh 201306	05.05.2022	-	-	0	The Representative of hotel informed that there is no tube well in hotel.
2	Radisson Blu MBD Hotel Noida L-2, Pocket J, Sector 18, Noida, Uttar Pradesh 201301	11.05.2022	-	-	0	The Representative of hotel informed that there is no tube well in hotel.
3	Sangam Guest House, Ground Floor, Bhagawan Sahai Tower, Metro Station Rd, near Naya Bans, Naya Bans Village, Sector 15, Noida, Uttar Pradesh 201301	10.05.2022	NO	6KLD	1	The Representative of hotel informed that there is one tube well in hotel.
4	Royal Paradise house, Y 349, Sec-12, Noida	09.05.2022	NO	No information obtained.	3	The Representative of hotel informed that there is three tube well in hotel.
5	Savoy Suites (Ascot Hotel & Resort Ltd.), A 79A Sec 16 Noida	10.05.2022	NO	20KLD	1	The Representative of hotel informed that there is one tube well in hotel. But also Authority water bill Available.

6	Hotel the Residency, Naya Bans Sec 15 Noida	10.05.2022	NO	No information obtained.	1	The Representative of hotel informed that there is one tube well in hotel.
7	Stellar Gymkhana Club, stellar Park Pvt. Ltd. Hotel, R 1 Knowledge Park 2 Greater Noida	07.05.2022	NO	39.66 KLD	1	The Representative of hotel informed that there is one tube well in hotel. But also Authority water bill Available.
8	M/s Heritage Club, Plot No. R 04 City Park Sector 20 Greater Noida	06.05.2022	NO	No information obtained.	2	The Representative of hotel informed that there is two tube well in hotel. But also Authority water bill Available.
9	Kishan Hotel Messer Sarthi Buildcon Pvt. Ltd., Gram Gijhor Near A Block Community Centre Sector 53 Noida	09.05.2022	NO	2.5 KLD,	1	The Representative of hotel informed that there is one tube well in hotel.
10	Hotel radisson (Park Plaza, M/S JOP Hotels Ltd.), Plot No. C Block Sector 55 Noida	09.05.2022	NO	No information obtained.	1	The Representative of hotel informed that there is one tube well in hotel. But also Authority water bill Available.
11	Fortune In Gracia Hotel , a unit of angel Baby Products Pvt. Ltd, A1 Pocket 1 Sector 27 Noida	09.05.2023	-	-	0	The Representative of hotel informed that there is no tube well in hotel. But also Authority water bill Available.

12	Fact Software Pvt. Ltd., C 25, Sector 62 Noida	10.05.2022	-	-	0	No hotel found at the given address
13	Hotel Orange Pie, M/s Sangrila Caters & Services Pvt. Ltd., Gram Mamura, A1 Sec66 Noida	10.05.2022	NO	No information obtained.	1	The Representative of hotel informed that there is one tube well in hotel.
14	L R Finvest Pvt. Ltd., B 40B Sec 1 Noida	10.05.2022	NO	No information obtained.	1	The Representative of hotel informed that there is one tube well in hotel.
15	Corporate Suites, a unit of dost hospitality services pvt. Ltd., C 30/4 Sector 62 Noida	10.05.2022	-	-	0	No hotel found at the given address
16	M/s Hyphen, a unit of supertech hotels pvt. Ltd., C45 Sec 62 Noida	10.05.2022	NO	10KLD	1	The Representative of hotel informed that there is one tube well in hotel.
17	Mosaic Hotel, C1 sector 18 Noida	10.05.2022	NO	20KLD	2	The Representative of hotel informed that there is two tube well in hotel.
18	GingerHotel, 46/1A Block H Sec 63 Noida	10.05.2022	-	-	0	The Representative of hotel informed that there is no tube well in hotel. Water supply from Noida Authority.
19	Ascent Guest house, Main Dadri Road surajpur Greater Noida	07.05.2022	NO	No information obtained.	1	The Representative of hotel informed that there is one tube well in hotel.

20	Radisson Blue hotel(Victoria Hospitality Pvt. Ltd., C8 Side 4 Second Cross Avenue Road Kasia, Greater Noida				2	The Representative of hotel informed that there is two tube well in hotel.
		06.05.2022	NO	70 KLD		
21	Savoy Suites Hotel & Resort (AHL Care A ansal Plaza), plot 1 c knowledge park 1 greater Noida				0	The Representative of hotel informed that there is no tube well in hotel.
		07.05.2022	-	-		
22	Formula One (A unit of Barque Hotels Pvt. Ltd.), Plot no. 3 wegmence Business park Knowledge park Greater Noida				0	The Representative of hotel informed that there is no tube well in hotel. Water supply from Greater Noida Authority.
		06.05.2022	-	-		
23	Crowne Plaza (aakriti Hotels Pvt. Ltd.), H1 greater Noida				0	The Representative of hotel informed that there is no tube well in hotel. Water supply from Greater Noida Authority.
		06.05.2022	-	-		
24	YMCA, R2 Greater Noida Industrial Area				1	The Representative of hotel informed that there is one tube well in hotel But also Authority water bill Available.
		06.05.2022	NO	No information obtained.		
25	Club's Lee Grant Residency, R3 Builders Area Greater Noida				0	The Representative of hotel informed that there is no tube well in hotel. Water supply from Greter Noida Authority.
		11.05.2022	NO	-		

26	Sai firms and Resorts, Jewar tappal Road Jewar	08.05.2022	NO	1KLD	1	The Representative of hotel informed that there is one tube well in hotel.
27	Shree Krishna Guest House, M P Road No. 3 Sector 35 Morna Noida	09.05.2022	NO	2KLD	1	The Representative of hotel informed that there is one tube well in hotel.
28	Shree Balram Guest House, C 5 Sector 51 Hosiarpur Noida	09.05.2022	NO	2KLD	1	The Representative of hotel informed that there is one tube well in hotel.
29	Shiva Hotel, Khasra no 161 Chipiyana Buzurg G R Nagar	07.05.2022	NO	No information obtained.	1	The Representative of hotel informed that there is one tube well in hotel.
30	Bluebell Guest House, 24A/3 Knowledge park III Near IIMT College Greater Noida	07.05.2022	NO	No information obtained.	1	The Representative of hotel informed that there is one tube well in hotel. But also Authority water bill Available.
31	GingerHotel (Roots Corporation Ltd.), H1/45 Sector 63 Noida	10.05.2022	-	-	0	The Representative of hotel informed that there is no tube well in hotel. Water supply from Noida Authority.
32	Hide Away Suites (a unit of Elinger Buildcon Pvt. Ltd.), Plot No. 15A, Sector 127 Noida	09.05.2022	-	-	0	The Representative of hotel informed that there is no tube well in hotel. Water supply from Noida Authority.

33	Sardul Salim Pvt. Ltd. (Services Apartment) Fourer no. 7 Plot no. 32, Sector 125 Noida	08.05.2022			4	The Representative of local individual that there is no tube well in hotel. Water supply from Thomas Authority
34	Guest House The Ridge Away, C 49 Pocket 2 Knowledge park 3 Greater Noida	07.05.2022			0	The Representative of local individual that there is no tube well in hotel.

Vinod
SE
OFFICE

Tanghi
ALL VIDEOS, RECORD

Chaitanya
AE, MS, G.S. Nagar

Rahul Kumar
27/06/2022
(RAHUL KUMAR)
ASSISTANT HYDROGEOLOGIST
C.W.B.-NR, LUCKNOW

CGWA

Representative

Vivek
SE
Singh
(P.P. Singh)
AES-UPPCB, NRDA

UPPCB

Representative

Gautam
16/07/2022
District Magistrate
Representative

PHOTOS:-






























































Performa for site inspection

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
1	Hotel OM Palace	738 Abbot gadnj Civil Line Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not Installed	3.0	
2	Hotel Vardhman	605 Chitra Churaha Civil Line Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not Installed	3.0	
3	Hotel City Palace	Dhayan chander Stadium Civil Line, Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
4	Hotel The Grand Tula	602 New Ton Compound civil Line, Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
5	Hotel Ambience	Jeevan saha Crossing, Jhansi	28.04.2022	Not Applied	01 B.W	Energized/Not Installed	12.5	
6	Hotel Prakash Regency	360 Civil Line, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	10	
7	Hotel Supreme	48 Chamber Civil Line, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	6	
8	Prince Guest House	Elite Churaha 48 Chamber, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	





S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
14	Hotel Green Leaf	48 Chamber Elite Crossing	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
15	Bharti Guest House	Opp. Medical College Gate No.02	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
16	Hotel Anand	Civil Line Station Road Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	1.0	
17	Hotel Virangana	UPSTDC Lmt. Civil Line, Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
18	Hotel Sarover Portico	Station Road Civil Line, Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	18.0	

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
19	Hotel OM Residency	Jeevan Saha crossing Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	6.0	
20	Hotel Sita	Shivpura Road Civil Line, Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
21	Ganna Ram Continental Hotel (Lemon Tree)	1076 Railway Station Road, Jhansi	01.05.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
22	K-3 Club Residency	1066 Civil Line, Jhansi	01.05.2022	Not Applied	01 B.W	Energized/Not Installed	6.0	
23	Tulsi Hotel	Chitra Crossing Civil Line, Jhansi	02.05.2022	Not Applied	01 B.W	Energized/Not Installed	2.7	




T. P. Singh
T. P. Singh
09-08-2022

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
24	Hotel Rishabh	Opp. Dhayanchand Stadium Civil Line, Jhansi	02.05.2022	Not Applied	02 B.W	Energized/Not Installed	10	
25	Hotel Sheela Shree	Opp. Gate No.1 Medical College Jhansi	02.05.2022	Not Applied	02 B.W	Energized/Not Installed	10	
26	Hotel Sunrise	2072 Civil Line, Jhansi	02.05.2022	Not Applied	01 B.W	Energized/Not Installed	NIL (As Per Owners Statement he says that the tanks are filled by govt supply connection)	
27	Hotel Samrat	Chitra Crossing Civil Line Jhansi	02.05.2022	Not Applied	01 B.W	Energized/Not Installed	10	







S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
28	Hotel Vardan	Civil Line Jhansi Near LIC Building	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
29	Hotel Chanda	Opp. Rani Laxmi Park, Civil Line Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
30	Hotel Premia Kani	Umrato Balaji Road Jhansi	03.05.2022		01 B.W	Energized/Not Installed	0.550	
31	Hotel Highway	Shipuri Road Sipri Bazar, Jhansi	03.05.2022		01 B.W	Energized/Not Installed	4.0	

T. N. Patil
20.05.2022

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
32	Hotel Ambrosia	Nanak Ganj Sipri Bazar, Jhansi	03.05.2022	Not Applied	01 B.W (active) (01 standby)	Energized/Not Installed	7.5	
33	Hotel Bundelkhand Pride	371/1 Jeevan Saha Tirtha Gwalior Road, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	
34	Hotel Raj Palace	Cant Road Near H.P.O, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	




Tanuj Kumar
GWS







S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
35	Hotel Hari Palace	171 Civil Line, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	
36	Hotel The Marvellous	70/ A-5 Ayodhyapuri Unnao Balaji Road, Jhansi	03.05.2022	Not Applied	02 B.W	Energized/Not Installed	3.0	
37	Hotel Singh Regency	Satish Nagar Gound Compound, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	

Handwritten signature
T. K. Pant
G-6-NB

Handwritten signature





S.L. No.	Name of Hotel/Banquet Hall/Marriage Hall/Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
38	Jhansi Hotel	Opp. H.P.O. Sashtri Marg Jhansi	03.05.2022	Not Applied	01 B.W/ 01 D.W	Energized/Not Installed	12.0	
39	Agarwal Marriage Hall	H. No.494 Nainagar ward-06	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.068	
40	Brijender Marriage Hall	Nainagar Ward-06 Jhansi	04.05.2022	N.A	N.A	N.A	N.A	Marriage hall closed since 2014.
41	Mannat Marriage Hall	Blind Premnagar Police Station Ward-06	04.05.2022	Not Applied	01 B.W/ 01 D.W	Energized/Not Installed	0.034	
42	Raj Marriage Hall (Currently Kanhiya Garden)	245 Nainagar Nagra, Jhansi	04.05.2022	Not Applied	01 DW	Energized/Not Installed	0.041	Dugwell was refused to be shown to the team by the owner.
43	Mustafa Vivaha ghar	139/1 Bhind Police Chowki Preamnagar	04.05.2022	N.A	N.A	N.A	N.A	Closed since 2017

Signature
T. K. S. S. S.
04.05.2022

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
44	Bahadur Marriage garden	At Khera ki Pulhiya gardiya gaon road, Jhansi	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.034	
45	Jugnu Marriage Hall	Gadiyagaon road word-15	04.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.034	
46	Chimeda Mangalam Marriage Hall, Jhansi	49 Nainagarh Jhansi	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.068	
47	Nancy Marriage Hall	Nainagarh, Near sanker ji Temple, Jhansi	04.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.040	






Typhat
T. K. Patil
C. O. S.

S.L No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
48	Agarwal Palace	3/1 Nainagarh Ward-06	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.020	
49	Pahuru Garden	Nainagarh Nagra Near Shanker Ji Temple, Jhansi	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.038	
50	Manoj Marriage Garden	178/1 Isaitola Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.164	
51	Hotel Nanda Palace	1354/1 Nandan Pura shivpuri road, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.5	






Tyagrah
T. K. P. S.
06-03.

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
52	Rangoli Banquet Hall	B-15 Awas Vikas, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.034	
53	Sitaram Vastha	Azadpura Gadiyagon, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
54	Maa Durga Marriage Hall	Isaltolla Eidgaha road gadiyafalk, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.082	
55	Mama Lodge	New Bus Stand, Jhansi	06.05.2022	N/A	NONE	N/A	NONE	

Thakur T. K. Pant
GMB.



S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
56	Madhur Milan	Alhabad Bank Xing Sadar Bazar, Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.11	
57	Satyam Garden	Gwalior Road Jhansi Near Railway Xing, Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.11	
58	Dulhan Vatika	Outside Unnao gate, Jhansi	06.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.21	




Signature
T. K. S. S.

Signature


S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner In (KLD)	JPG
59	Palak Marriage Hall	Main road Hansari, Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
60	Shivgauri Marriage Hall	Outside Orchha gate, gallamandi Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
61	Gajanan vivah ghar	Main Road Hansari, Jhansi	06.05.2022	Not Applied	01 B.W	-	Owner refused to disclose	Photograph was disallowed.

T. S. S. S.
CG-48

(Signature)

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
62	Tulsa Vivah ghar	215 Outside Orchha gate, gallamandi Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
63	Mahendi Garden	New Basti Aulha Talab	06.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.33	
64	Sahaj Palace	Shivguri road Jhansi	07.05.2022	-	01 B.W	-	Closed since 2020 as informed by owner on phone	Team not allowed to enter by caretaker.
65	Shiv Sai Varika	Jyoti Nagar Hansari	8.05.2022	Not Applied	No borewell as informed over phone.	-	NONE	




S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
66	Hotel Yatrik	Elite xing, Allahabad bank road Jhansi	08.05.2022	NOC Applied	02 B.W.	Energized/Not installed	8.0	





DM Jhansi
Representative

UPPCB Jhansi
Representative
क्षेत्रीय अधिकारी
उओप्रओ प्रदूषण नियंत्रण बोर्ड
झाँसी

CGWA
Representative
Northern Region
Lucknow

Annexure XIV (ii)





Performa for site inspection

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
1	Hotel OM Palace	738 Abbot gadnj Civil Line Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not installed	3.0	
2	Hotel Vardhmani	605 Chitra Churaha Civil Line Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not installed	3.0	
3	Hotel City Palace	Dhayan chander Stadium Civil Line, Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not installed	5.0	
4	Hotel The Grand Tulsi	602 New Ton Compound civil Line, Jhansi	03.04.2022	Not Applied	01 B.W	Energized/Not installed	5.0	

T. K. Singh
T. K. Singh
C.O.B.
Representative

DM
Representative






U. N. Singh
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
5	Hotel Ambience	Jeevan saha Crossing, Jhansi	28.04.2022	Not Applied	01 B.W	Energized/Not Installed	12.5	
6	Hotel Prakash Regency	360 Civil Line, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	10	
7	Hotel Supreme	48 Chamber Civil Line, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	6	
8	Prince Guest House	Elite Churaha 48 Chamber, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	

T. K. Patil
DMS Representative

DH Representative






UPPCB Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
9	Hotel Duke Inn	Sunder Market Elite Churaha	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	1.0	
10	Hotel Prabha	Elite-Jhokhanbag road	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	2.0	
11	Hotel Shrinath Palace	1051 Station Road Civil Line, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	8.0	
12	Hotel Sukh Sagar	Elite Crossing Kamla Complex Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	6.0	
13	Hotel Kunwar Place	97 Mannu Vihar civil Line, Jhansi	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	

Topal Singh
CCWS Representative

DR Representative






UPPCB Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
14	Hotel Green Leaf	48 Chamber Elite Crossing	29.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
15	Bharti Guest House	Opp. Medical College Gate No.02	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
16	Hotel Anand	Civil Line Station Road Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	1.0	
17	Hotel Virangana	UPSTDC Lmt. Civil Line, Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	6.0	
18	Hotel Sarover Portico	Station Road Civil Line, Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	18.0	

T. K. Singh
T. K. Singh
G. S. Singh
Representative

DM
Representative





UPPCL
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
19	Hotel OM Residency	Jeevan Saha crossing Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	6.0	
20	Hotel Sita	Shivpura Road Civil Line, Jhansi	30.04.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
21	Ganna Ram Continental Hotel (Lemon Tree)	1076 Railway Station Road, Jhansi	01.05.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
22	K-3 Club Residency	1066 Civil Line, Jhansi	01.05.2022	Not Applied	01 B.W	Energized/Not Installed	6.0	
23	Tulsi Hotel	Chitra Crossing Civil Line, Jhansi	02.05.2022	Not Applied	01 B.W	Energized/Not Installed	2.7	

Turbid
Turbid
CON-
Representative

DM
Representative





UPPCB
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
24	Hotel Rishabh	Opp. Dhayanchand Stadium Civil Line, Jhansi	02.05.2022	Not Applied	02 B.W	Energized/Not Installed	10	
25	Hotel Sheela Shree	Opp. Gate No.1 Medical College Jhansi	02.05.2022	Not Applied	02 B.W	Energized/Not Installed	10	
26	Hotel Sunrise	2072 Civil Line Jhansi	02.05.2022	Not Applied	01 B.W	Energized/Not Installed	NIL (As Per Owners Statement he says that the tanks are filled by govt supply connection)	
27	Hotel Samrat	Chitra Crossing Civil Line Jhansi	02.05.2022	Not Applied	01 B.W	Energized/Not Installed	10	

Tajendra
T. K. Singh
CGWB
Representative

DM
Representative




UPPCB
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
28	Hotel Vardan	Civil Line Jhansi Near LIC Building	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
29	Hotel Chandra	Opp. Rani Laxmi Park, Civil Line Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	5.0	
30	Hotel Prema Kunj	Unnao Balaji Road Jhansi	03.05.2022		01 B.W	Energized/Not Installed	0.550	
31	Hotel Highway	Shivpuri Road Sipri Bazar, Jhansi	03.05.2022		01 B.W	Energized/Not Installed	4.0	

Tapankumar
T. & P. Co. B.
Representative


Representative





UPPCB Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
32	Hotel Ambrosia	Nanak Ganj Sipri Bazar, Jhansi	03.05.2022	Not Applied	01 B.W(active) (01 standby)	Energized/Not Installed	7.5	
33	Hotel Bundelkhand Pride	371/1 Jeevan Saha Tirha Gwalior Road, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	
34	Hotel Raj Palace	Cant Road Near H.P.O, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	


 Representative


 Representative





 Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
35	Hotel Hari Palace	171 Civil Line, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	
36	Hotel The Marvellous	70/ A-5 Ayodhyapuri Unnao Balaji Road, Jhansi	03.05.2022	Not Applied	02 B.W	Energized/Not Installed	3.0	
37	Hotel Singh Regency	Satish Nagar Gound Compound, Jhansi	03.05.2022	Not Applied	01 B.W	Energized/Not Installed	4.0	

T. K. Singh
T.K. Singh
S.O. No. 1
Representative

R. D. Singh
R.D. Singh
DM
Representative





[Signature]
UPRB
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
38	Jhansi Hotel	Opp. H.P.O Sashtri Marg Jhansi	03.05.2022	Not Applied	01 B.W/ 01 D.W	Energized/Not Installed	12.0	
39	Agarwal Marriage Hall	H. No.494 Nainagarh ward-06	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.058	
40	Brijender Marriage Hall	Nainagarh Ward-06 Jhansi	04.05.2022	N.A	N.A	N.A	N.A	Marriage hall closed since 2014.
41	Mannat Marriage Hall	Bhind Premnagar Police Station Ward-06	04.05.2022	Not Applied	01 B.W/ 01 D.W	Energized/Not Installed	0.034	
42	Rai Marriage Hall (Currently Kanhiya Garden)	245 Nainagarh Nagra, Jhansi	04.05.2022	Not Applied	01 DW	Energized/Not Installed	0.041	Dugwell was refused to be shown to the team by the owner.
43	Mustfa Vivaha ghar	139/1 Bhind Police Chowki Preamnagar	04.05.2022	N.A	N.A	N.A	N.A	Closed since 2017

Tapshu
T. K. S. R. T.
S. K. S. B.
Representative

DM
Representative





UPPCB
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
44	Bahadur Marriage garden	At Khera ki Pulliya garidya gaon road, Jhansi	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.034	
45	Jugnu Marriage Hall	Gadiyagaon road word-15	04.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.034	
46	Chimedia Mangalam Marriage Hall, Jhansi	49 Nainagarh Jhansi	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.068	
47	Nancy Marriage Hall	Nainagarh, Near sanker ji Temple, Jhansi	04.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.040	

T. K. P. S.
T. K. P. S.
G. S. B.
Representative

TH
Representative




UPPCB
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
48	Agrwal Palace	3/1 Nainagarh Ward-06	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.020	
49	Pahuru Garden	Nainagarh Nagra Near Shanker Ji Temple, Jhansi	04.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.038	
50	Manoj Marriage Garden	178/1 Isaitola Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.164	
51	Hotel Nanda Palace	1354/1 Nandan Pura shivpuri road, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.5	

T. K. Pant
CGWB
Representative

DH
Representative

UPPLB
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
52	Rangoli Banquet Hall	B-15 Awas Vikas, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.034	
53	Sitaram Vatika	Azadpura Gadiyagaon, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
54	Maa Durga Marriage Hall	Isaltolia Eidgaha road gadiyafatk, Jhansi	05.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.082	
55	Mama Lodge	New Bus Stand, Jhansi	06.05.2022	N.A	NONE	N.A	NONE	

T. N. Pant
SMB
Representative

TM
Representative



UPPCB
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
56	Madhur Milan	Allhabad Bank Xing Sadar Bazar, Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.11	
57	Satyam Garden	Gwalior Road Jhansi Near Railway Xing, Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.11	
58	Dulhan Vatika	Outside Unnao gate, Jhansi	06.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.21	

Tapu L. S.
T. N. L. S.
S. N. S.
Representative

DM
Representative




UPP&B
Representative

S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
59	Palak Marriage Hall	Main road Hansari, Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
60	Shivgauri Marriage Hall	Outside Orchha gate, gallamandi Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
61	Gajanan vivah ghar	Main Road Hansari, Jhansi	06.05.2022	Not Applied	01 B.W	-	Owner refused to disclose	Photograph was disallowed.


 T. N. Rao
 C.A.B.
 Representative


 DM
 Representative



 UPACB
 Representative


S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
62	Tulsa Vivah ghar	215 Outside Orchha gate, gallamandi Jhansi	06.05.2022	Not Applied	01 B.W	Energized/Not Installed	0.054	
63	Mahendi Garden	New Basti Atiya Talab	06.05.2022	Not Applied	01 D.W	Energized/Not Installed	0.33	
64	Sahaj Palace	Shivpuri road Jhansi	07.05.2022	-	01 B.W	-	Closed since 2020 as informed by owner on phone	Team not allowed to enter by caretaker.
65	Shiv Sai Vatika	Jyoti Nagar Hansari	8.05.2022	Not Applied	No borewell as Informed over phone.	-	NONE	


Tapishree
T & P
Comp.
Representative


Page 16 of 17
DH
Representative

UPCB
Representative





S.L. No.	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No. of existing Bore well/Dug well	Energized/ Flow meter status.	Per Day consumption Reported by Owner in (KLD)	JPG
56	Hotel Yatrik	Elite xing, Allahabad bank road Jhansi	08.05.2022	Not Applied	02 B.W	Energized/Not installed	8.0	


 CGWA
 Representative
 Northern Region
 Lucknow


 DM Jhansi
 Representative


 UPPCB Jhansi
 Representative
 क्षेत्रीय अधिकारी
 उ०प्र० प्रदूषण नियंत्रण बोर्ड
 झाँसी

Proforma for site inspection

S.L No	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No of existing Bore well/Dug well	Energized/Flowmeter status	Per Day consumption Reported by owner in (KLD)	JPG
67	Ma Bhagwati Marriage Hall	Isai Tola, Ward No 26 Jhansi	07.09.22	Not Applied	01BW	Energized/Not installed	Negligible	
68	Ajeet Marriage Hall	Isai Tola, Ward No 16 Jhansi	07.09.22	Not Applied	01BW	Energized/Not installed	0.03	
69	Rai Marriage Hall	Isai Tola, adjacent to Hati baba temple	07.09.22	Not Applied	01 BW	Energized/Not installed	0.1	
70	Shri Krishna Kunj (Mahaur) Dharamshala	40, Panchkuliya	07.09.22	Not Applied	01 DW	Energized/Not installed	0.002	





CGWA 
Representative


District Magistrate
Representative


UP PCB
Representative

1/5

Proforma for site inspection

S.I No	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No of existing Bore well/Dug well	Energized/ Flowmeter status	Per Day consumption Reported by owner in (KLD)	JPG
71	Hari Ram Vatika	Siddheswar Nagar, adj to ITI Jhansi	08.09.22	Not Applied	01BW 01 DW	Energized/Not installed	0.05	
72	Vansh Raj Vatika	Adj to Mission compound, CP Mission church, Jhansi	08.09.22	NA	No BW	NA	NO	
73	HQ Club Resort	Opp Mustara Rly station, Jhansi	08.09.22	Not Applied	01 BW 01 DW	Energized/Not installed	2.5	
74	Gupta Lodge	Talpura Ward No-12	08.09.22	NA	Closed since 2008		NA	

CGWA

Representative

District Magistrate




Representative

UPPCB

Representative

3/5

Proforma for site inspection

S.L No	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No of existing Bore well/Dug Well	Energized/ Flowmeter status	Per Day consumption Reported by owner in (KLD)	JPG
75	Nikita Vivah Ghar	H No 1065, Bahar Ward No-44	08.09.22	NA	Closed since 2014, Now a parking area.		NA	
76	Bajrang Vivah Ghar	Bahar Orcha Gate Ward No 33	08.09.22	NA	Closed since 2019, taken over by one office.		NA	
77	Paiki Vivah Ghar	259/1 Shivpuri main Road	08.9.22	NA	Closed since 2006, taken over by marble owner.		NA	
78	Khushi Marriage Hall	H No 278/A Dadiyapura Ward 45.	09.09.22	NA	Could not be located in the given address.		NA	



CGWA
Representative

District Magistrate
Representative

UPPCB
Representative

7/5

Proforma for site inspection

S.L No	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No of existing Bore well/Dug Well	Energised/ Flowmeter status	Per Day consumption Reported by owner in (KLD)	JPG
79	Green Garden (Anjum Vivah Ghar)	Sayad nagar Ward No 39, K K Puri, 12 Puravia Tola, Prem Nagar Jhansi	09.09.22	Not Applied	01	Energised/No flowmeter	0.054	
80	Shubh Bandhan Vastika,	354/1, Masihaganj, Shivpuri Road, Jhansi	09.09.22	NA	Closed since 2014 Now taken by Ashok Leyland agency		NA	
81	Raja Barat Ghar	H No 33 Shivpuri, Ward 53	09.09.22	NA	Could not be located in the given address.		NA	
82	Mukhiya Marriage Home	H No 2367 Masihaganj Ward 5	09.09.22	NA	Closed since 2014 as informed by Parishad Shri Gautam Ji.		NA	

CGWA
Representative

District Magistrate
Representative

UPPCB
Representative

45

Proforma for site inspection

S.I. No	Name of Hotel/Banquet Hall/Marriage Garden	Address	Date of Inspection (DD/MM/YY)	NOC Status	No of existing Bore well/Dug Well	Energized/ Flowmeter status	Per Day consumption Reported by owner in (KLD)	JPG
83	Tulsa Garden	H No 324/11 Police Chowki, Behind Saint Andrews School	09.09.22	NA	Could not be located in the given address.		NA.	

84 CENTRAL 11-121 CHITRA 22/09/22 OWNER DID NOT TURN UP DESPITE REQUEST BY CHITRA HENDRICKS.

CGWA
Representative

District Magistrate
Representative

UPPCB
Representative ASD

5/5



भारत सरकार
जल शक्ति विभाग
केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सीतापुर रोड योवना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YOJANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Artl vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjay
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjay
11/4/22
(S.G. Bhartariya)
Regional Director

Inspection Report
in
compliance to order dated 25.02.2022 passed
by
Hon'ble National Green Tribunal
in
OA No. 438/2018 Arti Verses CGWA & Ors.
(Gorakhpur City)

Inspection Report in compliance to order dated 25.02.2022 passed by Hon'ble National Green Tribunal in OA No. 438/2018 Arti Verses CGWA & Ors.

In reference to the above, Hon'ble National Green Tribunal in O.A. no. 438/2018 Arti Versus CGWA & Ors passed order on 25.02.2022, para 47 mentioned as below:-

*“... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities can Not be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out **hotels, marriage/banquet halls/resorts, guest houses etc.** in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and **Gorakhpur** abstracting ground water without N.O.C from the competent authority, take remedial action and submit report within one month....”*

A Committee has been constituted by Regional Director, Central Ground Water Board, Northern Region, Lucknow vide letter no 4 (237) NGT/CGWB/NR/S&I/2022/255 dated 23 March 2022 for compliance of Hon'ble National Green Tribunal order.

The joint team comprising of member from Central Ground Water Board, NR Lucknow, Uttar Pradesh Pollution Control Board, Gorakhpur and Representative of District Megistrate, Gorakhpur for above assignement.

The following nominated joint team members/representatives visited to carry out for inspection of 70 nos of hotels, Marriage Lawn in Gorakhpur City during **06.05.2022 to 10.05.2022**.

1. **Dr. Fakhre Alam, Assistant Hydrogeologist, Central Ground Water Board, NR Lucknow.**
2. **Shri Pankaj Yadav, Regional Officer, Uttar Pradesh Pollution Control Board, Gorakhpur.**
3. **Shri Vinay Kumar Pandey, SDM Sadar, Gorakhpur.**

Total 70 hotels/marriage/banquet halls/ guest houses were inspected. The complete information about the status of compliance of N.O.C as below

Sl. No.	Name and address of hotels/marriage/banquet halls/ guest houses e.t.c	Date of Inspection	Status of N.O.C taken by CGWA/ SGWA	Approximate Ground Water Withdrawal Reported by hotel representative.	No. of existing tube wells.	Observation of the committee members during the inspection
1	Hotel Shanti, Aryanagar, Tarang Road, Gorakhpur-273001 Lat:26.760638, Long:83.362325	6.05.22	No	4KLD	1	The Representative of hotel informed that there is one tube well in hotel.
2	Hotel Yark Inn M.P.Building, Golghar Gorakhpur-273001	6.05.22	No	4KLD	1	The Representative of hotel informed that there is one tube well in hotel.
3	Madhuban Hotel Jatepur South , Nepal Road Gorakhpur-273001 Lat:26.761188, Long:83.364401	6.05.22	NO	4KLD	1	The Representative of hotel informed that there is one tube well in hotel.
4	Avadh Kailash Inn Dharamsala Bazar Gorakhpur-273001 Lat:26.760956, Long:83.372827	6.05.22	NO	7KLD	1	The Representative of hotel informed that there is one tube well in hotel.
5	Hotel Marina Golghar, Gorakhpur 273001 Lat:26.752073, Long:83.369632	6.05.22	NO	5 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
6	Hotel Avantika Mohaddipur Gorakhpur-273008 Lat:26.74989, Long:83.3988	6.05.22	NO	4KLD	1	The Representative of hotel informed that there is one tube well in hotel.
7	Hotel Radisson Blue Mohaddipur, Gorakhpur-273013 Lat:26.7498, Long:83.3982	6.05.22	Yes	75 KLD	2	The Representative of hotel informed that there is two tube well in hotel. One for standby.
8	Hotel Pradeep Mohaddipur, Gorakhpur-273013	6.05.22	NO	-	-	The Representative of hotel refused to disclose any information.
9	Hotel Vaibhav Inn Jatepur South Nepal Road Gorakhpur- 273001	06.05.22	NO	6KLD	2	The Representative of hotel informed that there is two tube well in hotel. One for stand by.

10	Krishna Guest House Near G.V. Complex, Khowamandi Gali, Golghar Gorakhpur-273001 Lat:26.754311, Long:83.37011	07.05.22	NO	2 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
11	Hotel King Plaza inn KLhowa mandi Gali, Golghar Gorakhpur-273001 Lat:26.754581, Long:83.369146	07.05.2022	CTE (SPCB) Valid upto 31.12.26	4 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
12	Hotel R.R.Place Khowamandi, Golghar Gorakhpur-273001 Lat:26.754316, Long:83.370069	07.05.2023	No	2 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
13	Hotel RDS Khowa Mandi, Golghar Gorakhpur-273001 Lat:26.754264, Long:83.36862	07.05.2022	No	2 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
14	Shri Ram Guest House Baldev Plaza Gali, Khowa Mandi Gorakhpur-273001 Lat:26.754576, Long:83.368938	07.05.2022	NO	2 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
15	Hotel Mamta Residency Khowa Mandi Gali, Golghar Gorakhpur-273001 Lat:26.75453, Long:83.368886	07.05.2022	NO	4 KLD obtained.	1	The Representative of hotel informed that there is one tube well in hotel.
16	Mahalaxmi Guest House Baldew Plaza Lane, Khowa mandi Gorakhpur-273001 Lat:26.754646, Long:83.368864	07.05.2022	No	1 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
17	Leela Shri Guest House Khowa mandi, Golghar Gorakhpur-273001 Lat:26.754616, Long:83.368932	07.05.2022	NO	2 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
18	Hotel San Plaza	07.05.2022	NO	3 KLD	1	The Representative of hotel informed that there

	Cinema Road, Gorakhpur 273001 Lat:26.755014, Long:83.368843					is one tube well in hotel.
19	Shri Sai Guest House Ganesh Chauk, Pratabmarket Golghar, Gorakhpur-273001 Lat:26.754384, Long:83.371441	07.05.2022	No	4 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
20	Chandrluk Lodge & Hotel Shastri Chauk, Gorakhpur- 273001 Lat:26.74818, Long:83.369416	07.05.2022	NO	5 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
21	Hotel Myure Shastri Chauk, Gorakhpur- 273001 Lat:26.747395, Long:83.368755	07.05.2022	NO	2 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
22	Nepali Lodge Golghar, Gorakhpur-273001 Lat:26.747395, Long:83.368755	07.05.2022	No	2 KLD	No (Nagar Nigam Supply)	The Representative of hotel informed that there is no tube well in hotel. Water Charges paid to Nagar Nigam for water supply.
23	Hotel Chetna Near Indra Tiraha, Golghar Gorakhpur-273001 Lat:26.753343, Long:83.371393	07.05.2022	No	3 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
24	New Marwari Hotel Dharamsala Bazar Gorakhpur-273001 Lat:26.760669, Long:83.372666	07.05.2022	No	0.5 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
25	Hotel Savvy Ganges Taran Cinama Crossing Gorakhpur-273001 Lat:26.761563, Long:83.363003	07.05.2022	NO	2 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
26	Hotel Royal Residency M.P. Building, Golghar Gorakhpur-273001 Lat:26.751635, Long:83.370892	07.05.2022	NO	6 KLD	One but standby. (Nagar Nigam Supply)	The Representative of hotel informed that there is one tube well in hotel but standby. Water Charges paid to Nagar Nigam for water supply.
27	Hotel Shivay Private Limited	07.05.2022	NO	-	-	The Representative of Hotel refused to disclose any information.

	Town Hall Gorakhpur					
28	Shri Mangal Murti Lawn Deoria Road, Ranidiha Gorakhpur-273008 Lat:26.725934, Long:83.273008	08.05.2022	NO	0.5 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
29	Bhagwati Marriage Hall Near Engineering College, Deoria Road Gorakhpur-273008 Lat:26.728863, Long:83.431666	08.05.2022	NO	3KLD	1	The Representative of hotel informed that there is one tube well in hotel.
30	Saraswati Palace Azad Chauck, Bargo Road Gorakhpur	08.05.22	NO	-	-	Permanently Closed.
31	Indraprast Lawn Near Telephone Colony Ranidiha Gorakhpur 273008	08.05.2022	NO	-	-	The Representative of lawn refused to disclose any information.
32	Star Marriage Lodge Awash Vikash Colony Shahpur Gorakhpur	08.05.2022	NO	-	-	The Representative of lodge refused to disclose any information.
33	Mangalam Lawn Taramandal, Deoria Bypass Road, Gorakhpur-273016 Lat:26.731648, Long:83.368327	08.05.2022	NO	1.5KLD	1	The Representative of hotel informed that there is one tube well in hotel.
34	Hotel Gautam Sumersagar Gorakhpur	08.05.2022	NO	-	-	The Representative of Hotel refused to disclose any information.
35	Satyam Marriage Hall Taramandal, Deoria Bypass Road, Gorakhpur-273016 Lat:26.731648, Long:83.368326	08.05.2022	NO	1 KLD	1	The Representative of hotel informed that there is one tube well in hotel.
36	Ambey Palace Budh Bihar Deoria Bypass, Taramandal, Gorakhpur 273016 Lat:26.732704, Long:83.379769	08.05.2022	NO	0.5KLD	1	Representative of hotel informed that there is one tube well

37	Bhavya Marriage Hall Betiahata Chauk Gorakhpur-273016 Lat:26.731082, Long:83.369312	08.05.2022	NO	1 KLD	1	Representative of hotel informed that there is one tube well
38	Red Carpet Hotel Budh Bihar, A-3 Taramandal Gorakhpur-273016 Lat:26.7370, Long:83.374711	08.05.2022	NO	4 KLD	1	Representative of hotel informed that there is one tube well
39	Hotel Surya Char Phatak Railway Crossing Mohaddipur, Gorakhpur 273001 Lat:26.454699, Long:83.399112	08.05.2022	NO	3 KLD	1	Representative of hotel informed that there is one tube well
40	Hotel Pushpanjali Palace Near Kachari Bus Station Gorakhpur-273001 Lat:26.746564, Long:83.375759	08.05.2022	NO	1 KLD	1	Representative of hotel informed that there is one tube well
41	Hotel Krishna Palace Budh Bihar, Part A Taramandal Gorakhpur 273016 Lat:26.733997, Long:83.378768	08.05.2022	NO	3 KLD	1	Representative of hotel informed that there is one tube well
42	Hotel Clark Grand 6 Park Road Civil Lines Golghar Gorakhpur-273001 Lat:26.753082, Long:83.374356	08.05.2022	NO	10 KLD	Two no. available. One in standby. (Nagar Nigam Supply is also used)	The Representative of hotel informed that there is two tube well in hotel but one is standby. Also Water Charges paid to Nagar Nigam for water supply.
43	Hotel Park Regency 10, Park Road Gorakhpur-273001 Lat:26.753376, Long:83.378741	08.05.2022	NO	9 KLD	Two no. available. (Nagar Nigam Supply is also used)	The Representative of hotel informed that there is two tube well in hotel. Also Water Charges paid to Nagar Nigam for water supply.
44	Taj Palace Ilahi Bagh, Gorakhpur 273001 Lat:26.760215, Long:83.3455	09.05.2022	NO	2 KLD	1	Representative of hotel informed that there is one tube well
45	Hotel Kama International	9.05.22	No	5 KLD	Two no.	The Representative of hotel informed that there

	Cinema Road Golghar Gorakhpur 273001 Lat:26.766454, Long:83.369044				available. One in standby.	is two tube well in hotel but one is standby.
46	Hotel Salimar Ghos Company Chauk Gorakhpur-273001 Lat:26.748352, Long:83.365016	9.05.22	NO	3 KLD	1	Representative of hotel informed that there is one tube well
47	Dulhan Marriage House 38 Adhiyari Bagh Gorakhpur	9.05.22	No	-	-	The Representative of Marriage hall refused to disclose any information.
48	Alhera Mushafir Khana Rati Chauk Gorakhpur 273015 Lat:26.746351, Long:83.35922	9.05.22	NO	1 KLD	1	Representative of hotel informed that there is one tube well
49	Tirupati Guest House Diwan Daya Ram near Maya Cinema, Gita Press Road Gorakhpur 273005 Lat:26.746882, Long:83.356492	9.05.22	NO	2 KLD	1	Representative of hotel informed that there is one tube well
50	Hotel Pradeep Palace Gas Godam Gali Road Dilejapkur Gorakhpur	9.05.22	No	-	-	The Representative of hotel refused to disclose any information.
51	Hotel Moon Light Rati Road Gorakhpur	9.05.22	No	-	-	The Representative of hotel refused to disclose any information.
52	Charan Guest House Diwan Daya Ram Shekhpur, Rati Chauk Gorakhpur-273005	9.05.22	No	2 KLD	1	Representative of hotel informed that there is one tube well
53	Hotel Gitanjali 327, Khunipur Gorakhpur 273005 Lat:26.748318, Long:83.355513	9.05.22	No	2 KLD	1	Representative of hotel informed that there is one tube well
54	Hotel Grand Chaudhary Sweets House Vijay Chauk, Gorakhpur 273001	9.05.22	No	2 KLD	One no. available. (Nagar Nigam	The Representative of hotel informed that there is one tube well in hotel. Also Water Charges paid to Nagar Nigam for water supply.

	Lat:26.756309, Long:83.36740				bill attached)	
55	Hotel Dream Palace Near Railway Station Gorakhpur-273012 Lat:26.756309, Long:83.36740	10.05.22	No	1 KLD	1	Representative of hotel informed that there is one tube well
56	Anand Guest House Near Railway Station Gorakhpur 273012 Lat:26.757737, Long:83.384673	10.05.22	No	1 KLD	1	Representative of hotel informed that there is one tube well
57	Hotel Tulsi Plaza Near Railway Station Gorakhpur-273012 Lat:26.756309, Long:83.36740	10.05.22	No	1.5 KLD	1	Representative of hotel informed that there is one tube well
58	Hotel Manas Continental Near Railway Station Gorakhpur 273012	10.05.22	No	4 KLD	1	Representative of hotel informed that there is one tube well
59	Nilkanth Guest House Near Railway Station Gorakhpur-273012 Lat:26.758100, Long:83.383000	10.05.22	No	2 KLD	1	Representative of hotel informed that there is one tube well
60	Hotel Vardan Near Railway Station Gorakhpur-273012 Lat:26.768711, Long:83.380509	10.05.22	No	1.5 KLD	1	Representative of hotel informed that there is one tube well
60	Hotel Raj Near Railway Station Gorakhpur 273012 Lat:26.758341, Long:83.382377	10.05.22	No	2 KLD	1	Representative of hotel informed that there is one tube well
61	Amit Hotel Near Railway Station Gorakhpur 273012 Lat:26.758343, Long:83.382388	10.05.22	No	1 KLD	1	Representative of hotel informed that there is one tube well
62	Hotel Satyam Near Railway station Gorakhpur 2730142 Lat:26.758701, Long:83.380962	10.05.22	No	1.5 KLD	1	Representative of hotel informed that there is one tube well

63	Hotel Plaza Near Railway Station Gorakhpur 273012 Lat:26.758551, Long:83.381902	10.05.22	No	1 KLD	1	Representative of hotel informed that there is one tube well
64	Hotel Grand Kausal Near Railway Station Gorakhpur 273012 Lat:26.768879, Long:83.379981	10.05.22	No	4 KLD	1	Representative of hotel informed that there is one tube well
65	Hotel Adarsh Palace Near Railway Station Gorakhpur 273012 Lat:26.758118, Long:83.383141	10.05.22	No	6 KLD	One no. available. (Nagar Nigam bill attached)	The Representative of hotel informed that there is one tube well in hotel. Also Water Charges paid to Nagar Nigam for water supply.
66	Hotel Ambar Raj Near Railway Station Gorakhpur-273012 Lat:26.758948, Long:83.379596	10.05.22	No	0.8 KLD	1	Representative of hotel informed that there is one tube well
67	Hotel Sidhartha Near Railway Station Gorakhpur 273012 Lat:26.75894, Long:83.379358	10.05.22	No	0.5 KLD	1	Representative of hotel informed that there is one tube well
68	Hotel Grand Manoranjan Inn SR Tower, Gorakhnath Road Gorakhpur 273001	10.05.22	NO	-	-	The Representative of lawn refused to disclose any information.
69	Mangalam Vatika near Khetan Hospital Bargadwa Road Gorakhpur	10.05.22	NO	-	-	The Representative of vatika refused to disclose any information.
70	Alpana Lawn Saket nagar Bagha baba Road Gorakhpur	10.05.22	NO	-	-	The Representative of Lawn refused to disclose any information.

Fakhr Alam
4/8/22

(Dr. Fakhr Alam)
Assistant Hydrogeologist
CGWA
Representative

Pandey
4-8-2022

(Pankaj Yadav)
Regional Officer
UPPCB
Representative

(Vinay Kumar Pandey)
SDM Sadar
District Magistrate
Representative

Inspection Report
in
compliance to order dated 25.02.2022 passed
by
Hon'ble National Green Tribunal
in
OA No. 438/2018 Arti Verses CGWA &Ors.
(Gorakhpur City)

Inspection Report in compliance to order dated 25.02.2022 passed by Hon'ble National Green Tribunal in OA No. 438/2018 Arti Verses CGWA & Ors.

In reference to the above, Hon'ble National Green Tribunal in O.A. no. 438/2018 Arti Versus CGWA & Ors passed order on 25.02.2022, para 47 mentioned as below:-

*"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities canNot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out **hotels, marriage/banquet halls/resorts, guest houses etc.** in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and **Gorakhpur** abstracting ground water without N.O.C from the competent authority, take remedial action and submit report within one month...."*

A Committee has been constituted by Regional Director, Central Ground Water Board, Northern Region, Lucknow vide letter no 4 (237) NGT/CGWB/NR/S&I/2022/255 dated 23 March 2022 for compliance of Hon'ble National Green Tribunal order.

The joint team comprising of member from Central Ground Water Board, NR Lucknow, Uttar Pradesh Pollution Control Board, Gorakhpur and Representative of District Megistrate, Gorakhpur for above assignement.

The following nominated joint team members/representatives visited to carry out for inspection of 131 nos of hotels, Marriage Lawn in Gorakhpur City during **06.05.2022 to 10.05.2022 and 07.09.2022 to 08.09.2022.**

- 1. Dr.FakhreAlam, Assistant Hydrogeologist, Central Ground Water Board, NR Lucknow.**
- 2. Shri Pankaj Yadav, Regional Officer, Uttar Pradesh Pollution Control Board, Gorakhpur.**
- 3. Shri Vinay Kumar Pandey, A.C.M., Gorakhpur.**

Total 131 hotels/marriage/banquet halls/ guest houses were inspected. The complete information about the status of compliance of N.O.C as below:-

Sl. No.	Name and address of hotels/marriage/banquet halls/ guest houses e.t.c	Date of Inspection	Status of N.O.C taken by CGWA/S GWA	Approximate Ground Water Withdrawal Reported by hotel representative.	No. of existing tube wells.	Observation of the committee members during the inspection
1	Hotel Shanti, Aryanagar, Tarang Road, Gorakhpur-273001 Lat:26.760638, Long:83.362325	6.05.22	No	4KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
2	Hotel Yark Inn M.P.Building, Golghar Gorakhpur-273001	6.05.22	No	4KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
3	Madhuban Hotel JatepurSouth , Nepal Road Gorakhpur-273001 Lat:26.761188, Long:83.364401	6.05.22	NO	4KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
4	Avadh Kailash Inn Dharamsala Bazar Gorakhpur-273001 Lat:26.760956, Long:83.372827	6.05.22	NO	7KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
5	Hotel Marina Golghar, Gorakhpur 273001 Lat:26.752073, Long:83.369632	6.05.22	NO	5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
6	Hotel Avantika Mohaddipur Gorakhpur-273008 Lat:26.74989, Long:83.3988	6.05.22	NO	4KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
7	Hotel Radisson Blue Mohaddipur, Gorakhpur-273013	6.05.22	Yes	75 KLD	2	Ground Water Abstracting NOC available. Two Tube Well found in Hotel.

	Lat:26.7498, Long:83.3982					
8	Hotel Vaibhav Inn Jatepur South Nepal Road, Gorakhpur	06.05.22	NO	6KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
9	Krishna Guest House Near G.V. Complex, Khowamandi Gali, Golghar Gorakhpur-273001 Lat:26.754311, Long:83.37011	07.05.22	NO	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
10	Hotel King Plaza inn KLhowa mandi Gali, Golghar Gorakhpur-273001 Lat:26.754581, Long:83.369146	07.05.2022	CTE (SPCB) Valid upto 31.12.26	4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
11	Hotel R.R.Place Khowamandi, Golghar Gorakhpur-273001 Lat:26.754316, Long:83.370069	07.05.2023	No	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
12	Hotel RDS Khowa Mandi, Golghar Gorakhpur-273001 Lat:26.754264, Long:83.36862	07.05.2022	No	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
13	Shri Ram Guest House Baldev Plaza Gali, Khowa Mandi Gorakhpur-273001 Lat:26.754576, Long:83.368938	07.05.2022	NO	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
14	Hotel Mamta Residency Khowa Mandi Gali, Golghar Gorakhpur-273001 Lat:26.75453, Long:83.368886	07.05.2022	NO	4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
15	Mahalaxmi Guest House	07.05.2022	No	1 KLD	1	Abstracting Ground Water without NOC.

	Baldew Plaza Lane, Khowa mandi Gorakhpur-273001 Lat:26.754646, Long:83.368864					One Tube Well found in Guest House.
16	Leela Shri Guest House Khowa mandi, Golghar Gorakhpur-273001 Lat:26.754616, Long:83.368932	07.05.2022	NO	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
17	Hotel San Plaza Cinema Road, Gorakhpur 273001 Lat:26.755014, Long:83.368843	07.05.2022	NO	3 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
18	Shri Sai Guest House Ganesh Chauk, Pratabmarket Golghar, Gorakhpur-273001 Lat:26.754384, Long:83.371441	07.05.2022	No	0.4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
19	Chandrluk Lodge & Hotel Shastri Chauk, Gorakhpur- 273001 Lat:26.74818, Long:83.369416	07.05.2022	NO	5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
20	Hotel Myure Shastri Chauk, Gorakhpur- 273001 Lat:26.747395, Long:83.368755	07.05.2022	NO	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
21	Nepali Lodge Golghar, Gorakhpur-273001 Lat:26.747395, Long:83.368755	07.05.2022	No	2 KLD	No	Nagar Nigam Supply used by Lodge.
22	Hotel Chetna Near Indra Tiraha, Golghar Gorakhpur-273001 Lat:26.753343, Long:83.371393	07.05.2022	No	3 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.

23	New Marwari Hotel Dharamsala Bazar Gorakhpur-273001 Lat:26.760669, Long:83.372666	07.05.2022	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
24	Hotel Savvy Ganges TaranCinama Crossing Gorakhpur-273001 Lat:26.761563, Long:83.363003	07.05.2022	NO	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
25	Hotel Royal Residency M.P. Building, Golghar Gorakhpur-273001 Lat:26.751635, Long:83.370892	07.05.2022	NO	6 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
26	Hotel Shivay Private Limited Town Hall Gorakhpur	07.05.2022	NO	10.0 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
27	Shri Mangal Murti Lawn Deoria Road, Ranidiha Gorakhpur-273008 Lat:26.725934, Long:83.273008	08.05.2022	NO	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
28	Bhagwati Marriage Hall Near Engineering College, Deoria Road Gorakhpur-273008 Lat:26.728863, Long:83.431666	08.05.2022	NO	3KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
29	Saraswati Palace Azad Chauck, Bargo Road Gorakhpur	08.05.22	-	-	-	Closed.
30	Indraprast Lawn Near Telephone Colony Ranidiha Gorakhpur 273008	08.05.2022	No	0.8 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
31	Star Marriage Lawn	08.05.2022	No	0.7 KLD	1	Abstracting Ground Water without NOC.

	Awash Vikash Colony Shahpur Gorakhpur					One Tube Well found in Marriage Hall.
32	Mangalam Lawn Taramandal, Deoria Bypass Road, Gorakhpur-273016 Lat:26.731648, Long:83.368327	08.05.2022	NO	1.5KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
33	Satyam Lawn Taramandal, Deoria Bypass Road, Gorakhpur-273016 Lat:26.731648, Long:83.368326	08.05.2022	NO	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
34	Ambey Palace Budh Bihar Deoria Bypass, Taramandal, Gorakhpur Lat:26.732704, Long:83.379769	08.05.2022	NO	0.5KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
35	Bhavya Marriage Hall BetiahataChauk Gorakhpur-273016 Lat:26.731082, Long:83.369312	08.05.2022	NO	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
36	Red Carpet Hotel Budh Bihar, A-3 Taramandal Gorakhpur-273016 Lat:26.7370, Long:83.374711	08.05.2022	NO	4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
37	Hotel Surya Char Phatak Railway Crossing Mohaddipur, Gorakhpur 273001 Lat:26.454699, Long:83.399112	08.05.2022	NO	3 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
38	Hotel Pushpanjali Palace Near Kachari Bus Station Gorakhpur-273001 Lat:26.746564, Long:83.375759	08.05.2022	NO	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
39	Hotel Krishna Palace	08.05.2022	NO	3 KLD	1	Abstracting Ground Water without NOC.

	Budh Bihar, Part A Taramandal Gorakhpur 273016 Lat:26.733997, Long:83.378768					One Tube Well found in Hotel.
40	Hotel Clark Grand 6 Park Road Civil Lines Golghar Gorakhpur-273001 Lat:26.753082, Long:83.374356	08.05.2022	NO	10 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
41	Hotel Park Regency 10, Park Road Gorakhpur-273001 Lat:26.753376, Long:83.378741	08.05.2022	NO	9 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
42	Taj Palace Ilahi Bagh, Gorakhpur 273001 Lat:26.760215, Long:83.3455	09.05.2022	NO	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
43	Hotel Kama International Cinema Road Golghar Gorakhpur 273001 Lat:26.766454, Long:83.369044	9.05.22	No	5 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
44	Hotel Salimar Ghos Company Chauk Gorakhpur-273001 Lat:26.748352, Long:83.365016	9.05.22	NO	3 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
45	Dulhan Marriage House 38 Adhiyari Bagh Gorakhpur	9.05.22	No	0.4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
46	Alhera Mushafir Khana Rati Chauk Gorakhpur 273015 Lat:26.746351, Long:83.35922	9.05.22	NO	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Mushafir Khana.
47	Tirupati Guest House Diwan Daya Ram near Maya	9.05.22	NO	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.

	Cinema, Gita Press Road Gorakhpur 273005 Lat:26.746882, Long:83.356492					
48	Hotel Pradeep Palace Gas GodamGali Road Dilejakpur Gorakhpur	9.05.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
49	Charan Guest House Diwan Daya Ram Shekhpur, Rati Chauk Gorakhpur-273005	9.05.22	No	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
50	Hotel Gitanjali 327, Khunipur Gorakhpur 273005 Lat:26.748318, Long:83.355513	9.05.22	No	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
51	Hotel Grand Chaudhary Sweets House Vijay Chauk, Gorakhpur 273001 Lat:26.756309, Long:83.36740	9.05.22	No	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
52	Hotel Dream Palace Near Railway Station Gorakhpur-273012 Lat:26.756309, Long:83.36740	10.05.22	No	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
53	Anand Guest House Near Railway Station Gorakhpur 273012 Lat:26.757737, Long:83.384673	10.05.22	No	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
54	Hotel Tulsi Plaza Near Railway Statio Gorakhpur-273012 Lat:26.756309, Long:83.36740	10.05.22	No	1.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
55	Hotel Manas Continental	10.05.22	No	4 KLD	1	Abstracting Ground Water without NOC.

	Near Railway Station Gorakhpur 273012					One Tube Well found in Hotel.
56	Nilkanth Guest House Near Railway Station Gorakhpur-273012 Lat:26.758100, Long:83.383000	10.05.22	No	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
57	Hotel Vardan Near Railway Station Gorakhpur-273012 Lat:26.768711, Long:83.380509	10.05.22	No	1.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
58	Hotel Raj Near Railway Station Gorakhpur 273012 Lat:26.758341, Long:83.382377	10.05.22	No	2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
59	Amit Hotel Near Railway Station Gorakhpur 273012 Lat:26.758343, Long:83.382388	10.05.22	No	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
60	Hotel Satyam Near Railway station Gorakhpur 2730142 Lat:26.758701, Long:83.380962	10.05.22	No	1.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
61	Hotel Plaza Near Railway Station Gorakhpur 273012 Lat:26.758551, Long:83.381902	10.05.22	No	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
62	Hotel Grand Kausal Near Railway Station Gorakhpur 273012 Lat:26.768879, Long:83.379981	10.05.22	No	4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.

63	Hotel Adarsh Palace Near Railway Station Gorakhpur 273012 Lat:26.758118, Long:83.383141	10.05.22	No	6 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
64	Hotel Ambar Raj Near Railway Station Gorakhpur-273012 Lat:26.758948, Long:83.379596	10.05.22	No	0.8 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
65	Hotel Sidhartha Near Railway Station Gorakhpur 273012 Lat:26.75894, Long:83.379358	10.05.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
66	Hotel Grand Manoranjan Inn SR Tower, Gorakhnath Road Gorakhpur 273001	10.05.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
67	Alpana Lawn Saket nagar Bagha baba Road Gorakhpur	10.05.22	-	-	-	Closed
68	Safayer Ceremonial Garden Rajendra Nagar West Gorakhpur Lat : 26.78797, Long : 83.35259	07.09.22	No	0.5 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Marriage Hall.
69	Sri Pariraya Asthal Bank Road, Gorakhpur Lat : 26.75504, Long: 83.3664	07.09.22	No	0.2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
70	Happy Marriage House Near Jhankar Takies, Gorakhpur Lat : 26.75361, Long: 83.35664	07.09.22	No	0.2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
71	Averest Nepali Hotel,	07.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC.

	Near Dharmshala Bazar, Gorakhpur					One Tube Well found in Hotel.
72	Panna Guest House, Laxmipur Khas, Shahtri Nagar, Gorakhpur	07.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
73	Sonu Guest House, Dharamshala Bazar, Gorakhpur Lat : 26.7613, Long: 83.37316	07.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
74	Mangalam Vatika Near Khetan Hospital Gorakhpur Lat: 26.79968, Long: 83.35327	07.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
75	Chhaya Athithi Bhawan Shahpur, Gorakhpur Lat: 26.77839, Long: 83.39588	07.09.22	No	0.25 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Athithi Bhawan.
76	Hotel Centre Point Khajanchi Chauraha, Gorakhpur Lat: 26.79739, Long: 83.38973	07.09.22	No	1.2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
77	King Prince Palace Rapti Nagar, Phase-3 Gorakhpur Lat: 26.79065, Long: 83.38129	07.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
78	Hotel Gaurav Place Dharmshala Bazar, Gorakhpur Lat: 26.7610, Long: 83.37104	07.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
79	G.C. (Piya Milan) Marriage House, Bichhiya, Jungle Tulsi Ram, Gorakhpur	07.09.22	-	-	-	Closed
80	Jaiswal Guest House,	07.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC.

	Dharamshala Bazar, Gorakhpur Lat: 26.76125, Long: 83.37304					One Tube Well found in Guest House.
81	Mehandi Place, Masjid Road, Arya Nagar, Gorakhpur	07.09.22	-	-	-	Closed
82	Sagun Marriage House, Shivpur, Sahbajganj, Gorakhpur	07.09.22	No	0.8 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
83	Ambika Guest House, Dharmshala Bazar, Gorakhpur Lat: 26.76099, Long: 83.37321	07.09.22	No	0.2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
84	Nayak Vatika, Basharatpur, Near Chaturvedi Nursing Home, Gorakhpur	07.09.22	No	0.4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
85	Swayamber Ceremonial, Bank Road, Gorakhpur Lat: 26.75212, Long: 83.36771	07.09.22	No	0.2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
86	S.S. Hotel, Aam Bazar, Medical Road, Gorakhpur Lat: 26.79266, Long: 83.38701	07.09.22	No	1.0 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
87	Chitragupt Dharmshala, Buxipur, Gorakhpur	07.09.22	No	0.3 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Dharmshala.
88	Bittu Marriage House, Rapti Nagar, Chauraha, Gorakhpur Lat: 26.79432, Long: 83.38731	07.09.22	No	0.5 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Marriage Hall.
89	Hotel Vivek, Bank Road, Gorakhpur Lat: 26.75416, Long: 83.36786	07.09.22	No	2.0 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
90	Hotel President, Golghar, Gorakhpur	07.09.22	No	1.0 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.

91	Hotel Pragati Inn, Gas Godam, Gali Road, Gorakhpur Lat: 26.75732, Long: 83.36810	07.09.22	No	2.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
92	Hotel Kamal Inn, M.R. Tower, Gorakhnath Road, Gorakhpur	07.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
93	Lodge Nepal Club Civil Lines, Gorakhpur Lat:26.74994, Long:83.3768	08.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Lodge.
94	Agresen Dharmshala, Arya Nagar Chauraha, Gorakhpur	08.09.22	-	-	-	Closed
95	Sindhi Dharmshala, Jata Shankar, Nepal Road, Gorakhpur	08.09.22	No	0.6 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Dharmshala.
96	Hotel Malkin, Near Railway Station, Gorakhpur Lat: 26.75914, Long: 83.37919	08.09.22	No	0.7 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
97	Hotel Gupta, Near Railway Station, Gorakhpur	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
98	Hotel Khanna, Dilezakpur, Gorakhpur	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
99	Hotel Buddha, Near Railway Station, Gorakhpur Lat: 26.75911, Long: 83.37948	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
100	Sundaram Guest House, Near Railway Station, Gorakhpur	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
101	Rajasthan Dharmshala, Near Geeta Press, Gorakhpur Lat: 26.74738, Long: 83.35343	08.09.22	No	1.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Dharmshala.
102	Radhey Shyam Dharmshala,	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC.

	Near Ghantaghar, Gorakhpur					One Tube Well found in Dharmshala.
103	Sahnai Bhawan, Pt. Harihar Prasad Dubey Marg, Gorakhpur	08.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
104	Royal Guest House, Dharmshala Bazar, Gorakhpur Lat : 26.7610, Long: 83.37315	08.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
105	Siddhi Lawn, Near Telephone Colony, Betiahata, Gorakhpur	08.09.22	No	0.4 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
106	Kumar Pariray Asthal, Girdharganj Bazar, Gorakhpur	08.09.22	No	0.3 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
107	Hotel Sharda, Near Railway Station, Gorakhpur Lat: 26.75820, Long: 83.37918	08.09.22	No	0.8 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
108	Hotel Sunrise, Near Railway Station, Gorakhpur Lat: 26.75882, Long: 83.38064	08.09.22	No	0.75 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
109	City Marriage House, Ghosipur, Gorakhpur	08.09.22	No	0.8 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
110	Adishakti Marriage House, Rajendra Nagar West, Gorakhpur	08.09.22	No	0.6 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
111	Bunti Party House, Nathmalpur, Gorakhnath, Gorakhpur	08.09.22	-	-	-	Closed
112	Pooja Palace, Pt. Harihar Prasad Dubey Marg, Betiahata, Gorakhpur	08.09.22	-	-	-	Closed
113	Celibration A Wedding Hall, Charu Chandrapuri Colony, Gorakhpur	08.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.

114	Bunti Marriage House, Near Mushi Prem Chandra Park, Gorakhpur	08.09.22	-	-	-	Closed
115	Gauri Shankar Marriage House, Shivaji Nagar, Ranibag, Bargo, Gorakhpur	08.09.22	No	0.8 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
116	Hotel Alora, Near Railway Station, Gorakhpur Lat: 26.75883, Long: 83.38307	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
117	Agrawal Guest House, Agrawal Market, Diwan Dayaram Road, Gorakhpur	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
118	Khusbu Athithi Bhawan, Avas-Vikas Colony, Gorakhpur	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Athithi Bhawan.
119	Hotel Sharda Palace, Near Railway Station, Gorakhpur Lat: 26.75892, Long: 83.37978	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
120	Hotel Lila, Raiganj Road, Gorakhpur Lat: 26.74371, Long: 83.3579	08.09.22	No	0.15 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
121	Agrawal Dharmshala, Arya Nagar, Gorakhpur Lat: 26.75818, Long: 83.3165	08.09.22	No	1.2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Dharmshala.
122	Ideal Marriage House, Gazi-Rauza, Gorakhpur Lat: 26.7568, Long: 83.35538	08.09.22	No	0.3 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage Hall.
123	Tulsi Guest House, Beniganj, Gorakhpur Lat: 26.7607, Long: 83.3555	08.09.22	No	1.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
124	Radha Athithi Bhawan, Surajkund Colony, Gorakhpur	08.09.22	No	0.2 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Athithi Bhawan.

	Lat: 26.76832, Long: 83.34729					
125	Hotel Standard, Near Railway Station, Gorakhpur Lat: 26.75839, Long: 83.38107	08.09.22	No	1.0 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
126	Hotel Bobina, Nepal Road, Gorakhpur Lat: 26.7581, Long: 83.36447	08.09.22	No	5.0 KLD	2	Abstracting Ground Water without NOC. Two Tube Well found in Hotel.
127	S.B.D. Guest House, Near Passport Office, Medical Road, Gorakhpur	08.09.22	No	2.0 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
128	Hotel Upwan, Nepal Road, Gorakhpur	08.09.22	-	-	-	Closed
129	Hotel Sandhya, Niyamat Chak Road, Gorakhpur	08.09.22	-	-	-	Closed
130	Hotel Rama Palace, Near Railway Station, Gorakhpur	08.09.22	No	0.8 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
131	Mahfil Marriage House, Ilahibagh, Gorakhpur	08.09.22	No	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Marriage House.

Fakhr Alam
8/9/22
(Dr. Fakhre Alam)
Assistant Hydrogeologist
CGWA
Representative

Pankaj Yadav
8/9/22
(Pankaj Yadav)
Regional Officer
UPPCB
Representative

Vijay 8-9-22
(Vinay Kumar Pandey)
ACM
District Magistrate
Representative

**REPORT PLACED BEFORE HON'BLE NATIONAL GREEN TRIBUNAL (NGT),
NEW DELHI, O.A 438 of 2018**

In the matter Anti versus CGWA & Ors.

1. Background

Taking note of complaint made to the Hon'ble Tribunal regarding illegal abstraction of ground water, Hon'ble Tribunal has passed order dated 25.01.2022. The relevant part of the order is as follows:

"..... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of states of U.P. we accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/ Banquet hall/ resorts, guest houses etc in Lucknow, Kanpur, Agra, Meerut, Ghatampur, Bareilly, Bareilly, Farukh, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority and take further remedial action"

2. Action taken

In compliance order passed by Hon'ble NGT on dated 25.05.2022 the following committee was constituted.

Nominated Members

- (a) Mr. Madhukar Singh, Scientist – B, Central Ground Water Board, Lucknow.
- (b) Mr. Rohit Singh, Regional Officer, Uttar Pradesh Pollution Control Board, Bareilly.
- (c) Mr. Ganesht Singh, Senior Hydrogeologist, Uttar Pradesh Ground Water Department, Bareilly.

3. Observations

- List of 117 hotels/ Banquet halls/Marriage located in Bareilly city obtained from U.P. state Tourism Development Corporation Ltd. Annexure I. After investigation of list and inspection of hotels, it was found that 04 Hotels in list are repeated, mentioned serial no. 54,57,62,68 and repeated at 76,99,113,69 in Annexure II.
- The constituted committee held 113 nos. inspection of hotels/Banquet halls/Marriage halls in Bareilly city. On the basis of inspection report 86 nos. of hotels were found operational out of which 07 hotels have banquet with marriage halls, 29 nos. hotel with Banquet halls, 37 nos. of hotels were found closed.
- 27 nos. hotels/Banquet halls/Marriage halls have obtained NOC/ Registration for ground water extraction.
- 23 nos. of hotels/Banquet halls/Marriage halls have applied for NOC/ Registration for ground water extraction.
- 15 nos. of hotels have water supply from Nagar Nigam Bareilly/Railways, mentioned on serial no 49,52,62,66,73,74,76,80,87,89,91,93,94,103,105 in Annexure II.

Madhukar Singh.

Sh


4


1/58


- 21 nos. of hotels/Baquer halls /Muninge halls have not obtained NOC/Registration for ground water extraction.
- As per U. P gov notification 331/76-3-2020-13 NG/2020 dated 17/05/2020 of Narmada Ganga and rural water supply department Bareilly NND is not identified under notified area.
- As per U. P gov notification 330/76-3-2021-44 NG/2020, Lucknow, dated 02 March 2021 Micro and small enterprises consuming ground water less than 10 KL/ Day are required to register with Ground water authority and other enterprises consuming more than 10 KL/Day should obtain NOC from Ground water authority. The detailed list along with photograph taken in course of inspection is attached as Annexure II.

4. Remedial Action taken

- Hotel to hotel survey carried out by the committee from 08/05/2022 to 13/05/2022 and 11/09/2022
- In view of problem of filling of online application form for seeking NOC for groundwater abstraction from SGWA, Bareilly, A training programme was conducted in accordance with compliance of order of Hon'ble NCI on dated 25.05.2022. Media coverage attached as Annexure III.
- News published in local newspaper on dated 19-04-2022 and 26-04-2022 to aware concerned persons for obtaining Ground water permission / registration. Annexure IV.
- Notice issued for obtaining NOC/registration by District ground water authority on dated 04.07.2022 Annexure V.
- District Magistrate Bareilly issued direction to committee members for appropriate actions by Letter no. 527/NGT O.A No:-438/2018/2022 dated 07/09/2022. Annexure VI.
- Presently out of 113 establishments, 27 obtained NOC/Registration, 23 establishments have applied for NOC/Registration, 15 establishments have water supply from Nagar Nigam Bareilly/Railways, 27 establishments are closed and 21 establishments have not obtained/applied for NOC/Registration.
- Joint committee took action against 21 defaulter establishments and disconnected the electricity connection of borewell and issued directions not to operate borewell without NOC/ Registration from District Ground water Authority, Bareilly, mentioned at serial no 2,17,29,30,42,43,51,57,58,64,68,71,81,84,95,96,103,102,106,112,113 (Annexure II). **Annexure VI**
- Photograph of joined inspection dated 08/05/2022 to 13-05-2022, meeting dated 25/05/2022 and joint action against defaulters dated 11/09/2022 are enclosed as Annexure VIII


(Madhukar Singh)
Scientist - B
Central Ground Water Board
Lucknow


(Gaurish Singh)
Senior Hydrogeologist
I.P. Ground Water Department
Bareilly


(Rohit Singh)
Regional Officer, UPWCN
Bareilly

बरेली में स्थित होटलों की सूची

क्र. सं.	होटल का नाम	मोबाइल नम्बर	उद्देश्य की शक्ति (संगणित)	किराया (संगणित)	खाने-पान व्यवस्था
1	होटल सीमा विमान, सिविल लाइन्स	0501-2574614 9720035003	डबल-35	900 से 7000	है
2	होटल रिजेंसी जिलागारा, सिविल लाइन्स	2424541	सिंगल-07, डबल-25	650 से 1000	है
3	होटल ओहेला, सिविल लाइन्स गांधी उद्यान बरेली।	0501-2422002 9837050005	डबल-8	950 से 2500	है
4	होटल शान रायता, माल गोदाग रोड	9769707780	डबल-17	500 से 900	नहीं
5	होटल गिलन	2574711	सिंगल-5, डबल-2	250 से 600	नहीं
6	होटल अलका	0457201021	सिंगल-4, डबल-16	200 से 350	नहीं
7	होटल टीरोज	9907704707	सिंगल-15, डबल-33	300 से 950	नहीं
8	होटल चरोरा	9536060175	सिंगल-5, डबल-5	300 से 800	नहीं
9	होटल कोहिनूर	9997677104	सिंगल-3, डबल-06	200 से 600	नहीं
10	होटल किंग्स हॉस्टेल, पीलीभीत गार्डपास रोड	9997522220	कक्ष-25	900 से 3000	है
11	होटल सिटी राईड, स्टेशन रोड	9581001477	कक्ष-11	900 से 1500	नहीं
12	होटल मैगनेट सिटी	9837332221	सिंगल-3 डबल-5 डारमेट्री-1	200 से 700	नहीं
13	होटल सुरेश आनन्द सिविल लाइन्स	9837556677	सिंगल-16, डबल-69	900 से 7000	है
14	होटल पारस, स्टेशन रोड	8077909358	डबल-36	500 से 1600	नहीं
15	नवीन गेन्ट हाउस, डेलाधीर	0501-2301811 9456067511	सिंगल-4, डबल-11	500 से 900	नहीं
16	होटल सहगल, किला रोड	2474330	सिंगल-1, डबल-13	250 से 900	है
17	होटल कृष्ण मिडटाउन	7830000073	डबल-18	400 से 500	है
18	होटल राधेन्द्र	2477094	डबल-09 डारमेट्री-1	200 से 600	नहीं
19	होटल स्वर्ण टायर, सिविल लाइन्स	0501-2420668	डबल-49	2500 से 7500	है
20	होटल ईस्ट लाइट, सिविल लाइन्स	7089355556	डबल-25	930 से 3450	है
21	होटल कर्टन, माल गोदाग रोड	9999099030	सिंगल-7, डबल-19 डारमेट्री-3	500 से 1500	नहीं
22	पवित्र गेस्ट हाउस	2470805	सिंगल-10, डबल-11	200 से 700	नहीं
23	मैगनेट सिटी गेस्ट हाउस	2472075	सिंगल-8, डबल-01 डारमेट्री-1	300 से 700	नहीं
24	होटल एलओ, सिविल लाइन्स	0501-2555503 7830000020	डबल-43	3000 से 8500	है
25	होटल सिविल एण्ड मिलिट्री स्टेशन रोड	0501-2570079 9411470906	सिंगल-01, डबल-17	800 से 2000	है
26	आरवर्ग गेस्ट हाउस सिविल लाइन्स	9412200000	सिंगल-9, डबल-15 डारमेट्री-1	महो 450	नहीं

27	होटल भण्ण कान्दीनेन्टल सिविल लाइन्स	0581-2570101 8958097000	डबल-24	1890 से 6090	है
28	होटल गानसरोवर, अरुण जी घोराल	9837144044	डबल-37,	700 से 2500	है
29	होटल गोती भल्ल	9026703517	डबल -14	400 से 850	नहीं
30	होटल शिखर	2558491	सिंगल-5, डबल-14 डारंगट्री-1	250 से 800	नहीं
31	होटल बरेली पैलेस, सिविल लाइन्स	9037007780	डबल-20	990 से 5000	है
32	होटल सी०एल्डो ऐरिस्टेज, बिन्ता रोड	9037041800	डबल-8, डारंगट्री-2	200 से 650	नहीं
33	हरगिलाप भेरत हाउस	3250911	डबल-4 डारंगट्री-2	250 से 800	नहीं
34	होटल जे०एम० गिरधारा, अलापीर	7080940021	कक्ष-20	1800 से 5000	है
35	एगोएच०गेस्ट हाउस	84107452035	डबल -5 डारंगट्री-1	150 से 600	नहीं
36	होटल द मेनर, सिविल लाइन्स,	0581-2511903	डबल-40	2000 से 7000	है
37	होटल अगाथा, चौकी चौराहा	8950097000	डबल-24	3500 से 5500	है
38	होटल मैलेक्सी इन	9412049249			नहीं
39	होटल राजकमल	9917391636	डबल-11	650 से 980	नहीं
40	होटल अरुन, पीलीभीत बाईपास रोड	9897226202	डबल-8	800 से 1400	नहीं
41	होटल मन्दाकिनी टावर, सिविल लाइन्स, बरेली।	0581-2511826 7251880117	डबल-24	-	है
42	होटल महावीर	8319007246	डबल-22		है
43	होटल डी ग्राम्प सिविल लाइन्स, बरेली।	7500851000	डबल-35	980 से 6000	है
44	होटल रॉयल क्लासिक सिविल लाइन्स, बरेली।	0581-2423470 8879957979	सिंगल-2, डबल-24	600 से 2000	है
45	होटल मयूर	9412194485	सिंगल-2, डबल-22	600 से 2500	नहीं
46	होटल मोहन	7895680843	सिंगल-7 डबल-2	200 से 400	नहीं
47	होटल महेश	8456066632	सिंगल-4, डबल-2	200 से 600	नहीं
48	होटल न्यू लक्ष्मी नारयणी	9411424174	सिंगल-8, डबल-4 डारंगट्री-1	200 से 400	है
49	होटल आर्या	9084071588	सिंगल-8, डबल-12	200 से 500	नहीं
50	होटल शंभल	9897538938	सिंगल-8, डबल-9	200 से 350	नहीं
51	होटल कृष्ण पैलेस	2558328	डबल-22	400 से 850	है
52	होटल प्लाजा, बापला चौराहा	9259052298	सिंगल-7, डबल-9	250 से 400	नहीं
53	होटल राज	9451006066	सिंगल-7, डबल-3	250 से 600	नहीं
54	होटल बरेली लाज	9457012353	सिंगल-2, डारंगट्री-1	200 से 300	नहीं
55	होटल ए०आर०पैलेस	8827289560	सिंगल-6, डबल-6	300 से 600	नहीं
56	होटल नारायण, बड़ा बाजार	9412603635	सिंगल-6, डबल-6 डारंगट्री-1	150 से 800	नहीं
57	होटल श्रद्धा पैलेस	9412544644	सिंगल-4, डबल-12	150 से 250	नहीं
58	भगवती गैस्ट हाउस	9037382077	सिंगल -5, डबल-10 डारंगट्री-1	100 से 600	नहीं
59	होटल मीत ट्रन्डरगेशनल, अलापीर	9410404738	सिंगल-3, डबल-09	450 से 1200	है
60	होटल देवगुमि, इसाईया जी पुलिया	9897932067	डबल-16	900 से 2000	नहीं

61	होटल अविध, जानकपुरी	2301377	सिंगल-18, डबल-2	850 से 4000	है
62	होटल वसुन्धरा इन	9756706420	डबल -10	900 से 1400	नहीं
63	होटल ओकेजन टावर	9997004220	सिंगल-7, डबल-12	300 से 900	नहीं
64	होटल आशा किरन	9837600285	सिंगल-4, डबल-6	400 से 700	नहीं
65	होटल श्री भास्कर, सिविल लाइन्स	9412428081	सिंगल-8, डबल-15	650 से 950	नहीं
66	होटल एसोएलोटार	9837347872	डबल 09 डारनेट्री 02	150 से 650	नहीं
67	सिद्धि विनायक गेस्ट हाउस	9219985356	सिंगल-2, डबल-8 डारनेट्री-1	200 से 900	नहीं
68	होटल नेशनल पैलेस	9997775355	डबल-4, डारनेट्री-1	200 से 500	नहीं
69	नेशनल गेस्ट हाउस	9997775355			नहीं
70	जगराज गेस्ट हाउस, मालगोदाम रोड, सिविल लाइन्स	8808738433 0581-2551212	सिंगल -03 डबल -10 डारनेट्री-01	200 से 1200	नहीं
71	होटल के बरेली, सिविल लाइन्स	9675769919	सिंगल-2, डबल-25	650 से 1500	है
72	होटल डिप्लोमेट, चौपला रोड, सिविल लाइन्स	6395909433	डबल-47	1500 से 5000	है
73	होटल मान्या पैलेस, बाईपास रामपुर रोड	8909460418	कक्ष-18	900 से 3000	नहीं
74	इण्डियन गेस्ट हाउस	8430333466	सिंगल-1, डबल-5	400 से 600	नहीं
75	आशियाना गेस्ट हाउस	9027203561	सिंगल-2, डबल-3 डारनेट्री-1	200 से 650	नहीं
76	बरेली लाज डारनेट्री	9457012353	डारनेट्री	250	नहीं
77	सुपर इण्डियन गेस्ट हाउस	8430333466	सिंगल-2, डबल-3 डारनेट्री-1	200 से 650	नहीं
78	देवा लाज	9319383058	सिंगल-2, डबल-3	200 से 600	नहीं
79	मन्ना गेस्ट हाउस, माल गोदाम रोड	9219425727	सिंगल-18, डबल-14 डारनेट्री-1	250 से 800	नहीं
80	स्टार गेस्ट हाउस, माल गोदाम रोड	9808157863	सिंगल-5, डबल-10	200 से 500	नहीं
81	होटल स्टार	9808157863	सिंगल-1 डबल-5 डारनेट्री-1	200 से 600	नहीं
82	बाबा जी गेस्ट हाउस	9319383058	सिंगल-1 डबल-2 डारनेट्री -1	200 से 500	नहीं
83	विन्दा गेस्ट हाउस, सिविल लाइन्स, स्टेशन रोड बरेली।	9410023176	डबल-5, डारनेट्री-1	200 से 900	नहीं
84	दीप गेस्ट हाउस	9760999440	सिंगल-1 डबल-2 डारनेट्री-1	200 से 650	नहीं
85	गोल्डन गेस्ट हाउस सिविल लाइन्स,	8958509488	डबल-4 डारनेट्री-1	200 से 500	नहीं
86	होटल सोली कान्तिनन्दन, श्रीन पार्क, बरेली	8171412929	डबल-43	2700 से 6300	है
87	होटल श्री इन	9837164506	सिंगल -14, डबल-08	250 से 500	नहीं
88	होटल यात्रिक, सिविल लाइन्स	9410296889	डबल-18 डारनेट्री-1	1200 से 1800	नहीं

90	साइल गेस्ट हाउस	9012937146	सिंगल-2, डबल-4 डारमेट्री-1	150 से 500	नहीं
90	होटल राजगहन, पीलीभीत बाईपास रोड	9837986585	डबल-14, डारमेट्री-1	500 से 2500	नहीं
91	महिल गेस्ट हाउस	9917003237	सिंगल-3, डबल-4	400 से 600	नहीं
92	होटल ग्राण्ड सिटी	8307782366	डबल-8	700	नहीं
93	गोल्ड स्टार गेस्ट हाउस, माल मोदाम रोड	8477962457	सिंगल-2, डबल-3	400 से 600	नहीं
94	होटल पैराडाइज इन, सिविल लाइन्स	9897004220	सिंगल-8, डबल-7	400 से 800	है
95	होटल अशिथि, सिविल लाइन्स	9258072844	डबल-10	800 से 1200	है
96	होटल रेडियन्स, स्टेशन रोड	8958952000	कक्ष-30	900 से 3000	है
97	होटल नूपुर	9412188222	सिंगल-7, डबल-3,	250 से 400	नहीं
98	राजपाल गेस्ट हाउस, ओल्ड रोडवेज	8780862624	कक्ष-16	500 से 1200	नहीं
99	होटल चढढा	9412544544	सिंगल-7, डबल-5	200 से 400	नहीं
100	होटल कन्फर्ट इन, सी.पी. गज	05812561777 6399298000	डबल-29	800 से 2500	है
101	होटल फेमिली प्याइस, स्टेशन रोड	7500617100	डबल-19	800 से 1500	नहीं
102	होटल द जसग्रान्ड, स्टेडियम रोड	9837266801	डबल-18	900 से 2500	है
103	होटल धनराज लाज	9411857057	सिंगल-1, डबल-1 डारमेट्री-1	100 से 350	नहीं
104	होटल अजन्ता	9412270589			नहीं
105	होटल मंगलम इन, दीन दयालपुरम	9837030149	कक्ष-10	800 से 2500	नहीं
106	साई गेस्ट हाउस	9410718971	सिंगल-1, डबल-2 डारमेट्री-2	100 से 500	नहीं
107	कैप्टन गेस्ट हाउस, माल मोदाम रोड	9997547969	सिंगल-4, डबल-8	100 से 500	नहीं
108	होटल सोमनाथ पैलेस	9411008438	सिंगल-3, डबल-4	100 से 200	नहीं
109	होटल नीलग	9267616997	सिंगल-5, डबल-7 डारमेट्री-1	100 से 550	नहीं
110	अजोय गेस्ट हाउस	9456281537	सिंगल-2, डबल-4	200 से 500	नहीं
111	होटल चन्द्रगुप्त सिविल लाइन्स, वरंती।	9827593894	सिंगल-2, डबल-3	250 से 550	नहीं
112	होटल कृष्णा रेजिडेन्सी, नियर राहेलखण्ड इण्टर कॉलेज	9675000688	डबल-13	900 से 2500	नहीं
113	होटल वसुधरा इन, सिविल लाइन्स	9917083333	कक्ष-12	500 से 1800	नहीं
114	होटल खन्ना				
115	होटल अयाज, पीलीभीत बाईपास रोड	9412197374	डबल-9	900 से 2000	नहीं
116	होटल पार्क ग्रेण्ड	7055518181	डबल-18	2000 से 3800	है
117	होटल शिवांगी	9412188222	सिंगल-6, डारमेट्री-1	200 से 500	नहीं

HOTEL STATUS IN BAREILLY CITY

S. No.	Name of the Hotel	Accommodation Capacity (Penitentiary)	Operability of Jail	Operability of Marriage Hall	Date of Inspection	Status of NOC due to inspection dated 09/05/2022 to 23/05/2022	Status of NOC/Registration on dated 12/09/2022	Observations of the Committee	Action taken upon as indicated 02/10/2022
1	Floral Villa Karam, Civil Lines	Double 30	Yes	Yes	12-05-2022	Not Available	NOC Granted	1 Tubewell exists for 13 cubic meter/day Demand	—
2	Hotel Regency Deluxe, Civil Lines	Single 7 Double 25	Yes	No	10-05-2022	Not Available	Not obtained	1 Tubewell exists for 04 cubic meter/day Demand	Electric connection of Tubewell disconnected by committee date 14/09/2022 and direction issued not to operate without permission.
1	Jessel Rohda, Civil Lines, Gashim Usjan, Bareilly	Double 8	Yes	No	02-05-2022	Not Available	Applied	1 Tubewell exists for 04 cubic meter/day Demand	—
4	Hotel Shree Royal, 401 Gashim Road	Double 17	No	No	09-05-2022	Not Available	Applied	2 Tubewell exists for 01 cubic meter/day Demand.	—
5	Hotel Kishor	Single 5 Double 2	No	No	17-05-2022	Not Available	Closed	Hotel Closed	—
6	Hotel Arko	Single 4 Double 16	No	No	13-05-2022	Not Available	Closed	Hotel Closed	—
7	Hotel Taro	Single 15 Double 33	No	No	18-05-2022	Not Available	NOC Granted	2 Tubewell exists for 07 cubic meter/day Demand	—
8	Hotel Pooja	Single 3 Double 5	No	No	10-05-2022	Not Available	Closed	Hotel Closed	—
9	Hotel Kishore	Single 3 Double 5	No	No	17-05-2022	Not Available	Closed	Hotel Closed	—

10	Hotel Kings Heritage, Pithoragarh Rajpur Road	Room 29	Yes	Yes	12-05-2022	Not Available	Registration Granted	1 Tubewell exists for 10 cubic meter/day Demand	—
11	Hotel City Side, Station Road	Room 11	No	No	10-05-2022	Not Available	Applied	1 Tubewell exists for 1.5 cubic meter/day Demand	—
12	Hotel Akshara City	Single 3 Double 5 Dormitory 1	No	No	12-05-2022	Not Available	Closed	Flagged Closed	—
13	Hotel Ultra Akshara Civil Lines	Single 16 Double 69	Yes	Yes	01-05-2022	Not Available	MOU Granted	2 Tubewell exists for 30 cubic meter/day Demand	—
14	Hotel Parus, Saurav Road	Double 36	Yes	No	12-05-2022	Not Available	Registration Granted	1 Tubewell exists for 2 cubic meter/day Demand	—
15	Nature Green House, Delepur	Single 4 Double 21	No	No	11-05-2022	Not Available	Registration Granted	1 Tubewell exists for 64 cubic meter/day Demand	—
16	Hotel Sahasrangi, Jilla Road	Single 1 Double 13	Yes	No	10-05-2022	Not Available	Applied	2 Tubewell exists for 08 cubic meter/day Demand	—
17	Hotel Mahatma (OM) near Kishna Vidyalaya	Double 13	Yes	No	10-05-2022	Not Available	Not obtained	1 Tubewell exists for 62 cubic meter/day Demand	Lifeline connection of tubewell disconnected by committee due to 11/05/2022 and connection issued not to operate without permission
18	Hotel Kalyanaram	Double 9 Dormitory 1	No	No	14-05-2022	Not Available	Closed	Closed/Not found	—
19	Hotel Surya Tower, Civil Lines	Double 19	Yes	No	10-05-2022	Not Available	MOU Granted	2 Tubewell exists for 60 cubic meter/day Demand	—
20	Hotel Era Light, Civil Lines	Double 29	Yes	No	10-05-2022	Not Available	MOU Granted	1 Tubewell exists for 06 cubic meter/day Demand	—
21	Hotel Caution, Ashi Quaker Road	Single 7 Double 10 Dormitory 1	No	No	10-05-2022	Not Available	Applied	1 Tubewell exists for 3 cubic meter/day Demand	—
22	Yashwanth Guest House	Single 10 Double 11	No	No	10-05-2022	Not Available	Closed	Flagged Closed	—

10/5

2

10/5

4

23	Majed City Local House	Single 8 Double 1 Demolition 1	No	No	12-05-2022	Not Available	Closed	Consent/Not Fused	—
24	Hotel L.A. Civil Works	Double 40	Yes	Yes	02-04-2022	Not Available	NOC Granted	1 Tubewell exists for 2 cubic meter/day Demand	—
25	Hotel Civil and Milling, Saurat Road	Single 1 Double 17	No	No	09-05-2022	Not Available	Registration Granted	2 Tubewell exists for 3.5 cubic meter/day Demand.	—
26	R K. Guest House, Civil Lines	Single 9 Double 15 Demolition 1	No	No	10-05-2022	Not Available	Applied	1 Tubewell exists for 04.5 cubic meter/day Demand	—
27	Hotel Parthasar, Continental, Civil Lines	Double 24	Yes	No	10-05-2022	Not Available	NOC Granted	1 Tubewell exists for 24 cubic meter/day Demand	—
28	Hotel Mansarovar, Arya Khan Chauraha	Double 37	Yes	No	12-05-2022	Not Available	Applied	1 Tubewell exists for 05 cubic meter/day Demand	—
29	Hotel Mohi Akbari, Pashahi Dargah Road	Double 14	Yes	No	12-05-2022	Not Available	Not returned	2 Tubewell exists for 03 cubic meter/day Demand	Electric connection of tubewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission
30	Hotel Shikha	Single 5 Double 14 Demolition 1	No	No	11-05-2022	Not Available	Not obtained	1 Tubewell exists for 40 cubic meter/day Demand	Electric connection of tubewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission
31	Hotel Dinesh, Police Civil Lines	Double 26	Yes	No	09-05-2022	Not Available	NOC Granted	1 Tubewell exists for 03 cubic meter/day Demand	—
32	Hotel C.E. Manager, Sub Road	Double 8 Demolition 2	Yes	No	10-05-2022	Not Available	Applied	1 Tubewell exists for 03 cubic meter/day Demand	—
33	Hotel Raju, Ganga House	Double 4 Demolition 2	No	No	10-05-2022	Not Available	Closed	Check/Not Fused	—
34	Hotel J.M. Vastara, Delwar	Room 26	Yes	No	11-05-2022	Not Available	NOC Granted	3 Tubewell exists for 10 cubic meter/day Demand.	—

35	W H. Oliver House	Double 5 Downbury 1	No	No	12-05-2012	Not Available	Closed	Closed/Not Found	—
36	Hotel The Mount, Civil Lines	Double 40	Yes	No	10-05-2012	Not Available	NOPE Granted	1 Tubewell exists for 10 cubic meter/day Demand	—
37	Hotel Aranya, Chokki Chauraha	Double 24	Yes	No	09-05-2012	Not Available	Applied	2 Tubewell exists for 06 cubic meter/day Demand	—
38	Hotel Gateway 10	Double 12	No	No	10-05-2012	Not Available	Registration Granted	1 Tubewell exists for 3.3 cubic meter/day Demand	—
39	Hotel Shree Rajkumar	Double 11	No	No	10-05-2012	Not Available	Applied	1 Tubewell exists for 2.5 cubic meter/day Demand	—
40	Hotel Aradhana, Palkhiti Dargah Road	Double 8	No	No	15-05-2012	Not Available	Registration Granted	1 Tubewell exists for 04 cubic meter/day Demand	—
41	Hotel Mandilam Tower, Katti Camp, Bawal	Double 24	Yes	No	10-05-2012	Not Available	Applied	2 Tubewell exists for 1.5 cubic meter/day Demand	—
42	Hotel Mahaveer	Double 22	Yes	No	12-05-2012	Not Available	Not demanded	1 Tubewell exists for 02 cubic meter/day Demand	Electric connection of tubewell discontinued by consumer code #1509/2012 and direction issued for no operation without permission.
43	Hotel De Grand Civil Lines, Bawal	Double 35	Yes	—	10-05-2012	Not Available	Not obtained	2 Tubewell exists for 3 cubic meter/day Demand	Electric connection of tubewell discontinued by consumer code #1509/2012 and direction issued for no operation without permission.
44	Hotel Royal Classic Civil Lines, Bawal	Single 2 Double 24	Yes	No	10-05-2012	Not Available	Registration Granted	1 Tubewell exists for 05 cubic meter/day Demand	—
45	Hotel Mayas	Single 2 Double 22	No	—	11-05-2012	Not Available	Closed	Closed/Not Found	—
46	Hotel Kottan	Single 2 Double 2	No	No	13-05-2012	Not Available	Registration Granted	1 Tubewell exists for 01 cubic meter/day Demand	—

85/08

47	Hotel Kijeresh	Single 4 Double 2	No		11-05-2022	Not Available	Closed	Chilled	—
48	Hotel New Laxmi Mahipadi	Single 8 Double 4 Dormitory 1	Yes	No	11-05-2022	Not Available	Registration Formed	1 Tubewell exists for 03 cube meter/day Demand	—
49	Hotel Ananya	Single 8 Double 42	No	No	11-05-2022	Not Available	N.A. (Nagar Nigam Supply, No borewell)	Surface Water Supply is sufficient	—
50	Hotel Regal	Single 8 Double 9	No	No	12-05-2022	Not Available	Sealed by Nagar Nigam	Sealed by Nagar Nigam	Sealed by Nagar Nigam
51	Hotel Kalyan Palace	Double 22	Yes	No	10-05-2022	Not Available	Not obtained	1 Tubewell exists for 01 cube meter/day Demand.	Electric connection of borewell documented by consumer date 18/09/2022 and direction issued not to operate without permission.
52	Hotel Plaza Chaurahi Chaurahi	Single 7 Double 4	No	No	14-05-2022	Not Available	N.A. (Nagar Nigam Supply, No borewell)	Surface Water Supply is sufficient.	—
53	Hotel Raj	Single 7 Double 3	No	No	09-05-2022	Not Available	Registration Cancelled	1 Tubewell exists for 01 cube meter/day Demand.	—
54	Hotel Renuka Lodge	Single 2 Dormitory 1	No	No	08-05-2022	Not Available	Approved	1 Tubewell exists for 01 cube meter/day Demand.	—
55	Hotel A.R. Palace	Single 6 Double 6	No	No	09-05-2022	Not Available	Approved	1 Tubewell exists for 01.5 cube meter/day Demand.	—
56	Hotel Nagar, Bada Bazar	Single 6 Double 6 Dormitory 1	No	No	12-05-2022	Not Available	Applied	1 Tubewell exists for 05 cube meter/day Demand.	—
57	Hotel Chhabra Palace	Single 4 Double 12	No	No	11-05-2022	Not Available	Not obtained	1 Tubewell exists for 03 cube meter/day Demand.	Electric connection of borewell & sanctioned by consumer date 18/09/2022 and direction issued not to operate w. borewell permission

85/17

2

58	Shri Ganga Ganga House	Single 3 Double 10 Dormitory 1	No	No	12-05-2022	Not Available	Not Assessed	1 Tubewell exists for 01.3 cubic meter/day Demand	Electric connection of borewell disconnected by corporation date 11-09-2022 and direction issued not to operate without permission
59	Hotel Green International, Delhi	Single 3 Double 9	No	No	11-05-2022	Not Available	Sealed by District Development Authority	2 Tubewell exists for 01 cubic meter/day Demand	—
60	Hotel Dushkum, Isaroon Ki Palla	Double 16	Yes	No	11-05-2022	Not Available	Registration Cancelled	2 Tubewell exists for 01 cubic meter/day Demand	—
61	Hotel Anand, Jankpur	Single 12 Double 2	Yes	No	13-05-2022	Not Available	Applied	2 Tubewell exists for 07 cubic meter/day Demand	—
62	Hotel Varanasi Inn	Double 10	No	No	10-05-2022	Not Available	N.A. Borewell Borewell Supply - borewell unconnected	Surface Water Supply is sufficient	—
63	Hotel Occident Tower	Single 7 Double 12	No	No	14-05-2022	Not Available	Applied	1 Tubewell exists for 3.3 cubic meter/day Demand	—
64	Hotel Anand Kinn	Single 4 Double 6	No	No	08-05-2022	Not Available	Not connected	2 Tubewell exists for 03.3 cubic meter/day Demand	Electric connection of borewell disconnected by corporation date 11-09-2022 and direction issued not to operate without permission
65	Hotel Shree Bhaskar, Civil Lines	Single 6 Double 15	No	—	22-05-2022	Not Available	Closed	Closed	—
66	Hotel S.S. Tower	Double 9 Dormitory 2	No	No	13-05-2022	Not Available	N.A. Borewell Borewell Supply - No borewell	Surface Water Supply is sufficient	—
67	Hotel Vignayal, Gurgaon, Haryana	Single 2 Double 8 Dormitory 1	No	—	12-05-2022	Not Available	Closed	Closed	—
68	Hotel National Palace	Double 4 Dormitory 1	No	No	03-05-2022	Not Available	Not connected	1 Tubewell exists for 01 cubic meter/day Demand	Electric connection of borewell disconnected by corporation date 13-09-2022 and direction issued not to operate without permission

69	Rayana Guest House, Atal Goshan Road, Civil Lines	Single 3 Double 10 Dormitory 1	NA	NA	04-05-2022	NA Available	Registration Granted	1 Tubewell exists for 02.5 cubic meter/day Demand	—
70	Hotel K. Shree Krishna Condo	Single 2 Double 15	Yes	NA	10-05-2022	NA Available	Applied	1 Tubewell exists for 01 cubic meter/day Demand	—
71	Hotel Durgam, Chauraha Road, Civil Lines	Double 27	Yes	NA	11-05-2022	NA Available	Not obtained	1 Tubewell for Sewer fly, Surface water availability is sufficient	Electric connection of borewell disconnected in February 2022 and directive issued not to operate without permission
72	Hotel Mahara Palace, New Chak Collection (New Name)	Room 28	Yes	Yes	11-05-2022	NA Available	Applied	1 Tubewell exists for 09 cubic meter/day Demand	—
73	Indian Guest House	Single 1 Double 5	NA	NA	18-05-2022	Not Available	NA (Bihar Nigam Supply, No borewell)	Surface Water Supply is sufficient	—
74	Ashtanga Guest House	Single 2 Double 3 Dormitory 1	NA	NA	09-05-2022	NA Available	NA (Bihar Nigam Supply, borewell disconnected)	Surface Water Supply is sufficient	—
75	Super Indian Guest House	Single 2 Double 3 Dormitory 4	NA	NA	09-05-2022	Not Available	Applied	1 Tubewell exists for 01 cubic meter/day Demand	—
76	Dera Lodge	Single 2 Double 3	NA	NA	12-05-2022	Not Available	NA (Bihar Nigam Supply, No borewell)	Surface Water Supply is sufficient	—
77	Maharaja Guest House, Atal Goshan Road	Single 18 Double 14 Dormitory 1	NA	NA	08-05-2022	NA Available	Applied	1 Tubewell exists for 01 cubic meter/day Demand	—
78	Star Guest House, Atal Goshan Road	Single 5 Double 10	NA	NA	11-05-2022	NA Available	Closed	Closed/Not Found	—
79	Hotel Star	Single 4 Double 3 Dormitory 1	NA	NA	13-05-2022	NA Available	Closed	Closed/Not Found	—
80	Hotel J. Green House	Single 1 Double 2 Dormitory 4	NA	NA	12-05-2022	NA Available	NA (Bihar Nigam Supply, No borewell)	Surface Water Supply is sufficient	—

81	Vindra Guest House, 4, 1st Floor, Station Road, Bareilly	Double 5 Dormitory 1	No	No	30-05-2022	Not Available	Not obtained	1 Tubewell exists for 01 cubic meter/day Demand.	Electric connection of tubewell disconnected by committee date: 11/05/2022 and direction issued not to operate without permission
82	Deep Forest House	Single 1 Double 2 Dormitory 1	No	No	13-05-2022	Not Available	Closed	Closed 7/10/2022	—
83	Golden Guest House, Civil Lines	Double 4 Dormitory 4	No	No	08-05-2022	Not Available	Applied	1 tubewell exist for 4 cubic meter/day Demand	—
84	Hotel Sahil Continental Green Park, Bareilly	Double 45	Yes	Yes	02-04-2022	Not Available	Not obtained	1 Tubewell exists for 00.5 cubic meter/day Demand. Surface water supply is sufficient.	Electric connection of tubewell disconnected by committee date: 31/05/2022 and direction issued not to operate without permission
85	Hotel Sri Lanka	Single 34 Double 8	No	No	13-05-2022	Not Available	Closed	Closed	—
86	Hotel Yatra, Civil Lines	Double 18 Dormitory 1	No	No	09-05-2022	Not Available	Registration Granted	1 Tubewell exists for 01 cubic meter/day Demand.	—
87	Saathi Guest House	Single 2 Double 4 Dormitory 1	No	No	13-05-2022	Not Available	Not a Major Nigam Supply. No borewell.	Surface Water Supply is sufficient.	—
88	Hotel Rajmahal, Varanasi, Jaypee Road	Hotel Dormitory	Yes	No	13-05-2022	Not Available	Registration Granted	1 Tubewell exists for 04 cubic meter/day Demand	—
89	Hotel Everest House	Single 3 Double 4	No	No	13-05-2022	Not Available	Not a Major Nigam Supply. No borewell.	Surface Water Supply is sufficient.	—
90	Hotel Gay Grand	Double 8	No	No	03-05-2022	Not Available	Closed	Closed	—
91	Gold Star Guest House, 1st Floor, Road	Single 2 Double 3	No	No	03-05-2022	Not Available	Not a Major Nigam Supply. No borewell.	Surface Water Supply is sufficient.	—
92	Hotel Kumbhari, 1st Floor, Civil Lines	Single 2 Double 7	No	No	13-05-2022	Not Available	Closed	Closed	—

93	Hotel Auth. Travel Lines	Double 10	Yes	No	13-05-2022	Not Available	Not Major Region Supply, Not Locally	Surface Water Supply is sufficient	—
94	Hotel Reliance Station Road	Room 10	Yes	No	12-05-2022	Not Available	By A/Railways Supply, No batch still	Water Supply by Railways	—
95	Hotel Nupur, Old Bus Stand	Single 7 Double 3	No	No	11-05-2022	Not Available	Not obtained	1 Tubewell exists for D: cubic meter/day Demand	Electric connection of borewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission
96	Kajal Guest House, Old Roadways	Room 16	No	No	11-05-2022	Not Available	Not obtained	1 Tubewell exists as stand by, surface water supply is sufficient	Electric connection of borewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission
97	Hotel Comfort Inn, C B Camp	Double 20	Yes	Yes	11-05-2022	Not Available	Applied	1 Tubewell exists for D: cubic meter/day Demand	—
98	Hotel Parvati Dargah, Station Road	Double 19	No	No	08-05-2022	Not Available	Registration Granted	1 Tubewell exists for D: 5 cubic meter/day Demand	—
99	Hotel The Boardland, Station Road	Double 18	Yes	No	12-05-2022	Not Available	Applied	2 Tubewell exists for D: cubic meter/day Demand	—
100	Hotel Dharmajy Lodge, Old Bus Stand	Single 1 Double 1	No	No	09-05-2022	Not Available	Closed	Closed	—
101	Hotel Ajayia		No	No	10-05-2022	Not Available	Not obtained	1 Tubewell exists for D: cubic meter/day Demand	Electric connection of borewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission
102	Hotel Kalyanji Ram, Deem Laxmi Purani	Room 20	No	No	11-05-2022	Not Available	Not obtained	1 Tubewell exists for D: 5 cubic meter/day Demand	Electric connection of borewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission

2

85/51

103	Sol Khane House, City Soling	Single 1 Double 2 Exceeding 2	No	No	11-06-2022	Not Available	N/A Major Mergin Supply, No Recovery	Surface Water Supply is sufficient	
104	K. Sita Ganga House, Nizam Enclave Road	Single 4 Double 4	No	No	11-07-2022	Not Available	Closed	Closed	
105	Hotel Samudra Palace	Single 3 Double 4	No	No	11-08-2022	Not Available	N/A Major Mergin Supply, No Recovery	Surface Water Supply is sufficient	
106	Hotel Netham	Single 5 Double 7 Exceeding 1	No	No	11-09-2022	Not Available	Not obtained	1 Tubewell exists for 02 cubic meter/day Demand	Electric connection of borewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission
107	Ajay Green House	Single 2 Double 4	No	No	11-10-2022	Not Available	Closed	Closed	
108	Hotel Chandragupta, Civil Lines, Bareilly	Single 2 Double 3	No	No	11-11-2022	Not Available	Closed	1 Tubewell	
109	Hotel Krishna Residency, Near Rohatnagar, Deoria, Cuddalore	Double 13	No	No	11-12-2022	Not Available	Registration (Ground)	1 Tubewell exists for 04.5 cubic meter/day Demand	
110	Hotel Nityam		No	No	12-05-2022	Not Available	Closed	Closed/Not Found	
111	Hotel Aravan, Pilibhat, Gyras Road	Double 9	No	No	12-05-2022	Not Available	Registration (Ground)	1 Tubewell exists for 02 cubic meter/day Demand,	
112	Hotel Park Grand	Double 18	Yes	No	02-01-2022	Not Available	Not obtained	2 Tubewell exists for 04 cubic meter/day Demand	Electric connection of borewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission
113	Hotel Sarang, Old Bus Stand	Single 6 Exceeding 1	No	No	11-05-2022	Not Available	Not obtained	1 Tubewell exists for 01 cubic meter/day Demand	Electric connection of borewell disconnected by committee date 11/09/2022 and direction issued not to operate without permission

16/5/21

2

M

P

अमर उजाला 26 मई 2022

भूगर्भ जल दोहन से पहले पंजीकरण बेहद जरूरी

बरेली। भूगर्भ जल (अधिनियम एवं विनियमन) के तहत भूगर्भ जल निष्कर्षण के लिए शासन ने पंजीकरण एवं अनापत्ति प्रमाण पत्र अनिवार्य कर दिया है। इस संबंध में जागरूकता के लिए बुधवार को विकास भवन सभागार में सीडीओ चंद्रमोहन गर्ग की अध्यक्षता में भूजल संवर्धन, रख-रखाव



एवं भूजल की बर्बादी रोकने के लिए भूगर्भ जल प्रबंधन परिषद के सदस्यों की होटल संचालकों के साथ बैठक हुई। सभी भूजल दोहन उपभोक्ता/होटल संचालकों को तत्काल अपने-अपने बोरिंग/सबमर्सिबल का पंजीकरण कराकर अनापत्ति प्रमाण पत्र लेने को कहा गया। जिला विकास अधिकारी, प्रदूषण नियंत्रण अधिकारी ने एनजीटी से जारी आदेश की जानकारी दी। सभी होटल संचालकों को पंजीकरण कराने की हिदायत दी गई। आयुक्त उद्योग विभाग एवं भूगर्भ जल विभाग के पूर्व निदेशक राम सिंह ने रेन वाटर हार्वेस्टिंग प्रणाली की जानकारी दी। बैठक में नोडल अधिकारी भूगर्भ जल विभाग के आई गणेश सिंह ने पोर्टल पर आवेदन करने की प्रक्रिया के बारे में बताया। इस दौरान विभाग के जितेंद्र यादव, ज्ञानदीप, श्रीचंद्र दीक्षित आदि मौजूद रहे। ब्यूरो

डीएम बोले: भूगर्भ जल के दोहन करने वालों पर लगेगा जुर्माना

अभूत विचार, बरेली

गर्मी में पानी का दोहन करने वाले सावधान हो जाएं। जिलाधिकारी शिवाकांत द्विवेदी ने स्पष्ट कहा है कि यदि आप बिना बताए सबमर्सिबल सहित अन्य नलकूप से पानी का दोहन करते हैं तो जुर्माना के तौर पर खामियाजा भुगतना पड़ेगा। इसमें सजा भी हो सकती है।

सजा से बचने के लिए भूगर्भ जल की वेबसाइट पर पंजीकरण कराएं। भूगर्भ जल विभाग की ओर से वेबसाइट पर सभी जानकारियां अपलोड कर दी गई हैं। औद्योगिक क्षेत्र में स्थित कंपनियों को पांच हजार रुपये की फीस जमा कर ऑनलाइन एनओसी लेनी होगी। ऐसा न करने पर एक से दो साल की सजा और पांच से छह लाख रुपये का जुर्माना लगाया जाएगा।

नियम लागू कराने के लिए भूगर्भ जल विभाग के सहायक अभियंता को नोडल अधिकारी बनाया गया है। वहीं, घरेलू और कृषि कार्य में सबमर्सिबल का उपयोग करने

सख्त धमक

- सहायक अभियंता भूगर्भ जल विभाग की ओर से जारी किया गया नोटिस
- सबमर्सिबल का उपयोग करने वालों के लिए पंजीकरण कराना अनिवार्य

डार्क जोन में उद्योगों को एनओसी नहीं

उद्योगों को अनापति प्रमाणपत्र लेने के लिए प्रक्रिया से गुजरना पड़ेगा। ऑनलाइन पंजीकरण करने के बाद स्थानीय विभाग में उसकी जानकारी पोर्टल से दी जाएगी। इसके बाद नोडल अधिकारी वहां का निरीक्षण करेंगे। अगर उस क्षेत्र को डार्क जोन में शामिल किया गया है तो सबमर्सिबल के लिए एनओसी नहीं दी जाएगी।

वालों के लिए भी पंजीकरण कराना जरूरी किया गया है। हालांकि इन्हें एनओसी लेने के लिए पंजीकरण धनराशि नहीं देनी होगी।

19 अप्रैल 2019

बगैर एनओसी भूगर्भ खल का दोहन किया तो होगी कार्रवाई बरेली। बिना भूगर्भ खल प्रबंधन परिषद ने भूगर्भ खल के सतत प्रबंधन के लिए संरक्षण और संवर्धन की फायदा शुरू कर दी है। सोमवार को परिसर के अव्यव बिना मजिस्ट्रेट सिविल इंजिनियर ने औद्योगिक, वाणिज्यिक, अवसंरचनात्मक, अरबो प्लॉट और सामूहिक उपयोगकर्ताओं (होटल, कैन्टेन हॉल, रिसेंट, अस्पताल) और को भूखल उपयोग के लिए एनओसी लेने के निर्देश दिए हैं। उन्होंने कहा और अनुरोध प्रमाणपत्र (एनओसी) के भूखल का उपयोग करने पर उत्तर प्रदेश भूगर्भ खल अधिनियम-2019 की धारा 39 के तहत दो से पांच लाख रुपये का जुर्माना या छठ से एक साल तक की कैद लगाई दोनों दंड दिए जाएंगे। मरु

बिना एनओसी चल रहे होटल और बैंकचेट हाल

बसं बरली : जिले के अधिकतर होटल, रिसार्ट, अस्पताल व आरओ प्लांट बिना भूगर्भ जल विभाग से एनओसी के चल रहे हैं। अब विभाग ने ऐसे भवनों के खिलाफ कार्रवाई करने का चंतावना दी है।

शहर व गांव में संचालित औद्योगिक, वाणिज्यिक, होटल, रिसार्ट, बैंकचेट हाल व रिसार्ट, आरओ व अस्पतालों को भूगर्भ जल विभाग से एनओसी लेना अनिवार्य है, लेकिन तमाम संस्थान बिना एनओसी के चल रहे हैं। इसका लेकर अब विभाग सख्त हो गया है। ऐसे संस्थानों

करते हुए शीघ्र एनओसी लेने का निर्देश दिया है। एनओसी नहीं लेने पर दो से पांच लाख जुर्माना भरना या फिर छह माह से एक साल तक सजा इलान के लिए तैयार रहने को कहा है। भूगर्भ जल प्रबंधन परिषद बरली के अध्यक्ष जिला मजिस्ट्रेट के अनुसार भूगर्भ जल अधिनियम 2019 के तहत राज्य में भूमिगत जल संरक्षित करने व भूजल के संकटग्रस्त शर्माण व शहरों क्षेत्रों में भूजल के संरक्षण एवं संवर्धन पर जोर दिया गया है। इसके तहत सभी संस्थानों को अनिवार्य प्रमाण पत्र अनिवार्य किया

आमर उद्योग

खाली। बिना अनुमति भूगर्भ जल का दहन करने वाले बिजने के 90 में से अथवा इंटरलॉ को सीएम एवं भूगर्भ जल प्रबंधन परिषद के अध्यक्ष सिकंदर सिंह को और एम. के. सिंह जरी किया गया है। अर्द्धा के करीब डेढ़ महीने बाद भी एजिक्युशन न करने पर हीएम के. अर्द्धा पर चार कार्रवाई की गई है। मुख्य सिकंदर अधिकारी की अध्यक्षता में 25 मई को सिकंदर भवन में भूगर्भ जल प्रबंधन परिषद की बैठक आयोजित की गई थी। इसमें सदन के होटल एवं बरतार पर एजिक्युशन को भूगर्भ जल का एजिक्युशन करने के लिए भूगर्भ जल अधिनियम-2019 की मंडळ्यादन

डीएस के महीना भर पहले दिए आदेश के बावजूद अब तक किसी ने नहीं कराया पंजीकरण

होटल के बाद दूसरे व्यावसायिक संस्थानों पर शिक्षा कसने की तैयारी

एन.बी.टी. के प्राक्कथन के मुताबिक भूगर्भ का व्यवसायिक करने वाले सभी संस्थानों को इसका परीक्षण करना अनिवार्य है। पहले घरों में यह प्रक्रिया हॉटल और बाराद घरों के लिए अपवर्णों को रही है। इसके बाद अस्पताल, आर.ओ. एंजल रीवाइक, कारखाना स्पोर्ट अन्य प्रमुख उपयोगकर्ता भी इस दायरे में आये।

जैसे मैं करीब सी होटल परी है, जो सम्बन्धितकल या धर्मिण के मरिये भूतप अरु कउ उपकण कर रहे हैं। मरर हमरो से धर्मिणकल दस रिदानी ये ही मरके रिपु

भुर्गई जल विभाग के दस्तावेज
अभिगता गणेश नंभी ने अक्षय्या मि
फाउण्डेयर्स एसोसिएशन १० होस्टल

को नष्टिस ज्ञानी किए गए हैं। (३)
स्वयं को शिद्यस्त दी गई है कि
अगर भीष्ट पंथिकरण नहीं कराया
तो कार्यवाई के लिए ये लोग उपाय
विमोचक होंगे।

जुर्मानी के साथ सजा कर भी
प्रायश्चित्त ; बिना पंजीकरण धूर्त
अस का रोहन कर अविश्वसनीयक
इस्तेमाल करने पर जुर्मानी के साथ
ही सजा कर भी व्यवधान है ; धूर्त
अस विधान के सहायक अधिव्यव
भवेन देती ने बताया कि इसके
विषय दो से पाँच लाख रुपये तक
जुर्मानी हो सकता है। साथ ही
रिपोर्ट भी दर्ज कराई जा सकती है।
विधानों छह भाग से एक इसमें एक
कारखाना का व्यवधान है। धूर्तकोटों
के निषेधों के मुताबिक भी कारखानों
ही सकती है।

 $2\frac{1}{5}$

托

4

बिना एनओसी भूगर्भ जल का दोहन कर रहे 1,500 रू

जागरण संवाददाता, बरेली : जिले के हॉटेल, अस्पताल, रिसोर्ट व आरओ प्लांट बिना अनापत्ति प्रमाण पत्र (एनओसी) के चल रहे हैं। बिना अनुमति डेढ़ हजार से अधिक संस्थान भूगर्भ जल का दोहन कर रहे हैं। ये संस्थान हर माह विभाग को लाखों रुपये की चपत लगाकर मालामाल हो रहे हैं। अब विभाग ऐसे सभी संस्थानों को नोटिस भेज रहा है। एक अनुमान के मुताबिक जिले में डेढ़ हजार से अधिक औद्योगिक, वाणिज्यिक, होटल, रिसोर्ट, अस्पताल व आरओ प्लांट चल रहे हैं। जिनमें 30 वाणिज्यिक व औद्योगिक संस्थानों को छोड़कर सभी बिना अनापत्ति प्रमाण पत्र के चल रहे हैं।

तीन साल में महज 30 लोगों ने एनओसी: बीते तीन साल में महज 30 संस्थाओं ने एनओसी प्रमाण पत्र लिया है। भूगर्भ विभाग के सहायक अभियंता गणेश सिंह ने बताया कि

- भूगर्भ जल विभाग को लगा रहे चूना, खुद मालामाल हो रहे तमाम संस्थान
- तीन साल में महज 30 औद्योगिक व वाणिज्यिक संस्थानों ने विभाग से लिया अनापत्ति प्रमाण पत्र
- 1000 लीटर जल पर महज एक रुपय का शुल्क फिर भी बिना एनओसी लिए ही चला रहे संस्थान

- यह है कार्रवाई का प्रविधान
 - एनओसी के लिए 5 हजार रुपये
 - 1000 लीटर पर एक वर्ग की चार्ज
 - प्लोमीटर के जरि होने वाले जल का है हिसाब
- यह है कार्रवाई का प्रविधान
 - दो लाख से पांच लाख तक जुर्माना
 - छह माह से एक वर्ष तक सजा

भूगर्भ जल अधिनियम 2019 के तहत कृषि व घरेलू उपयोगकर्ताओं को छोड़कर हर प्रकार के संस्थाओं के संचालकों के लिए अनापत्ति प्रमाण पत्र लेना अनिवार्य है।

सबसे अधिक कमाई कर रहे आरओ संचालक : जिले में 130 से अधिक आरओ प्लांट संचालित हैं। इसमें अधिकतर लोग बिना अनापत्ति प्रमाण पत्र के ही प्लांट संचालन कर रहे हैं। अब भूगर्भ विभाग ने सभी को बारी बारी से नोटिस भेज रहा है।

निवेश मित्र पोर्टल पर ऐसे करें आवेदन
सभी छोटे, मध्यम व बड़े व्यवसायिक व उद्यमियों को अनापत्ति प्रमाण पत्र लेने के लिए निवेश मित्र पोर्टल पर अनलाइन आवेदन करना होगा। इसके लिए सबसे पहले निवेश मित्र पोर्टल पर पंजीकरण करें। दूसरे चरण में एनओसी के लिए भूगर्भ विभाग पर क्लिक कर मंगी गई जानकारी भरे। आवेदन सफल होने के बाद अप्लिकेशन ट्रैकिंग आइडी मिलेगी। अगले चरण में संबंधित विभाग आपके संस्थान का भौतिक निरीक्षण के बाद अनुमोदन और एनओसी देगा।

अमृत उजाला 26 मई 2022

भूगर्भ जल दोहन से पहले पंजीकरण बेहद जरूरी

बरेली। भूगर्भ जल (अधिनियम एवं विनियमन) के तहत भूगर्भ जल निष्कर्षण के लिए शासन ने पंजीकरण एवं अनापत्ति प्रमाण पत्र अनिवार्य कर दिया है। इस संबंध में जागरूकता के लिए बुधवार को विकास भवन सभागार में सीडीओ चंद्रमोहन गर्ग की अध्यक्षता में भूजल संवर्धन, रख-रखाव



एवं भूजल की बर्बादी रोकने के लिए भूगर्भ जल प्रबंधन परिषद के सदस्यों की होटल संचालकों के साथ बैठक हुई। सभी भूजल दोहन उपभोक्ता/होटल संचालकों को तत्काल अपने-अपने बोरिंग/सबमर्सिबल का पंजीकरण कराकर अनापत्ति प्रमाण पत्र लेने को कहा गया। जिला विकास अधिकारी, प्रदूषण नियंत्रण अधिकारी ने एनजीटी से जारी आदेश की जानकारी दी। सभी होटल संचालकों को पंजीकरण कराने की हिदायत दी गई। आयुक्त उद्योग विभाग एवं भूगर्भ जल विभाग के पूर्व निदेशक राम सिंह ने रेन वाटर हार्वेस्टिंग प्रणाली की जानकारी दी। बैठक में नोडल अधिकारी भूगर्भ जल विभाग के एई गणेश सिंह ने पोर्टल पर आवेदन करने की प्रक्रिया के बारे में बताया। इस दौरान विभाग के जितेंद्र यादव, ज्ञानदीप, श्रीचंद्र दीक्षित आदि मौजूद रहे। ब्यूरो

जिला भूगर्भ जल प्रबन्धन परिषद, बरेली।

नोटिस

मुख्य विकास अधिकारी, बरेली की अध्यक्षता में दिनांक 25.05.2022 को विकास भवन बरेली में बरेली शहर के होटल संचालकों एवं जिला भूगर्भ जल प्रबन्धन परिषद सदस्यों के साथ बैठक का आयोजन किया गया था, जिसमें होटल/बैकट हाल के संचालकों को भूगर्भ जल अधिनियम-2019 की माइडलाइन के अनुसार भूगर्भ जल हेतु NOC/Registration के लिए आवेदन करने के निर्देश दिये गये थे एवं उक्त कार्यवाही को तत्काल किए जाने हेतु सचेत किया गया।

तत्काल में भूगर्भ जल विभाग द्वारा Online आवेदन करने की प्रक्रिया से अवगत कराया गया था एवं आवेदन करने की प्रक्रिया हेतु Flowchart की प्रतियां भी वितरित कराई गई थी। परन्तु अभी तक आप द्वारा आवेदन नहीं किया गया है। इस नोटिस के माध्यम से सूचित किया जाता है कि भविष्य में भूगर्भ जल अधिनियम-2019 अथवा राष्ट्रीय हरित अधिकरण (N.G.T.) द्वारा दी गई कार्यवाही का उत्तरदायित्व आप स्वयं का होगा।

शिवकांत द्विवेदी

जिलाधिकारी

अध्यक्ष जिला भूगर्भ जल प्रबन्धन
परिषद, बरेली।

कार्यालय:- सीनियर हाइड्रोजियोलॉजिस्ट, भूगर्भ जल विभाग खण्ड- बरेली।

पत्रांक: 115/मू0ज0वि0ख0व0/प्रबन्धन परिषद/बरेली/दिनांक/जुलाई 04, 2022

प्रतिलिपि-निम्नलिखित को सूचनार्थ संवर्द्धन, समाचार पत्रों में जिला स्तरीय संघ प्रमुख के द्वारा प्रकाशित हेतु।


- 1- व्यक्तिगत सहायक जिलाधिकारी बरेली।
- 2- मुख्य विकास अधिकारी सदस्य सचिव जिला भूगर्भ जल प्रबन्धन परिषद, बरेली।
- 3- जिला विकास अधिकारी बरेली।
- 4- होटल रिजेन्सी डीलक्स, सिविल लाइन्स
- 5- होटल रोहिता, सिविल लाइन्स गौधी उद्यान बरेली।
- 6- होटल शान रॉयल, माल गोदाम रोड
- 7- होटल मिलन, कुतुबखाना
- 8- होटल अलका, कुतुबखाना
- 9- होटल टीरांज, कुतुबखाना
- 10- होटल धरंसा,
- 11- होटल कोहिनूर
- 12- होटल किंग्स इंस्टीट्यूट, पीलीभीत बाईपास रोड (धिसलपुर चौराह)
- 13- होटल सिटी साईड, स्टेशन रोड
- 14- होटल गंगनेट सिटी
- 15- होटल युवराज आनन्द, सिविल लाइन्स
- 16- नवीन गेस्ट हाउस, डेलापीर
- 17- होटल सहगल, किला रोड
- 18- होटल कृष्णा मिडटाउन, राजेन्द्र नगर

क्रमशः(2)...../

(2)

- 19- होटल रायकेन्द
- 20- होटल रमण टावर, सिविल लाइन्स
- 21- होटल कार्टन, माल भोदन रोड
- 22- पथिक गेस्ट हाउस
- 23- गैंगनेट सिटी गेस्ट हाउस
- 24- आर०के० गेस्ट हाउस, सिविल लाइन्स, पुराना बस अड्डा
- 25- गोल्ड स्टार गेस्ट हाउस, मालभोदाम रोड।
- 26- गंधम कान्तीनेन्टल, सिविल लाइन्स
- 27- होटल नानसरोवर, अयूब खौं चौराह
- 28- होटल मोती महल,
- 29- होटल, शिखर, पुराना बस अड्डा
- 30- होटल वरेली पैलेस, सिविल लाइन्स
- 31- होटल सी०एल० हेरिटेज, किला रोड
- 32- हरमिलाप, गेस्ट हाउस
- 33- होटल जे०एन० विस्तारा, डेलापीर
- 34- एन०एच० गेस्ट हाउस
- 35- होटल द नैनर, सिविल लाइन्स
- 36- होटल अनाया, धौकी चौराह
- 37- होटल गैलेक्सी इन
- 38- होटल राजकनल
- 39- होटल मन्मदकिणी टावर, सिविल लाइन्स
- 40- होटल रॉयल क्लासिक,
- 41- सिविल लाइन्स वरेली
- 42- होटल नयूर
- 43- होटल मोहन, कुतुब खौंना
- 44- पथिक महेश, कुतुब खौंना
- 45- होटल आर्या, कुतुब खौंना
- 46 - होटल रीमल
- 47- होटल कृष्णा पैलेस
- 48- होटल प्लाजा, चौपला चौराह
- 49- होटल राज
- 50- होटल वरेली लाज
- 51- होटल ए०आर०पैलेस
- 52- होटल नाशायण, बड़ा बजार
- 53- होटल चडका पैलेस, पुराना बस अड्डा
- 54- नगवती गेस्ट हाउस, पुराना बस अड्डा
- 55- होटल गीत इन्टरनेशनल, डेलापीर
- 56- होटल देवभूमि, इसाईयां की पुलिया
- 57- होटल अयव, जनकपुर
- 58- होटल वसुन्धरा इन
- 59- होटल ओकेंजन टावर
- 60- होटल आशा किरन

क्रमशः(3)..... /



25/58




- 61- होटल श्री भारतम्, सिविल लाइन्स
- 62- होटल एशोरम टावर, मालगोदाम
- 63- सिडि विनायक गेस्ट हाउस, बड़ा बाजार गुरुद्वारा
- 64- होटल चैतन्य पीलेस, मालगोदाम
- 65- गेशनल गेस्ट हाउस, मालगोदाम
- 66- भगवान गेस्ट हाउस, मालगोदाम रोड सिविल लाइन्स
- 67- होटल के भरेली, सिविल लाइन्स
- 68- होटल डिप्लोमेट, चौपला रोड सिविल लाइन्स
- 69- होटल मान्य पीलेस, वाईपास रामपुर रोड (सी0वी0 गंज)
- 70- इण्डियन गेस्ट हाउस
- 71- आशियाना गेस्ट हाउस
- 72- गैलेरी लाज डारगेरी, सिविल लाइन्स
- 73- सुपर इण्डियन गेस्ट हाउस
- 74- पैदा लाज, रेल स्टेशन के पास
- 75- गन्त गेस्ट हाउस, मालगोदाम रोड
- 76- स्टार गेस्ट हाउस, हाउस, मालगोदाम रोड
- 77- होटल स्टार
- 78- दया जी गेस्ट हाउस
- 79- चिन्ता गेस्ट हाउस, सिविल लाइन्स, स्टेशन रोड बरेली
- 80- दीप गेस्ट हाउस
- 81- गोल्डन गेस्ट हाउस, सिविल लाइन्स
- 82- होटल चोप्ली कान्टीनेन्टल, ग्रीन पार्क बरेली
- 83- होटल श्री इन
- 84- होटल वात्रिक, सिविल लाइन्स
- 85- स्टाइल गेस्ट हाउस, मालगोदाम रोड
- 86- होटल राजमहल, पीलीभीत वाईपास रोड पातपोट ऑफिस के पास
- 87- मंजिल गेस्ट हाउस
- 88- होटल ग्रान्ड सिटी
- 89- होटल पैराडिसाइज इन, सिविल लाइन्स
- 90- होटल अतिथि, सिविल लाइन्स
- 91- होटल रेडियन्स, स्टेशन रोड
- 92- होटल नृपुष, पुराना बस स्टैंड
- 93- राजपुत्र, गेस्ट हाउस, ओल्ड रॉडवेज
- 94- होटल घड़वा, पुराना बस स्टैंड
- 95- होटल कन्यकट इन, सी0वी0 गंज
- 96- होटल फेमिली च्याइस, स्टेशन रोड
- 97- होटल द जसग्रान्ड, स्टैडियम रोड

क्रमशः(4).....




26/58



(4)

- 98- હોટલ ધનરાજ હાજી
 99- હોટલ અજિતા, પુરાના વસ સ્ટેડ
 100- હોટલ ગંગામ દેગ, વીંગ વચાલપૂરમ
 101- સાઈ ગેસ્ટ હાજરા
 102- ફેડેસ્ટાર બેસ્ટ હાજરા, માલ ગોલામ રોડ
 103- હોટલ સોમનાથ પૈલેસ
 104- હોટલ નીલમ
 105- અજીજા બેસ્ટ હાજરા
 106- હોટલ ચન્દ્રગુપ્તા, સિધિલ લાફન્સ વરેલી
 107- હોટલ કૃષ્ણ રંજિટેન્સી, નિયર રોટેલરુપ્ડ મેડિકલ કમ્પ્લેક્સ
 108- હોટલ વસુન્ધરા ફન, સિધિલ લાફન્સ વરેલી
 109- હોટલ રાન્ના, અમૂલનાં ચૌરાહ હો
 110- હોટલ આયાન, પીલીમીત ઘાઈપાસ રોડ
 111- હોટલ પાર્ક ગ્રેન્ડ
 112- હોટલ શિવાંગી, પુરાના વસ સ્ટેડ



સહાયક અધિકારી
 મુગર્મ જલ વિભાગ સુબ્-વરેલી
 મોડલ અધિકારી
 જિલ્લા મુગર્મ જલ પ્રબન્ધન ઓફિસ વરેલી।

27/58




कार्यालय जिलाधिकारी, बरेली

पंवाक S27/NO.1170-RAJH:-438/2-18/2022

दिनांक 07/9/22

सेवा में,

1. जिला विकास अधिकारी, बरेली (नामित अधिकारी जिला प्रशासन)
2. श्री नयुकर सिंह, वैज्ञानिक-बी, केन्द्रीय भूमि जल बोर्ड, लखनऊ।
3. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, बरेली।
4. श्री गणेश सिंह सीनियर हाईड्रोलॉजिस्ट, भूगर्भ जल विभाग, बरेली (नामित अधिकारी जिला प्रशासन)

विषय:-भा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० नं० 438/2018 में पारित आदेशों के अनुपालन के सम्बन्ध में।

उपरोक्त विषयक सन्दर्भ ग्रहण करने का कष्ट करे, जिसमें भा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० नं० 438/2018 आरसी बनाम सेंट्रल ग्राउण्ड वाटर अथॉरिटी एवं अन्य में अद्यतन दिनांक 25.08.2022 को निम्न आदेश पारित किये गये हैं जिसके मुख्य अंश निम्नवत् हैं:-

" ... 8 Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9 Since UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter. List for further consideration on 28-09-2022..."

तथा विषय में उक्त वाद के अन्तर्गत दिनांक 26.02.2022 में पारित आदेश के मुख्य अंश निम्नवत् हैं-

" ... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage / banquet halls / resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month"

-2-

जिसका अनुपालन सुनिश्चित कराये जाने हेतु केन्द्रीय भूमि जल बोर्ड लखनऊ का पत्र संख्या 4(237-एनजीटी)/कै0भू0ज0बो0/उ0खे./एस एण्ड आई/2022/780 दिनांक 02 सितम्बर, 2022 से नगर निगम बरेली क्षेत्र में स्थित मैरिज हॉल, रिसोर्ट्स, गेस्ट हाउस आदि में भूजल निकासी हेतु अनापत्ति प्रमाण पत्र प्राप्ति के सम्बन्ध में पूर्ण तथ्यात्मक रिपोर्ट/कार्यवाही के साथ केन्द्रीय भूमि जल बोर्ड को प्रेषित किये जाने के निर्देश दिये गये हैं। मा0 राष्ट्रीय हरित अधिकरण द्वारा दिनांक 25.02.2022 को पारित आदेश का अनुपालन बरेली शहर में कराये जाने हेतु संयुक्त समिति द्वारा विगत गें 08 से 13 मई, 2022 में संयुक्त कमेटी द्वारा नगर निगम बरेली की सीमा में स्थित मैरिज हॉल, रिसोर्ट्स, गेस्ट हाउस आदि में स्थापित भू जल निष्कर्षण हेतु स्थापित बोरवेल का निरीक्षण किया गया है तथा मैरिज हॉल, रिसोर्ट्स, गेस्ट हाउस आदि के स्वामियों को भू गर्भ जल विभाग से अनापत्ति प्रमाण पत्र प्राप्त किये जाने हेतु विभिन्न दैनिक समाचार पत्रों में समाचार प्रकाशित कराते हुये अधोहस्ताक्षरी के द्वारा सम्बन्धित संस्थानों को नोटिस भी प्रेषित किये गये है एवं आपसे यह अपेक्षा की गयी थी कि निरीक्षण/सर्वेक्षण आख्या मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा दिनांक 25.02.2022 में पारित निर्देशों के अनुसार सक्षम मा0 न्यायालय में जमा कर दी जायेगी, परन्तु आप द्वारा निर्धारित समयवधि में उक्त कार्य न किया जाना मा0 एन0जी0टी0 द्वारा पारित आदेशों की अवहेलना दर्शाता है।

आपको निर्देशित किया जाता है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश एवं क्षेत्रीय निदेशक जल शक्ति मंत्रालय, केन्द्रीय भूमि जल बोर्ड उत्तरी क्षेत्र, भूजल भवन, सैक्टर बी, सीतापुर रोड योजना अलीगंज लखनऊ के पत्र दिनांक 02 सितम्बर, 2022 में दिये गये निर्देशों के अनुसार नगर निगम बरेली सीमा में स्थित मैरिज हॉल/ रिसोर्ट्स/ गेस्ट हाउस आदि के निरीक्षण के आधार पर बिना भू जल निकासी वाले होटलों के विरुद्ध यथावश्यक कार्यवाही को पूर्ण करते हुये होटल आदि के विरुद्ध उपचारात्मक कार्यवाही सुनिश्चित करे तथा सिटी मजिस्ट्रेट से अपेक्षित सहयोग प्राप्त करते हुये दिनांक 12.09.2022 से पूर्व अधोहस्ताक्षरी को सूचित करते हुये तथ्यात्मक हस्ताक्षरित रिपोर्ट दिनांक 12.09.2022 तक केन्द्रीय भू जल प्राधिकरण नई दिल्ली को प्रेषित किया जाना सुनिश्चित करे। उक्त कार्य में किसी भी प्रकार की शिथिलता अनुमन्य नहीं है, अन्यथा की स्थिति आपके विरुद्ध की गयी नियमानुसार कृत कार्यवाही हेतु आप स्वयं उत्तरदायी होंगे।


जिलाधिकारी -
बरेली।

प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु निर्देशित-

1. क्षेत्रीय निदेशक जल शक्ति मंत्रालय, केन्द्रीय भूमि जल बोर्ड उत्तरी क्षेत्र, भूजल भवन, सैक्टर बी, सीतापुर रोड योजना अलीगंज लखनऊ
2. सिटी मजिस्ट्रेट, बरेली।

जिलाधिकारी
बरेली।

29/50

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~10/2022/भूगर्भ जल प्रबंधन परिषद, बरेली~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 6.10.22

गा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one months". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ड्स/ मोटल्स/बैक्वेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ड्स/ मोटल्स/बैक्वेटहाल्स से जिसा भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11-09-22 के निरीक्षण में पाया गया कि पैसर्स ~~होटल/रेस्टोरेन्ड्स/ मोटल्स/बैक्वेटहाल्स (228) बरेली~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं गा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~डा. ल. व. हर्षा~~ की बोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक शनेशन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~डा. ल. व. हर्षा~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(निधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार सू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~15/2022~~ 15/2022 द्वारा न प्राप्त किये जाने के इच्छित की गयी कार्यवाही की आख्या 5.10.22

भारत राष्ट्रीय हरित अधिकरण द्वारा ओएन नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gula Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ड्स/ मोटल्स/बैक्वेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ड्स/ मोटल्स/बैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11.05.22 के निरीक्षण में पाया गया कि मैसर्स रेस्टोरेन्ड्स एंड होटल्स, बरेली द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओएन नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित रेस्टोरेन्ड्स एंड होटल्स की बोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि श्री. विनय कुमार को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र० परि०
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ० प्र० नि० बोर्ड
बरेली।

11/05/22

11.05.22

11/05/22

12

5-10-29

हैदराबाद को भी महल - मस्जिदों की विसर्प - बोटिंग, कोठी

(गणेश सिंह)

सीनियर हाइड्रोलाजिस्ट
जिला भूगर्भ जल प्र०पवि०
वरैली।

(मधुकर सिंह)

वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)

क्षेत्रीय अधिकारी
उपप्रबंधन बोर्ड
बरेली।

Stehzeit

11-09, 22

Larger with padd 11141

2418

32/58



11/11/22

11/9/22 700725708

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~2019/2022~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5.10.20

महो राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में प्ररित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्स/ मोटल्स/बैकचेटहाल्स का निरीक्षण विगत में दिनांक 09.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्स/ मोटल्स/बैकचेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11.09.22 के निरीक्षण में पाया गया कि मैसर्स ~~श्री. राजेश कुमार शर्मा~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं महो राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में प्ररित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~श्री. राजेश कुमार शर्मा~~ की धोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री. राजेश कुमार शर्मा~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरवेल का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

11.09.22

11/9/22

11/9/22

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~होटल श्री महावीर नरकपुरी, बरेली~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या S.No-42

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one months". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/वैक्वेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/वैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11/9/22 के निरीक्षण में पाया गया कि मेसर्स ~~होटल श्री महावीर नरकपुरी, बरेली~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~01 नं० एच०बी०-बी-बोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि श्री राजेश गोमर, सेक्टर को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।~~

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

Shekhar
11.09.22

(भधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहिता सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

11/9/22

11/9/22
257797246

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~5-40-43~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5-40-43

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gutan Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one months". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में त्चालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु शिथिल प्रयास किये गये। आज दिनांक 11-05-22 के निरीक्षण में पाया गया कि गैशर्स ~~होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~एक/दो~~ बोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री. सुनील कुमार~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(शशिब सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

Received
11/05/22
7500660002

प्र० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० ४३८/२०१८ "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक २५.०२.२०२२ "४७....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्चेटहाल्स का निरीक्षण दिनांक ०८.०५.२०२२ से १३.०५.२०२२ तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्चेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक १५.०५.२०२२ के निरीक्षण में पाया गया कि मैसर्स..... द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त ही किया गया है।

अतः भूगर्भ जल अधिनियम, 2018 के प्रावधानों एवं मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 न0 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित 01.12.2019 एच0पी0 की बोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि श्री. द. व. शर्मा को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलाजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(मधुकर सिंह) +
 वैज्ञानिक-बी
 केन्द्रीय मूजल बोर्ड
 लेखनक।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

बरेली। 11/11/2020 11/11/2020
11/11/2020

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~11/9/22~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या ^{पृ०} 57

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Guttam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one months". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्डस/ मोटल्स/वैक्युटेहाल्स का निरीक्षण विगत में दिनांक 06.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्डस/ मोटल्स/वैक्युटेहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक ~~11/9/22~~ के निरीक्षण में पाया गया कि गैससं ~~होटल नगर वैक्युटेहाल्स बरेली~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~01.10.1964~~ की बोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक बन्देयशन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री अरुण सिंह~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
ड०प्र०ए०न०बोर्ड
बरेली।

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~5A/2022~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या S.P.O - 5B

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gulaun Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्चेटहाल्स का निरीक्षण विगत में दिनांक 09.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्चेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11/9/22 के निरीक्षण में पाया गया कि मैसर्स ~~पारावती होटल-राउड-लखनऊ, बरेली~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~श्री 25/05/2022~~ एच०बी० की बोरिंग का संचालन रोकें जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री 25/05/2022~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०दोई
बरेली।

11/09/22

11/09/22

39/50

राजिब खाँ

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० होटल डिपोमेंट रेसिडेन्सी, चौक गोर लोदी द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5.10.21

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11/9/22 के निरीक्षण में पाया गया कि गैसर्स होटल डिपोमेंट रेसिडेन्सी, चौक गोर लोदी द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित चौक गोर लोदी की बोरिंग का संचालन रोकें जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि श्री. अ. अ. अ. अ. को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

11.09.22

(मधुकर सिंह)
पैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प्र० ग० नि० बोर्ड
बरेली।

11/9/22

9897702028

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~डी.एन. 165/57 दिनांक 15.05.22~~ द्वारा न प्राप्त किये जाने के दृष्टिकोण की गयी कार्यवाही की आख्या **S.N-81**

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्चेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्चेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11.09.22 के निरीक्षण में पाया गया कि मैसर्स ~~डी.एन. 165/57 दिनांक 15.05.22~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

उक्त भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~01/70 स्वचालित बोरेलिंग~~ का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री. रोहन, 15.05.22~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरेलिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

श्री. रोहन सिंह
महानि. प्र०परि०

11/9/22

885996658

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 3.4.20-84

गौ राष्‍ट्रीय हरित अधिकरण द्वारा ओएन नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one months". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स का निरीक्षण विगत 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11/9/22 के निरीक्षण में पाया गया कि मैसर्स भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं गौ राष्‍ट्रीय हरित अधिकरण द्वारा ओएन नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली की बोर्डिंग का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोर्डिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र० परि०
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प०प्र० नि० बोर्ड
बरेली।

Recd:
11/09/22
8171413838

Shchank
11.09.22

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~डी.एल. 54/22~~ ~~निकार हेतु कोर्ट अवेर~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5.4.22-95

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ड्स/ मोटल्स/बैक्चेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ड्स/ मोटल्स/बैक्चेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11.09.22 के निरीक्षण में पाया गया कि गैरर्स ~~होटल/रेस्टोरेन्ड्स/मोटल्स/बैक्चेटहाल्स~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~एच०बी० की बोरिंग~~ का संचालन रोकें जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री अरवि सिंह~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(मधुकर सिंह)
तैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(संजिव सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

11.09.22

11-9-22
11-9-22

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~25.02.2022~~ ~~25.02.2022~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5.10.22

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gulaam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one months". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्डस/ मोटल्स/बैक्वेटहाल्स का निरीक्षण दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जगद बरेली में संचालित होटल/रेस्टोरेन्डस/ मोटल्स/बैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11.09.22 के निरीक्षण में पाया गया कि मैसर्स ~~25.02.2022~~ ~~25.02.2022~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~0.1.18~~ ~~0.1.18~~ का संचालन रोकें जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~25.02.2022~~ ~~25.02.2022~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरेल का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(मधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोविता सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

(संयुक्त)
11/9/22

11.09.22

11/9/22

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~रेटल सन्ता 58-11/2022~~ प्राप्त किये जाने के दृष्टिकोण की गयी कार्यवाही की आज्ञा 5.10-10।

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gulaam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्स/ मोटल्स/बैंधवेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्स/ मोटल्स/बैंधवेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रवास किये गये। आज दिनांक 11/09/22 के निरीक्षण में पाया गया कि मैसर्स ~~रेटल सन्ता 58-11/2022~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~रेटल सन्ता 58-11/2022~~ की बोरिंग का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~के. एल. सिंह~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल परिषद
बरेली।

Signature
11.09.22

(मधुकर सिंह)
पैज्ञानिक-वी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
ज०प्र०प्र०नि०बोर्ड
बरेली।

Signature
11/09/22

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~333/2022~~ 333/2022 बरेली द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5.10.102

या0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gurgaon, Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one months". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैकघेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैकघेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11/9/22 के निरीक्षण में पाया गया कि मेसर्स मेसर्स इन्डियन प्रोडक्ट्स, बरेली द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं या0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित मेसर्स इन्डियन प्रोडक्ट्स, बरेली की बोरिंग का संचालन रोकें जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि श्री. राजेश कुमार को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर साइड्रेलाजिस्ट
जिला भूगर्भ जल प्र0परि0
बरेली।

(गंधुकर सिंह)
पैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ0प्र0प्र0नि0बोर्ड
बरेली।

प्राप्त नि211

11/9/22
7500205555

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार सू-गर्म जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० होटल/रेस्टोरेन्स, मोटल्स, बैक्चेटहाल्स, बरेली द्वारा न प्राप्त किये जाने के नदृष्टिगत की गयी कार्यवाही की आख्या 5-40-106

गठ राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible-Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gitan Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्स/ मोटल्स/बैक्चेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्स/ मोटल्स/बैक्चेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक, 11/09/22 के निरीक्षण में पाया गया कि मैसर्स होटल/रेस्टोरेन्स, मोटल्स, बैक्चेटहाल्स, बरेली द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं गठ राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित होटल/रेस्टोरेन्स, मोटल्स, बैक्चेटहाल्स, बरेली का संचालन रोकें जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि श्री. कि. लाल सिंह को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरवेल का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

S/Ch. Dept
11.09.22

(मधुकर सिंह)
वैज्ञानिक-सी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
क्षेत्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

11/09/22
9897375511

भूगर्भ जल अधिनियम, 2018 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~5/14-112~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5/14-112

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....."Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स का निरीक्षण दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेन्ट्स/ मोटल्स/बैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11/9/22 के निरीक्षण में पाया गया कि मैसर्स ~~होटल पार्क अपार्ट प्रीमिअर नॉर्द जात मेरु, बरेली~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2018 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~02-50-एच०पी०~~ की बोरिंग का संचालन सेके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट कराया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री अरुण कुमार~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरिंग का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०यशि
बरेली।

Shekhar
11.09.22

(मधुकर सिंह)
पैमानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।

(रोहित सिंह)
केन्द्रीय अधिकारी
उ०प्र०प्र०नि०बोर्ड
बरेली।

11/9/22
705578182
11/9/22

भूगर्भ जल अधिनियम, 2019 के प्रावधानों के अनुसार भू-गर्भ जल निकासी हेतु जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण नं० ~~होटल बिचांगी निम्न रेस्टोरेंट्स बरेली~~ द्वारा न प्राप्त किये जाने के दृष्टिगत की गयी कार्यवाही की आख्या 5-NB-113

मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 "47....." "Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out Hotels, Marriage/banquet Halls, Guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Ghatam Buddha Nagar, Bareilly, Varansi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month". के अनुपालन में संयुक्त समिति द्वारा बरेली में स्थापित होटल/रेस्टोरेंट्स/ मोटल्स/बैक्वेटहाल्स का निरीक्षण विगत में दिनांक 08.05.2022 से 13.05.2022 तक किया गया तथा जनपद बरेली में संचालित होटल/रेस्टोरेंट्स/ मोटल्स/बैक्वेटहाल्स से जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये जाने हेतु विभिन्न प्रयास किये गये। आज दिनांक 11.09.22 के निरीक्षण में पाया गया कि नैसर्स ~~होटल बिचांगी निम्न रेस्टोरेंट्स बरेली~~ द्वारा भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त नहीं किया गया है।

अतः भूगर्भ जल अधिनियम, 2019 के प्रावधानों एवं मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० नं० 438/2018 "आरती सिंह बनाम केन्द्रीय भूजल प्राधिकरण व अन्य" में पारित आदेश दिनांक 25.02.2022 का अनुपालन सुनिश्चित किये जाने हेतु प्रतिष्ठान में स्थापित ~~होटल बिचांगी निम्न रेस्टोरेंट्स बरेली~~ का संचालन रोके जाने हेतु इलेक्ट्रिक कनेक्शन डिस्कनेक्ट करवाया गया तथा उक्त प्रतिष्ठान के प्रतिनिधि ~~श्री. देवेंद्र सिंह भादवा~~ को निर्देशित किया गया कि भूगर्भ जल की निकासी हेतु भूगर्भ जल विभाग/बरेली, जिला भूगर्भ जल प्रबंधन परिषद, बरेली से अनुमति/पंजीकरण प्राप्त किये बिना प्रतिष्ठान में स्थापित उक्त बोरेल का संचालन कदापि न किया जाये।

(गणेश सिंह)
सीनियर हाइड्रोलॉजिस्ट
जिला भूगर्भ जल प्र०परि०
बरेली।

(गंधुकर सिंह)
वैज्ञानिक-बी
केन्द्रीय भूजल बोर्ड
लखनऊ।


(रोहिता सिंह)
क्षेत्रीय अधिकारी
ओ०प्र०प्र०नि०बोर्ड
बरेली।

Silghat
11.09.22

तारीख
11.09.22
BR



Annexure-8

Photographs of Joint committee inspection Dated 08.05.2022 to 13.05.2022




51/58







Photographs of meeting Dated 25-05-2022




Photographs of action taken by Joint committee on Dated 11.09.2022






56/58



57/58



Inspection Report in compliance to order dated 25.02.2022 passed by Hon'ble National Green Tribunal in OA No. 438/2018 Arti Verses CGWA&Ors.

In reference to the above, Hon'ble National Green Tribunal in O.A. no. 438/2018 Arti Versus CGWA &Ors passed order on 25.02.2022, para 47 mentioned as below:-

"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month...."

A Committee has been constituted by Regional Director, Central Ground Water Board, Northern Region, Lucknow vide letter no 4 (237) NGT/CGWB/NR/S&I/2022/255 dated 23 March 2022 for compliance of Hon'ble National Green Tribunal order.

The joint team comprising of member from Central Ground Water Board, Lucknow, District Magistrate Office, Meerut, Ground Water Department, Meerut and Uttar Pradesh Pollution Control Board, Meerut for inspection of hotels.

The following nominated joint team members visited to carry out for inspection of **132 numbers of hotels, marriage halls, resorts and banquets** in Meerut from **06.05.2022 to 14.05.2022**.

1. Shri Diwakar Singh, Additional District Magistrate (City), Meerut
2. Shri Vikash Kumar, Assistant Hydrogeologist, Central Ground Water Board, Lucknow.
3. Shri Prakhar Kumar, Assistant Environmental Engineer, Uttar Pradesh Pollution Control Board, Meerut.
4. Shri Ashish Kumar Gupta, Assistant Geophysicist, Ground Water Department, Meerut.

With reference to **letter no. 06/भूज0वि0जि0ख0मेरठ/अधि019** dated 12-04-2022, a notice was circulated by Ground Water Department, Meerut with respect to online registration for NOC within 15 days.

Total **132** hotels/marriage/banquet halls/ guest houses were inspected in Meerut. The complete information about the status of compliance of NOC are given as below-

Ashish
01/08/22

Vikash Kumar
30/07/22

[Signature]

Sl. No.	Name of Hotels/Banquet/Marriage Hall/ Resort/Guest House	Date of Inspection	Status of NOC taken by CGWA	Appx. groundwater withdrawal (in litres per day)	Number of existing tubewells	Observation of the committee members during the inspection	Requirement of NOC (YES / NO)
1	Hotel Kaushik Residency, 5/5, new Krishna Plaza, JagritiVihar, Sector-5, Meerut	11-05-2022	NO	500 - 600	1	The Representative of hotel informed that there is no NOC and one tube well found for water supply of hotel. Tube well visit was denied by the staff and the representative denied signing the site inspection proforma.	YES
2	Hotel Signature, Delhi-Baghat Road, near T.P Nagar, Meerut-250002	10-05-2022	NO	not provided	1	The representative of the hotel denied for providing the information.	YES
3	Ashirwad Guest House, NH-58, Meerut- Muzaffarnagar Bypass Road, Nagar Panchayat Daurala, Meerut	13-05-2022	NO	700 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2.5HP is installed for water supply to the hotel.	YES
4	Hotel Lal Quila Airport Resort, NH-58, Modipuram Bypass, near Ansal Courtyard, Meerut	13-05-2022	NO	700 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES
5	Modi Guest House, NH-58, Modipuram-Roorkie Road, Meerut.	13-05-2022	NO	700 - 1000	1	The Representative of hotel informed that there is no NOC and one tube well found for water supply of hotel. Tube well visit was denied by the staff and the representative denied signing the site inspection proforma.	YES
6	Sukhdev Vatika hotel, GT Road, Daurala, Meerut	13-05-2022	NO	700 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2.5HP is installed for water supply to the hotel.	YES
7	Hotel Island, Melange Mall, 1st Floor, Pallavpuram, Phase-2, Nh-58, Roorkie Road, Meerut	13-05-2022	nil	500 - 700	nil	The representative of the hotel informed that the water supply is provided by the Melange Mall and no tubewell is installed. The water bill was not provided.	NO

Ashish
01/08/22

Vikas Kumar
30/07/22

2
[Signature]

8	Hotel H.N.J., NH-58, Sakoti Tanda, Roorkee Road, Meerut	13-05-2022	NO	1500 - 2000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	YES
9	Hotel Grand A Star, Shri Ram Plaza, Roorkee Road, Modipuram Bypass, Meerut.	13-05-2022	NO	2000 - 4000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES
10	Hotel Royal Palce, Begum Bridge, kutchhary Road, Meerut	13-05-2022	NO	1500 - 2000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	YES
11	Hotel Silver Pearl, 387/1A Orion, Prabhat Nagar, Saket University Main Road, Near LIC, Meerut.	12-05-2022	NO	not provided	Not provided	The representative of the hotel denied for providing the information.	YES
12	Hotel Swarna, Abu Lane, Meerut	10-05-2022	nil	500	nil	The representative of the hotel informed that the supply of water is provided by Cantonment Water Board and there is no tubewell. The water bill was not provided.	NO
13	Hotel Ranjeet, 19, Soti Ganj, Gurudwara Road, Meerut City, Meerut	13-05-2022	NO	1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	YES
14	Hotel M.J., 195, Police Street, Sadar Thana Road, Near Bhansali Roadways, Bus Stand, Meerut	13-05-2022	NO	800 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	YES
15	Hotel Singh, opposite to Cantonment Hospital, Delhi Road, Meerut	13-05-2022	NO	500 - 750	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	YES
16	Hotel Neeraj, Bulakidas Building, Begum Bridge, Meerut	13-05-2022	nil	nil	nil	The representative of the hotel informed that the supply of water is provided by Jal Nigam and there is no tubewell. Water bill was not provided	NO
17	Hotel Karnail Chawla Deluxe, Near Jawahar Eye Hospital, Sadar Police Station, Delhi road, Meerut.	13-05-2022	NO	1500 -2000	1	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and one tubewell of 1.5 HP is installed for water supply to the hotel for which no NOC is taken.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

[Signature]

18	Hotel Everest Guest House, 192, Durga Bhawan, Delhi Road, Meerut	13-05-2022	nil	nil	nil	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and no tubewell is installed for water supply to the hotel. Water bill was not provided.	NO
19	Hotel Ganga, 2nd Floor, Ganga Plaza, Begum Bridge Road, Meerut	13-05-2022	NO	500 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	YES
20	Hotel Olivia, 183D, Civil Lines, Meerut	13-05-2022	NO	2500	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
21	Hotel Sher-e-Punjab, opp. of Bhainsali Bus Stand, Cantonment, Delhi Road, Meerut	13-05-2022	NO	800 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
22	Hotel Labh Mahal, opp. of Bhainsali Bus Stand, Delhi Road, Meerut	13-05-2022	NO	1500	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
23	Hotel Ajanta Metroplotin, 195, Bhainsali Bus Stand, Delhi road, Meerut	13-05-2022	NO	500 - 750	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
24	Himalaya Guest House, opp. of Bhainsali Bus Stand, Delhi road, Meerut	13-05-2022	NO	200	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
25	Hotel Prominent, near Delhi-Bhainsali Bus Stand, Delhi Road, Meerut	13-05-2022	NO	600 - 800	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel. He denied from signing the hotel inspection proforma.	YES
26	Hotel Goldy, 671, Opp of Jagat Cinema, Begum Bridge, Meerut	13-05-2022	NO	900 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
27	Hotel Libra, Delhi Road, Begum Bridge, Meerut	13-05-2022	NO	1000 - 1500	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

4
[Signature]

28	Hotel Awesome, Mathura Palace, Begum Bridge, Meerut	13-05-2022	NO	2000 - 1500	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
29	Hotel Swami, opp of Bhainsali Bus Stand, Delhi road, Meerut	13-05-2022	NO	nil	nil	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and tubewell is not installed for water supply to the hotel. Water bill was not provided.	NO
30	Hotel Vichal, Gurudwara Road, Thapar Nagar, Meerut	13-05-2022	NO	500 - 600	1	The representative of the hotel informed that water supply is provided by the Jal Nigam and one tubewell is installed for water supply to the hotel.	YES
31	Hotel Grant Deluxe, 331/A, Panchsheela Colony, near Sohrab bus stand, Meerut	11-05-2022	NO	1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
32	Sangam Tourist Lodge, Shri Balaji Complex, opp. Sohrab Bus stand, Garh road, Meerut	11-05-2022	NO	500	1	The representative of the hotel informed that water supply is provided by the Jal Nigam and one tubewell is installed for water supply to the hotel.	YES
33	Hotel Diamond, Punchsheel Colony, Street no-1, near Sohrab Bus stand, Garhroad, Meerut-250001	11-05-2022	NO	500	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
34	Hotel Samrat Heavens, Samrat palace, Garh road, Meerut	09-05-2022	NO	1000 - 1500	2	The representative of the hotel informed that there is no NOC and two tubewells are installed for water supply to the hotel.	YES
35	Godwin Hotels, NH-58, Baghpat Bypass Crossing, Meerut-250002	12-05-2022	NO	60000 - 70000	1	The representative of the hotel informed that there is no NOC and one tubewell of 10.5 HP is installed for water supply to the hotel.	YES
36	Hotel Rajhans Regency, opp. of Amrapali, Near Sohrab Gate Bus Stand, Garh Road, Meerut	09-05-2022	NO	1500	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

5
[Signature]

37	Hotel Empress Court, 274/5, Circular road, near Hanuman Chowk, Meerut Cantt, Meerut	09-05-2022	NO	1500	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES
38	Bravura Gold Resort, Delhi- Roorkee Highway, Bypass road, Partapur, Meerut-250103	10-05-2022	NO	30000-40000	2	The representative of the hotel informed that there is no NOC and two tubewells of 3 HP each are installed for water supply to the hotel.	YES
39	Hotel Jhankar, near Taru Kunj, HDFC Bank, Garh road, Meerut	11-05-2022	NO	1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
40	Hotel All Is Well, B-1, Tejgarhi crossing, Shastri Nagar, Meerut	11-05-2022	NO	500 - 1000	1	The representative of the hotel informed that water supply is provided by the Jal Nigam and one tubewell of 2 HP is also installed for water supply to the hotel.	YES
41	Hotel Subhadra Residency, Delhi-Meerut road, Meerut	10-05-2022	NO	1200	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel. The hotel has one banquet hall also.	YES
42	Hotel MukutMahal , opp. of Amar Ujala, Delhi road, Meerut	07-05-2022	NO	3000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel. The hotel has one banquet hall also.	YES
43	Hotel Big Byte (Devrath), Partapur Bypass road, Meerut	10-05-2022	NO	3000 - 4000	1	The representative of the hotel informed that there is no NOC and one tubewell of 5 HP is installed for water supply to the hotel. The hotel has one banquet hall also.	YES
44	Alankrita Suites, C1-C2, Prem Prayag Colony, Garh road, Meerut	11-05-2022	NO	1000 - 1200	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
45	Hotel Crystal Palace, 47/G- 2, Boundary road, Meerut	09-05-2022	NO	9000	2	The representative of the hotel informed that there is no NOC and two tubewell of 2 HP each are installed for water supply to the hotel.	YES

Ashish
01/08/22

Vikas Kumar
30/07/22

6
[Signature]

46	Hotel Virgo, opp. Nayar Palace, Boundary road, Meerut	09-05-2022	nil	nil	nil	The representative of the hotel informed that water supply is provided by the Jal Nigam MRT. No extra tubewell is installed in the hotel. Water Bill of current year 2021-22 was provided.	NO
47	Hotel Naveen Deluxe, Abu Lane, Meerut	09-05-2022	nil	nil	nil	The representative of the hotel informed that water supply is provided by the Jal Nigam MRT. No extra tubewell is installed in the hotel. Water Bill of current year 2021-22 was not provided.	NO
48	Hotel Broadway Inn, 1/9, Mangal Pandey Nagar, Meerut	06-05-2022	NO	8000	2	The representative of the hotel informed that there is no NOC and two tubewells are installed for water supply to the hotel. The hotel representative denied from signing the hotel inspection proforma.	YES
49	Golden Palm Resort, NH-58, Partapur Bypass Road, Delhi-Haridwar Highway, Meerut.	12-05-2022	NO	1500 - 2000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel. The hotel has one banquet hall and Marriage hall also.	YES
50	Hotel Sanskriti, near Rohta road flyover crossing, NH-58, Meerut.	12-05-2022	NO	1200 - 1500	3	The representative of the hotel informed that there is no NOC and three tubewells of 5 HP, 2.5 HP and 1.5 HP are installed for water supply to the hotel. The hotel has one banquet hall and Marriage hall also.	YES
51	Hotel Grand 5 Luxury Resort, NH-58, Kankarkhera, Delhi-Dehradun Bypass, Meerut	12-05-2022	NO	800	3	The representative of the hotel informed that there is no NOC and three tubewells of 2 HP each are installed for water supply to the hotel. The hotel has two banquet hall and Marriage hall also.	YES
52	Hotel Narayana, NH-58, Delhi-Roorkee Bypass Rohta Road Crossing, Meerut	12-05-2022	NO	1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES
53	Hotel Krome, Delhi road, Rithani, Meerut	07-05-2022	NO	2000	2	The representative of the hotel informed that there is no NOC and two tubewells of 1.5 HP each are installed for water supply to the hotel. It has banquet hall also.	YES

Ashish
01/08/22

Vikas Kumar
30/07/22

7
[Signature]

54	Hotel Saangria, 420/2, Delhi Road, near Sanjay Van, Meerut	07-05-2022	NO	100	1	The representative of the hotel informed that water supply is provided by the Jal Nigam and onetubewell is installed for water supply to the hotel whose NOC is not obtained. It has Banquette Hall and Marriage Garden.	YES
55	Hotel Ananta, Plot-10, Sector-5, JagritiVihar, opp. Medical College, Meerut	11-05-2022	NO	nil	1	The representative of the hotel informed that water supply is provided by the Jal Nigam and onetubewell is installed for water supply to the hotel whose NOC is not obtained. Water bill for the financial year 2021-22 was provided.	YES
56	Hotel Country INN and Suites, Shopprix Mall, Opp. Dainik Jagran, Delhi-Meerut road, Meerut	07-05-2022	nil	nil	nil	The representative of the hotel informed that water supply is provided by the Shopprix Mall (SUPERTECH). Water bill was not provided.	NO
57	Hotel Hyphen, SupertechShopprix Mall, Delhi-Meerut road, Meerut	07-05-2022	nil	nil	nil	The representative of the hotel informed that water supply is provided by the Shopprix Mall (SUPERTECH). Water bill was not provided.	NO
58	Hotel Amrit, Delhi Road, Abu lane, Meerut	09-05-2022	nil	nil	nil	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and notubewell is installed. Water bill was not provided.	NO
59	Hotel Karnail, 313, Abu Lane, Meerut	09-05-2022	NO	1000	1	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and onetubewell of 1.5 HP is installed for water supply to the hotel for which no NOC is taken. Water bill was not provided.	YES
60	Hotel P.K., 165, Durga Nagar, opp. Gandhi Ashram, Garh Road, Meerut	09-05-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES
61	Hotel Royal Inn, 365/1, Mangal Pandey Nagar, Meerut	09-05-2022	—	nil	nil	The representative of the hotel informed that water supply is provided by the Jal Nigam. Water bill was not provided.	NO

Adish
01/08/22

Vikas Kumar
30/07/22

8
[Signature]

62	Hotel Sagar, opp. Lokpriya Hospital Samrat Palace, Garh Road, Meerut	09-05-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	YES
63	Hotel M. D. Deluxe, 182/A, Abu Lane, near Phuara Chowk, Meerut Cantt., Meerut	09-05-2022	NO	500	1	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and one tubewell of 1.5 HP is installed for water supply to the hotel for which no NOC is taken. Water bill was provided for the financial year 2021-22.	YES
64	Hotel MD, 313/A, Abu Lane, Opp. Nishat Cinema, Meerut Cantt., Meerut	09-05-2022	NO	nil	nil	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and no tubewell is installed in the hotel. Water bill was provided for the financial year 2021-22.	NO
65	Hotel Classic, Vaishali colony, Garh road, Meerut	09-05-2022	NO	nil	nil	The representative of the hotel informed that water supply is provided by the Vaishali Colony and no tubewell is installed in the hotel. Water bill was provided for the financial year 2019.	NO
66	Hotel Esquire, 188, Abu Lane, near Nishat Cinema, Meerut Cantt, Meerut-250001	09-05-2022	NO	4000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	YES
67	Hotel Nandini, Nanda Plaza, Opp. Vaishali, Garh road, Meerut	09-05-2022	NO	500	1	The representative of the hotel informed that there is no NOC and one tubewell of installed for water supply to the hotel as well as the complex building.	YES
68	Hotel Rajmahal, 187, Abu Lane, Meerut Cantt, Meerut	09-05-2022	NO	3000	2	The representative of the hotel informed that there is no NOC and two tubewell of 8 HP and 2.5 HP are installed for water supply to the hotel.	YES
69	Hotel Sapphire, Abu Plaza, Abu Lane, Meerut	09-05-2022	NO	700 - 1000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES
70	Hotel Basant, opp. of Animal Hospital, Suraj Kund Road, Meerut	09-05-2022	NO	1500	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

[Signature]

71	Hotel Yadu Residency, Garh road, Meerut	09-05-2022	NO	nil	200 nil	The representative of the hotel informed that water supply is provided by the Jal Nigam. Water bill was provided for the financial year 2021-22.	NO
72	Radha Govind Tourist Lodge, opp. Garh Bus Stand, Garh road, Meerut.	11-05-2022	NO	500	2	The representative of the hotel informed that there is no NOC and two tubewells of 1 HP each are present but one only tubewell is operational.	YES
73	Royal Apple, NH-58, Bhoorbaral, Partapur, Meerut	10-05-2022	NO	2500	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	YES
74	Hotel Deepak, GT road, Mohiuddinpur, Meerut	10-05-2022	NO	1500	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	YES
75	Hotel New Moti Mahal, 313, opp. Nishat Cinema, Abu Lane, Meerut Cantt, Meerut	09-05-2022	NO	nil	nil	The representative of the hotel informed that water supply is provided by the Cantonment Water Board and notubewell is installed. Water bill was not provided.	NO
76	Hotel Ashok Kalinga, Gurudwara Road, Meerut	13-05-2022	—	—	—	The hotel is permanently closed.	NO
77	Hotel Abu Tower, Abu Lane, Meerut	13-05-2022	—	—	—	The hotel is permanently closed.	NO
78	Hotel Blue Inn, NangalaTashi, Kankarkheda, Meerut	08-05-2022	—	—	—	The hotel is permanently closed.	NO
79	Red Carpet Resort, Datawali Road, Gokulpur, Garh Road, Meerut	11-05-2022	NO	200	2	The Representative of marriage garden informed that there is no NOC and two tubewells of 2 HP each are installed for water supply for marriage garden.	YES
80	Four Season Hotel & Banquet, 361/1, Mangal Pandey, near Hotel royal Inn, Meerut	09-05-2022	NO	nil	nil	The Representative of hotel informed that supply of water is provided by the Jal Nigam. The hotel has one banquet hall also. The water bill was not provided.	NO
81	Hotel Sunrise, opp. Amarpali Cinema, Near Garh Bus Stand, Garh Road, Meerut	11-05-2022	NO	600	1	The Representative of marriage garden informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply for marriage garden.	YES

Ashish
01/08/22

Vikas Kumar
30/07/22

10
[Signature]

82	Highway Residency, NH-58, Olive Green City, Partapur, Meerut	10-05-2022	NO	500	1	The Representative of marriage garden informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply for marriage garden.	YES
83	Hotel Celebration Valley, Hapur-Bijli-Bamba Bypass Road, near Pearl Residency, Meerut	07-05-2022	NO	6000	2	The Representative of hotel informed that there is no NOC and two tubewells of 2 HP each are installed for water supply for hotel and marriage garden. The hotel also has one marriage garden and banquet hall.	YES
84	Hotel Geeta Palace, opp. Deewan International Public School, Delhi road, Meerut.	10-05-2022	NO	300	1	The Representative of banquet informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply for marriage garden and banquet hall.	YES
85	Le Grande Banquet, Plot no- BC2-BC3, Shatabdi Nagar, Meerut	10-05-2022	NO	nil	nil	The representative of the banquet hall informed that the supply of water is provide by the Parashar Reality Pvt. Limited commercial building which has two tubewells of 2 HP submersible motors. Water bill was not provided.	NO
86	Madhu Banquet Hall, 331/1, Mangal Pandey Nagar, opp. Saras Hospital, Garh road, Meerut	09-05-2022	NO	500	1	The Representative of banquet informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply for banquet hall.	YES
87	Olive Garden, Garh road, near Radha Govind College, Meerut	11-05-2022	NO	nil	nil	The Representative of banquet hall informed that supply of water is provided by the Jal Nigam. The water bill was not provided.	NO
88	Leela Celebration Palace, CP-58/5, JagritiVihar, Meerut	11-05-2022	NO	500	1	The Representative of banquet hall informed that there is no NOC and one tubewell of 1.5 HP Submersible is installed for water supply.	YES
89	Adharsh Palace, Sector-5, JagritiVihar, Garh Road, Meerut	11-05-2022	NO	300	1	The Representative of banquet hall informed that there is no NOC and one tubewell of 1.5 HP submersible is installed for water supply.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

11
[Signature]

90	Shri Ji Resort, Village-Datawali, Gokulpur-Garh road, Meerut	11-05-2022	NO	300	1	The Representative of banquet hall informed that there is no NOC and one tubewell of 1.5 HP submersible is installed for water supply. There is also a marriage garden.	YES
91	Hotel Grand Amaree, Gokulpur, opp. Gokul Dham, Garh road, Meerut	11-05-2022	NO	1000	2	The Representative of banquet hall informed that there is no NOC and two tubewells are installed for water supply. There is also a marriage garden.	YES
92	SaatPhere, 50, Garh Road, opp. Vaishali Colony, Meerut	06-05-2022	NO	1000	1	The Representative of banquet hall informed that there is no NOC and one tubewell is installed for water supply. There is also a marriage garden.	YES
93	The Grand Kingdom Resort, near gokul Dham, Gokulpur-Grah road, Meerut	11-05-2022	NO	250-300	2	The Representative of banquet hall informed that there is no NOC and two tubewells of 1HP submersible each are installed for water supply for hotel and marriage garden. There is one marriage garden also.	YES
94	Hotel Signature Inn, NH-58, Nangli Gate, near BP Pump, Sakoti Tanda, Meerut	13-05-2022	NO	500-1000	1	The Representative of hotel informed that there is no NOC and one tubewell of 1.5 HP submersible is installed for water supply.	YES
95	Volga Resort, Gokul Pur, Garh Road, Meerut	11-05-2022	NO	250-300	1	The Representative of banquet hall informed that there is no NOC and one tubewell of 2 HP submersible is installed for water supply. There is also a marriage garden.	YES
96	Aroma Garden, near Radha Govind Public School, Garh road, Meerut	11-05-2022	NO	500	2	The Representative of banquet hall informed that there is no NOC and two tubewells of 1.5 HP submersible each are installed for water supply for hotel and marriage garden. There is one marriage garden also.	YES
97	Hotel VJ Inn, NH-58, Rohta Bypass, near Sanskriti Resort, Meerut	12-05-2022	NO	500-700	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

12
[Signature]

98	Hotel Sawan, Gali no-4, Ganpati Vihar, Sardhana road, Kankarkheda, Meerut	12-05-2022	NO	500	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply.	YES
99	Hotel White House, opp. Subharti University, NH-58, Sector-1, Pocket-B, Vedvyaspur, Meerut	12-05-2022	NO	500-750	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply.	YES
100	Hotel Green Palace, opp. Subharti University, NH-58, Sector-1, Pocket-B, Vedvyaspur, Meerut	12-05-2022	NO	500	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
101	Hotel Paradise, opp. Subharti University Main Gate, NH-58, Vedvyaspur, Meeru	12-05-2022	NO	250-500	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
102	Hotel Lord Krishna, 248E, Sardhana Puri, Phase-II, Kankerkheda, Meerut	12-05-2022	NO	nil	nil	The Representative of hotel informed that supply of water is provided by the Jal Nigam (MCD). The water bill was not provided.	NO
103	Oak Tree, 37/3, Vedvyaspuri, Meerut	12-05-2022	NO	400	1	The Representative of banquet hall informed that there is no NOC and one tubewellof 1 HP submersible is installed for water supply. It also has one marriage garden.	YES
104	Club-19, 38/3, Vedvyaspuri, Meerut	12-05-2022	NO	300	1	The Representative of banquet hall informed that there is no NOC and one tubewell of 1.5 HP submersible is installed for water supply. It also has one marriage garden.	YES
105	Planet S, Khasra No-557, Bhola road crossing, Delhi-Haridwar road, NH-58, Kharoli, Meerut	12-05-2022	NO	700-1000	2	The Representative of banquet hall informed that there is no NOC and two tubewells of 1 HP submersible each are installed for water supply. It also has marriage garden.	YES

Ashish
01/08/22

Vikas Kumar
30/07/22

13
[Signature]

106	Garden City Resort, near Rohta Crossing Bypass Road, Meerut	12-05-2022	NO	2000	2	The Representative of banquet hall informed that there is no NOC and two tubewells of 2 HP submersible each are installed for water supply. It also has marriage garden.	YES
107	The Oriion Hotel, NH-58, Delhi Bypass road, Saedhapuri Phase-II, Kankarkhera, Meerut	12-05-2022	NO	2000	2	The Representative of hotel informed that there is no NOC and two tubewells of 1.5 HP submersible each are installed for water supply. It also has one banquet hall.	YES
108	The Regis, NH-58, Meerut Bypass Road, Meerut	12-05-2022	NO	1000	3	The Representative of banquet hall informed that there is no NOC and three tubewells of 1.5 HP, 3 HP and 3HP submersibles are installed for water supply. It also has one marriage hall.	YES
109	Hotel Green Embassy, near NH-58, Baghpat Bypass Flyover, Meerut	12-05-2022	NO	1500	1	The Representative of banquet hall informed that there is no NOC and one tubewell of 1.5 HP submersible is installed for water supply. It also has one marriage garden.	YES
110	Hotel Signature, Dophiya road, near NH-58, Rohta Bypass road, Meerut	12-05-2022	NO	250-500	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
111	Hotel Friendship Inn (OYO), plot no-7, Dophiya road, near Rohta road Bypass, NH-58, Meerut	12-05-2022	NO	500	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
112	Hotel Royal Green (OYO), Duphiya road, near Bye City Pride School, Meerut	12-05-2022	NO	700-800	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
113	Hotel Neelkanth (OYO), Rohta Bypass, Duphiya road, near Bye City Pride school, Meerut	12-05-2022	NO	500	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
114	Hotel A.M. (OYO), Baghpat Bypass, near MIET, NH-58, Meerut	12-05-2022	NO	500-600	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

14
[Signature]

115	Hotel Jack Inn (OYO), Baghpat Bypass, near MIET, NH-58, Meerut	12-05-2022	NO	800-1000	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
116	Hotel ONN Regency (OYO), Baghpat Bypass, near MIET, NH-58, Meerut	12-05-2022	NO	700-800	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
117	Sunrise Hotel Luxury (OYO), Gujjar Chowk, Baghpat Bypass, Meerut	12-05-2022	NO	2000-2500	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply. The hotel is rented.	YES
118	Hotel Hare Krishna, G- 2,3,4, Sarthak City, near MIET College, Baghpat Bypass, Meerut	12-05-2022	NO	600-700	1	The Representative of hotel informed that there is no NOC and one tubewell of 1 HP submersible is installed for water supply.	YES
119	Hotel Avika, Shatabdi Nagar Crossing, Delhi road, Rithani, Meerut	07-05-2022	NO	800-1000	1	The Representative of hotel informed that there is no NOC and one tubewellis installed for water supply.	YES
120	Hotel Aanand Inn, NH-58, opp. Subharti University, VedVyaspuri, Meerut	12-05-2022	NO	500-600	1	The Representative of hotel informed that there is no NOC and one tubewell is installed for water supply.	YES
121	Hotel Aroma Regency, 207/2, Bijli Bamba road, Meerut	07-05-2022	NO	1000	1	The Representative of hotel informed that there is no NOC and one tubewells of 2 HP submersible is installed for water supply.	YES
122	Piyush Guest House, 59/5, JagritiVihar, oop. Anand Hospital, Garh road, Meerut	11-05-2022	NO	500	1	The Representative of hotel informed that there is no NOC and one tubewells of 1.5 HP submersible is installed for water supply.	YES
123	Saini Hotel, NH-58, GT road, Mohiuddinpur, Meerut	10-05-2022	NO	800	1	The Representative of hotel informed that there is no NOC and one tubewell is installed for water supply.	YES
124	T-Star Hotel (OYO),Baghpat road, Subharti College near Service road, Meerut- 250002	10-05-2022	NO	750	1	The Representative of hotel informed that there is no NOC and one tubewell is installed for water supply.	YES

Adish
01/08/22

Vikas Kumar
30/07/22

15
[Signature]

125	Hotel Pallavi Residency, Gayatripuram, Akshardham Enclave, Meerut	13-05-2022	NO	500-800	1	The Representative of hotel informed that there is no NOC and one tubewells of 1.5 HP submersible is installed for water supply.	YES
126	The Royals Hotel (OYO), NH-58, near Nagli Gate, Sakoti Tanda, Meerut	13-05-2022	NO	500-750	1	The Representative of hotel informed that there is no NOC and one tubewells of 2.5 HP submersible is installed for water supply.	YES
127	Kaikshi Hotel, Village-Kanoradaurala, Meerut	13-05-2022	NO	500-600	1	The Representative of hotel informed that there is no NOC and one tubewells of 1.5 HP submersible is installed for water supply.	YES
128	Vandini Luxurious, NH-58, Pallavpuram, Phase-1, Meerut	13-05-2022	NO	700-1200	1	The Representative of hotel informed that there is no NOC and one tubewells of 2.5 HP submersible is installed for water supply.	YES
129	Hotel Royal Sky (OYO), 6 Bn, PAC, Indralok Complex, Roorkee road, Meerut	13-05-2022	NO	700-900	1	The Representative of hotel denied from giving information.	YES
130	Canaba Hotel, Mawana road, Meerut	13-05-2022	NO	1000-1200	1	The Representative of hotel denied from giving information.	YES
131	Khalsa Hotel, opp. Bhainsali Bus stand, Delhi road, Meerut	13-05-2022	NO	nil	nil	The Representative of hotel informed that supply of water is provided by the Cantonment board . The water bill was not provided.	NO
132	Hotel Prince, Delhi Road, opp. Bhainsali Bus stand, Meerut	13-05-2022	NO	2000	1	The Representative of hotel informed that there is no NOC and one tubewells of 1.5 HP submersible is installed for water supply.	YES

Ashish
01/08/22

Vikas Kumar
30/07/22

16
[Signature]

Ashish
01/08/22

Vikash Kumar
30/07/22

Prakhar

(Ashish Kumar Gupta)
Assistant Geophysicist,
Ground Water Department,
Meerut
(Representative from
Ground Water
Department, U.P.)

(Vikash Kumar)
Assistant Hydrogeologist,
Central Ground Water Board,
Northern Region, Lucknow
(Representative from Central
Ground Water Board)

(Prakhar Kumar)
Assistant Environmental Engineer,
Uttar Pradesh Pollution Control
Board, Meerut
(Representative from Uttar
Pradesh Pollution Control Board)


(
Additional District Magistrate
City,
Meerut
(Representative from District
Magistrate Office)



Ashish
01/08/22

Vikash Kumar
30/07/22

Prakhar



Ashish
01/08/22

Nakash Kumar
30/07/22

18
[Signature]



Ashish
01/08/22

Hitesh Kumar
30/07/22


19
[Signature]



Ashish
01/08/22

Hakash Kumar
30/07/22

[Signature]



Ashish
01/08/22

Vikash Kumar
30/07/22


21
[Signature]



Ashish
01/08/22

Hekash Kumar
30/07/22


[Signature]



Ashish
01/08/22

Hekash Kumar
30/07/22

[Signature]



Ashish
01/08/22

Vikas Kumar
30/07/22

[Signature]



Ashish
01/08/22

Vikash Kumar
30/07/22

[Signature]




Ashish
01/08/22

Vikash
Kumar
30/07/22

26
[Signature]

Ashish
01/08/22

Vikash
Kumar
30/07/22

27


Reference to the above, Hon'ble National Green Tribunal in O.A. no. 438/2018 Arti Versus CGWA & Ors passed order on 25.02.2018 which is as below: -

A Committee has been constituted by Regional Director, Central Ground Water Board, Northern Region, Lucknow vide letter no 4(237_NGT)/C.G.W.T/N.R./S&I/2022-255 dated 23.03.2022 for compliance of Hon'ble National Green Tribunal order.

..... We direct the CGWA to Place the complete the information on record about the status of compliances by the concerned parties. The CGWA may interact with the District Magistrate and state PCB about the remedial measures /or compliances of law and take further action, to following due processes, in exercise of statutory regulatory powers of the CGWA and other Authorities, including District Magistrate and state PCB.

The joint team comprising of Central Ground Water Board, Lucknow, Uttar Pradesh Pollution Control Board, Kanpur and The District Magistrate, Kanpur for inspection of following Hotels.

The following nominated joint team members visited to carry out for Inspection of 115 Nos of hotels in Kanpur from 02.05.2022 to 10.05.2022 under the instruction of District Magistrate, Kanpur.

1. Atul Kumar, Additional District Magistrate (City), Kanpur Nagar, U.P.
2. Dr. A.K. Mathur, Regional Officer, UPPCB, Kanpur Nagar, U.P.
3. Binaya Kumar Behera, Scientist -B, Central Ground Water Board, Lucknow
4. Ankit Kumar Mishra, Assistant Environment Engineer, Uttar Pradesh Pollution Control Board, Kanpur Nagar
5. Pawan Kumar Mishra, Scientific Assistant, Uttar Pradesh Pollution Control Board, Kanpur Nagar
6. Raj Karan Verma, Scientific Assistant, Uttar Pradesh Pollution Control Board, Kanpur Nagar
7. Sudhir Kumar Awasthi, Monitoring Assistant, Uttar Pradesh Pollution Control Board, Kanpur Nagar

Tire complete information about the status of compliance of NOC as below –

Sl No.	Name of Hotel/Banquet Hall/ Resort/Guest House	Address	Latitude	Longitude	Date of Inspection	Date of Establishment	Number of Tubewell /Borewell	Quantum of Groundwater Withdrawal per annum (in m ³)	Status of Consent from UPPCB (Yes/No)	Status of GW NOC from CGWA/ GWD, UP (Yes/No)	Remark
01.	Naraula Convention Center	111 A/14, Ashok Nagar, GT Road, Kanpur	26.468432	80.317451	02.05.2022	-	01	100	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
02.	Alankar Guest House	228/10, 4 Block, Triveni Nagar, Kanpur	26.423107	80.32198	02.05.2022	-	01	80	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
03.	Neelam Hotel and Banquet hall	127/91, W2, Juhi, Kanpur			02.05.2022	-	01	20 (approx.)	No	No	Deny to show tubewell. Hoteller unable to provide D.O.E supporting document during Inspection.

04.	The Deep Hotel	124/C,243, C Block, Govindnagar, Kanpur	26.4511174	80.309784	02.05.2022	-	02	4500	No	No	Hotelier unable to provide D.O.E supporting - document during Inspection.
05.	Hotel Mandakini Royal	127/W-1, 1/3, Adjacent to Deep Cinema, Saketnagar, Kanpur	26.44012	80.310497	02.05.2022	-	01	120	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
06.	Keshar Palace	110/189, Ram Krishnagar, GT Road, Kanpur			02.05.2022	-	02	-	No	No	Deny to provide information. Hotelier unable to provide D.O.E. Supporting document during Inspection.
07.	Golden Palace	122/1, K-8, Sarojini Nagar, Kanpur	26.466893	80.308009	02.05.2022	-	01	135	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

08.	Chhabra Guest House Banquet and Hotels.	122/235, Sarojini Nagar, opp. Lajpatnagar, Kabrat Market, Kanpur	26.464049	80.306439	02.05.2022	-	01	350	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
09.	Naman AC Banquet hall and Hotel	122/235, Sarojini Nagar, opp. Lajpatnagar, Kanpur	26.463698	80.308148	02.05.2022	-	01	730	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
10.	Amar Guest House	122/235, Telephone Exchange opp. Sarojininagar, Kanpur	26.464049	80.306439	02.05.2022	-	01	210	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
11.	Kartar Guest House	122/235, Faizalganj, Kanpur	26.46371	80.30818	02.05.2022	-	02	1460	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.

12.	Bhadouriya Guest house	123/495(896),A/B , Faizalgaanj petrol pump chauraha, Kanpur	26.462112	80.309164	02.05.2022	-	01	730	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
13.	Khanjan Guest House	123/490, Faizalgaanj, Kanpur	26.46225	80.308898	02.05.2022	-	01	730	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
14.	The President Hotel	122/135, Faizalgaanj, Kanpur	26.462542	80.308484	02.05.2022	-	01	1825	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
15.	Jashn Banquet	KeshavGouramaw as, Kalyanpur, Kanpur			05.05.2022	-	01	20	No	No	Manager unable to locate the tubewell and provide D.O.E supporting document.

16.	President Hotel	KeshavGouramawas, Kalyanpur, Kanpur			05.05.2022	-	01	20	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
17.	Manorama Palace	186, Vikasnagar, Kanpur	26.494995	80.287437	05.05.2022	-	01	30	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
18.	Krishna Guest House	DharamKanta, Parampurwa, Kanpur			05.05.2022	-	01	40	No	No	Hotelier unable to provide D.O.E supporting document and location of well during Inspection.
19.	Gulab Raj Guest House	125/19A, O Block, Govindnagar, Kanpur	26.448837	80.319467	05.05.2022	-	01	40	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

20.	Hotel Vaani Continental	12 GT/16, Near ShrichandGurdwa ra, Govindnagar, Kanpur	26.449676	80.2972178	05.05.2022	-	01	365	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
21.	Royal Galaxy hotel	125/6, Govindnagar, Kanpur	26.449772	80.298008	05.05.2022	-	01	180	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
22.	Sanjay Galaxy	124/V/1B, Govindnagar, Kanpur	26.449823	80.297593	05.05.2022	-	01	50	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
23.	Sanjay Guest house	125/1, Lal Quarter, Govindnagar, Kanpur	26.449823	80.297593	05.05.2022	-	01	250	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

24.	Roop Vijay Guest house	2C, CTI Road, Kanpur	26.450261	80.295002	05.05.2022	-	01	10	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
25.	Hotel Red Carlton	6-U, Block Govindnagar, Kanpur	26.449772	80.298008	05.05.2022	-	01	100	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
26.	Hotel Grand Geet	18/174-175, opp. Phoolbagh, Kanpur	26.467509	80.359322	05.05.2022	-	02	3000	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
27.	Hotel Aakash Deep	18/177, Mall Road, Kanpur			05.05.2022	-	01	365	No	No	Manager unable to locate the tubewell and provide D.O.E supporting document.

28.	Geetika Galaxy	18/184185, The Mall Road, Kanpur	26.467457	80.359641	06.05.2022	-	02	600	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
29.	Mayfair Inn.	63/7-A, The mall (Murray co. Bridge), Kanpur	26.458994	80.360303	06.05.2022	-	02	300	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
30.	Hotel Bridge View	63/3-18, The Mall Road, Near Maa Kali Mandir, Kanpur	26.45962	80.359862	06.05.2022	-	01	100	No	No	Hotelier unable to provide D.O.E supporting document during Inspection. The new name of Hotel is Sanskar Palace.
31.	Sanskar Palace	63/3-18, The Mall Road, Near Maa Kali Mandir	26.45962	80.359862	06.05.2022	-	01	100			Hotelier unable to provide D.O.E supporting document during Inspection.

32.	Hotel Gagan Plaza	63/6, The Mall, Kanpur	26.459942	80.360175	06.05.2022	-	01	428	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
33.	Shri Krishna Hotel	37/19, The Mall, Kanpur			06.05.2022	-			No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
34.	Mandakini Palace	16/79 D, Civil lines, Kanpur	26.473728	80.357702	06.05.2022	-	01		No	No	Manager deny to give quantum of GW withdrawl and D.O.E supporting document.
35.	Hotel Paradise	16/62, C , Krishna Tower, Civil lines, Kanpur			06.05.2022	-	01	1095	No	No	Hoteller unable to provide D.O.E supporting document and locating the well during Inspection.

36.	Hotel Attic	15/198, Vikramjit Singh Road, Civil lines, Kanpur	26.478085	80.350509	06.05.2022	-	01	50	No	No	Hotelier unable to provide D.O.E supporting - document during Inspection.
37.	Caravan Hotel	15/198, Vikramjit Singh Road, Civil lines, Kanpur	26.477984	80.350392	06.05.2022	-	01	50	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
38.	Hotel Mahadeva Regency	14/124, Pared Chouraha, Kanpur	26.47504	80.353412	06.05.2022	-	01	730	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
39.	Hotel Landmark	Mall Road, Kanpur	26.474602	80.348387	06.05.2022	-	02	16352	Expired	No	Hotelier unable to provide D.O.E supporting document during Inspection.

40.	City Club	84/79, GT Road, Kanpur	26.458305	80.329209	06.05.2022	-	01	300	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
41.	Hotel Division	84/79, GT Road, Kanpur	26.458305	80.329209	07.05.2022	-	01	300	No	No	Hotelier unable to - provide D.O.E supporting document during Inspection. New name of Hotel is City Club.
42.	The Bridge Hotel.	84/78, GT Road, Kanpur	26.469615	80.317493	07.05.2022	-	01`	480	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
43.	New Ashirwad Guest house	80 feet Road, Ashok nagar, Kanpur	26.469615	80.317493	07.05.2022	-	01	325	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

44.	Niranjan Guest house	80 feet Road, Nehrunagar, Kanpur			07.05.2022	-	01	50	No	No	Manager deny to show the tubewell and D.O.E. supporting document.
45.	Kanha Continental	GT Road, Ashok nagar, Kanpur	26.47136	80.315193	07.05.2022	-	02	600	No	No	Hotelier unable to provide D.O.E supporting document - during Inspection.
46.	Kanha Galaxy	GT Road, Ashok nagar, Kanpur	26.472069	80.312824	07.05.2022	-	02	300	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
47.	Hotel Bliss	111-A/5, GT Road, Ashoknagar, Kanpur	26.469971	80.316501	07.05.2022	-	01	1095	Present	No	Hotelier unable to provide D.O.E supporting document during Inspection.

48.	Hotel Royal cliff	113/72, Swaroopnagar, opp. Motijheel, Gate no.1, Kanpur	26.479571	80.315105	07.05.2022	-	01	1825	Present	No	Hotelier unable to provide D.O.E supporting document during Inspection.
49.	The Millionarie Suites	7/110, C, Swaroopnagar, Kanpur	26.483963	80.320548	07.05.2022	-	02	900	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
50.	D & G Grand	Sharda Nagar, Kanpur	26.489462	80.285004	07.05.2022	-	02	2400	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
51.	Hotel Chandar Deep	5, Rail Bazar, Kanpur	26.452392	80.349428	07.05.2022	-	01	60	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

52.	Hotel Bhai Guest House	564, Meerpur Road, opp. Kanpur Cannt, Kanpur	26.452795	80.350327	07.05.2022	-	00	00	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
53.	Hotel Diamond Palace	Hata no:05, Railway station, Cannt side, Rail bazar, Kanpur	26.45247	80.349583	07.05.2022	-	01	200	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
54.	Hotel Santosh Raj	Hata no:02, Rail Bazar, near Delight office, Kanpur	26.452172	80.34918	07.05.2022	-	01	365	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
55.	Hotel Shiv Sapna	44, Rail bazar, Kanpur	26.451068	80.348638	07.05.2022	-	01	18.250	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

56.	Hotel MMK Pvt. Ltd.	332A, Rail Bazar, Cannt Area, Kanpur	26.448785	80.347029	07.05.2022	-	01	Not in use	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
57.	Dream Land Hotel	115, Rail Bazar, Cannt area, Kanpur	26.44746	80.346678	07.05.2022	-	01	365	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
58.	Hotel Krishna	Plot no:05, opp. To clock house, Kanpur	26.457118	80.349601	07.05.2022	-	01	45	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
59.	Hotel A.S. Palace	72/6, ShutarKhana, Kanpur	26.45694	80.350758	07.05.2022	-	01	600	No	No	Hotelier unable to provide D.O.E supporting document - during Inspection.

60.	Hotel Mangalam	71/146, ShutarKhana, Kanpur	26.45609	80.351475	07.05.2022	-	01	13.5	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
61.	Hotel Suchita	55/41, Clock house, Kanpur	26.457961	80.349812	07.02.2022	-	01	300	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
62.	Hotel Vijay	73/25, Gudmandi, Collectorganj, Kanpur	26.457687	80.349227	08.05.2022	-	01	1500	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
63.	Hotel Raja Seth Palace	73/24, Collectorganj, Clockhouse, Kanpur	26.457687	80.349227	08.05.2022	-	01	300	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.

64.	Hotel the Central	72/3, Railway station Road, Kanpur	26.456603	80.350833	08.05.2022	-	02	3000	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
65.	Shri Ram kishoriBhojanal aya	73/27, Collectorganj, Kishori Building, Kanpur	26.45729	80.349705	08.05.2022	-	01	547.5	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
66.	Hotel Durga shiv	72/8, SuttarKhana, Kanpur	26.45651	80.35075	08.05.2022	-	01	60	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
67.	Hotel Aditya Palace	72/8A, SuttarKhana, Kanpur	26.45609	80.351475	08.05.2022	-	01	180	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

68.	Hotel Shiv	71/153, Suttarkhana, Kanpur	26.45643	80.350972	08.05.2022	-	01	1500	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
69.	Chaudhary Raj Ratan	70/86, Suttarkhana, Kanpur	26.45609	80.35	08.05.2022	-	01	40	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
70.	Hotel Poorva	70/85, Suttarkhana, Kanpur	26.455828	80.352372	08.05.2022	-	01	60	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.
71.	Hotel Swamy	72/5, 1 st floor, Suttarkhana, Kanpur	26.45694	80.350758	08.05.2022	-	01	90	No	No	Hoteller unable to provide D.O.E supporting document during Inspection.

72.	Station View Hotel	70/87, Suttarkhana, Kanpur	26.455955	80.352058	08.05.2022	-	01	80	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
73.	Hotel Tirupati Galaxy	71/154, Suttarkhana, Kanpur	26.455828	80.352372	08.05.2022	-	01	120	No	No	Hotelier unable to provide D.O.E supporting document - during Inspection.
74.	Hotel Ashoka	24/16, Virana Road, Kanpur	26.405343	80.358892	08.05.2022	-	01	362.5	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
75.	Hotel manoj International	9C, Krishnapuram, GT Road, Kanpur	26.423764	80.372612	08.05.2022	-	01	Not in use	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

76.	Hotel Kaniska	402, Friend Colony, Ramadevinagar, Kanpur	26.408972	80.390692	08.05.2022	-	2	365	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
77.	Hotel Gaurav/ Kanha Classic	18/54, Mall Road, Kanpur	26.467976	80.359652	09.05.2022	-	02	-	No	No	Manager refuse to give information
78.	Hotel K.D. Palace	10/493, Mc Robertganj, Kanpur	26.482565	80.328323	09.05.2022	-	03	1470	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
79.	Bandhan Banquet Hall	16/19, civil lines, Kanpur	26.475425	80.357575	09.05.2022	-	01	90	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
80.	Status Buisness hotel	Plot no:345, Naveen Market, Kanpur	26.475425	80.357573	09.05.2022	-	01	365	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

81.	Status Club resort and Garden	58, Gola GhatChouraha, Cannt area, Kanpur	26.463426	80.3727845	09.05.2022	-	01	3650	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.
82.	Hotel Zeal Guest House	123/4, Murray Company Bridge, Kanpur	26.458271	80.361379	09.05.2022	-	025	360	No	No	Hotelier unable to provide D.O.E supporting document during Inspection.

List of Hotels that were closed during the Inspection :


Sl No.	Name of Hotel/Banquet Hall/ Resort/Guest House	Address	Date of Inspection	Remark
83	New Raj Guest House	125/10 A/U Block Govind Nagar, Kanpur	05.05.2022	
84	Shasank Guest House	Govind Nagar, Kanpur	05.05.2022	
85	Ram Narayan Madanlal Hotel	14/73, Civil lines, Kanpur	05.05.2022	
86	The Bronde wines	Civil lines, Kanpur	05.05.2022	
87	JS Continental	171/113, Swaroop Nagar	07.05.2022	
88	Malik Residency	111/453, Braham Nagar, 80 feet Road, Kanpur	07.05.2022	
89	Samrat Banquet and Guest House	110/122, Nehru Nagar, 280ft Road, Kanpur	07.05.2022	
90	Shiv Guest House	71/153, Shuttakhana	07.05.2022	
91	Hotel Dharamshala	Shuttarkhana, Kanpur	08.05.2022	
92	Hotel Krishna	Plot No-5, Clock tower Chouraha, Kanpur	08.05.2022	
93	Hotel A.S. Palace	72/6A, Shuttarkhana, Kanpur	08.05.2022	
94	Hotel Bihari	Shop no-1, Canal patri Road, Clock Tower, Kanpur	08.05.2022	
95	Hotel Abhinandan	Clock Tower, Kanpur	08.05.2022	
96	Hotel Mahaveer	123/287, Gadriyan Purwa, Kanpur	09.05.2022	
97	Mahalaxmi Lodge	431/24 A, H Block, Kakadev, Kanpur	09.05.2022	
98	Harshit Guest House	FazalGanj, Kanpur	09.05.2022	
99	Adarsh Guest House	123/485, Fazalganj, Kanpur	09.05.2022	
100	SobhaRatriGruha	123/485, Fazalganj, Kanpur	09.05.2022	
101	Quality Guest House	124/249C, C Block, Govindnagar, Kanpur	09.05.2022	
102	Grover Guest House	124/248 C Block, Govind Nagar, Kanpur	09.05.2022	
103	Karan Banquet Hall	Shop no-31, Jageswar Market, Govind Nagar, Kanpur	09.05.2022	
104	Kabir Guest House	Marble Market, shyam Nagar, Kanpur	09.05.2022	
105	Goenka Guest House	133/57, Marble Market, Shyamnagar, Kanpur	09.05.2022	
106	Hotel Atithi	562 A, Rail Bazar, Kanpur	09.05.2022	
107	Central Hotel	562 A, Rail Bazar, Kanpur	09.05.2022	New name is Atithi Galaxy which deny to provide information.

108	Sansar Guest House	Rail Bazar, Cannt Road, Kanpur	09.05.2022	
109	Mishra AtithiGruha	72/2, B Kailash Building, Railway Station , Kanpur	09.05.2022	
110	Mandakini Plaza	7/135, Swaroop Nagar, Kanpur	07.05.2022	
111	Amrit Guest House	117/233 H-1, Model Town, Pandu Nagar, Kanpur	02.05.2022	
112	SB Castle	123/772, B Part, Fazalganj, Kanpur	02.05.2022	
113	Hotel Kanha International	111 A/22, Ashok nagar, Kanpur	02.05.2022	
114	Shiv Dayal Hotel	111A, 4, GT Rd,Ashok Nagar, Kanpur	02.05.2022	
115	Hotel Celebration	GT Road, Ashok nagar, Kanpur	02.05.2022	



































































(Atul Kumar)
Additional District Magistrate (City),
Kanpur Nagar

(Binaya Kumar Behara)
Scientist-B (HG)
Central Ground Water Board
Lucknow

(Dr. A.K. Mathur)
Regional Officer,
Uttar Pradesh Pollution Control Board
Kanpur Nagar

Inspection Report in compliance to order dated 25.02.2022 passed by Hon'ble National Green Tribunal in OA No. 438/2018 ArtiVerses CGWA&Ors.

In reference to the above, Hon'ble National Green Tribunal in O.A. no. 438/2018 Arti Versus CGWA &Ors passed order on 25.02.2022, para 47 mentioned as below:-

" ... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month...."

A Committee has been constituted by Regional Director, Central Ground Water Board, Northern Region, Lucknow vide letter no 4 (237) NGT/CGWB/NR/S&I/2022/791 dated 06 September 2022 for compliance of Hon'ble National Green Tribunal order.

The joint team comprising of member from Central Ground Water Board, Lucknow, District Magistrate Office, Kanpur and Uttar Pradesh Pollution Control Board, Kanpur for inspection of hotels.

The following nominated joint team members visited to carry out inspection of remaining **109 numbers of hotels, marriage halls and banquets from 08.09.2022 to 15.09.2022** in Kanpur:-

Shri Rajeev Upadhyay, Sub-Divisional Magistrate (Judicial) , Ghatampur, Kanpur

Shri Amitosh Chandra, Scientist -B, Central Ground Water Board, Lucknow.

Shri Amit Mishra, Regional Officer, Uttar Pradesh Pollution Control Board, Kanpur.

The complete information about the status of compliance of NOC are given as below-

Sl. No.	Name of Hotels/Banquet/Marriage Hall/ Resort/Guest House	Date of Inspection	Status of NOC taken by CGWA	Appx. groundwater withdrawal (in litres per day)	Number of existing tubewells	Observation of the committee members during the inspection	Remarks
1	Hotel Raj Ratan, 70/86, Sutar khana, Kanpur	08-09-2022	NO	2000	1	The Representative of hotel informed that there is no NOC and one tubewell found for water supply of hotel.	
2	Hotel Mata Prasad 70/71A, Mathuri Mohal, Sutar Khana, Kanpur	08-09-2022	NO	3000	1	The Representative of hotel informed that there is no NOC and one tube well found for water supply of hotel. Tubewell is shared with his house also.	
3	Hotel Maharaja Palace 77/1, Halsey Road, Moolganj Circle, Kanpur	08-09-2022	NO	20000	1	The Representative of hotel informed that there is no NOC and one tubewell found for water supply of hotel.	
4	Hotel Jai Jawan, 77/1, Halsey Road, Moolganj crossing, kanpur		NO	5000	1	The Representative of hotel informed that there is no NOC and one tube well found for water supply of hotel. The tubewell is also shared with the market.	
5	Hote Raja Seth Palace, 73/24, Collectorganj , Chantaghar Crossing, Kanpur	08-09-2022	NO	8000	2	The Representative of hotel informed that there is no NOC and two tubewells found for water supply of hotel.	
6	Hotel Siddhi,	08-09-2022	NO	2000	1	The representative of the hotel informed that water supply is	

	70/85, Sutharkhana, Kanpur					provided by the UP Jal Nigam and no tubewell is installed for water supply to the hotel. Water bill was not provided.	
7	Hotel Suchita, 52/41 A, Ghanaghar, Kanpur	08-09-2022	NO	8000	1	The Representative of hotel informed that there is no NOC and one tubewell found for water supply of hotel.	
8	Hotel Siddharth, 65/172, Motimahal, Kanpur	08-09-2022	NO	1800	1	The Representative of hotel informed that there is no NOC and one tubewell found for water supply of hotel.	
9	Hotel Galaxy, 70/85-E, Mathuri Mohal, Suterkhana, Kanpur	08-09-2022	NO	4000	1	The Representative of hotel informed that there is no NOC and one tube well found for water supply of hotel. The tubewell is also shared by hotel Purwa.	
10	Hotel Royal Palace, 73/25A, Collectorganj, Kanpur	08-09-2022	NO	15000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
11	Hotel Gagan Palace, B-3, Station Road, Lucknow Crossing, Kanpur	08-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
12	Hotel Krishna, Plot no -5, Ghanta Ghar Chauraha, Kanpur	08-09-2022	NO	3000-4000 (approx.)	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	

13	Hotel Shagun, 65/58-A, Moti Mohal, Kanpur	08-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
14	Hotel Dharmasala, 72/2, Sutar Khana, Kanpur	08-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
15	Hotel Basera, 70/39, Mathuri Mohal, Circular Road, Kanpur	08-09-2022	NO	3000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel. Now its name become Hotel My Choice.	
16	Hotel Shree Bihari Ji, shop no -1, Canal Patri, Station Road, Ghanta Ghar, Kanpur	08-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
17	Hotel Shree Narayan Regency, 69/160, Dana Khor, Kanpur	08-09-2022	NO	10000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
18	Hotel Park View, 70/29, Mathuri Mohal, Kanpur	08-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
19	Hotel Kanhadham, 69/163, Dana Khor, Kanpur	08-09-2022	NO	4000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water	

						supply to the hotel.	
20	Hotel Royal Inn, 117/k/13, Sarvodaya Nagar, Kanpur	09-09-2022	NO	6000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
21	Kishore Hotel , 117/9, Sarvodaya Nagar	09-09-2022	NO	6000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel..	
22	Hotel Mansarovar, 38/165, Meston Road, Kanpur	09-09-2022	NO	4000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
23	Hotel Surya, 52/42 B, New Dalal Mandi, Nayaganj, Kanpur	09-09-2022	NO	7000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
24	Nav Bharat Hotel, 33/131, Meston Road, Kanpur	09-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	
25	Hotel Krishna Galaxy , 52/43C, New Daal Mandi, Nayaganj, Kanpur	09-09-2022	NO	15000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel..	
26	Royal Prince Banquet, Gurudev Palace, 181-184,	09-09-2022	NO	20000	1	The representative of the hotel informed that there is no NOC and	





	G.T. Road, Kanpur					one tubewell is installed for water supply to the hotel.	
27	Hotel City Palace, 45/95, Halsey Road, Moolgani, Kanpur	09-09-2022	NO	10000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
28	Hotel Corner, Moolgani, Kanpur	09-09-2022	NO	3000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
29	Hotel Satyam, 42, Bithoor Road Tiraha, New Azad Nagar, Kalyanpur, Kanpur	09-09-2022	NO	5000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
30	Hotel Solitaire Inn, 117/K/28, Sarvodaya Nagar, Kanpur	09-09-2022	nil	nil	nil	The hotel representative denied from giving information.	
31	Aastha Guest House, 128/97, B block, Kidwai Nagar, Kanpur	10-09-2022	NO	4000	1	The representative of the hotel/Banquet informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel. This is banquet hall with 2 banquet with 200 and 100 people capacity.	





32	Hotel Shree Shiv Dayal, 85/67, Jharkarkati Chauraha, Kanpur	10-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
33	Shree Bhagwati Guest House, 128/95, B block, Kidwai Nagar, Kanpur	10-09-2022	NO	5000	1	The representative of the guest house informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the guest house. The guest house have two banquet hall of 150 people capacity each.	
36	Hotel Shree Shagun, 58/64, Jharkarkati, Kanpur	10-09-2022	NO	4000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
37	Rita foods Private limited, 25/9, The Mall Road, Kanpur.	10-09-2022	-	-	1	The representative of the hotel informed that the hotel has been sold and new owner changed its name to The Grand Recta and new hotel is under renovation and one tubewell is installed for supply of water to the hotel.	
38	Hotel Grand Palace, 45/98, Moolgani, Kanpur	10-09-2022	NO	6000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
39	Hotel Gitika Galaxy, 18/184, 185, The Mall Road, Kanpur	10-09-2022	NO	60000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for	





						water supply to the hotel. The hotel have 1 restaurant also. It has changed its name to Homansh Galaxy Hotel.	
40	Hotel Ganesha, Plot No. 22,22,A,18,19, Jharkarkati, Kanpur	10-09-2022	NO	6000	2	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	
41	Hotel Yash Palace, Tatmill Chauraha, Bus Stand, Kanpur	10-09-2022	NO	36000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel.	
42	Kamad Giri, 357, Gujain, Kanpur	12-09-2022	NO	6000	1	The representative of the lawn informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the lawn.	
43	Hotel Shubh/ Shubh Lodge Private limited, 123/720, Fazalganj, Kanpur.	12-09-2022	NO	20000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel. Tubewell is inside some construction so unable to take its photo.	
44	Shree palace, 110/28, 80 Feet Road, Kanpur	12-09-2022	NO	2000	1	The representative of the banquet informed that there is no NOC and one tubewell is installed for water supply to the banquet.	
45	Hotel Samridhi Palace, 75-A, Dada Nagar, Kanpur	12-09-2022	NO	2500	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel. The hotel have 1	

						restaurant of 10 people capacity. Tubewell is inside some construction so unable to take its photo.	
46	Hotel Sunny, 123/461, Kalpi Road, Gadarian Purwa, Kanpur.	12-09-2022	NO	20000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
47	Essel Palace, 41, Vijay Nagar Road, Industrial State, Kanpur	12-09-2022	NO	8000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel.	
48	Karan banquet Hall, 125/L-107, Govind Nagar, Kanpur	12-09-2022	nil	nil	nil	The banquet representative denied from giving information.	
49	Hotel Swagat, 109/421 A, 80 feet Road, Kanpur	12-09-2022	nil	nil	nil	The hotel representative denied from giving information.	
50	Hotel Shree Shyam, 71/188, Canal Road, Kanpur	13-09-2022	NO	17000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel. The hotel have also 1 conference hall of 100 people capacity.	
51	Hotel Gulab Palace, 57/106, Neel Wali Gali, Kahookothi, Kanpur	13-09-2022	NO	1500	1	The representative of the hotel do not provide information about whether hotel have borewell or using water supply from UPJN. The hotel have also 1 restaurant of 15 people capacity.	

52	Hotel Krishna Palace and restaurant, 57/99, Neel Wali Gali, Kanpur	13-09-2022	NO	4000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel. The hotel have also 1 restaurant of 10 people capacity.	
53	Shree Ganga Valley Hotel and Banquets, Hingupur, Bithoor, Kanpur	13-09-2022	NO	80000-90000 (approx)	4	The representative of the hotel informed that there is no NOC and 4 tubewell of 8 HP one and 5HP three are installed for water supply to the hotel. The hotel have 68 rooms, 4 banquet hall of 500, 100, 70 and 50 capacity respectively. The hotel also have one bar of 42 capacity. The hotel have four 30,000 litre tank for water supply to hotel.	
54	Hotel Kailash, 55/67, Kahuookothi, Kanpur	13-09-2022	NO	10000	1	The representative of the hotel informed that there is no NOC and one tubewell of 2 HP is installed for water supply to the hotel.	
55	Hotel Prabhat, 48/225-A, Generalganj, Kanpur	13-09-2022	NO	7000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	
56	Hotel Vaish, 49/36, Generalhanj, Kanpur	13-09-2022	nil	nil	nil	The hotel is completely inoperative. There is no one working there.	
57	Raj Karan Hotel, 120/500(19), Lajpat Nagar,	14-09-2022	NO	20000	1	The representative of the hotel informed that there is no NOC and	





Kanpur						one tubewell is installed for water supply to the hotel	
58	Hotel Gagan Sagar, 26/76, Karachi Khana, Kanpur	14-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel	
59	Hotel Ashoka International, 25/18, Canal Road, Kanpur	14-09-2022	NO	2500	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel	
60	Royal Cottage, 7/82, Tilak Nagar, Kanpur	14-09-2022	NO	10000	1	The representative of the hotel informed that there is no NOC and one tubewell is installed for water supply to the hotel	
61	Vijay Intercontinental, 10/510, Khalasi Lines, Tilak Nagar, Kanpur	14-09-2022	NO	30000	1	The representative of the hotel informed that there is no NOC and one tubewell of 7.5 HP is installed for water supply to the hotel	
62	Hotel China Town, 118/163-B, Kaushalpur, Kanpur	14-09-2022	NO	6000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1.5 HP is installed for water supply to the hotel	
63	Pandey Lodge, Village-Hathipur, Post-Maharajpur, Kanpur	15-09-2022	NO	3000	1	The representative of the lodge informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the lodge. The lodge is actually working as a hostel.	


64	Hotel Govinda Royal, 104A/309A, P Road, Rambagh, Kanpur	15-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and one tubewell of 1 HP is installed for water supply to the hotel.	
65	Regenta Central, The Crystal,(R. M. Heritage), 11/7A, Harsh Nagar, Kanpur	15-09-2022	NO	40000	2	The representative of the hotel informed that there is no NOC and two tubewell of 1.5 HP is installed for water supply to the hotel.	
66	Hotel Heaven View, 1078,80,81, Pokharpur Road, Jajmau, Kanpur	15-09-2022	NO	40000	1	The representative of the hotel informed that there is no NOC and two tubewell of 3.5 HP is installed for water supply to the hotel.	
67	Cawnpur Lodge, 87, Cant, Kanpur	15-09-2022	NO	2000	1	The representative of the hotel informed that there is no NOC and two tubewell of 1HP is installed for water supply to the hotel.	
68	New Garden Inn, 849,Ruma Highway, Kanpur	15-09-2022	nil	nil	nil	The hotelrepresentative denied from giving information.	
69	Hotel Royal Paradise. 87/154, Acharya Nagar, Kanpur	15-09-2022	nil	nil	nil	The hotelrepresentative denied from giving information.	

Lists of Hotels that were closed during the inspections:-

S.No	Name of Hotels/Banquet Hall/Guest House and its address	Date of Inspection	Remarks
70	Hindu Apna Hotel, 72/2, Sutar Khana, Kanpur	08-09-2022	
71	Hotel Jai Siya Ram, 72/9, Sutar Khana Kanpur	08-09-2022	
72	Shree Krishna Lodge, 75/107, Halsi Road, Kanpur	09-09-2022	
73	Shree Krishna Hotel, 75/107, Halsi Road, Kanpur	09-09-2022	
74	Vikash Lodge, 38/104, Meston Road, Kanpur	09-09-2022	
75	Sharma Hotel, 39/18, Meston Road, Kanpur	09-09-2022	
76	Hotel Majestic and Restaurant, 33/91, Meston Road, Kanpur	09-09-2022	
77	Royal Indian Hotel, 93/198, Nai Sadak, Kanpur	09-09-2022	
78	Vijay Guest House, 45/43, Moolganj, Kanpur	10-09-2022	
79	Hotel Himachal, 45/44, Moolganj Chauraha, Kanpur	10-09-2022	
80	Grand Naem Doormetry, 45/99, Moolganj, Kanpur	10-09-2022	
81	Hotel Prithviraj, 63/7A, Mall Road Kanpur	10-09-2022	
82	Hotel Classic Regency, 45/44, Moolganj Chauraha, Kanpur	10-09-2022	
83	The Meera Tower, 37/17, BCD, The Mall, Kanpur	10-09-2022	
84	Gomiti Lodge, 122/329, Gadarian Purwa, Kanpur	12-09-2022	
85	Sindoor Guest House, 109/360, A. R. K. Nagar, Kanpur	12-09-2022	
86	Sadhvani Guest House, 86, Ratan Laal Nagar, Kanpur	12-09-2022	
87	Hotel Kranti, 109/219, R. K. Nagar, Kanpur	12-09-2022	
88	Sagar Guest House, N-56, B block, Panki, Kanpur	12-09-2022	
89	Ratan Guest house, 127 W-1/1/3, Saket Nagar, Kanpur	12-09-2022	
90	Hotel Krishna, 59/44, Birhana Road, Kanpur	13-09-2022	
91	Tandon Swagat Sarthal, 26/65, ShankarGanj, Birahan Road, Kanpur	13-09-2022	
92	Shree Lodge, 55/94, Generalganj, Kanpur	13-09-2022	
93	Hotel Pandit, 49/7, Generalganj, Kanpur	13-09-2022	
94	Hotel Siddhlok, 60/45, Nayaganj, Kanpur	13-09-2022	
95	Mathur Khastriya Sabha, 35/63, Bengali Mohal, Kanpur	14-09-2022	
96	Gupta Guest House, 86/295, Raipurwa, G.T. road, Kanpur	14-09-2022	
97	Nutan Guest House, 120/192(37), Laipat nagar, Kanpur	14-09-2022	
98	Hotel Ganga, 18/186-184-185-, The Mall, Kanpur	14-09-2022	
99	Hotel Laxmi, 63/3(12) Harbans Mohal, Kanpur	14-09-2022	
100	Hotel Krishna Madhuban, 15/56, Civil Line, Kanpur	14-09-2022	


101	Hotel Mangaldeep, 19/3, Ramnarayan Bazar, Kanpur	14-09-2022	
102	Shesh Mahal Hotel, 24/164, Ramnarayan Bazar, Kanpur	14-09-2022	
103	Vijay Villa, 10/212, 10/509, Khalsi Line, Kanpur	14-09-2022	
104	Deepak Guest house, Plot No.-03, Gandhi Gram, G.T. Road, Kanpur	15-09-2022	
105	Dwarika Guest House, 987/29, Archarya Nagar, Kanpur	15-09-2022	
106	Gulati Dharmasala and Guest House, 126/64, A Block, Kanpur	15-09-2022	
107	Hotel Venus, 2/14, Patel Nagar, Kanpur	15-09-2022	
108	Hotel Gagandeep, 65/172, Motimahal, Kanpur	15-09-2022	
109	Hotel Meera Madhuban, 37/19, V-S-D, Mahatma Gandhi Marg, Kanpur	15-09-2022	

Conclusion:- Out of 109 hotels which are inspected 40 found to be closed during inspection and 69 found to be open. Out of 69 hotels, 18 hotels found to be withdraw 10000 lite per day or more groundwater.










Ami


2/5



Amil

17/


2/



Amil

4



0/





Ami

27




Amil




Amil 4

Amil



25

Amil



Amil

2-9 4



(Signature)
(Amit Mishra)

Regional Officer

Uttar Pradesh Control Board
Kanpur

(Signature)
(Amitosh Chandra)

Scientist-B

Central Ground Water Board
Lucknow

(Signature)
(Rajeev Upadhyay)

Sub-Divisional Magistrate (Judicial)

Chhatampur

Inspection Report in compliance to order dated 25.02.2022 passed by Hon'ble National Green Tribunal in OA No. 438/2018 Arti Verses CGWA & Ors.

In reference to the above, Hon'ble National Green Tribunal in O.A. no. 438/2018 Arti Versus CGWA & Ors passed order on 25.02.2022, para 47 mentioned as below:-

"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month..."

A Committee has been constituted by Regional Director, Central Ground Water Board, Northern Region, Lucknow vide office order 4 (237) NGT/CGWB/NR/S&I/2022/255 dated 23 March 2022 and office order 4 (237) NGT/CGWB/NR/S&I/2022/328 dated 27 April 2022 for compliance of Hon'ble National Green Tribunal order.

The joint team comprising of member from Central Ground Water Board, Lucknow, Ground Water Department, Lucknow and Uttar Pradesh Pollution Control Board, Lucknow for inspection of Hotels.

The following nominated joint team members visited to carry out for inspection of 333 nos of hotels in Lucknow from 18.04.2022 to 06.05.2022.

1. Smt. Richa Gautam, Scientist-B, Central Ground Water Board, Lucknow
2. Dr. Shaista Khan, Scientist-B, Central Ground Water Board, Lucknow
3. Sh. Krishna Kumar Chaudhary, Scientific Assistant; Uttar Pradesh Pollution Control Board, Lucknow
4. Sh. Anil Kumar Sharma, Scientific Assistant; Uttar Pradesh Pollution Control Board, Lucknow
5. Sh. Vishwajeet Singh, Hydrologist, Ground Water Department, Lucknow
6. Dr. Fakhre Alam, Assistant Hydrogeologist Central Ground Water Board, Lucknow
7. Sh. Rahul Kumar, Assistant Hydrogeologist Central Ground Water Board, Lucknow
8. Sh. Anirudh Singh, Assistant Geophysist Central Ground Water Board, Lucknow

Shang.

Shang.

Shang.

Total 333 hotels/ marriage/banquet halls/ guest houses were inspected as on 18.09.2022. The complete information about the status of compliance of NOC as below-

²
Blang.

Antoni

Sl. No	List provided by District Administration	Name of Hotel/Marriage hall/Banquet/ Guest House	Date of Inspection	Status of NOC taken by CGWA	Number of existing Tubewells	Ground water Consumption (KLD)	Observation of the committee members during the inspection
1	No 2	Deep Hotel, 5-Vidhan Sabha Marg, Lucknow	04-05-2022	No	One	--	The Representative of hotel Sh. Amit Srivastava informed that there is no NOC and Tube well visit was denied by the staff.
2	No 6	Carlton Hotel, Shabjanaf Road, Lucknow	02-05-2022	No	One	--	The Representative of hotel Shri Mohit Verma informed that the hotel is currently non-functioning as the property is disputed. One tube well was found for water supply of hotel.
3	No 25	Paal Hotel, Raamteerth Marg, Narhi, Lucknow	03-05-2022	No	--	--	The Representative of hotel Shri Nikhil Mishra informed that the hotel has been demolished.
4	No 32	Burlington Hotel, Vidhan Sabha Marg, Lucknow	04-05-2022	No	--	--	Hotel has been demolished. A mall has been constructed in place of hotel
5	No 41	New Burlington Hotel, Vidhan Sabha Marg, Lucknow	04-05-2022	No	--	--	Hotel has been demolished. A mall has been constructed in place of hotel
6	No 48	Kapoor Hotel, 52, Hazratganj, Lucknow	03-05-2022	No	--	--	Closed since March 2020.
7	No 49	Elora Hotel, 3, Lucknow	03-05-2022	No	One	50	The representative Smt.

Shang:

Vijay

Bodhan

		Lalbagh, Lucknow	2022				Kavita Arora of hotel informed that there is no NOC and the water supply of the hotel is being done through one tube well.
8	No 50	Hotel Clark Awadh, Mahatma Gandhi Marg, Lucknow	02-05- 8 2022	Yes	Three	117	Validity till 17-10-2026. The Representative of hotel informed that there were three tube well for water supply of hotel.
9	No 57	Kasmunda Hotel, Park Road, Lucknow	05-05- 2022	No	--	--	Apartment has been constructed in place of Hotel.
10	No 59	Raj Hotel, Vidhan Sabha Chauraha, Lucknow	04-05- 2022	No	--	--	The Representative of hotel Mrs. Sunita Nigam refused to disclose any information.
11	No 62	Hotel Kahinor, Station Road, Lucknow	05-05- 2022	No	One	50	The Representative of hotel Sh. PK Jain informed that there is no NOC and two tube well were found but the water supply is done through only one tube well as the other one was non-functional. The respondent no 62 is same as respondent no 306.
12	No 67	Hotel Naresh, 39/79 Narti Bazar, Lucknow	03-05- 2022	No	One	--	The Representative of hotel Sh. Vijay Yadav informed that there is no NOC and one tube well found for water supply of hotel. The

							BW location was locked so couldn't take the photograph. The hotel name has changed to Hotel Savitri.
13	No 69	Hotel Charan International, 16 Vidhan Sabha Marg, Lucknow	04-05-2022	No	Two	10	The Representative of hotel Sh. RM Chaubey informed that there is no NOC and two tube well found for water supply of hotel.
14	No 71	Atul hotel, 498/0207 Nishat ganj Crossing, Lucknow	06-05-2022	No	--	--	The Representative of hotel Sh. Ram Singh doesn't have any information.
15	No 78	Shyam Vaishnav, 498/207, Nishat ganj, Lucknow	06-05-2022	--	--	--	No hotel found at the given address
16	No 86	Chowdhary Lodge, 03 Vidhan Sabha Marg, Lucknow	05-05-2022	No	--	--	The Representative of hotel Sh. Rajiv Gurnani informed that the hotel is closed since 2020.
17	No 103	Hotel Ram Krishna, 17/2 Ashok Marg Hazratganj	03-05-2022	N/A	--	--	The Representative of hotel Sh. Ishwar Datt informed that the water supply of the hotel is being done through Nagar Nigam. As informed No Bore well
18	No 109	Charan Guest House, C-60, Nirala Nagar, Lucknow	03-05-2022	No	One	--	The Representative of hotel Sh. Vinod Charan informed that there is no NOC and one tube well found for water supply of hotel.

19	No 126	Hotel Jwala, 41 Cantt Road	04-05- 2022	No	--	--	The Representative of hotel Sh. Harish Chandra doesn't have any information.
20	No 135	Amba Guest House, B-1/11 E- Park Mahanagar Extension, Lucknow	02-05- 2022	NA	--	--	The Representative of hotel Sh. Anil Kumar informed that the water supply of the hotel is being done through Nagar Nigam. As informed No Bore well
21	No 141	Rajdhani Guest House Marriage Hall, 119/01 Suya Road Near Odcan Cinema, Lucknow	03-05- 2022	--	--	--	No representative found at Hotel.
22	No 146	Tulsi Theatre Community Hall, 12, Rani Laxmi Bai Marg, Marriage Centre, Lucknow	03-05- 2022	--	--	--	The Representative of hotel refused to disclose any information.
23	No 155	Messrs Ram Krishna Guest House, 4 A Park Road, Lucknow	05-05- 2022	No	One	--	The Representative of hotel Sh. Prince Kumar informed that there is no NOC and one tube well was found.
24	No 156	Hotel Dileep, 42 Vidhan Sabha Marg, Lucknow	04-05- 2022	No	One	--	The Representative of hotel Sh. Vinod Charan informed that there is no NOC and one tube well was there for water supply but the site was refused to visit.

25	No 159	Hotel Taj Mahal, Vipin Khand, Gomti nagar, Lucknow	18-04-22	Yes	Two	144	The Representative of hotel Sh. Narendra Shukla informed that they have applied for renewal of NOC dated 06-04-22 and there were two tube wells but at a time water supply was done through only one tube well and the other was at stand by. NOC Expired on 26-12-2020
26	No 166	Messrs Swastik Hotel, 76 R.F. Bahadur ji Marg, Lucknow	05-05-2022	--	--	--	Closed permanently
27	No 168	Leela Hotel, Cantt. Road, Lucknow	03-05-2022	--	--	--	The Representative of hotel Sh. Ramesh Jagiyani refused to disclose any information.
28	No 197	Messrs Shyam Guest House, C-125, Nirala Nagar, Lucknow	03-05-2022	No	--	--	The Representative of hotel Sh. Sudheer Gupta informed that the hotel has been permanently closed since 7 yrs back.
29	No 201	Hotel Arif Castle, 4 Rana Pratap Marg, Lucknow	02-05-2022	No	One	60	The Representative of hotel Sh. Faraz Mahmood informed that there is no NOC and one tube well found for water supply of hotel.
30	No 205	Surya Guest House, A-11, C.J.	06-05-2022	--	--	--	No hotel found at the given address

Bhargava

V. Singh

		Aliganj, Lucknow					The Representative of hotel Sh. Sukhvir Yadav refused to disclose any information.
31	No 219	Hotel Shubham, 25 Vidhan Sabha Marg, Lucknow	04-05- 2022	No	--	--	
32	No 245	Messrs Srikar Hotels, La Plas park, 34/31K, K/1K2, Shahmujaf Road	05-05- 2022	No	Two	10	The Representative of hotel Sh. Shubendra Tiwari informed that there is no NOC and two tube wells were found for water supply of hotel.
33	No 246	Hotel Mera Mann Hotels, Pvt. Ltd. Station Road, Lucknow (Maharana Mahal)	05-05- 2022	No	Two	40	The Representative of hotel Sh. Rajiv Sanwal informed that there is no NOC and two tube wells were found for water supply of hotel.
34	No 248	Hotel Park Awadh, 40 A. Hussainganj, Vidhan Sabha Marg	04-05- 2022	No	One	--	The Representative of hotel Sh. Ram Naresh Singh informed that there is no NOC and one tube well found for water supply of hotel.
35	No 250	Hotel Gemini Continental Pvt. Ltd., 10 Rani Lakshmi Bai Marg	03-05- 2022	No	Two	25-30	The Representative of hotel informed that there is no NOC and two tube well found for water supply of hotel.
36	No 254	Madhuban Guest house, 531/1, Bada Chandganj, Aliganj, Lucknow	06-05- 2022	No	One	4	The Representative of hotel Sh. Sanjay Verma informed that there is no NOC and one tube well found for water supply of hotel.

37	No 257	Laxmi Guest house, 5 Shah najaf Road, Lucknow	05-05-2022	No	One	1	The Representative of hotel Sh. Kamal Garg informed that there is no NOC and one tube well was found for water supply of hotel.
38	No 261	Messrs Hotel Anant, 16 Vidhan Sabha Marg	05-05-2022	No	One	1.6	The Representative of hotel Sh. Arvind Charan informed that there is no NOC and one tube well was found for water supply of hotel.
39	No 263	Messrs Hotel Ganga Maya, 62/9 Station Road, Lucknow	05-05-2022	No	One	--	The Representative of hotel Sh. Dev Ashish Motwani informed that there is no NOC and one tube well was found for water supply of hotel.
40	No 271	Sri K.K. Palace, 9/13 Vikas Nagar, Lucknow	02-05-2022	--	--	--	No representative found at Hotel.
41	No 273	Tikarees Inn, 4/37 Vishal Khand, Gomtinagar	03-05-2022	No	--	--	No hotel found at the mentioned address. But other Tikarees Inn hotel inspected at 17/3 Ashok Marg, Lucknow. The Representative of hotel informed that there is one tubewell & other information not provided
42	No 275	Sri Ram Krishna Guest House, 4-A Park Road, Hazrat ganj	05-05-2022	No	One	--	The Representative of hotel Sh. Prince Kumar informed that there is no NOC and one tube well was found.

Sh. Pr. Singh
V. Singh

43	No 280	Hotel Confort Inn, T-C 75 Vibhuti Khand, Gomti Nagar Lucknow	28-04-2022	No	One	--	The Representative of hotel Sh. Raman Nagar informed that there is no NOC and one tube well found for water supply of hotel but visit to the tube well location was denied by the owner.
44	No 283	Messrs Dayal Paradise, C-F 1 & 2 Vipul Khand-5 Gomti Nagar Lucknow	28-04-2022	No	Two	--	The Representative of hotel Sh. Rajiv informed that there is no NOC and two tube wells were found for water supply of hotel.
45	No 287	Messrs Hotel Madhurima Messrs Narayan Das and Sons, Vibhuti Khand Gomti Nagar, Lucknow	28-04-2022	No	Two	54	The Representative of hotel Sh. Maneesh Mishra informed that there is no NOC and two tube wells were found for water supply of hotel.
46	No 291	Hotel Harsh Palace, C.P-8 Vikas Khand-1, Gomti Nagar Lucknow	29-04-2022	No	--	--	The Representative of hotel informed that the hotel has been permanently closed since 7 yrs back.
47	No 294	Messrs S.J.R. Hotels and Properties Ltd. C.P. 73 Viraj Khand Gomti Nagar Lucknow	29-04-2022	No	Two	50-60	The Representative of hotel Sh. Anand Mukherjee informed that there is no NOC and two tube wells were found for water supply of hotel.
48	No 295	Messrs Hotel Maple Leaf (A-	02-05-2022	--	--	--	The Representative of hotel Sh. Pradeep Srivastava

		Unit of Commercial Ltd.) located-2 China Bazar Gate Hazratganj, Lucknow					refused to disclose any information.
49	No 296	Messrs The Grand J.B.R Chemicals Pvt. Ltd. Lucknow	29-04-2022	--	--	--	The Representative of hotel Sh. Raghav Tiwari refused to disclose any information.
50	No 297	Messrs Sapna Clark Inn Located 11/C.P., 3-Vikas Nagar Lucknow	02-05-2022	No	Two	20	The Representative of hotel Sh. Mahesh Sharma informed that there is no NOC and two tube wells were found for water supply of hotel.
51	No 298	D.R. Hotels Pvt. Ltd. Vipin Khand Gomti Nagar, Lucknow	18-04-2022	No	One	80	Applied for NOC on 05-06-2021 in GWD for one number of tube well
52	No 299	Messrs Director Lucknow Recreation Facility Centre, 102 Kidwai Ahmad Nagar Eldeco Green Gomti Nagar	29-04-2022	NA	--	--	The representative of hotel Shri Sumant Rai informed that the water supply of the hotel is being done through Nagar Nigam. As informed No Bore well
53	No 300	Messrs Hotel Vijay Paradise 10 C.P. 05/18 Main Ring Road, Vikas Nagar Lucknow	02-05-2022	No	One	15	The Representative of hotel Sh. Piyush Kumar Pathak informed that there is no NOC and one tube well found for water supply of

Strong: V. Senthil

54	No 301	Messrs Gemini Continental Pvt. Ltd. Unit off-2 Vibhuti Khand, Gomti Nagar, Lucknow	18-04-2022	No	One	101	hotel. Applied for NOC on 05-06-2021 in GWD for one number of tube well
55	No 304	R.R. Developers (Hotel Levana) located 99 p. Triloki Nath Road 75 Hazrat ganj Lucknow	03-05-2022	No	One	33	The Representative of hotel Sh. Vijay Kumar informed that there is no NOC and one tube well found for water supply of hotel.
56	No 305	Sri R.K. Guest House, 16 Eideco Green Rafi Ahmad, Kidwai Nagar, Gomti Nagar Lucknow	29-04-2022	NA	--	--	The representative of hotel Shri Rajesh Srivastava informed that the water supply of the hotel is being done through Nagar Nigam. As informed No Bore well
57	No 306	Messrs Golden Tulip (A unit of Awadh Project Pvt. Ltd.) 9 Station Road, Lucknow	04-05-2022	No	Two but one was non-functional	50	The Representative of hotel Sh. PK Jain informed that there is no NOC and two tube well were found but the water supply is done through only one tube well as the other one was non-functional. The respondent no 62 is same as respondent no 306.
58	No 310	Messrs Hotel Mehrab Logistic and Aviation Ltd.	29-04-2022	No	Two	60	The Representative of hotel Sh. Mukesh informed that there is no NOC and two

		C.P. 74 Viraj Khand Gomti Nagar Lucknow				tube wells were found for water supply of hotel.	
59	No 313	Messrs Hotel Shobha Inn 09 Eldeco Green Kidwai Nagar, Gomti Nagar Lucknow	29-04- 2022	NA	--	--	The representative of hotel Shri Ashok Tiwari informed that the water supply of the hotel is being done through Nagar Nigam. As informed No Bore well
60	No 314	Messrs Fortune Park B.B.D. Unit of Vijra Khand International, 29/7 Rana Pratap Marg Lucknow	05-05- 2022	No	--	--	The Representative of hotel Sh. Parvez Ahmed informed that there is no tube well and water supply is met by Nagar Nigam.
61	No 316	Messrs Hotel Royal Inn Jagayani Hotels Properties Ltd. Shahnajaf Road Lucknow	05-05- 2022	No	Two	10	The Representative of hotel Sh. Saurabh Sinha informed that there is no NOC and two tube well were found.
62	No 318	Messrs Hotel Hilton Garden Inn A-Unit of Messrs Amrit Watlers Pvt. Ltd. Vibhuti Khand Gomti Nagar Lucknow	28-04- 2022	No	--	--	The Representative of hotel Sh. Rakesh Kapoor informed that there is no NOC and the owner refused to disclose any other information.
63	No 319	Messrs Hotel Routes Cooperation A-	29-04- 2022	No	Two	15-20	The Representative of hotel Akhilesh Barawal informed that there is no

Shang. V. K. Singh

		Unit of Messrs Adhaar Wildean Pvt. Ltd. Bhukhand No.- C.P. Viraj Khand Gomti Nagar Lucknow					NOC and two tube wells were found for water supply of the hotel.
64	No 320	Messrs Hotel Redisson City Centre 29 Cantt. Road Lucknow	03-05-2022	No	Two	--	The representative of hotel Shri Rijo George informed that out of two the water supply of the hotel is being done through one tube well.
65	No 324	Suman Lata Hospitality Services Pvt. Ltd. (Hotel Ranbir), C.P-125, Viraj Khand Gomti Nagar, Lucknow	29-04-2022	No	Two	35-40	The Representative of hotel Sh. Abhishek Mishra informed that there is no NOC and two tube wells were found for water supply of hotel.
66	No 325	Paal Paradise, 41/169-180, Ramteerth Marg, Narhi, Lucknow	03-05-2022	No	One	50	The representative of hotel Shri Nikhil Mishra informed that the water supply of the hotel is being done through one tube wells.
67	No 329	Chartered Hotel Pvt. Ltd., Plot no. T.C. 13 V, 1 st & 2 nd , Vibhuti Khand, Gomti Nagar, Lucknow	28-04-2022	Yes	Two	100	Validity 18-07-2026 The hotel is running with name Hyatt Regency

68	No. 38	Kashmir Hotel Guine Road, Aminabad Lucknow	12.09.22	-	-	-	Closed.
69	No. 16	Central Hotel Opposite Nagar Nigam Parking Aminabad, Lucknow	12.09.22	No	2.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
70	No. 17	Central Hotel Anexy Opposite Nagar Nigam Parking Aminabad, Lucknow	12.09.22	-	-	-	Closed.
71	No. 5	Raj Park View Hotel Aminabad, Lucknow	12.09.22	NO	0.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
72	No. 29	Hotel Gulmarg Aminabad Lucknow	12.09.22	NO	1.5 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
73	No. 7	Raja Hotel Infront of GarbarChala Park Aminabad, Lucknow	13.09.22	-	-	-	Closed.
74	No. 36	Raj Hotel	13.09.22	-	-	-	Closed.

Shang.

V. GmL




		Near Aminabad Park Aminabad Lucknow					
75	No.46	New Alfa Hotel Aminabad Lucknow	13.09.22	-	-	-	Closed.
76	No.93	Hotel Anand Near Aminabad Park Lucknow	13.09.22	-	-	-	Closed.
77	No.92	Mohan Hotel Anexy, A.P.Sen Road Lucknow	13.09.22	-	-	-	Closed.
78	No.9	New India Hotel Infront of Aminabad fruit market, Aminabad, Lucknow	13.09.22	-	-	-	Closed.
79	No.54	India Hotel Near Aminabad park, Lucknow	13.09.22	-	-	-	Closed.
80	No.35	Vaishali Hotel Shri Ram Road Lucknow	13.09.22	No	1 KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
81	No.40	Lucknow Hotel Aminabad Lucknow	13.09.22	-	-	-	Closed.
82	No.44	Amrawati Hotel Basandi Lucknow	13.09.22	-	-	-	Closed.
83	No.45	Republic Hotel	13.09.22	-	-	-	Closed.

		Basnandi Lucknow					
84	No.80	New Sharma Hotel 25 Shri Ram Road Lucknow	13.09.22	-	-	-	Closed.
85	No.12	New Kausal Hotel 82/3 Aminabad park Lucknow	13.09.22	-	-	-	Closed.
86	No.26	Bangali Hotel Aminabad, Lucknow	13.09.22	-	-	-	Closed.
87	No.28	Nav Jiwan Ashram Infront of Fruit market Aminabad, Lucknow	13.09.22	-	-	-	Closed.
88	No.37	Pavitra Sharma Bhojnalya Aminabad, Lucknow	13.09.22	-	-	-	Closed.
89	No.39	Chitra Hotel Aminabad, Lucknow	13.09.22	-	-	-	Closed.
90	No.47	Raj Kamal Hotel Aminabad, Lucknow	13.09.22	-	-	-	Closed.
91	No.104	Surya Hotel Aminabad, Lucknow	13.09.22	-	-	-	Closed.
92	No.88	Rama Kasmitri Hotel Aminabad Road Lucknow	13.09.22	-	-	-	Closed.
93	No.52	Priti Hotel 34 Arinrudaula park Aminabad, Lucknow	13.09.22	-	-	-	Closed.
94	No.43	Narraj Hotel Gole Darwaja Chaak	14.09.22	NO	1 KLD	1	Abstracting Ground Water without NOC.

Shang.
V. Singh

		Lucknow					One Tube Well found in Hotel.
95	No.64	Hotel Yatri 7 Vijay Nagar, Lucknow	14.09.22	NO	2KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
96	No.21	Hotel Tourist 9 V N Road Lucknow	14.09.22	-	-	-	Closed.
97	No.77	Hotel Navrang 212 Fool Bagh Lucknow	14.09.22	-	-	-	Closed.
98	No.82	Hotel Awadh Infront of Bhopal House, Halwasia, Lucknow	14.09.22	-	-	-	Closed.
99	No.34	Sumitra Hotel Larous Road, Lucknow	14.09.22	NO	2KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.
100	No.84	Nawjyotial Golagari, Lucknow	14.09.22	-	-	-	Closed.
101	No.85	Awadh Lodge Rammohan Rai Marg Lucknow	14.09.22	-	-	-	Closed.
102	No.20	Hotel President/M.J.Hotel Latus Road,Lucknow	14.09.22	NO	1.5KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Hotel.

103	No.87	Saraswati Lodge Ram Tirth Marg, Narhi Lucknow	14.09.22	-	-	-	Closed.
104	No.113	Tandan Hotel and Restaurant 39/132 Ram Tirth Marg Narhi Lucknow	14.09.22	-	-	-	Closed.
105	No.107	Kirtikye Lodge 40/20 MirzapurwaNarhi Lucknow	14.09.22	-	-	-	Closed.
106	No.79	Gitanjali Guest House 73/1 LokmangariCharbag Lucknow	14.09.22	NO	1.5KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
107	No.99	Redget Hotel 195/26 Jagat Narayan Road Golagari, Lucknow	14.09.22	-	-	-	Closed.
108	No. 91	Marwari Bhogialye Gole Darwaja, Lucknow	14.09.22	-	-	-	Closed.
109	No.68	Myur Nest 19 Mall Avenue, Lucknow	15.09.22	-	-	-	Closed.
110	No.116	Hotel Manisha 96/48 Grain Market, Ganeshgari	15.09.22	NO	2KLD	1	Abstracting Ground Water without NOC. One Tube Well found in

Shang. V. Shank

		Lucknow					Hotel.
111	No. 8	New Imperial Hotel, Aminabad, Lucknow	15.09.22	-	-	-	Not Located
112	No.96	Awadh Guest House Rakabganj, Lucknow	15.09.22	-	-	-	Closed.
113	No.115	Sahara Guest House Near Sabji mandi, Mumtiaz Dharmasala Road Lucknow	15.09.22	No	IKLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
114	No.4	Narayan Hotel 320 Gauri Niwas, old Kila Lucknow	15.09.22	-	-	-	Closed.
115	No.15	Shukla Vastav Hotel Guine Road, Lucknow	15.09.22	-	-	-	Closed.
116	No.23	Bright Hotel Radhey Building, Aminabad Lucknow	15.09.22	-	-	-	Closed.
117	No.30	Bombay Hotel Aminabad Lucknow	15.09.22	-	-	-	Closed.
118	No.31	Rainbow Hotel Nazirabad, Lucknow	15.09.22	-	-	-	Closed.
119	No.42	Chandra Vilhar Hotel 6 R F Bahadur Ji Lane Hajratganj,	15.09.22	-	-	-	Closed.

		Lucknow					
120	No.55	Chawala Hotel Wazirhasan Road Lucknow	15.09.22	-	-	-	Closed.
121	No.58	Ajanta Hotel Kaiper Road, Lalbagh Lucknow	15.09.22	-	-	-	Closed.
122	No.153	Sadab Guest House, Kurath Nagar, Kasabada, Lucknow	14.09.22	-	-	-	Not Located
123	NO.65	Sallimar Lodge 46/11 Old Gopal House, Lalbagh Lucknow	15.09.22	-	-	-	Closed.
124	NO.102	Delux Guest House A 1/1 Vikash Khand Gomti Nagar, Lucknow	15.09.22	No	0.4KLD	1	Abstracting Ground Water without NOC. One Tube Well found in Guest House.
125	NO.72	Hotel Plaza Hewet Road, Lucknow	15.09.22	-	-	-	Closed.
126	NO.94	Highland Hotel Lalbagh, Lucknow	15.09.22	-	-	-	Closed.
127	NO.105	Spec Hotel Lalbagh, Lucknow	15.09.22	-	-	-	Closed.
128	NO.110	Rajesh Lodge Tilpurwa Naka, Lucknow	15.09.22	-	-	-	Closed.
129	NO.111	Baitul Mansoor MusafirKhana	15.09.22	-	-	-	Closed.

Shang

Vishnu

		92/197 A Gautambudh Marg Lucknow						
130	NO. 112	Lojling House 196/2 Dr. Kalidas Chakravarti Bhawan, Golaganj, Lucknow	15.09.22	-	-	-		Closed.
131	NO.51	Surya Hindu Hotel Aminabad, Lucknow	15.09.22	-	-	-		Closed.
132	NO.53	Barabanki Hotel 13 Old Nazirabad NOL, Lucknow	15.09.22	-	-	-		Closed.
133	NO. 117	Krishna Lodge 8 A, Aryasamaj Road Ganeshganj, Lucknow	15.09.22	-	-	-		Closed.
134	No.118	Gomti Hotel, 06 Sapru Marg	13-09-22	No	1	12KLD		Abstracting Ground Water without NOC. One Tube Well found in Hotel
135	No.138	Hotel Pal Avadh	15-09-22	No	1	3KLD		Abstracting Ground Water without NOC. One Tube Well found in Hotel
136	No.330	The Continental, A unit of Group of Hotels, 82/1, Guru Govind Singh Marg, Bans Mandi Chauraha Lucknow	08-09-22	No	2	6KLD		Abstracting Ground Water without NOC. Two Tube Well found in Hotel

137	No.61	Hotel Amber, Naka Hindola, Lucknow	08-09-22	No	2	6KLD	Abstracting Ground Water without NOC. Two Tube Well found in Hotel
138	No.160	Hotel Ashish, Gurudwara road near Naka Hindola police station, Naka	09-09-22	No	1	7KLD	Abstracting Ground Water without NOC. One Tube Well found in Hotel
139	No.182	Mehfil Marriage Hall and Star Guest House, Ganga Prasad Road, Mauliviganj, Lucknow	15-09-22	No	2	0.5KLD	Abstracting Ground Water without NOC. Two Tube Well found.
140	No.144	Hotel Rajat, 43/47, Nawal Kishore Road, Hazratganj, Lucknow	06-09-22	-	-	-	Not Located
141	No.74	Sharma Hotel, 19 new Market Charbagh, Lucknow	06-09-22	No	2	5KLD	Abstracting Ground Water without NOC. Two Tube Well found.
142	No.73	New Sharma Hotel, 19 new Market Charbagh, Lucknow	06-09-22	No	2	8KLD	Abstracting Ground Water without NOC. Two Tube Well found.
143	No.3	Mohan Hotel, Charbagh, Lucknow	06-09-22	No	2	2KLD	Abstracting Ground Water without NOC. Two Tube Well found
144	No.75	Kaveri Hotel, Charbagh, Lucknow	06-09-22	No	2	4KLD	Abstracting Ground Water without NOC. Two Tube Well found

Shang.

N. Singh

145	No. 186	Hotel Setu Delux , 19 new market, Charbagh, Lucknow	-	-	-	-	Closed Permanently
146	No. 185	Hotel Setu Sharma , 19 new market, Charbagh, Lucknow	06-09-22	No	1	4KLD	Abstracting Ground Water without NOC. One Tube Well found
147	No. 328	Hotel Europe Plaza , R-08, Charbagh, Lucknow	07-09-22	No	2	4KLD	Abstracting Ground Water without NOC. Two Tube Well found
148	No. 114	Amrit Lodge	07-09-22	No	1	2 KLD	Abstracting Ground Water without NOC. One Tube Well found
149	No. 202	Hotel Yashoda, Charbagh , Lucknow	07-09-22	No	1	4KLD	Abstracting Ground Water without NOC. One Tube Well found
150	No. 76	Hotel Mayur, Charbagh Lucknow	07-09-22	No	1	6KLD	Abstracting Ground Water without NOC. One Tube Well found
151	No. 203	Gyan Guest House, Charbagh Lucknow	07-09-22	No	1	2KLD	Abstracting Ground Water without NOC. One Tube Well found
152	No. 164	Hotel Sangam, Charbagh Lucknow	07-09-22	No	1	1.5KLD	Abstracting Ground Water without NOC. One Tube Well found
153	No. 215	Hotel Vishwanath, Subhash Marg , Charbagh Lucknow	07-09-22	No	-	-	Receptionist did not know anything regarding water usages of hotel.
154	No. 307	Syona Residency, Charbagh , behind	07-09-22	No	2	5KLD	Abstracting Ground Water without NOC.

		bus stand Lucknow					Two Tube Well found
155	No.233	Pawar Guest House, Charbagh, Lucknow	07-09-22	No	1	2KLD	Abstracting Ground Water without NOC. One Tube Well found
156	No. 108	Hotel Dayal, Gurdwara Road, Naka Hindola Lucknow	09-09-22	No	1	2KLD	Abstracting Ground Water without NOC. One Tube Well found
157	No. 98	Hotel Deep Awadh, Aminabad Road, Lucknow	09-09-22	No	-	-	Data not provided
158	No. 190	Ghanshyam Guest House, 12-13, new market, Charbagh, Lucknow	07-09-22	No	1	4KLD	Abstracting Ground Water without NOC. One Tube Well found
159	No. 124	Hotel Tulsi, Pandariba, Lucknow	09-09-22	No	1	1KLD	Abstracting Ground Water without NOC. One Tube Well found
160	No.66	Hotel Samrat, Charbagh, Lucknow	08-09-22	No	1	3KLD	Abstracting Ground Water without NOC. One Tube Well found
161	No. 198	B.D Guest House	14-09-22	No	2	10KLD	Abstracting Ground Water without NOC. One Tube Well found
162	No.206	Diamond palace Banquetes, Near H.A.L. Faizabad Road, Lucknow	14-09-22	No	2	4KLD	Abstracting Ground Water without NOC. Two Tube Well found
163	No.188	Hotel Presidency Inn, Sapru Marg, Hazratganj, Lucknow	15-09-22	No	2	-	-




164	No.211	Amit Hotel, Nishatganj, Faizabad Road, Lucknow	14-09-22	No	-	-	Jal Nigam Supply water facility available
165	No.123	Madhur Milan Atrih Greh, Rajaji Puram	15-09-22	-	-	-	Closed Permanently
166	No.19	Hotel Hindustan Charbagh, Lucknow	07-09-22	-	-	-	Under renovation
167	No. 139	Hotel Triveni, 72/8, Munneyal Dharamshala Road, Charbagh, Lucknow	15-09-22	No	-	-	Jal Kal Bhawan water supply
168	No. 217	Hotel Bandhan B-11, Faizabad Road, Lucknow	14-09-22	No	2	10KLD	Abstracting Ground Water without NOC. Two Tube Well found
169	No. 210	Shiv Garh Resort Country Club, Kankaha, Raibairailly Road, Mohanlalganj, Lucknow	16-09-22	No	3	10KLD	Abstracting Ground Water without NOC. Three Tube Well found. Resort was under renovation at the time of inspection.
170	No. 14	Popular Calcutta Hotel, Pandariba Road, Charbagh, Lucknow	09-09-22	No	1	1KLD	Abstracting Ground Water without NOC. One Tube Well found
171	No. 174	Hotel Meeta, Opposite post office Pandariba, Charbagh Lucknow	09-09-22	No	1	3KLD	Abstracting Ground Water without NOC. One Tube Well found

172	No. 274	Hotel Udayraj, 215/ 216, Moti Nagar, Aishbagh Road, Lucknow	09-09-22	No	2	8KLD	Abstracting Ground Water without NOC. Two Tube Well found
173	No. 158	Elora Guest House , 24 B.N. Road	13-09-22	No	1	4KLD	Abstracting Ground Water without NOC. One Tube Well found
174	No. 131	Kiran Lodge Murli Ngar, Cant Road Lucknow	13-09-22	No	1	0.5KLD	Abstracting Ground Water without NOC. One Tube Well found
175	No. 163	Rukmani Lodge, 50/21 Narayan Road, Husainganj	13-09-22	No	1	5KLD	Abstracting Ground Water without NOC. One Tube Well found
176	No. 309	Hotel Galaxy International Naka Hindola Crossing Charbagh Lucknow	09-09-22	No	2	6KLD	Abstracting Ground Water without NOC. Two Tube Well found
177	No. 149	The Classic Marriage Center, Gol Market Marriage hall, Mahaganj Lucknow	14-09-22	No	2	8KLD	Abstracting Ground Water without NOC. Two Tube Well found
178	No. 125	Sitaran Atithi Grh, 371/22, Badsaha Nagar	14-09-22	-	-	-	Not Located
179	No. 127	Baba Tourist Lodge, 85 Kanpur road, Charbagh	15-09-22	-	-	-	Not Located
180	No. 128	Savera Guest	15-09-22	-	-	-	Not Located

		House 110/108, Naya Gawon Purv					
181	No. 133	Lado Guest House	13-09-22	-	-	-	Not Located
182	No. 140	Triveni Lodge, 05 Kesar Bagh Avenue, Lucknow	15-09-22	-	-	-	Not Located
183	No. 142	Kushboo Lodge, 60/61, Raza Manzil Bastirat Ganj	15-09-22	-	-	-	Not Located
184	No. 143	Hardik Guest House, 16 Rana Pratap Marg	15-09-22	-	-	-	Closed
185	No. 145	Azad Guest House, 115/07/1, Bagh Munnu Girish Chandra Bose Road, Ghasyari Mandi	15-09-22	-	-	-	Not Located
186	No. 147	Savitri Lodge, 274/321, Rajendra Nagar	15-09-22	-	-	-	Not Located
187	No. 148	Rajsthan Guest House	14-09-22	-	-	-	Not Located
188	No. 150	Vikash Nagar Guest House, 06/966, Vikash Nagar	14-09-22	-	-	-	Not Located
187	No. 151	Subham Marriage Hall, A709, sector- C, Mahanagar	14-09-22	-	-	-	Closed
189	No. 152	Thikana Guest House, B373.	14-09-22	-	-	-	Not Located

190	No. 161	Indra Nagar Hotel Silver Palace, 1 st Floor of Sultan Bufl Building, Sriram Road	15-09-22	-	-	-	-	Not Located
191	No. 162	S.K. Guest House, 49A Najjar Garh	13-09-22	-	-	-	-	Not Located
192	No. 165	Mahanagar Yatri Niwas, B745, Sec- C, Mahanagar	14-09-22	-	-	-	-	Not Located
193	No. 169	Avon Marriage Palace,	14-09-22	-	-	-	-	Not Located
194	No. 172	Geeta Guest House, B16, Sec- C, Mahanagar	14-09-22	-	-	-	-	Closed
195	No. 176	Milan Guest House, 281/521, Amir Nagar, Moti Nagar	14-09-22	-	-	-	-	Not Located
196	No. 191	Goyal Lodge, 13/207, Munney Lal Dharamshala Road, charbagh, Lucknow	08-09-22	-	-	-	-	Closed
197	No. 193	Shanti Guest House, B24, Rajajipuram, Lucknow	15-09-22	-	-	-	-	Not Located
198	No. 195	New Kaushal Hotel 82/03 Aminadad Park	15-09-22	-	-	-	-	Not Located
199	No. 199	The Grand Hotel,	14-09-22	-	-	-	-	Not Located

Shang

V. Sankar




200	No. 213	4 Lalbagh Ashiyana Guest House, 169/37, Khayalganj, Lucknow	15-09-22	-	-	-	-	Not Located
201	No. 1	Ajit Hotel, Naka Homdola, Lucknow	09-09-22	-	-	-	-	Not Located
202	No. 18	Bangali Hotel Charbagh	06-09-22	-	-	-	-	Closed
203	No. 27	Rajendra Hotel, Charbagh	07-09-22	-	-	-	-	Not Located
204	No. 33	Rajdhani Hotel, New Ganeshgani, Aminabad, Lucknow	09-09-22	-	-	-	-	Not cooprated by Manager
205	No. 56	Chaurasia International Hotel, 13 APN Road, Lucknow	09-09-22	-	-	-	-	Not Located
206	No. 81	Sharma Marwadi Hotel, Charbagh, Lucknow	09-09-22	-	-	-	-	Not Located
207	No. 83	Lucknow Guest House, Maulviganj, Lucknow	09-09-22	-	-	-	-	Closed
208	No. 89	Ummoo Narash Hotel, Bashmadi Naka	09-09-22	-	-	-	-	Not Located
209	No. 100	Daulat Lodge, Charbagh, Lucknow	07-09-22	-	-	-	-	Closed

210	No. 106	Hotel Vrindavan, Charbagh	06-09-22	-	-	-	Not cooperated by Hotel Receptionist
211	No. 119	Krishna Sindh Hotel, 24 Aminabad	18.09.2022	No	NA	NA	Hotel Not Present at the given Location
212	No. 121	Shri Sanjay Hotel, Ramteerth Marg Narhi	18.09.2022	No	2	8KLD	Hotel Representative Raju Yadav told No NOC has been taken.
213	No. 137	Hotel Sham-e- Awadh, 105/300 Fool Bagh Lucknow	18.09.2022	No	1	2KLD	Sh Riaz Ahmed owner told hotel is not functioning. Using property as house.
214	No. 154	Shalimar Marriage Hall Nandan Mahal Road.	18.09.2022	No	NA	NA	Hall Not Present Converted into Shopping Complex
215	No. 167	Swagar Banquet Hall, 7 ERF Bahadur G Marg	18.09.2022	No	NA	NA	Not Located
216	No. 171	Hotel Mohit, 3rd Floor Shobhit Complex Aminabad	18.09.2022	No	1	2KLD	Hotel Representative Ashwani Awasthi told No NOC has been taken.
217	No. 173A	Raj Awadh Hotel, Chowk Mandi Choraha	18.09.2022	No	1	2KLD	Hotel Representative Aman Pandey told No NOC has been taken.
218	No. 175	Executive Guest	18.09.2022	No	1	5KLD	Hotel Representative

Shoung.

V. Singh

		House, 13 Madan Mohan Malviya Marg				Ajay Kumar Pandey told No NOC has been taken.
219	No. 184	Kumar Marriage Palace & Hotel, Oppo. Ambedkar Bus Stand, Sujain Pura Alambagh	18.09.2022	No		Banquet hall Representative Sachin Yadav told No NOC has been taken.
220	No. 200	Malti Lodge-Boys Hostel, Shayama Chauraha, Narhi	18.09.2022	No	1	7KLD
221	No. 208	New Kundan Leela Palace, Adjacent to Arya Samaj Mandir Chandar Nagar Alambagh	18.09.2022	No	1	2KLD
222	No. 218	Hotel Tribhuvan, Naka Hindola Road Lokman Ganj Charbagh	18.09.2022	No	1	2KLD
223	No. 181	Hotel Mangalam, 92 Gautam Buddha Marg	12-09- 2022	Not Available	1	-
						The Representative of hotel informed that there is one tube well in hotel and NOC is not available.

224	No. 212	Ganpati Guest House, 183, Gautam Buddha Marg, Lucknow	12-09-2022	Not Available	2	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available; Sold to P. S. International ((currently known as P. S. International) Establishment Year- 2012
225	No. 24	Maharaja Hotel, Gautam Buddha Marg	12-09-2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
226	No. 302	Niransh Theme Park Resort & Water Park	19-09-2022	Available; issued on 25/08/2022	2	-	The Representative of hotel informed that there is one tube well in hotel and NOC is available; Issued on 25/08/2022
227	No. 260	Hari Grih Guest House, Kursi Road Vikas nagar, Lucknow	14-09-2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
228	No. 256	Awadh Palace, Guest House 367, Mohibullapur, Sitapur Road	14-09-2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
229	No. 278	Raj Darpan Community centre and Club, A Block	14-09-2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel

		South city Raebareli Road					and NOC is not available.
230	No. 326	Pathik Luxury Hotel, 7 A Shyam Kunj II, Saraswatiapuram, Raebareli Road, Near SGPGI	14-09- 2022	Not Available	2	-	The Representative of hotel informed that there are two tube well in hotel and NOC is not available.
231	No. 244	Purwanchal Lodge, 1 A Saraswatiapuram, Shyamkunj 2, Near SGPGI	14-09- 2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
232	No. 239	Heritage Lodge Saraswatiapuram Lucknow	-	-	-	-	The hotel has been Demolished.
233	No. 308	M/S Farm Fresh Houses, Village Pursaini, Gopal Kheda Mohanlalganj Lucknow	14-09- 2022	Not Available	2	-	The Representative of hotel informed that there are two tube well in hotel and NOC is not available.
234	No. 266	M/S Arora Palace, 3-4 Maniganj saraswatiapuram, Near PGI	14-09- 2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
235	No. 303	M/s Deep Distalies & Brothers Pvt. Ltd, Sarai Shehjadi Junabganj Lucknow	14-09- 2022	-	-	-	Could not be located in the given address.
236	No. 222	Sant Mahal,	13-09-	-	-	-	Closed since 2001

		55/D/12 Narekheda Road Alambagh Lucknow	2022					
237	No. 224	Gulati Guest House, 551M/171 K Ramnagar Kanpur Road, Alambagh	13-09- 2022	-	-	-	Closed	
238	No. 262	Chandra Guest House, Snehanagar Alambagh Lucknow	13-09- 2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.	
239	No. 231	Milan Palace, Singaar Nagar, Kanpur Road Lucknow	13-09- 2022	-	-	-	Closed; Byju's Classes now	
240	No. 230	M/s Amrapali Pvt. Ltd. Aadharsitha Guest House, Sneha Nagar, Alambagh	13-09- 2022	-	-	-	Closed; Aryavart Bank now	
241	No. 279	The Piccadilly, Kanpur Road Lucknow	13-09- 2022	Available	2		The Representative of hotel informed that there are two tube well in hotel and NOC is available; Issued on 22/06/2021	
242	No. 225	Aashirvaad Guest House, Kanpur Road	13-09- 2022	-	-	-	The hotel has been Demolished.	

Blank:

U.S. Bank

243	No. 229	Ghai Guest House, 562/36 Rangarh Colony Kanpur Road Lucknow	13-09- 2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
244	No. 332	M/s Lermontree Hotel, Near Transport Nagar Metro Station Behra, Kanpur Road Alambagh Lucknow	13-09- 2022	Available	1	-	The Representative of hotel informed that there are two tube well in hotel and NOC is not available; Issued on 17/07/2021
245	No. 226	Modern Guest House, Kanpur Road Lucknow	13-09- 2022	-	-	-	Closed
246	No. 207	Hotel Sunbeam, 87 Gautam Buddha Marg, Lucknow	12-09- 2022	-	-	-	Could not be located in the given address.
247	No. 180A	M/S Sona Lodge, 210, Gautam Buddha Marg	12-09- 2022	-	-	-	Could not be located in the given address.
248	No. 290	Classic Guest House, 92/196 V/2 Gautam Buddha Marg, basmandi, Lucknow	12-09- 2022	-	-	-	Could not be located in the given address.
249	No. 183	Hotel Goodluck, 45 Gautam Buddha Marg, Lucknow	12-09- 2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
250	No. 281	The Shimla Inn, 92/140 Gautam	12-09- 2022	Not Available	1	-	The Representative of hotel informed that there

		Buddha Marg Lucknow					is one tube well in hotel and NOC is not available.
251	No. 196	Hotel Shiva, 92/172 Gautam Buddha Marg Lucknow	12-09-2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
252	No. 101	Parakash Lodge, 99 Gautam Buddha Marg Lucknow	09-09-2022	-	-	-	Closed
253	No. 134	Nishant Lodge, Subhash Marg RaniGANJ	09-09-2022	-	-	-	Closed
254	No. 192	Surya Lodge, 33/77 RaniGANJ Subhash Marg Lucknow	09-09-2022	-	-	-	Closed
255	No. 327	Hotel SR Grand, Plot No. 65-215/4511-6 Subhash Marg	09-09-2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
256	No. 187	M/S Gandhari House, 275 K, Near Sudarshan Cinema, Subhash Marg, Lucknow	09-09-2022	-	-	-	Could not be located in the given address.
257	No. 13	Darpan Hotel, Hewett Road Lucknow	09-09-2022	-	-	-	Could not be located in the given address.
258	No. 10	Vishnu Gopal	09-09-	-	-	-	Could not be located in

Shang.

U. B. Singh

		Hotel, 194, Hewett Road Lucknow	2022				the given address.
259	No. 11	New Vishnu Gopal, 19 Hewett Road Lucknow	09-09-2022	-	-	-	Could not be located in the given address.
260	No. 132	Darpan Lodge, 102/45 Shivaji Marg Hewett Road	09-09-2022	-	-	-	Could not be located in the given address.
261	No. 95	Nartha by Indian Culture VJ Banquet Hall, 93/21 Grain Market Ganeshtganj	09-09-2022	-	-	-	Water Bill from Jal Kai Vibhag, Nagar Nigam Lucknow
262	No. 97	Hotel Asha, 191 Gautam Buddha Marg	09-09-2022	Not Available	1	-	The Representative of hotel informed that there is one tube well in hotel and NOC is not available.
263	No. 90	Apsara Hotel, 195 Gautam Buddha Marg	09-09-2022	-	-	-	Hotel converted to complex
264	No. 216	Gomti Nagar Guest House, 3/54 Vishwas Khand Gomti Nagar Lucknow	09-09-2022	-	-	-	Closed since 1997
265	No. 180	M/s Triinka Guest House, 3/544 Vivek Khand Gomti nagar Lucknow	08-09-2022	-	-	-	Guest house converted to private residence
266	No. 178	Awadh Marriage	08-09-	-	-	-	Converted to private

		Palace, 3/162 Vikas Khand Gomti Nagar, Lucknow	2022				residence
267	No. 227	Metro Guest House, A-4, Sindhunagar, Kanpur Road, Lucknow	13.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
268	No. 228	Chhabra Guest House, Krishna Nagar Kanpur Road, Lucknow	13.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
269	No. 232	Shree Raghunandan Manglik Mandal, 551 M 138 B, Ramnagar, Alambagh, Lucknow	13.09.2022	-	-	-	*New Name (Hotel Pacific Inn) Could not be located in the given address
270	No. 264	M/s Meridian Gust House, 551/K-185, Ramnagar, Lucknow	13.09.2022	-	-	-	Closed Present: Home Style Furniture Shop
271	No. 286	Laxmi Guest House, 560/96, Krishna Nagar Market, Kanpur Road, Lucknow	13.09.2022	Not Available	1		The representative of the Hotel inform that there is no NOC of existing bore well
272	No. 315	M/s Harishchand Guest House,	13.09.2022	Not Available	1	-	The representative of the Hotel inform that there is

		Beside Sunny Toyota, Chhillavan, Kanpur Road, Amusi Airport, Lucknow					no NOC of existing bore well
273	No. 277	M/s Life Styles Hotels Pvt. Ltd., BTC House, 25, Daroga Kheda, Kanpur Road, Lucknow	13.09.2022	Not Available	2	-	The representative of the Hotel inform that there is no NOC of existing bore well *New Name Mukund Madhav Royals
274	No. 288	Jalsa Resort (India) Pvt. Ltd., Gram bakkas, Sultanpur Road, Lucknow	13.09.2022	Not Available	3	-	The representative of the Hotel inform that there is no NOC of existing bore well
275	No. 333	Shri Sarvesh Kumar Goyal, M/s Anahita Hospitality LLP, Pocket-7, Sector-C, Sushant Golf City, Lucknow	13.09.2022	Not Available	3	-	The representative of the Hotel inform that there is no NOC of existing bore well
276	No. 322	Shimla Hotel & Resort, 332 S, Ahimamau, Sultanpur Road, Lucknow	13.09.2022	Not Available	2	-	The representative of the Hotel inform that there is no NOC of existing bore well
277	No. 311	Hotel Di Wine Inn, B-373, 371, Indiranagar, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well

278	No. 317	M/s LLP Hostel, 20 Maji Ki Bagiya, Bada Chandganj, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
279	No. 312	M/s Tulsī Ganga Mandap Bhawan, No. 959, Sector-A, Mahaganj, Lucknow	16.09.2022	Not Available	2	-	The representative of the Hotel inform that there is no NOC of existing bore well
280	No. 220	Sharma Atithi Grah, B1/2, Mandimarg, Mahaganj, Vistar, Lucknow	13.09.2022	-	-	-	Could not be located in the given address
281	No. 243	Hotel Sagar International, 14A, Japling Road, Lucknow	16.09.2022	-	-	-	Closed last six years
282	No. 292	M/s Hotel Jawahar International-Hotel India Awadh, 36/18-4 Saprunmarg, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
283	No. 267	M/s New Ram Krishna, 17/2, Ashok Marg, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
284	No. 270	M/s Executive Inn Guest House, 12/175, Laxmi Plaza, 44A Cant	13.09.2022			-	Could not be located in the given address

285	No. 242	Road, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
286	No. 272	Hotel Deep International, 18 Station Road, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
287	No. 258	Hotel Safari, 103/11 Sundarbagh, Lucknow	16.09.2022	Not Available	2	-	The representative of the Hotel inform that there is no NOC of existing bore well
288	No. 234	Sara Marriage Centre, 105/38 Golaganj, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
289	No. 276	M/s Shanti Lodge, 252/149 Rakabganj, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
290	No. 241	M/s Bakshi Palace, 29-A, Krishna Nagar, Lucknow	16.09.2022	Not Available	2	-	The representative of the Hotel inform that there is no NOC of existing bore well
291	No. 237	Hotel Seema Palace, 19-20, Ismailganj, Lucknow	16.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
292	No. 236	Utsav Udyan, 121 Faizabad Road, Lucknow	13.09.2022	Not Available	1	-	The representative of the Hotel was not available *New Name Hotel Avadh International
		Manik Guest House, 118 Gurugovind Singh Marg, Lucknow	13.09.2022	Not Available	1	-	Could not be located in the given address

293	No. 265	M/s Aalmaas Marriage Hall, Napier Road, Near Jama Masjid, Hussainabad, Lucknow	15.09.2022	Not Available	2	-	The representative of the Hotel inform that there is no NOC of existing bore well * 1 borewell damaged
294	No. 221	Rohiya Banquet Marriage Hall, 446-Pitbuktara, Hardoi Road, Chowk, Lucknow	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
295	No. 255	Anas Marriage Hall, 7 Kapoor Market, Lucknow	13.09.2022	-	-	-	Closed
296	No. 238	City Marriage Hall, 295/377 Deendayal Road, Valda Ashrafabad, Lucknow	15.09.2022	-	1	-	DOE 03.10.1997
297	No. 247	Mahal Banquet Hall, 253/148-149 Nandan Mahal Road, Lucknow	13.09.2022	-	-	-	Could not be located in the given address * People says closed
298	No. 253	M/s Danish Lodge, 204/2 City Station Hamid Road, Lucknow	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
300	No. 331	JK Marriage Hall, 273 Tikaitrai Talab Bagh, Shirlaji, Rajajipuram, Lucknow	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well

301	No. 249	Chandra Gusset House, K-6/1, D Block, Rajajipuram, Lucknow	15.09.2022	Not Available	-	-	The representative of the Hotel inform that there is no NOC of existing bore well
302	No. 252	Rilaybil Guest House, S91/16 D Kalim Market, Rajajipuram, Lucknow	13.09.2022	-	-	-	Closed
303	No. 323	Saxena Marriage Hall, 2CP 204, 205 Rajajipuram, Lucknow	15.09.2022	-	-	-	-
304	No. 259	M/s Hotel Rangoli, 92/220 GB Marg, Lucknow	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
305	No. 285	M/s Saket Regency, 3A 8,9A Old RTO Compound, Lucknow	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
306	No. 284	M/s Hotel Bagga Palace, 82/5 Guna Govind Marg, Lucknow	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
307	No. 223	Agrawal Anithi Grah, 58 Guna Govind Marg, Lucknow	13.09.2022	-	-	-	Closed
308	No. 289	Star Palace, 118/145 Cant	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is

		Road, Ghasiyari Mandi, Lucknow					no NOC of existing bore well
309	No. 251	Premier Guest House, 120/96 B Veldari Lane, Lalgaah, Lucknow	15.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
310	No. 235	City Hotel, 126/12/1 BN Road, Lalbagh, Lucknow	15.09.2022	Not Available	2	-	The representative of the Hotel inform that there is no NOC of existing bore well
311	No. 268	M/s Chandra Guest House, 3/186 A Vivek Khand, Gomti Nagar, Lucknow	08.09.2022	Not Available	-	-	The representative of the Hotel inform that there is no NOC of existing bore well
312	No. 269	M/s Saubhagyam Guest House, 5/34 Vishal Khand, Gomti Nagar, Lucknow	08.09.2022	NOC Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
313	No. 170	M/s Shiva Guest House, Vishvas Khand, Gomti Nagar, Lucknow	08.09.2022	-	-	-	Closed
314	No. 321	M/s Hotel Sunrise Inn, CP-1/2 Vikas Khand, Gomti Nagar, Lucknow	08.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
315	No. 240	(Paying Guest) Deluxe Guest House, 1 HIG Vikas Khand, Gomti Nagar, Lucknow	08.09.2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well

		Lucknow							
316	No. 173	Devalay Marriage & Guest Centre, 2/38 Vijay Khand, Gomti Nagar, Lucknow	08.09.2022	-	-	-	-	Could not be located in the given address	
317	No. 209	Hotel Midoz Inn, 7/84, Vijay Khand, Lucknow	08.09.2022	-	-	-	-	Could not be located in the given address	
318	No. 130	Slera Hotel, 19 Hiwet Road, Lucknow	08.09.2022	-	-	-	-	Could not be located in the given address	
319	No. 60	Uttar Dakshin Hotel, 10 Hazratganj, Lucknow	08.09.2022	-	-	-	-	Could not be located in the given address	
320	No. 22	Standards Hotel, Vidhansabha Marg, Lucknow	08.09.2022	-	-	-	-	Could not be located in the given address	
321	No. 282	M/s Hotel Ramkrishna Gold, 43/5 Nawalkishore Road, Hazratganj, Lucknow	09.09.2022	NOC not available at the time of inspection	1	-	-	DOE 20.03.2009	
322	No. 70	Kesarvani Lodge, hazratganj, Lucknow	09.09.2022	Not Available	1	-	-	The representative of the Hotel inform that there is no NOC of existing bore well *Converted to boys hostel (Kesharvani Boys Hostel)	

323	No. 177	Hotel Deep Palace, 12/47, Cant Road, Lucknow	-	-	-	-	Data not provided
324	No. 63	Madhuban Hotel, 56/1, Hewatt Road, Lucknow	09-09-2022	Not Available	1	-	The representative of the Hotel inform that there is no NOC of existing bore well
325	No. 120	Ashiyana Lodge, Pan Dariba	09-09-22	-	-	-	Not Located
326	No. 122	Sharma Palace, C4736, Rajajipuram, Lucknow	15-09-22	-	-	-	Closed
327	No. 129	Mahanagar Marriage centre, A705, sec-C, Mahanagar	14-09-22	-	-	-	Not Located
328	No. 136	Hotel Sumitra, Gangeshganj, Lucknow	15-09-22	-	-	-	Not Located
329	No. 157	Radha Madhav Utsav Sadan	14-09-22	-	-	-	Not Located
330	No. 179	Neera Guest House, E4030, Rajajipuram	15-09-22	No	1	3KLD	The representative of the Hotel inform that there is no NOC of existing bore well
331	No. 189	Magalam Atrihgrh, C430, Rajajipuram	15-09-22	-	-	-	Closed
332	No. 194	Vrindavan Bihari Guest House, Bihari Bhawan, Araya Nagar	14-09-22	-	-	-	Not Located

Along.

U. K. Singh

333	No. 204	Arora House, Rajajipuram	Guest	15-09-22	-	-	-	-	Not Located
-----	---------	-----------------------------	-------	----------	---	---	---	---	-------------



Signature

Signature



Handwritten signature



Handwritten signature

Handwritten signature

Signature

Signature





V. Bink





Prashant

Sham

V. Singh



Sharma.
20/09/22
(Anil Kumar Sharma)
Scientific Assistant,
Uttar Pradesh Pollution Control Board,
Lucknow



Vishvajeet Singh
20/09/22
(Vishvajeet Singh)
Hydrologist,
Ground Water Department,
Lucknow



Richa Gautam
20/09/2022
(Richa Gautam)
Scientist -B,
Central Ground Water Board,
Lucknow

REPORT
PLACED BEFORE HON'BLE NATIONAL GREEN
TRIBUNAL (NGT), NEW DELHI
O.A. No. 438 of 2018

In the matter of Arti versus CGWA & Ors.

1. Background

Taking note of complaint made to the Hon'ble Tribunal regarding illegal abstraction of ground water, Hon'ble Tribunal has passed order dated 25.02.2022. The relevant part of the order is as follows:

"..... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if falling to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/ banquet halls/ resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority and take further remedial action....."

2. Action Taken

In compliance order passed by Hon'ble NGT on dated 25.02.2022 the following committee was constituted.

Nominated Members

1. Dr. Gyan Prakesh Yadav, ASDM, Sadar, Varanasi (Representative of District Magistrate, Varanasi)
2. Kalika Singh, Regional Officer, Uttar Pradesh Pollution Control Board, Varanasi (Representative of Uttar Pradesh Pollution Control Board)
3. Vipin Kumar Mishra, Assistant Hydrogeologist (Representative of Central Ground Water Board, State Unit Office, Allahabad)

4. Observations

The constitute committee was inspected 149 nos. of hotels in Varanasi district from dated 30.03.2022 to 24.05.2022. On the basis of inspection report 04 nos. hotels fully comply (**Annexure-I**), 05 nos. of hotels partially comply (**Annexure-II**) and 140 nos. hotels are defaulters (**Annexure-III**). The details photographs taken in course of inspection is attached (**Annexure-IV**). Apart from this notice has also been served to the hotels from State Ground Water Authority, Varanasi is appended (**Annexure-V**).



(Kalika Singh)
Regional Officer
U.P. Pollution Control Board
Varanasi

(Dr. Gyan Prakesh Yadav)
ASDM,
Sadar, Varanasi



(Vipin Kumar Mishra)
Assistant Hydrogeologist
(Central Ground Water Board,
State Unit Office, Allahabad)

List of Hotels, Marriage/ Banquet halls/Resort, Guest House having Valid NOC						
S. NO.	Respondent No. as per OA	NAME OF RESPONDENT	DATE OF INSPECTION	Status of NOC taken by CGWA/ SGWA	No of Tube wells observed by committee	Observation of the committee members during the inspection
43	Respondent No. 43	Hotel Madin, Budh vihar colony, Mall Road, Varanasi	02-05-2022	Yes	1 TW	The representative of the hotel Shri Shivdutt Singh, informed that the water supply of the hotel is being done through one tube well .Firm has one rain water harvesting structure & STP.
61	Respondent No. 61	Taj ganges, Varanasi, Nadeshwar palace ground, Varanasi	12-05-2022	Applied for NOC from SGWD	2 TW	The representative of the hotel Shri Gurmeet Singh Rana, informed that the water supply of the hotel is being done through two tube well.Firm has two recharge structures and one STP plant. The firm had obtained NOC from CGWA which expired on 02 02.2022
84	Respondent No. 84	Hotel Radisson, The Mall Raod, Varanasi	05-05-2022	Yes	2 TW	The representative of the hotel Shri Ravi S Rai, informed that the water supply of the hotel is being done through Two tube well .Firm has one STP and one Rainwater harvesting structure

132	Respondent No. 132	Hotel Meraden Grand, Patel Nagar, Varanasi	05-05-2022	Yes	1 TW	The representative Shri Vikash Singh informed that the water supply of the hotel is being done through one tube well.
-----	-----------------------	--	------------	-----	------	--

List of Hotels, Marriage/ Banquet halls/Resort, Guest House have applied for NOC (Under Progress)						
S. NO.	Respondent No. as per OA	NAME OF RESPONDENT	DATE OF INSPECTION	Status of NOC taken by CGWA/ SGWA	No of Tube wells observed by committee	Observation of the committee members during the inspection
21	Respondent No. 21	Costa Riviera, C 21/4- A-3, Subha Kamna complex, Maldahiya, Varanasi	19-05-2022	No	1 TW	The representative of the hotel Shri Prushotam Jha, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.Firm has installed STP
92	Respondent No. 92	Diamond Hotel, Bhelupur, Varanasi	13-05-2022	No	1 TW	The representative of the hotel Shri Pankaj Mishra informed that the water supply of the hotel is being done through one tube well . Firm has two rain water harvesting structures.
119	Respondent No. 119	The Amaya, Mall road, Cantonment, Varanasi	02-05-2022	No	1 TW	The representative Shri Rajiv Kumar Rai informed that the water supply of the hotel is being done through one tube well . Firm has installed STP plant of 10 KLD & one Recharge structure

120	Respondent No. 120	Rivata's by Idel, Mall road Cantonment, Varanasi	02-05-2022	No	1 TW	The representative Shri Rajiv Kumar Rai informed that the water supply of the hotel is being done through one tube well . Firm has installed STP plant of 10 KLD & one Recharge structure
122	Respondent No. 122	M M Continental, Mall road cantonment,Budh Vihar,Varanasi	04-05-2022	No	1 TW	The representative Shri Dinesh kumar informed that the water supply of the hotel is being done throughone tube wells and anoher one tubewell is defunct .

List of Hotels, Marriage/ Banquet halls/Resort, Guest House have not applied for NOC						
S. NO.	Respondent No. as per OA	NAME OF RESPONDENT	DATE OF INSPECTION	Status of NOC taken by CGWA/ SGWA	No of Tube wells observed by committee	Observation of the committee members during the inspection
1	Respondent No. 01	Shree Rudra, Chowkghat, Cantonment Road, Varanasi	22-05-2022	No	1 TW	The representative of the hotel Shri Jaiprakash Singh, informed that the water supply of the hotel is being done through one tube well.
2	Respondent No. 02	Hotel Regency, Andhrapa, Varanasi	22-05-2022	No	Not available	The representative of the hotel refused to provide information.
3	Respondent No. 03	Hotel Park, C 31/31-A, Englishiya Line, Varanasi	22-05-2022	No	1 TW	The representative of the hotel Shri Sandeep, informed that the water supply of the hotel is being done through one tube well.
4	Respondent No. 04	Baba Guest House, S 21/72 - L, Englishiya line, Varanasi	22-05-2022	No	1 TW	The representative of the hotel Smt. Smriti Arora, informed that the water supply of the hotel is being done through one tube well.
5	Respondent No. 05	Hotel Shagun Palace, C 31/30, Englishiya Line, Varanasi	22-05-2022	No	1 TW	The representative of the hotel Shri Sonu Mishra, informed that the water supply of the hotel is being done through one tube well.

6	Respondent No. 06	Hotel Blue Star, S 21/47 A1, Englishiya line, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri Dharendra Singh, informed that the water supply of the hotel is being done through one tube well.
7	Respondent No. 07	Ankit Guest House, S 2/54, Englishiya Line, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri Omprakash Singh, informed that the water supply of the hotel is being done through one tube well.
8	Respondent No. 08	Shiv Mangal lodge, S 21/57, Englishiya line, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri Surendra Nath Choubey , informed that the water supply of the hotel is being done through one tube well.
9	Respondent No. 09	Shree Ram lodge, C 21/5, Englishiya line, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri arvind Gupta, informed that the water supply of the hotel is being done through one tube well.
10	Respondent No. 10	Ambika lodge, S 21/33-A, Englishiya Line, Varanasi	21-05-2022	No	Matter is subjudice	The representative of the hotel Shri Poonam Gupta, informed that the water supply of the hotel is being done through Jal Kal Bibhag and as inform by firm representative matter is subjudice.
11	Respondent No. 11	Hotel Kalika, S 21/3, Englishiya line, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri Satyanarayan Prasad, informed that the water supply of the hotel is being done through one tube well.
12	Respondent No. 12	Hotel Veena, C 32/3A-K-1, Vidyapeeth, Varanasi	21-05-2022	No	1 TW	The representative of the hotel informed that the water supply of the hotel is being done through one tube well. Though hotel representative refused to sign.

13	Respondent No. 13	Paramhansha Hotel, C 32/ 3A -N, Vidhyapeeth Road, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri Naresh Kumar Sharma, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
14	Respondent No. 14	Hotel Shyamal, B-30/ 1 S.M , Janki Bagh, Lanka, Varanasi	20-05-2022	No	1 TW	The representative of the hotel Shri Rajesh Yadav, informed that the water supply of the hotel is being done through one tube well.
15	Respondent No. 15	Hotel Banasar Haveli, B-1/224, Assi Ghat, Varanasi	20-05-2022	No	No Information	The representative of the hotel refused to provide information.
16	Respondent No. 16	80 River end P guest House, B1/ 128-18, Assi Ghat, Varanasi	20-05-2022	No	No Information	The representative of the hotel Refused to provide information.
17	Respondent No. 17	Hotel Temple on Ganges, Assi , Varanasi	20-05-2022	No	1 TW	The representative of the hotel Shri Ashutosh Pandey, informed that the water supply of the hotel is being done through one tube well.
18	Respondent No. 18	Maruti Guest House, Assi, Varanasi	20-05-2022	No	No Information	The representative of the hotel refused to provide information.
19	Respondent No. 19	Hotel Prakesh Palace, B-30/2-175 k, Lanka, Varanasi	20-05-2022	No	1 TW	The representative of the hotel Shri Sunil kumar Tiwari, informed that the water supply of the hotel is being done through one tube well.

20	Respondent No. 20	The HHI Varanasi, Hotel Hindustan International, C 21/3 Maldahiya, Varanasi	19-05-2022	No	2 TW	The representative of the hotel Shri M.L. Dubey, informed that the water supply of the hotel is being done through two tube wells & Jal Kal Bihabag. Firm has installed STP.
22	Respondent No. 22	Hotel Panchsheel, 25 Lajpat Nagar Maldahiya, Varanasi	19-05-2022	No	1 TW	The representative of the hotel informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
23	Respondent No. 23	Hotel Sarala Inn, C 30/36 C, Maldahiya, Varanasi	19-05-2022	No	1 TW	The representative of the hotel Shri Abhay Shukla, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
24	Respondent No. 24	Hotel Malti, English Line, Varanasi	13-05-2022	No	No Information	The representative of the hotel informed that hotel is closed .
25	Respondent No. 25	Hotel Swastik Inn, Godowlia, Varanasi	12-05-2022	No	1 TW	The representative of the hotel Shri raheel informed that the water supply of the hotel is being done through one tube well.
26	Respondent No. 26	Hotel Ganges Grand, Gadowlia Crossing, Varanasi,	12-05-2022	No	2 TW	The representative of the hotel Shri Param Singh, informed that the water supply of the hotel is being done through two tube well.Firm has constructed one Recharge structure.
27	Respondent No. 27	Hotel Nar-Indra, P - 292 Pared Kothi, Varanasi	12-05-2022	No	No Information	The representative of the hotel refused to provide the information.

28	Respondent No. 28	Hotel Mansarovar, S 21/116, Pared kothi Cantt, Varanasi	12-05-2022	No	1 TW	The representative of the hotel Shri Bacha lal Gupta, informed that the water supply of the hotel is being done through one tube well.Firm has constructed one recharge structure.
29	Respondent No. 29	Hotel Sweta Residency, Opposite Railway Station, Cantonment, Varanasi	12-05-2022	No	No Information	The representative of the hotel refused to provide the information.
30	Respondent No. 30	Hotel Rajkamal Palace, Pared Kothi, Varanasi	10-05-2022	No	1 TW	The representative of the hotel Shri Kamal Kumar Sahu informed that the water supply of the hotel is being done through one tube well.
31	Respondent No. 31	Hotel Newstar, Pared kothi, Varanasi	11-05-2022	No	No Information	The representative of the hotel Shri Rinku refused to provide information.
32	Respondent No. 32	Hotel Budha Garden, Subash Nagar, Varanasi	11-05-2022	No	1 TW	The representative of the hotel Shri Shishir Kumar, informed that the water supply of the hotel is being done through one tube well.
33	Respondent No. 33	Hotel The West Inn, Nepali Kothi, The Mall Cantonment, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Smt. Sonali Singh, informed that the water supply of the hotel is being done through one tube well.
34	Respondent No. 34	Hotel Relax, Pared kothi, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Shri Rajesh Kumar Singh, informed that the water supply of the hotel is being done through one tube well.

35	Respondent No. 35	Pratap Hotel, Pared kothi, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Shri Santosh Kumar, informed that the water supply of the hotel is being done through one tube well.
36	Respondent No. 36	Hotel Diwan, Pared kothi, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Shri Arun Kumar wadhwan, informed that the water supply of the hotel is being done through one tube well.
37	Respondent No. 37	Hotel Kiran Palace Guest house, Cantonment varanasi, Varanasi	05-05-2022	No	1 TW	The representative of the hotel Shri Avishek Singh, informed that the water supply of the hotel is being done through one tube well.
38	Respondent No. 38	River Palace, Budhvihar colony, Mall Road, Varanasi	04-05-2022	No	2 TW	The representative of the hotel Shri Shahrukh, informed that the water supply of the hotel is being done through two tube well.
39	Respondent No. 39	Banarash Kothi, Budh vihar colony, Mall Road, Varanasi	04-05-2022	No	1 TW	The representative of the hotel Shri Shahrukh, informed that the water supply of the hotel is being done through one tube well.
40	Respondent No. 40	Zion Inn, Mall Road ,Varanasi	04-05-2022	No	1 TW	The representative of the hotel Smt Pratima informed that the water supply of the hotel is being done through one tube well.
41	Respondent No. 41	Hotel Silk City, S 20/53 - 4-S, Budha Vihar colony, Mall Road, Varanasi	04-05-2022	No	1 TW	The representative of the hotel Shri Kamal Sharma informed that the water supply of the hotel is being done through one tube well.

42	Respondent No. 42	Hotel Costa River, S 20/51 A - 4 A1, Nepali Kothi, Varanasi	04-05-2022	No	1 TW	The representative of the hotel Shri Sanjeev kumar informed that the water supply of the hotel is being done through one tube well .The firm has installed STP.
44	Respondent No. 44	Hotel Clarks Varanasi, The Mall Road, Cantonment, Varanasi	02-05-2022	No	2 TW	The representative of the hotel Shri S. N. Dubey, informed that the water supply of the hotel is being done through two tube well .Firm has one rainwater harvesting structure & STP.
45	Respondent No. 45	Ramdas Plaza by Wyandham, JHV, Varanasi	02-05-2022	No	2 TW	The representative Ramesh Mishra informed that the water supply of the hotel is being done through two tube wells (one is standby) and Jalkal bibhag .Firm has one rainwater harvesting structure.
46	Respondent No. 46	Nirvana Hotel, The Mall Road, Cantonment, Varanasi	30-03-2022	No	1 TW	The representative of the hotel informed that the water supply of the hotel is being done through one tube well .
47	Respondent No. 47	Hotel Park Plaza, Budh vihar colony, Mall Road, Varanasi	04-05-2022	No	1 TW	The representative of the hotel Shri N.K. Shukla, informed that the water supply of the hotel is being done through one tube well .
48	Respondent No. 48	Hotel Aditya Garnd, Jai Surya Group of Hotels, C 31/4 a-1 A-105, English Line, Varanasi	13-05-2022	No	1 TW	The representative of the hotel Shri Rameshwar Gupta, informed that the water supply of the hotel is being done through one tube well .
49	Respondent No. 49	Jagdamba Guest House, Pared kothi, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Shri Manish ku. Gupta, informed that the water supply of the hotel is being done through one tube well .

50	Respondent No. 50	Hotel Star Palace, Pared kothi, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Shri Lal Bahadur Seth, informed that the water supply of the hotel is being done through one tube well.
51	Respondent No. 51	Ideal Inn, Pard kothi, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Shri Vijay Bahadur seth informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
52	Respondent No. 52	Varanasi Guest house, Pared kothi, Varanasi	06-05-2022	No	1 TW	The representative of the hotel Shri Surya Prakash Shukla, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
53	Respondent No. 53	Hotel Plaza Inn, Pared kothi, Varanasi	10-05-2022	No	1 DCW	The representative of the hotel Shri Prabhakar Pathak, informed that the water supply of the hotel is being done through one Dug cum well & Jal Kal Bibhag.
54	Respondent No. 54	Satyanarayan lodge, Pared kothi, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri Sushil kumar, informed that the water supply of the hotel is being done through one tube well.
55	Respondent No. 55	Nitin Guest House, Pared kothi, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri Ramesh, informed that the water supply of the hotel is being done through one tube well.
56	Respondent No. 56	Krishna lodge, S 21/42, English Line, Cantonment, Varanasi	09-05-2022	No	1 TW	The representative of the hotel Shri Akhilesh Tiwari, informed that the water supply of the hotel is being done through one tube well.
57	Respondent No. 57	Vaishnavi Lodge,S 21/44A, Englishiya line, Varanasi	09-05-2022	No	1 TW	The representative of the hotel Shri Santosh Kumar, informed that the water supply of the hotel is being done through one tube well.

58	Respondent No. 58	Satsang lodge, Hanuman mandir wali gali, English line, Varanasi	09-05-2022	No	1 TW	The representative of the hotel Shri Sushil Gupta. informed that the water supply of the hotel is being done through one tube well.
59	Respondent No. 59	Goldi Guest house, English Line, Varanasi	09-05-2022	No	1 TW	The representative of the hotel Shri A.K. Srivastava, informed that the water supply of the hotel is being done through one tube well.
60	Respondent No. 60	Anand lodge, Pared kothi, Varanasi	11-05-2022	No	1 TW	The representative of the hotel Shri Arvinda Kumar Upadhaya, informed that the water supply of the hotel is being done through one tube well.
62	Respondent No. 62	Suraj Guest House, Pared kothi, Varanasi	11-05-2022	No	1 TW	The representative of the hotel Shri Shivam Yadav, informed that the water supply of the hotel is being done through one tube well.
63	Respondent No. 63	Shri Sai Ganesha Guest House, Pared kothi, Varanasi	11-05-2022	No	1 TW	The representative of the hotel Shri Dhram dev Yadav, informed that the water supply of the hotel is being done through one tube well.
64	Respondent No. 64	Sundaram Guest house, Pared kothi, Varanasi	11-05-2022	No	1 TW	The representative of the hotel Shri Shitala Prashad, informed that the water supply of the hotel is being done through one tube well.
65	Respondent No. 65	Hotel Satyam, Pared kothi, Cantonment, Varanasi	11-05-2022	No	1 TW	The representative of the hotel Shri Bharat Kumar Pandey, informed that the water supply of the hotel is being done through one tube well.

66	Respondent No. 66	New Sarnath Guest house, opposite Thai temple Sarnath, Varanasi	24-05-2022	No	1 TW	The representative of the hotel Shri Vikash Dubey, informed that the water supply of the hotel is being done through one tube well.
67	Respondent No. 67	Hotel Gautam, C 26/35, Ramkatora, Varanasi	23-05-2022	No	1 TW	The representative of the hotel Shri Mangalam, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
68	Respondent No. 68	Hotel Modern,Lahurabir, Varanasi	23-05-2022	No	No information	The representative of the hotel representative refused to provide the information.
69	Respondent No. 69	Hotel New international, Station road, Lahurabir, Varanasi	23-05-2022	No	1 TW	The representative of the hotel Smt Amrita ku. Mishra, informed that the water supply of the hotel is being done through one tube well.
70	Respondent No. 70	Hotel Kanishka, C 30/34 551, Maldahiya Lahuabir, Varanasi	23-05-2022	No	1 TW	The representative of the hotel Smt Rashmi Jaisawl informed that the water supply of the hotel is being done through one tube well.
71	Respondent No. 71	Hotel Landmark, Opposite Akashwani Mahmoorganj, Varanasi	23-05-2022	No	1 TW	The representative of the hotel Shri Sarvashish Gosh, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
72	Respondent No. 72	Hotel Padmini International, Sigra Road, Mahmoorganj, Varanasi	23-05-2022	No	1 TW	The representative of the hotel Shri Satendra Kumar Srivastava, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.

73	Respondent No. 73	Hotel Sarin Inn, Saint Raghuvar nagar, sirga, Mehmoorganj, Varanasi	23-05-2022	No	1 TW	The representative of the hotel Shri Ritesh Kapoor, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
74	Respondent No. 74	Royal Guest House, Bindal complex Mahmoorganj, Varanasi	23-05-2022	No	1 TW	The representative of the hotel Shri Kaushik Sarraf informed that the water supply of the hotel is being done through one tube well.
75	Respondent No. 75	Hotel Varanasi Inn, C - 19/2018-N, Big Bazar Road, Sagra, varanasi	22-05-2022	No	1 TW	The representative of the hotel Shri Shivam, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
76	Respondent No. 76	Hotel Central Residency, C19/122-KA, Sagra Thana, Varanasi	22-05-2022	No	1 TW	The representative of the hotel Shri Sandeep kumar, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
77	Respondent No. 77	Hotel Siddarth, D 58/19-A, Sagra, Varanasi	22-05-2022	No	1 TW	The representative of the hotel Shri Harshit Singh, informed that the water supply of the hotel is being done through one tube well.
78	Respondent No. 78	Hotel R K Grand, Gulab bagh, Opp. Sagra Thana, Varanasi	22-05-2022	No	1 TW	The representative of the hotel Shri Avinash Singh, informed that the water supply of the hotel is being done through one tube well.
79	Respondent No. 79	Hotel Pratap Palace, Pared kothi, Cantonment, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri Abhay, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.

80	Respondent No. 80	Hotel Varanasi Palace, Pared kothi, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri P. Singh informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
81	Respondent No. 81	Hotel Grand Continental, pared kothi, Cantonment, Varanasi	07-05-2022	No	No Information	The representative of the hotel refused to provide the information.
82	Respondent No. 82	Hotel Amar, Pared kothi, Cantonment, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri Pratik Dubey, informed that the water supply of the hotel is being done through one tube well.
83	Respondent No. 83	Hotel Indra, Pared kothi, Cantonment, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri Pritam Kumar, informed that the water supply of the hotel is being done through one tube well.
85	Respondent No. 85	Hotel Vaibhav, 56 Patel nagar, Cantonment, Varanasi	05-05-2022	No	1 TW	The representative of the hotel Shri Jitendra Nath Singh, informed that the water supply of the hotel is being done through one tube well.
86	Respondent No. 86	Hotel Lav kush International, S 20/61- 65, Buddha vihar, The mall cantonment, Varanasi	05-05-2022	No	1 TW	The representative of the hotel Shri Brijvihari Singh, informed that the water supply of the hotel is being done through one tube well.
87	Respondent No. 87	Royal Guest House, Pared kothi, Varanasi	10-05-2022	No	---	The representative of the hotel Shri Ram Narayan Singh, informed that the water supply of the hotel is being done from Jal Kal Vibhag. However Reciept has not been provided.

88	Respondent No. 88	R. K. Guest House, Pared kothi, Varanasi	10-05-2022	No	No Information	The representative of the hotel was not available to provide information.
89	Respondent No. 89	Hotel Nandini Palace, Pared kothi, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri Dinesh kumar Jaisawal, informed that the water supply of the hotel is being done through one tube well.
90	Respondent No. 90	Hotel Patanjali, Pared kothi, Varanasi	07-05-2022	No	1 TW	The representative of the hotel Shri Pritam kumar, informed that the water supply of the hotel is being done through one tube well.
91	Respondent No. 91	J P Guest House, Pared kothi, Varanasi	11-05-2022	No	1 TW	The representative of the hotel Shri Shivam Yadav, informed that the water supply of the hotel is being done through one tube well.
93	Respondent No. 93	Sangam Lodge, S 21/54 SS , Englishiya line, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri Ranjeet singh, informed that the water supply of the hotel is being done through one tube well.
94	Respondent No. 94	Hotel Shree Kashi Inn, C 32/4, Kashi Vidhyapeeth Road, Varanasi	21-05-2022	No	1 TW	The representative of the hotel Shri Golu Singh, informed that the water supply of the hotel is being done through one tube well.
95	Respondent No. 95	Hotel River Rhythm, B 1/122, Dumrao bagh, Assi , Varanasi	20-05-2022	No	1 TW	The representative of the hotel informed that the water supply of the hotel is being done through one tube well. Though hotel representative refused to sign.
96	Respondent No. 96	Shreyan Ganges Guest house, Assi lanka marg, Varanasi	20-05-2022	No	1 TW	The representative of the hotel Shri Sanjay Rai, informed that the water supply of the hotel is being done through one tube well.

97	Respondent No. 97	Tourist Bungalow, (U.P. Tourism), Pared kothi, Cantonment, Varanasi	06-05-2022	No	1 TW	The representative of the hotel informed that the water supply of the hotel is being done through one tube well & Jal Jal Bibhag.
98	Respondent No. 98	Hotel Meadows, The Mall Road, Contonment, Varanasi	04-05-2022	NO	1 TW	The representative informed that the water supply of the hotel is being done through one tube well.
99	Respondent No. 99	Hotel Venkatesh, Behind roadways, Cantonment near water tank, Maldahiya, Varanasi	11-05-2022	NO	1 TW	The representative Shri Suresh Rai, informed that the water supply of the hotel is being done through one tube well.
100	Respondent No. 100	Hotel Haveli Inn, S-14/84-m, Chruch compound, Varanasi	11-05-2022	NO	1 TW	The representative Shri Saket Pandey, informed that the water supply of the hotel is being done through one tube well and Jalkal Bibhag. Though receipt of Jal Kal Bibhag is not provided.
101	Respondent No. 101	Hotel Preeti Guest house, Subash Nagar, Varanasi	11-05-2022	No	1 TW	The representative, Sagar informed that the water supply of the hotel is being done through one tube well.
102	Respondent No. 102	Rajendra Lodge, Pared kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Munna Rai, informed that the water supply of the hotel is being done through one tube well .
103	Respondent No. 103	Sumit Lodge, Pared kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Neeraj kumar Saith informed that the water supply of the hotel is being done through one tube well.
104	Respondent No. 104	Girnar Lodge, Pared kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Rajesh kumar wahi informed that the water supply of the hotel is being done through one tube well.

105	Respondent No. 105	Hotel Prabhat guest house, S21/116, F- 10, Pared kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Amarnath Saith informed that the water supply of the hotel is being done through one tube well.
106	Respondent No. 106	Hotel Gautam Grand, Pared kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Nirmal kumar singh informed that the water supply of the hotel is being done through one tube well.
107	Respondent No. 107	Tourist Bungalow, (U.P. Tourism), Baraipur,Sarnath Varanasi	06-05-2022	No	1 TW	The representative informed that the water supply of the hotel is being done through one tube well & Jal kal Bibhag.
108	Respondent No. 108	Hotel La- Ra India, varanasi	12-05-2022	No	1 TW	The representative Shri Naveen Singh informed that the water supply of the hotel is being done through one tube well.
109	Respondent No. 109	Hotel Ashiyana, Pared kothi,Varanasi	07-05-2022	No	1 TW	The representative Shri Arvind kumar informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag. Though he has not provided the receipt of Jal Kal Bibhag.
110	Respondent No. 110	Parivar Guest House, Pared Kothi, Varanasi	11-05-2022	No	---	The representative Shri R. S. Shaw informed that the water supply of the hotel is being done through Jalkal Vibhag. Though he has not provided the receipt of Jal Kal Bibhag.
111	Respondent No. 111	Ma Sankhata Guest House, Pared Kothi, Varanasi	11-05-2022	No	---	The representative Shri Jitendra Kumar informed that the water supply of the hotel is being done through Jalkal Bibhag. Though he has not provided the receipt of Jal Kal Bibhag.

112	Respondent No. 112	Hotel Ashoka Grand, Englishya line, Kashi Vidhya peeth, Varanasi	13-05-2022	No	1 TW	The representative Shri Shahabuddin informed that the water supply of the hotel is being done through one tube well .
113	Respondent No. 113	Hotel Vishnu Priya,Pared Kothi,Varanasi	10-05-2022	No	1 TW	The representative Shri Santosh Mishra informed that the water supply of the hotel is being done through one tube well .
114	Respondent No. 114	Hotel NeelGagan,Pared Kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Vishnu Maya informed that the water supply of the hotel is being done through one tube well .
115	Respondent No. 115	National Lodge, Kashi Vidhya Peeth, Englishya Line,Varanasi	13-05-2022	No	---	The representative Shri Manvhajan Kumar informed that the water supply of the hotel is being done through Jalkal Bibhag.
116	Respondent No. 116	New Chetak hotel, Pared Kothi,Varanasi	06-05-2022	No	1 TW	The representative Shri Vijay Kumar Panday informed that the water supply of the hotel is being done through one tube well .
117	Respondent No. 117	Zeera Hotel pvt.ltd,Varanasi	30-03-2022	No	2 TW	The representative informed that the water supply of the hotel is being done through two tube well .
118	Respondent No. 118	The Sapphire Grand, Nepali Kothi,Varuna bridge, Varanasi	30-03-2022	No	1 TW	The representative informed that the water supply of the hotel is being done through one tube well .
121	Respondent No. 121	Surya Kaiser Palace, Mall road, Varuna bridge, Varanasi	04-05-2022	Yes	2 TW	The representative Shri Ajay Mishra informed that the water supply of the hotel is being done through two tube wells . Firm has installed STP plant of 10 KLD & one Recharge structure

123	Respondent No. 123	Comfort Inn, Banares, Budh Vihaar, Varanasi	05-05-2022	No	1 TW	The representative Shri Ashwini kumar singh informed that the water supply of the hotel is being done through one well. Firm has also installed STP of 20KLD.
124	Respondent No. 124	Palki Guest House, Pared kothi, Vaanasi	06-05-2022	No	1 TW	The representative Shri Santosh kumar singh informed that the water supply of the hotel is being done through one well.
125	Respondent No. 125	Hotel Haliwant,Pared Kothi, Varanasi	06-05-2022	No	1 TW	The representative Shri Amit Kumar informed that the water supply of the hotel is being done through one well.
126	Respondent No. 126	Hotel Bleue Mont, Subhash Nagar, Pared Kothi, Varanasi	11-05-2022	No	1 TW	The representative Shri Bikram gujral informed that the water supply of the hotel is being done through one well.
127	Respondent No. 127	Kamesh Hut, Jagatganj, Varanasi	23-05-2022	No	1 TW	The representative Shri Vipin Kumar informed that the water supply of the hotel is being done through one well.
128	Respondent No. 128	Hotel S L E Residency, Rathyatra, Varanasi	22-05-2022	No	1 TW	The representative Shri informed that the water supply of the hotel is being done through one well. Though he refused to sign.
129	Respondent No. 129	Hotel Janak, Pared Kothi, Varanasi	07-05-2022	No	1 TW	The representative Shri Dilip kumar Mishra informed that the water supply of the hotel is being done through one tube well & Jal kal Bibhag and firm has one tube well of defunct nature. Though receipt of Jal kal has been not provided.
130	Respondent No. 130	Hotel Rajkamal, Pared Kothi, Varanasi	07-05-2022	No	No Information	The hotel was closed

131	Respondent No. 131	Hotel Yelchiko,Patel Nagar, Cantonment, Varanasi	05-05-2022	No	No Information	The representative informed that the water supply of the hotel is being done through one tube well. Representative refused to sign.
133	Respondent No. 133	Vikrama Lodge, Vidhyapeeth, Varanasi	13-05-2022	No	1 TW	The representative Shri Vishal kumar Singh informed that the water supply of the hotel is being done through one tube well.
134	Respondent No. 134	New Kapoor Guest house, Pared kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Dilip kumar informed that the water supply of the hotel is being done through one tube well.
135	Respondent No. 135	Hotel Kashi,Pared kothi, Varanasi	10-05-2022	No	No Information	The representative refused to provide information.
136	Respondent No. 136	Hotel Arjun Palace, Pared kothi, Varanasi	10-05-2022	No	No Information	The representative refused to provide information.
137	Respondent No. 137	Bhagirathi Hotel, Pared kothi, Varanasi	10-05-2022	No	----	The representative Shri Denesh Panday informed that the water supply of the hotel is being done through Jal Kal Bibhag. Though receipt of Jal Kal Bibhag is not provided.
138	Respondent No. 138	Hotel Shivam, Pared Kothi, Varanasi	10-05-2022	No	1 TW	The representative Shri Akash Shrivastava informed that the water supply of the hotel is being done through One tube well.
139	Respondent No. 139	Bhagya Shree Guest House, Vijay Nagaram Market, Varanasi	09-05-2022	No	---	The representative Shri Vinod Kumar Mauarya informed that the water supply of the hotel is being done through Jal Kal Bibhag. Though receipt of Jal Kal Bibhag is not provided.

140	Respondent No. 140	Hotel City Inn, Pared Kothi, Varanasi	12-05-2022	No	No Information	The representative refused to provide information.
141	Respondent No. 141	Prakash Guest House, Vijay Nagram Market, Varanasi	09-05-2022	No	1 TW	The representative Shri Kundan Kumar informed that the water supply of the hotel is being done through one tubewell.
142	Respondent No. 142	Hotel Glory, Pared Kothi, Varanasi	07-05-2022	No	1 TW	The representative informed that the water supply of the hotel is being done through one tube well. Though representative refused to sign.
143	Respondent No. 143	Hotel Priya, Maldehiya, Phool Mandi, Varanasi	21-05-2022	No	1 TW	The representative Ramashankar Yadav informed that the water supply of the hotel is being done through one tube well.
144	Respondent No. 144	Pawan Guest House, Pared Kothi, Varanasi	11-05-2022	No	1 TW	The representative Dhiraj informed that the water supply of the hotel is being done through one tube well.
145	Respondent No. 145	Sagar Guest House, Vijay Nagarm market, Varanasi	09-05-2022	No	1 TW	The representative Ram Bali Panday informed that the water supply of the hotel is being done through one tube well.
146	Respondent No. 146	Palace Hotel, Godowlia, Varanasi	12-05-2022	No	No Information	The representative refused to provide information.
147	Respondent No. 147	Hotel Janhvee International, Englishya line, Varanasi	13-05-2022	No	No Information	The representative refused to provide information.

148	Respondent No. 148	New hotel Broadway, Bhelupur, Varanasi	20-05-2022	No	1 TW	The representative K. Samiuddin informed that the water supply of the hotel is being done through one tube well.
149	Respondent No. 149	Hotel viajy, Pared kothi, Varanasi	12-05-2022	No	No Information	The representative was not provided information

Annexure-IV



8



CGWA, Inspection, Varanasi
Shree Ram Lodge TW1
21.05.2022 15:54
26.32394, 82.98733 (+15m)
Altitude: 19m
BXFP+FWJ, Vidyapeeth Rd, Vijay Nagar Colony, Chetganj, Varanasi

9



CGWA, Inspection, Varanasi
Shree Ram Lodge TW1
21.05.2022 15:54
26.32394, 82.98733 (+15m)
Altitude: 19m
BXFP+FWJ, Vidyapeeth Rd, Vijay Nagar Colony, Chetganj, Varanasi

11



CGWA, Inspection, Varanasi
Hotel Kalika TW1
21.05.2022 16:44
26.32414, 82.98788 (+16m)
Altitude: 19m
BXFG+J5F, Vidyapeeth Rd, Englishwalle, Cornt, Near Kalika Hotel,
Vijay Nagar Colony, Chetganj, Varanasi

12



CGWA, Inspection, Varanasi
Hotel Veena TW1
21.05.2022 17:30
26.32307, 82.98739 (+33m)
Altitude: 20m
Shop No. 11, First Floor, Banpati Complex opposite Mahatma
Gandhi Kashi Vidyapeeth University Gate No. 7, Englishwalle,
Vidya Vihar Colony, Shilpurwa, Varanasi

13



CGWA, Inspection, Varanasi
Parashuram Hotel TW1
21.05.2022 12:00
26.32319, 82.98723 (+11m)
Altitude: 20m
Vidyapeeth Rd, Englishwalle, Vidya Vihar Colony, Shilpurwa,
Varanasi

14



CGWA, Inspection, Varanasi
Parashuram Hotel TW1
21.05.2022 12:00
26.32319, 82.98723 (+11m)
Altitude: 20m
Vidyapeeth Rd, Englishwalle, Vidya Vihar Colony, Shilpurwa,
Varanasi



21A



21B



22



23



25



26A



26B



26C



28A



28B



30



32



33



34



36



38A





38B



39







47



48



49



50



51




52









































जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- 13 / भूजल वि० खं०-वा० / यूपीराभूज० प्रविप्रा / 2022-23 दिनांक 19-04-2022

क्रम सं०	होटलों का नाम	पता	थाना	मो० नं०
1	संजय मोटल्स	बावतपुर	बड़ागांव	9619945958, 9415208156
2	होटल गंगेज ग्रैण्ड	गोदौलिया	लक्सा	7703000026
3	होटल इण्डिया	पटेल नगर कैट	कैट	9305935863
4	होटल रमाडा प्लाजा जे०एच०बी०	माल रोड कैन्टोमेन्ट	कैन्ट	9792398899
5	होटल जी०बी०डी० (यूनिट आफ् फर्न रेजीडेन्सी)	सारनाथ	सानाथ	9580500902, 0542-2588111
6	होटल प्लाजा इन	परेड कोठी	कैट	7051159610
7	ताज गंगेज	नदेसर	नदेसर	9235601200
8	होटल स्टे बनारस	सिगरा	सिगरा	9594950095
9	होटल क्लार्क	माल रोड कैन्टोमेन्ट	कैन्ट	9336312074
10	होटल ग्रेप वाइन	पड़ाव	रामनगर	756500214
11	हरिबिलास	गुरुबाग	लक्सा	9792111151, 7570009966
12	होटल सर्वेश्वरी	माधव मार्केट	सिगरा	9005659444
13	होटल सिद्धार्थ	सिगरा	सिगरा	9652071775
14	होटल सूर्या	द माल कैन्ट	कैन्ट	8853002359
15	होटल सीटी इन	कैट रेलवे स्टेशन	सिगरा	7753888355
16	होटल मेराडेन ग्रैण्ड	पटेल नगर	कैन्ट	9889297203
17	ताज नदेसर पैलेस	नदेसर	नदेसर	9235601200
18	होटल मदीन	द माल	कैन्ट	9889297203
19	होटल सिद्धार्थ	रंगोली त्रिमुहानी	सारनाथ	9648418482
20	होटल आइडियल इन	परेड कोठी	सिगरा	9415228535
21	पर्यटक आवास गृह	सारनाथ	सारनाथ	9415902707
22	होटल जान्हवी इण्टर नेशनल	इंगलिशिया लाईन	सिगरा	9792203144, 0542-2221585
23	होटल सुरभी इण्टर नेशनल	अकथा	सारनाथ	7390050055
24	सारनाथ गेस्ट हाउस	बरईपुर	सारनाथ	9838323635
25	होटल रेडीसन	द माल कैन्टोमेन्ट	कैन्ट	9919805077
26	होटल रेडीयन्स कोर्ट यार्ड	मुड़ैला	मुड़ैला	7392048033
27	होटल कोस्टा रिवेरा	चेतगंज	चेतगंज	9983831480
28	नरेन्द्रा गेस्ट हाउस	समने घाट	लंका	7522021188
29	होटल एस०जी०टी० प्लाजा	गंज हवेलिया	सारनाथ	7317002936
30	द अमाया	द माल	कैन्ट	9838500230

31	होटल न्यू ब्राडवे	गौरीगंज	भेलू पूरा	9792133338
32	होटल के0जे0 इण्टर नेशनल	बावतपुर	बड़ागांव	9451494290
33	होटल अल्का	मीर घाट	दशाश्वमेध	7619009995
34	होटल ग्रैंड कान्टीनेन्टल	परेडकोठी	सिगरा	9415352546, 7007293698
35	होटल रिलेक्स	परेड कोठी	सिगरा	9415352546
36	सेठ आनन्दम जयपुर	गोदौलिया	दशाश्वमेध	9335415954
37	होटल इन्द्रा	परेड कोठी	सिगरा	7678883030
38	युग रेजीडेन्सी	गणेशपुर कालोनी	लंका	7518408882
39	होटल टेम्पल आन् गंगेज	अस्सी	भेलूपुर	8936528802
40	होटल लोट्स इण्टर नेशनल	मवइयां सारनाथ	सारनाथ	9795305305, 9839617000
41	बनारस कोठी	द माल	कैन्टोमेन्ट	9452160970, 9336915025
42	होटल जै पुरिया	शिवाला	भेलूपुर	9721991144, 9451965081
43	होटल डी0 पेरिस	द माल	कैन्ट	8853234704
44	होटल आदित्या इन	दशाश्वमेध	दशाश्वमेध	7800139350, 9839920236
45	होटल मस्ताना पैलेश	पितर कुण्डा	चेतगंज	7800999831
46	होटल एच0के0जे0 रेजीडेन्सी	मिखारी पुर	सुन्दरपुर	9559187820
47	होटल केवल पैलेश	हैदराबाद गेट	लंका	8881936665
48	होटल डायमण्ड पैलेश	लक्सा रोड मजदा	लक्सा	9415292007

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर0ओ0 प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेन्सी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबन्धन परिषद्
वाराणसी।

0/c

नोटिस

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- 36 / भूज0वि0खं0-वा0 / यूपीराभूज0प्रविप्रा / 2022-23 दिनांक 05-05-2022

क्रम सं०	होटलों का नाम	पता	थाना	मो०नं०
1	होटल त्रिदेव	काल भैरव	कोतवाली	7232901801
2	होटल मिण्डोज इन	माल रोड कैट	कैट	7753095777, 8932012089
3	होटल रनवे इन	बावतपुर	बड़ागांव	9839049185
4	किरन पैलेस गेस्ट हाउस	बुद्ध विहार कालोनी कैट	कैट	9830641757, 0542-2504111
5	होटल पिनोवल गेट	सारनाथ	सारनाथ	8303172388, 8303172390
6	होटल अतिथि सत्कार	रामापुरा	लक्सा	7318207361
7	गिरनार लाज	परेड कोठी	कैट	9415626121
8	मे० होटल मधुबन पैलेस	ककरमत्ता	भेलूपुर	9580500902, 0542-2588111
9	होटल सरीन इन	महमूरगंज	सिगरा	9336929765
10	होटल गुप्ता इन	पी०डब्लू०डी० रोड	कैट	8429181818
11	होटल जेड इन	सिकरौल	शिवपुर	9956217000
12	होटल सिल्क सिटी प्रा०लि०	बुद्ध विहार कालोनी	कैट	8218311740
13	लीना गेस्ट हाउस	मानसरोवर	भेलूपुर	9415355635
14	न्यू कपूर गेस्ट हाउस	परेड कोठी	कैट	9918712708
15	मस्ताना पैलेस	पितर कुण्डा चेतगज	चेतगंज	9936435308
16	होटल ली० लोटस ग्रेण्ड	ककरमत्ता	वाराणसी	6392833308
17	होटल ओजस ग्रेण्ड	ड्रामा सेन्टर	लंका	8004932880
18	होटल 36 अवेन्यू	सिकरौल	कैन्ट	7800622200
19	पवन गेस्ट हाउस	परेड कोठी	कैन्ट	9451890911
20	परिवार गेस्ट हाउस	परेड कोठी	सिगरा	9305193727
21	होटल ब्लू माउण्ट	सुभाष नगर	सिगरा	9794380005
22	मंगलम् गेस्ट हाउस	लंका	लंका	70710718677
23	सदाशिव गेस्ट हाउस	रामापुरा	भेलूपुर	8299410168
24	सावन गेस्ट हाउस	माधव मार्केट	लंका	9415204662
25	होटल अर्जुन पैलेस	परेड कोठी	सिगरा	9839061449
26	होटल हलिवन्त	परेड कोठी	सिगरा	9415988796
27	होटल द्वारिका	नगवां	लंका	7776551973
28	होटल लैण्डमार्क	महमूरगंज	सिगरा	7318001714

29	एम0एम0 कान्टीनेन्टल	माल कैंन्टोमेन्ट	कैंट	9919002122, 9919002133
30	होटल वरुणा	सिगरा	सिगरा	8381910725
31	होटल एस0एल0ई0 रेजीडेन्सी	रथयात्रा	सिगरा	9839804007, 9839801007
32	होटल जानकी इण्टर नेशनल	सिगरा	सिगरा	9044001896, 9369016480
33	होटल प्रताप	नगवां	लंका	9415820383
34	होटल पद्मिनी इण्टर नेशनल	सिगरा	सिगरा	9415985988
35	होटल वाग्मी	शिवपुर	शिवपुर	9309601106
36	कम्फर्ट इन बनारस	बुद्ध विहार कालोनी	कैंन्ट	96393211379
37	होटल रीजेन्सी	अंधरापुल जी0टी0रोड	सिगरा	7617007114
38	होटल सोना प्लाजा	गिलट बाजार	शिवपुर	9919007775, 9336265979
39	होटल काशी	परेड कोठी	सिगरा	8187198888
40	जगदम्बा गेस्ट हाउस	परेड कोठी	सिगरा	9939479099
41	कामेश हट	जगतगंज	चेतगंज	9951117651
42	होटल उदय पैलेस	नेवादा सुन्दरपुर	लंका	8248157529
43	होटल विष्णु प्रिया	परेड कोठी	कैंन्ट	7570977777
44	होटल जियारा	शिवपुर	शिवपुर	9415202803, 7007121822
45	होटल रामेश्वरम् वाटिका	संकट मोचन	लंका	7694363105
46	श्री श्रद्धा गेस्ट हाउस	परेड कोठी	सिगरा	9335078479
47	होटल साई इण्टर नेशनल	चौदपुर	मण्डुवाडीह	8303466254
48	होटल पार्क	इंगलिशिया लाईन	सिगरा	993578986
49	शिवम् गेस्ट हाउस	बरईपुर	सारनाथ	9565222333
50	होटल गौतम ग्रैण्ड	परेड कोठी	सिगरा	9839655286

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर0ओ0 प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेन्सी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबन्धन परिषद्
वाराणसी।

जिला भूजल प्रबन्धन परिषद, वाराणसी ।


पत्रांक- ५। / भूजल वि० ख०-वा० / यूपीराभूज० प्रविप्रा / 2022-23 दिनांक 10-5-2022

क्रम सं०	होटलों का नाम	पता	थाना	मो० नं०
1	होटल आशियाना	परेड कोठी	सिगरा	9415284176
2	होटल विभव हर्ष	जंगम बाड़ी	दशाश्वमेघ	9792019733
3	होटल जे० जे० रेजीडेन्सी	कोल्हुआं	भेलूपुर	8948889888
4	सनराईज लॉज	मीर घाट	दशाश्वमेघ	7897281967
5	गणपति गेस्ट हाउस	मीर घाट	दशाश्वमेघ	7525880088
6	जी०एस० रेजीडेन्सी	भूतेश्वर गली	दशाश्वमेघ	8881308800
7	शिवानी गेस्ट हाउस	इंगलिशया लाईन	सिगरा	9919566771
8	राजेन्द्र लाज	परेड कोठी	सिगरा	9918922217
9	होटल निर्वाणा	द माल रोड	कैंट	9415202793
10	होटल सत्यम	परेड कोठी	सिगरा	9936225136
11	न्यू सानाथ गेस्ट हाउस	गंज सारनाथ	सारनाथ	9838323635
12	होटल ओ०के० इण्टर नेशनल	लक्सा	लक्सा	9935521074
13	होटल डिवाइन डेस्टिनेशन	रामापुरा	लक्सा	9532982525
14	होटल महाबीर इण्टर नेशनल	लक्सा	लक्सा	9198480006
15	होटल पार्वती गेस्ट हाउस	गुरुबाग	लक्सा	9918837000
16	होटल हिमालया	मलदहिया	सिगरा	9935897256, 9161556000
17	होटल वैष्णवी लॉज	इंगलिशया लाईन	सिगरा	9651376990
18	होटल प्रिया	इंगलिशया लाईन	सिगरा	8400502655
19	होटल आदित्या इन	रोडवेज	कैंट	7704088884
20	होटल बाराह दरी	मैदागिन	कोतवाली	9450011905
21	परमहंस गेस्ट हाउस	मालवीय कंज	लंका	9140090061
22	पालकी गेस्ट हाउस	परेड कोठी	सिगरा	0542-2200129, 9415626207
23	होटल जनक	परेड कोठी	सिगरा	99935780986
24	शिवालिक अतिथि गृह	मालवीय कंज	लंका	9451888905
25	होटल बनारस हवेली	अस्सी	भेलूपुर	9695441873
26	होटल वाराणसी	बिग बाजार रोड	सिगरा	8176003999
27	होटल द वेस्टिन	नेपाली काठी	कैंट	7080792687
28	होटल प्रताप पैलेस	परेड कोठी	सिगरा	9889979000
29	होटल गैलेक्सी इन	पहड़िया	सारनाथ	9453896896
30	मंगलम् गेस्ट हाउस	लंका	लंका	70710718677
31	होटल सफायर ग्रैण्ड	नेपाली काठी	कैंट	7617017450
32	नितिन गेस्ट हाउस	परेड कोठी	सिगरा	9935415491
33	होटल अमर	इंगलिशया लाईन	सिगरा	93055844500
34	होटल कोस्टा रिवर	कैंटोमेन्ट	कैंट	9519102001

35	होटल विष्णु गेस्ट हाउस	पाण्डेय हवेली	भेलूपुरा	9415818361
36	होटल प्रकाशा पैलेस	लंका	लंका	9415224017
37	श्री लॉज	भेलूपुर	भेलूपुर	99935175447, 9451038522, 8318777482
38	होटल आस्था	पाण्डेय हवेली	भेलूपुरा	9415818361
39	चन्दा गेस्ट हाउस	हनुमान घाट	भेलूपुरा	9336900521
40	होटल रिवेरा इन	भदैनी	भेलूपुरा	9519210888, 9721974111
41	शिव मंगल लॉज	इंगलिशिया लाईन	सिगरा	9473835847
42	होटल अपराजिता	लंका	लंका	9919710460
43	शिव काशी गेस्ट हाउस	इंगलिशिया लाईन	सिगरा	9452301252
44	मॉ संकठा गेस्ट हाउस	परेड कोठी	सिगरा	9415453357
45	होटल नर इन्द्रा	परेड कोठी	सिगरा	9792203141
46	माग्य श्री गेस्ट हाउस	जगतगंज	चेतगंज	9648737474
47	सत्य नारायण लॉज	परेड कोठी	सिगरा	9454230465
48	होटल श्याम रेजीडेन्सी	लंका	लंका	9415024737
49	होटल शगुन पैलेस	इंगलिशिया लाईन	सिगरा	9451112796
50	लारा इण्डिया	गोदौलिया	दशाश्वमेध	9307699362

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर0ओ0 प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेन्सी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।


जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबन्धन परिषद्
वाराणसी।

नोटिस
अनुस्मारक

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- ९४ / भू०ज०वि०ख०-वा० / यूपीराभूज०प्रविप्रा / 2022-23 दिनांक ०४-०६- 2022

क्रम सं०	होटलों का नाम	पता	थाना	मो०नं०
1	संजय मोटल्स	बावतपुर	बड़ागांव	9619945958, 9415208156
2	होटल गंगेज ग्रैण्ड	गोदौलिया	लक्सा	7703000026
3	होटल इण्डिया	पटेल नगर कैट	कैट	9305935863
4	होटल रमाडा प्लाजा जे०एच०बी०	माल रोड कैन्टोमेन्ट	कैन्ट	9792398899
5	होटल जी०बी०डी० (यूनिट आफ् फर्न रेजीडेन्सी)	सारनाथ	सानाथ	9580500902, 0542-2588111
6	होटल प्लाजा इन	परेड कोठी	कैट	7051159610
7	ताज गंगेज	नदेसर	नदेसर	9235601200
8	होटल स्टे बनारस	सिगरा	सिगरा	9594950095
9	होटल क्लार्क	माल रोड कैन्टोमेन्ट	कैन्ट	9336312074
10	होटल ग्रेप वाइन	पड़ाव	रामनगर	756500214
11	हरिविलास	गुरुबाग	लक्सा	9792111151, 7570009966
12	होटल सर्वेश्वरी	माधव मार्केट	सिगरा	9005659444
13	होटल सिद्धार्थ	सिगरा	सिगरा	9652071775
14	होटल सूर्या	द माल कैन्ट	कैन्ट	8853002359
15	होटल सीटी इन	कैट रेलवे स्टेशन	सिगरा	7753888355
16	होटल मेराडेन ग्रैण्ड	पटेल नगर	कैन्ट	9889297203
17	ताज नदेसर पैलेस	नदेसर	नदेसर	9235601200
18	होटल मदीन	द माल	कैन्ट	9889297203
19	होटल सिद्धार्थ	रंगोली त्रिमुहानी	सारनाथ	9648418482
20	होटल आइडियल इन	परेड कोठी	सिगरा	9415228535
21	पर्यटक आवास गृह	सारनाथ	सारनाथ	9415902707
22	होटल जान्हवी इण्टर नेशनल	इंगलिशिया लाईन	सिगरा	9792203144, 0542-2221585
23	होटल सुरमी इण्टर नेशनल	अकथा	सारनाथ	7390050055
24	सारनाथ गेस्ट हाउस	बरईपुर	सारनाथ	9838323635
25	होटल रेडीसन	द माल कैन्टोमेन्ट	कैन्ट	9919805077
26	होटल रेडीयन्स कोर्ट यार्ड	मुड़ैला	मुड़ैला	7392048033
27	होटल कोस्टा रिवेरा	चेतगंज	चेतगंज	9983831480
28	नरेन्द्रा गेस्ट हाउस	समने घाट	लंका	7522021188
29	होटल एस०जी०टी० प्लाजा	गंज हवेलिया	सारनाथ	7317002936
30	द अमाया	द माल	कैन्ट	9838500230

C/o

31	होटल न्यू ब्राडवे	गौरीगंज	भेलू पूरा	9792133338
32	होटल के0जे0 इण्टर नेशनल	बावतपुर	बड़ागांव	9451494290
33	होटल अल्का	मीर घाट	दशाश्वमेध	7619009995
34	होटल ग्रैण्ड कान्टीनेन्टल	परेडकोठी	सिगरा	9415352546, 7007293698
35	होटल रिलेक्स	परेड कोठी	सिगरा	9415352546
36	सेठ आनन्दम जयपुर	गोदौलिया	दशाश्वमेध	9335415954
37	होटल इन्द्रा	परेड कोठी	सिगरा	7678883030
38	युग रेजीडेन्सी	गणेशपुर कालोनी	लंका	7518408882
39	होटल टेम्पल आन् गंगेज	अस्सी	भेलूपुर	9936528802
40	होटल लोट्स इण्टर नेशनल	मवइयां सारनाथ	सारनाथ	9795305305, 9839617000
41	बनारस कोठी	द माल	कैन्टोमेन्ट	9452160970, 9336915025
42	होटल जै पुरिया	शिवाला	भेलूपुर	9721991144, 9451965081
43	होटल डी0 पेरिस	द माल	कैन्ट	8853234704
44	होटल आदित्या इन	दशाश्वमेध	दशाश्वमेध	7800139350, 9839920236
45	होटल मस्ताना पैलेश	पितर कुण्डा	चेतगंज	7800999831
46	होटल एच0के0जे0 रेजीडेन्सी	मिखारी पुर	सुन्दरपुर	9559187820
47	होटल केवल पैलेश	हैदराबाद गेट	लंका	8881936665
48	होटल डायमण्ड पैलेश	लक्सा रोड मजदा	लक्सा	9415292007

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर0ओ0 प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेन्सी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबन्धन परिषद्
वाराणसी।

(36)

05-05-22

(5)

नोटिस अनुस्मारक

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- 83 / भूजल वि० ख०-वा० / यूपीराभूजलप्रविप्रा / 2022-23 दिनांक 05-06-2022

क्रम सं०	होटलों का नाम	पता	थाना	मो० नं०
1	होटल त्रिदेव	काल भैरव	कोतवाली	7232901801
2	होटल मिण्डोज इन	माल रोड कैंट	कैंट	7753095777, 8932012089
3	होटल रनवे इन	बावतपुर	बड़ागांव	9839049185
4	किरन पैलेस गेस्ट हाउस	बुद्ध विहार कालोनी कैंट	कैंट	9830641757, 0542-2504111
5	होटल पिनोवल गेट	सारनाथ	सारनाथ	8303172388, 8303172390
6	होटल अतिथि सत्कार	रामापुरा	लक्सा	7318207361
7	गिरनार लाज	परेड कोठी	कैंट	9415626121
8	मे० होटल मधुबन पैलेस	ककरमत्ता	भेलूपुर	9580500902, 0542-2588111
9	होटल सरीन इन	महमूरगंज	सिगरा	9336929765
10	होटल गुप्ता इन	पी०डब्लू०डी० रोड	कैंट	8429181818
11	होटल जेड इन	सिकरौल	शिवपुर	9956217000
12	होटल सिल्क सिटी प्रा०लि०	बुद्ध विहार कालोनी	कैंट	8218311740
13	लीना गेस्ट हाउस	मानसरोवर	भेलूपुर	9415355635
14	न्यू कपूर गेस्ट हाउस	परेड कोठी	कैंट	9918712708
15	मस्ताना पैलेस	पितर कुण्डा चेतगंज	चेतगंज	9936435308
16	होटल ली० लोटस ग्रेण्ड	ककरमत्ता	वाराणसी	6392833308
17	होटल ओजस ग्रेण्ड	द्रामा सेन्टर	लंका	8004932880
18	होटल 36 अवेन्यू	सिकरौल	कैंट	7800622200
19	पवन गेस्ट हाउस	परेड कोठी	कैंट	9451890911
20	परिवार गेस्ट हाउस	परेड कोठी	सिगरा	9305193727
21	होटल ब्लू माउण्ट	सुभाष नगर	सिगरा	9794380005
22	मंगलम् गेस्ट हाउस	लंका	लंका	70710718677
23	सदाशिव गेस्ट हाउस	रामापुरा	भेलूपुर	8299410168
24	सावन गेस्ट हाउस	माधव मार्केट	लंका	9415204662
25	होटल अर्जुन पैलेस	परेड कोठी	सिगरा	9839061449
26	होटल हलिवन्त	परेड कोठी	सिगरा	9415988796
27	होटल द्वारिका	नगवां	लंका	7776551973

O/C

28	होटल लैण्डमार्क	महमूरगंज	सिगरा	7318001714
29	एम0एम0 कान्टीनेन्टल	माल कैंटोमेन्ट	कैंट	9919002122, 9919002122
30	होटल वरुणा	सिगरा	सिगरा	8381910725
31	होटल एस0एल0ई0 रेजीडेन्सी	रथयात्रा	सिगरा	9839804007, 9839801007
32	होटल जानकी इण्टर नेशनल	सिगरा	सिगरा	9044001896, 9369016480
33	होटल प्रताप	नगवां	लंका	9415820383
34	होटल पद्मिनी इण्टर नेशनल	सिगरा	सिगरा	9415985988
35	होटल वाग्मी	शिवपुर	शिवपुर	9309601106
36	कम्फर्ट इन बनारस	बुद्ध विहार कालोनी	कैंट	96393211379
37	होटल रीजेन्सी	अंधरापुल जी0टी0रोड	सिगरा	7617007114
38	होटल सोना प्लाजा	गिलट बाजार	शिवपुर	9919007775, 9336265979
39	होटल काशी	परेड कोठी	सिगरा	8187198888
40	जगदम्बा गेस्ट हाउस	परेड कोठी	सिगरा	9939479099
41	कामेश हट	जगतगंज	चेतगंज	9951117651
42	होटल उदय पैलेस	नेवादा सुन्दरपुर	लंका	8248157529
43	होटल विष्णु प्रिया	परेड कोठी	कैंट	7570977777
44	होटल जियारा	शिवपुर	शिवपुर	9415202803, 7007121822
45	होटल रामेश्वरम् वाटिका	संकट मोचन	लंका	7694363105
46	श्री श्रद्धा गेस्ट हाउस	परेड कोठी	सिगरा	9335078479
47	होटल साई इण्टर नेशनल	चौदपुर	मण्डुवाडीह	8303466254
48	होटल पार्क	इंगलिशिया लाईन	सिगरा	993578986
49	शिवम् गेस्ट हाउस	बरईपुर	सारनाथ	9565222333
50	होटल गौतम ग्रैण्ड	परेड कोठी	सिगरा	9839655286

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर0ओ0 प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेंसी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबन्धन परिषद्
वाराणसी।

नोटिस
अनुस्मारक

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- ९७ / भूज०वि०ख०-वा० / यूपीराभूज०प्रविप्रा / 2022-23 दिनांक 13-06-2022

क्रम सं०	होटलों का नाम	पता	थाना	मो०नं०
1	होटल आशियाना	परेड कोठी	सिगरा	9415284176
2	होटल विभव हर्ष	जंगम बाड़ी	दशाश्वमेध	9792019733
3	होटल जे०जे० रेजीडेन्सी	कोल्हूआं	भेलूपुर	8948889888
4	सनराईज लॉज	मीर घाट	दशाश्वमेध	7897281967
5	गणपति गेस्ट हाउस	मीर घाट	दशाश्वमेध	7525880088
6	जी०एस० रेजीडेन्सी	भूतेश्वर गली	दशाश्वमेध	8881308800
7	शिवानी गेस्ट हाउस	इंगलिशया लाईन	सिगरा	9919566771
8	राजेन्द्र लाज	परेड कोठी	सिगरा	9918922217
9	होटल निर्वाणा	द माल रोड	कैंट	9415202793
10	होटल सत्यम	परेड कोठी	सिगरा	9936225136
11	न्यू सानाथ गेस्ट हाउस	गंज सारनाथ	सारनाथ	9838323635
12	होटल ओ०के० इण्टर नेशनल	लक्सा	लक्सा	9935521074
13	होटल डिवाइन डेस्टिनेशन	रामापुरा	लक्सा	9532982525
14	होटल महावीर इण्टर नेशनल	लक्सा	लक्सा	9198480006
15	होटल पार्वती गेस्ट हाउस	गुरुबाग	लक्सा	9918837000
16	होटल हिमालया	मलदहिया	सिगरा	9935897256, 9161556000
17	होटल वैष्णवी लॉज	इंगलिशया लाईन	सिगरा	9651376990
18	होटल प्रिया	इंगलिशया लाईन	सिगरा	8400502655
19	होटल आदित्या इन	रोडवेज	कैंट	7704088884
20	होटल बाराह दरी	मैदागिन	कोतवाली	9450011905
21	परमहंस गेस्ट हाउस	मालवीय कंज	लंका	9140090061
22	पालकी गेस्ट हाउस	परेड कोठी	सिगरा	0542-2200129, 9415626207
23	होटल जनक	परेड कोठी	सिगरा	99935780986
24	शिवालिक अतिथि गृह	मालवीय कंज	लंका	9451888905
25	होटल बनारस हवेली	अस्सी	भेलूपुर	9695441873
26	होटल वाराणसी	बिग बाजार रोड	सिगरा	8176003999
27	होटल द वेस्टिन	नेपाली काठी	कैंट	7080792687
28	होटल प्रताप पैलेस	परेड कोठी	सिगरा	9889979000
29	होटल गैलेक्सी इन	पहड़िया	सारनाथ	9453896896
30	मंगलम् गेस्ट हाउस	लंका	लंका	70710718677
31	होटल सफायर ग्रेण्ड	नेपाली काठी	कैंट	7617017450
32	नितिन गेस्ट हाउस	परेड कोठी	सिगरा	9935415491
33	होटल अमर	इंगलिशया लाईन	सिगरा	93055844500
34	होटल कोस्टा रिवर	कैंटोमेन्ट	कैंट	9519102001

C/C

35	होटल विष्णु गेस्ट हाउस	पाण्डेय हवेली	भेलूपुरा	9415818361
36	होटल प्रकाशा पैलेस	लंका	लंका	9415224017
37	श्री लॉज	भेलूपुर	भेलूपुर	99935175447, 9451038522, 8318777482
38	होटल आस्था	पाण्डेय हवेली	भेलूपुरा	9415818361
39	चन्दा गेस्ट हाउस	हनुमान घाट	भेलूपुरा	9336900521
40	होटल रिवेरा इन	मदैनी	भेलूपुरा	9519210888, 9721974111
41	शिव मंगल लॉज	इंगलिशिया लाईन	सिगरा	9473835847
42	होटल अपराजिता	लंका	लंका	9919710460
43	शिव काशी गेस्ट हाउस	इंगलिशिया लाईन	सिगरा	9452301252
44	मॉ संकठा गेस्ट हाउस	परेड कोठी	सिगरा	9415453357
45	होटल नर इन्द्रा	परेड कोठी	सिगरा	9792203141
46	भाग्य श्री गेस्ट हाउस	जगतगंज	चेतगंज	9648737474
47	सत्य नारायण लॉज	परेड कोठी	सिगरा	9454230465
48	होटल श्याम रेजीडेन्सी	लंका	लंका	9415024737
49	होटल शगुन पैलेस	इंगलिशिया लाईन	सिगरा	9451112796
50	लारा इण्डिया	गोदौलिया	दशाश्वमेध	9307699362

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आरओ प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेंसी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nlvesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबन्धन परिषद्
वाराणसी।


जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- 344 / भूजल वि० ख० वा० / यूपीराभूज० प्रविप्रा / 2021-22 दिनांक 25-11-2021

होटल निवेदक कालभैरव - वाराणसी,

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर०ओ० प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेंसी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल (www.upgwdonline.in) पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।


जिलाधिकारी

अध्यक्ष

जिला भूगर्भ जल प्रबन्धन परिषद
वाराणसी।

REPORT
PLACED BEFORE HON'BLE NATIONAL GREEN
TRIBUNAL (NGT), NEW DELHI
O.A. No. 438 of 2018

In the matter of Arti versus CGWA & Ors.

1. Background

Taking note of complaint made to the Hon'ble Tribunal regarding illegal abstraction of ground water, Hon'ble Tribunal has passed order dated 25.02.2022. The relevant part of the order is as follows:

"..... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if falling to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/ banquet halls/ resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority and take further remedial action....."

2. Action Taken

In compliance order passed by Hon'ble NGT on dated 25.02.2022 the following committee was constituted.



Nominated Members

1. Dr. Gyan Prakesh Yadav, ASDM, Sadar, Varanasi (Representative of District Magistrate, Varanasi)
2. Kalika Singh, Regional Officer, Uttar Pradesh Pollution Control Board, Varanasi (Representative of Uttar Pradesh Pollution Control Board)
3. Vipin Kumar Mishra, Assistant Hydrogeologist (Representative of Central Ground Water Board, State Unit Office, Allahabad)

4. Observations

The constitute committee was inspected 413 nos. of hotels in Varanasi district from dated 30.03.2022 to 19.09.2022. On the basis of inspection report 10 nos. hotels fully comply and have valid NOC from State Groundwater Authority, Varanasi(**Annexure-I**), 04 nos. of hotels have applied for seeking NOC and pending from State Groundwater Authority, Varanasi (**Annexure-II**) and 06 nos. hotels are applied for NOC (**Annexure-III**). Remaining 391 hotels are defaulters (**Annexure-IV**).The details photographs taken in course of inspection is attached (**Annexure-V**). Apart from this notice has also been served to the hotels from State Ground Water Authority, Varanasi is appended (**Annexure-VI**).


5. Remedial Action taken


1. The Hotels survey carried out in accordance with the list obtained from UP, tourism, Varanasi.
2. Hotel to hotel survey carried out by the committee from 30.03.2022 to 19.09.2022.
3. In view of problem of filling of online application form for seeking NOC for groundwater abstraction

from SGWA, Varanasi training cum seminar programme was conducted in accordance with compliance of order of hon'ble NGT. 55 hotel representatives were participated in programme. The photographs of programme are as **Annexure-VII.**

4. In training programme details of online filling of application on Nivesh Mitra portal was displayed to Varanasi hotelier Association. It has been instructed to all hotels must have to take the NOC from SGWA, Varanasi and comply the conditions laid down in NOC was the main emphasis of the programme.
5. Committee has also made a whats app group of hotels in order to solve the problem and quarries.
6. As of Now 10 nos. of hotels were taken NOC and 10 nos. of hotels were applied for seeking NOC. Notice has been issued to the remaining hotels in hard words as per section 45 & 46(1) published Gazette Uttar Pradesh Groundwater (management and Regulation) act 2019. (**Annexure-VIII**)


(**Kalika Singh**)
Regional Officer
U.P. Pollution Control Board
Varanasi)


(**Dr. Gyan Prakesh Yadav**)
ASDM,
Sadar, Varanasi


(**Vipin Kumar Mishra**)
Assistant Hydrogeologist
(Central Ground Water Board,
State Unit Office, Allahabad)

Annexure-I

List of Hotels, Marriage/ Banquet halls/Resort, Guest House having Valid NOC from SCWA, Varanasi

S. NO.	Respondent No. as per list provided by U/P, tourism, Varanasi	Name of Respondent	Date of Inspection	Status of NOC taken by CCWA/ SCWA	Observation of the committee members during the inspection
15	Respondent No. 15	Taj Ganges, Varanasi, Nadeshar palace ground, Varanasi	5/12/2022	Yes	The representative of the hotel Shri Gunmeet Singh Rana, informed that the water supply of the hotel is being done through two tube well. Firm has two recharge structures and one STP plant. The firm had obtained NOC from CCWA which expired on 02.02.2022
27	Respondent No. 27	Hotel Ozas Grand, Samnagar, Lanka	9/16/2022	Yes	The representative of the hotel informed that the water supply of the hotel is being done through one tube well.
58	Respondent No. 58	Surya Kaiser Palace, Mall road, Varanasi bridge, Varanasi	5/4/2022	Yes	The representative Shri Ajay Mishra informed that the water supply of the hotel is being done through two tube wells. Firm has installed STP plant of 10 KLD & one Recharge structure
60	Respondent No. 60	Hotel Meraden Grand, Patel Nagar, Varanasi	5/5/2022	Yes	The representative Shri Vikash Singh informed that the water supply of the hotel is being done through one tube well.

✓
6

61	Respondent No. 61	Taj Nadesar Palace	5/12/2022		No 15 & 61 are same
63	Respondent No. 63	Hotel Madin, Budh vihar colony, Mall Road, Varanasi	5/2/2022	Yes	The representative of the hotel Shri Shivdutt Singh, informed that the water supply of the hotel is being done through one tube well. Firm has one rain water harvesting structure & STP.
89	Respondent No. 89	Hotel Radisson, The Mall Raod, Varanasi	5/5/2022	Yes	The representative of the hotel Shri Ravi S Rai, informed that the water supply of the hotel is being done through Two tube well. Firm has one STP and one Rainwater harvesting structure
127	Respondent No. 127	Hotel Aprajita, Samneghat, Varanasi	9/10/2022	Yes	The representative of the hotel Shri Anurag Mishra, informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
179	Respondent No. 179	Brjrama palace, Darbhanga Ghat	9/9/2022	Yes	The representative Shri Rajeev kumar informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag. Firm has installed 25 KLD STP plant & 1 RWH at Sanskriti Shankul
200	Respondent No. 200	Temple City Guest House, Bhadaini, Varanasi	9/11/2022	Yes	The representative of the hotel Shri Rohit Kapoor, informed that the water supply of the hotel is being done through one tube well.

✓
h
Amish.

Annexure-II

List of Hotels, Marriage/ Banquet halls/Resort, Guest House having Pending NOC from SCWA, Varanasi

S. NO.	Respondent No. as per list provided by UP, tourism, Varanasi	NAME OF RESPONDENT	DATE OF INSPECTION	Status of NOC taken by CGWA/ SCWA	Observation of the committee members during the inspection
114	Respondent No. 114	The Amaya, Mall road, Cantonment, Varanasi	5/2/2022	No	The representative Shri Rajiv Kumar Rai informed that the water supply of the hotel is being done through one tube well . Firm has installed STP plant of 10 KLD & one Recharge structure
182	Respondent No. 182	Rivata's by Idel, Mall road Cantonment, Varanasi	5/2/2022	No	The representative Shri Rajiv Kumar Rai informed that the water supply of the hotel is being done through one tube well . Firm has installed STP plant of 10 KLD & one Recharge structure
214	Respondent No. 214	Yug Residency, Gandeshpuri Hyderabad Colony, Varanasi	9/10/2022	Applied for NOC from SCWA	The representative of the hotel . informed that the water supply of the hotel is being done through two tube wells.
380	Respondent No. 380	Diamond Hotel, Bhelupur, Varanasi	5/13/2022	No	The representative of the hotel Shri Pankaj Mishra informed that the water supply of the hotel is being done through one tube well. Firm has two rain water harvesting structures.

✓
 6
 Dr. Anish

List of Hotels, Marriage/ Banquet halls/Resort, Guest House applied for NOC from SCWA, Varanasi

S. NO.	Respondent No. as per list provided by UP, tourism, Varanasi	NAME OF RESPONDENT	DATE OF INSPECTION	Status of NOC taken by CGWA/ SCWA	Observation of the committee members during the inspection
3	Respondent No. 3	Hotel Runway Inn, 16 GHA, Babatpur	9/7/2022	No	The representative informed that the water supply of the hotel is being done through two tube wells. Construction of RWH is under progress
39	Respondent No. 39	M M Continental, Mall road cantonment, Budd Vihar, Varanasi	5/4/2022	No	The representative Shri Dinesh Kumar informed that the water supply of the hotel is being done through one tube wells and another one tubewell is defunct.
49	Respondent No. 49	Hotel Regency, Andhtrapu, Varanasi	5/22/2022	No	The representative of the hotel refused to provide information.
91	Respondent No. 91	Hotel Radiance Count Grand, Churamtanpur, maldhaila road, Manduadih, Varanasi	9/19/2022	No	The representative of the hotel Shri Neeraj, informed that the water supply of the hotel is being done through Two tube well.
97	Respondent No. 97	Costa Riviera, C 21/4- A-3, Subha Kamna complex, Maldahiya, Varanasi	5/19/2022	No	The representative of the hotel Shri Prashant Jha, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag, Firm has installed STP
162	Respondent No. 162	Alka Hotel, Meer Ghat, Varanasi	9/9/2022	No	The representative of the hotel Shri Rajesh Tiwari, informed that the water supply of the hotel is being done through one tube well.

✓

6

Arish.

7

List of Hotels, Marriage/ Banquet halls/Resort, Guest House have not applied for NOC from SGWA, Varanasi

S. NO.	Respondent No. as per list provided by UP, tourism, Varanasi	NAME OF RESPONDENT	DATE OF INSPECTION	Status of NOC taken by CGWA/ SGWA	Observation of the committee members during the inspection
1	Respondent No. 1	Hotel Tridav, Kalbhairav, Visheshwar	9/13/2022	NO	The representative informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag. Firm has installed STP.
2	Respondent No. 2	Hotel Meadows, The Mall Road, Contonment, Varanasi	05-04-2022	NO	The representative informed that the water supply of the hotel is being done through one tube well.
4	Respondent No. 4	Hotel Kiran Palace Guest house, Cantonment varanasi, Varanasi	05-05-2022	No	The representative of the hotel Shri Avishek Singh informed that the water supply of the hotel is being done through one tube well.
5	Respondent No. 5	Sanjay Motels(I) Pvt. Ltd, Bahapur	09-07-2022	No	The representative Shri Ravindra Naryan Singh informed that the water supply of the hotel is being done through one tube well.
6	Respondent No. 6	Hotel Ganges Grand, Gadowlia Crossing, Varanasi.	05-12-2022	No	The representative of the hotel Shri Param Singh, informed that the water supply of the hotel is being done through two tube well. Firm has constructed one Recharge structure.
7	Respondent No. 7	Hotel Pinnacle Gate, Havelia chauraha, Sarnath	09-09-2022	NO	The representative of the hotel informed that the water supply of the hotel is being done through two tube well. Firm has constructed one Recharge structure.
8	Respondent No. 8	Hotel India, Mint road, Subroto Chowk, Varanasi	05-05-2022	No	The hotel representative refused to provide information
9	Respondent No. 9	Ramdas Plaza by Wyandham, JHV, Varanasi	05-02-2022	No	The representative Ramesh Mishra informed that the water supply of the hotel is being done through two tube wells (one is standby) and Jalkal bibhag. Firm has one rainwater harvesting structure.

✓

8

Amish

10	Respondent No. 10	Hotel Aitih Sankar, Laxa, Rampura	09-12-2021	No	The representative of the hotel Shri Harendra Pandey, informed that the water supply of the hotel is being done through Jalkal Bibhag.
11	Respondent No. 11	Gitar Lodge, Pared kothi, Varanasi	05-10-2022	No	The representative Shri Rajesh kumar wahi informed that the water supply of the hotel is being done through one tube well.
12	Respondent No. 12	Hotel Madhuvan Palace, Kakamata	9/16/2022	No	The representative Shri Rajeev Ranjan tiwari informed that the water supply of the hotel is being done through two tube wells. Firm has installed STP of 8 KLD & 1 rainwater harvesting structure.
13	Respondent No. 13	Hotel The Fern G B D), Ashapur, Samath	9/14/2022	No	The representative Shri Anil Jamdar informed that the water supply of the hotel is being done through one tube well.
14	Respondent No. 14	Hotel Plaza Inn, Pared kothi, Varanasi	05-10-2022	No	The representative of the hotel Shri Prabhakar Pathak, informed that the water supply of the hotel is being done through one Dug cum well & Jal Kal Bibhag. Water conservation structure of 15 cum/year capacity.
16	Respondent No. 16	Hotel Sarin Inn, Saint Raghuvir nagar, sirga, Mehmooorganj, Varanasi	5/23/2022	No	The representative of the hotel Shri Ritesh Kapoor, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
17	Respondent No. 17	Hotel Stay Banaras	09-10-2022	NO	The representative of the hotel Shri Vijay Gupta, informed that the water supply of the hotel is being done through one tube well.
18	Respondent No. 18	Hotel Clarks Varanasi, The Mall Road, Cantonment, Varanasi	05-02-2022	No	The representative of the hotel Shri S. N. Dubey, informed that the water supply of the hotel is being done through two tube well. Firm has one rainwater harvesting structure & STP.
19	Respondent No. 19	Gupta Inn, S-19/122, PWD Road Varuna Bridge, Varanasi	09-10-2022	No	The representative informed that the water supply of the hotel is being done through one tube well.
20	Respondent No. 20	Zade Inn, Club road, Secrole, Varanasi	07-09-2022	No	The representative of the hotel Shri Sushil kumar singh, informed that the water supply of the hotel is being done through two tube well. Firm has one rainwater harvesting structure & STP.

21	Respondent No. 21	Hotel Silk City, S 20/53 - 4-S, Badliya Vihar colony, Mall Road, Varanasi	05-04-2022	No	The representative of the hotel Shri Kamal Sharma informed that the water supply of the hotel is being done through one tube well.
22	Respondent No. 22	Leela Guest House, Mansarovar ghat, Sonarpur	9/13/2022	No	The representative of the hotel Shri Kamal Sharma informed that the water supply of the hotel is being done through Jalkal bibhag.
23	Respondent No. 23	New Kapoor Guest house, Pared kothi, Varanasi	05-10-2022	No	The representative Shri Dilip Kumar informed that the water supply of the hotel is being done through one tube well.
24	Respondent No. 24	Masana Palace, C-10/53, Ghatpura Varanasi	09-10-2022		The representative informed that the water supply of the hotel is being done through one tube well.
25	Respondent No. 25	Le Lotus Grand, Opal hospital, DLW road, Kakarnata	9/16/2022	No	The representative of the hotel Shri Kuldeep Prajapati, informed that the water supply of the hotel is being done through two tube well. Firm has one rainwater harvesting structure & STP.
26	Respondent No. 26	Hotel Groupwine, Katesar, Parao Ramnagar	9/14/2022	No	The representative of the hotel Shri Vishal, informed that the water supply of the hotel is being done through three tube wells. Firm has installed STP.
28	Respondent No. 28	Hotel 36 Avenue, Sikrole	09-07-2022	No	The representative informed that the hotel is closed.
29	Respondent No. 29	Pawan Guest House, Pared Kothi, Varanasi	05-11-2022	No	The representative Dhruj informed that the water supply of the hotel is being done through one tube well.
30	Respondent No. 30	Parivar Guest House, Pared Kothi, Varanasi	05-11-2022	No	The representative Shri R. S. Shaw informed that the water supply of the hotel is being done through Jalkal Bibhag. Though he has not provided the receipt of Jal Kut Bibhag.
31	Respondent No. 31	Hotel Bleue Mont, Subhash Nagar, Pared Kothi, Varanasi	05-11-2022	No	The representative Shri Bikram gupta informed that the water supply of the hotel is being done through one well.
32	Respondent No. 32	Manglam Guest house, Malviya Kunj, Lanka	9/13/2022	No	The representative Shri Nikesh Keshri informed that the water supply of the hotel is being done through one well.
33	Respondent No. 33	Sadashiv Guest house, Ramapura	9/13/2022	No	The representative Shri Dheeraj Kumar informed that the water supply of the hotel is being done through one well.
34	Respondent No. 34	Sawan Guest House, Madhawa Market, Varanasi	09-09-2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one well.
35	Respondent No. 35	Hotel Ajiun Palace, Pared kothi, Varanasi	05-10-2022	No	The representative refused to provide information.

to *Amish*

36	Respondent No. 36	Hotel Halliwani, Pared Kothi, Varanasi	05-06-2022	No	The representative Shri Amit Kumar informed that the water supply of the hotel is being done through one well.
37	Respondent No. 37	Hotel Dwarika, N 1/64A, Near BHL, Varanasi	09-09-2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one well.
38	Respondent No. 38	Hotel Landmark, Opposite Akashwani Mahmoorganj, Varanasi	5/23/2022	No	The representative of the hotel Shri Saravash Gosh, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
40	Respondent No. 40	Hotel Varuna, Gulabgh, Sigra	09-10-2022	No	The representative of the hotel Shri Pradeep das, informed that the water supply of the hotel is being done through one tube well.
41	Respondent No. 41	Hotel S L E Residency, Kuber complex, Rathvatra	9/13/2022	No	The representative of the hotel, refused to provide information.
42	Respondent No. 42	Hari vilas, Shri Nagar colony, Gurubagh, Varanasi	09-11-2022	No	The representative of the hotel Shri Krishna Modi, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
43	Respondent No. 43	Hotel Janki International, Chandrika Nagar, Sigra	09-10-2022	No	The representative of the hotel Shri Sanjeev Rai, informed that the water supply of the hotel is being done through one tube well.
44	Respondent No. 44	Hotel Pratap, Nagwa, Lanka	9/16/2022	No	The representative of the hotel Shri Satya Prakesh Singh, informed that the water supply of the hotel is being done through one tube well.
45	Respondent No. 45	Hotel Padmini International, Sigra Road, Mahmoorganj, Varanasi	5/23/2022	No	The representative of the hotel Shri Satendra Kumar Srivastava, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
46	Respondent No. 46	Sarveshwary Hotel, Madhav Market, Lanka	9/13/2022	No	The representative of the hotel Shri Jitendra Tiwari, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
47	Respondent No. 47	Vagmi hotel, Shyam Nagar colony, Shivpur	09-07-2022	No	The representative of the hotel Shri Satya Kumar Rai, informed that the water supply of the hotel is being done through one tube well.
48	Respondent No. 48	Comfort Inn, Banaras, Budh Vihar, Varanasi	05-05-2022	No	The representative Shri Ashwini Kumar Singh informed that the water supply of the hotel is being done through one well. Firm has also installed STP of 20KLD.

✓

h

Amish

50	Respondent No. 50	Hotel Sona Plaza, Gili Bazar, Varanasi	9/18/2022	Applied for NOC	The representative Shri Ashwin Kumar Singh informed that the water supply of the hotel is being done through two tube wells. Firm has one Rainwater harvesting structure.
51	Respondent No. 51	Hotel Kashi, Pared kothi, Varanasi	05-10-2022	No	The representative refused to provide information.
52	Respondent No. 52	Jagdamba Guest House, Pared kothi, Varanasi	05-06-2022	No	The representative of the hotel Shri Manish ku. Gupta, informed that the water supply of the hotel is being done through one tube well.
53	Respondent No. 53	Karnesh Hut, Jagatganj, Varanasi	5/23/2022	No	The representative Shri Vipin Kumar informed that the water supply of the hotel is being done through one well.
54	Respondent No. 54	Hotel Uday Palace, Newada, Sunderpur	9/16/2022	No	The representative Shri Nirmal Kumar informed that the water supply of the hotel is being done through one well & jalkal bibhag.
55	Respondent No. 55	Hotel Vishnu Priya, Pared Kothi, Varanasi	05-10-2022	No	The representative Shri Santosh Mishra informed that the water supply of the hotel is being done through one tube well.
56	Respondent No. 56	Hotel Kiara, Shivpur	09-07-2022	No	The representative Shri Viky Singh informed that the water supply of the hotel is being done through one tube well.
57	Respondent No. 57	Hotel Siddharth, Sigra, Varanasi	5/22/2022	No	The representative Shri Harshit Singh informed that the water supply of the hotel is being done through one tube well.
59	Respondent No. 59	Hotel City Inn, Pared Kothi, Varanasi	05-12-2022	No	The representative refused to provide information.
62	Respondent No. 62	Hotel Rameshwaram vatika, B 36/4-12, Rantapuri colony, Sankat mochan, Varanasi	09-09-2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one tube well.
64	Respondent No. 64	Hotel Siddharth, Rangoli Garden, Maharaja Subhdev Tiraha, samath, Varanasi	9/19/2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one tube well.
65	Respondent No. 65	Idéal Inn, Pared kothi, Varanasi	05-06-2022	No	The representative of the hotel Shri Vijay Bahadur Seth informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.

✓
k
12
Ashish

66	Respondent No. 66	Shri Sai Shraddha Guest House, Pared Kothi, Varanasi	09-08-2022	No	The representative of the hotel Shri Hari informed that the water supply of the hotel is being done through one tube well.
67	Respondent No. 67	Hotel Sai International, Chandpur Industrial Area	09-12-2022	No	The hotel was closed
68	Respondent No. 68	Hotel Park, C 31/31-A, Englishiya Line, Varanasi	5/22/2022	No	The representative of the hotel Shri Sandeep, informed that the water supply of the hotel is being done through one tube well.
69	Respondent No. 69	Shivam Guest House, near Chinese temple, Sarnath, Varanasi	9/19/2022	No	The representative of the hotel Shri Narendra Kumar, informed that the water supply of the hotel is being done through one tube well.
70	Respondent No. 70	Hotel Gauram Grand, Pared Kothi, Varanasi	05-10-2022	No	The representative Shri Nirmal Kumar singh informed that the water supply of the hotel is being done through one tube well.
71	Respondent No. 71	Hotel Ashiyana, Pared kothi, Varanasi	05-07-2022	No	The representative Shri Arvind kumar informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag. Though he has not provided the receipt of Jal Kal Bibhag.
72	Respondent No. 72	Hotel Vibhav Harsh, Jaunbari, Godowlia, Varanasi	09-10-2022	No	The representative Shri Ravi Kumar Yadav informed that the water supply of the hotel is being done through one tube well.
73	Respondent No. 73	Hotel J J Residency, Sonarpura, Varanasi	9/13/2022	No	As informed by hotel representative hotel is closed
74	Respondent No. 74	Tourist Bungalow, (U.P. Tourism), Baraipur, Sarnath Varanasi	05-06-2022	No	The representative informed that the water supply of the hotel is being done through one tube well & Jal kal Bibhag.
75	Respondent No. 75	Sunrise Lodge, Meera ghat, Varanasi	09-09-2022	No	The representative Shri Manoj Kumar informed that the water supply of the hotel is being done through one tube well.
76	Respondent No. 76	Ganpati Guest house, D 3/24, Meer Ghat, Varanasi	09-09-2022	No	The representative Shri Umesh Agarwal, informed that the water supply of the hotel is being done through one tube well.
77	Respondent No. 77	Hotel G S Residency, Dasaswanthi, Varanasi	09-09-2022	No	The representative Shri Mahesh Bhalla informed that the water supply of the hotel is being done through one tube well.

✓

h

a

YMSH

78	Respondent No. 78	Hotel Baachhan Palace, Dashaswamedh	09-09-2022	No	The representative Shri Keshavn Chaurashia informed that the water supply of the hotel is being done through one tube well.
79	Respondent No. 79	Shivam Guest House, Near Chimes temple, Sarnath	09-09-2022	No	The representative Shri Govind informed that the water supply of the hotel is being done through one tube well & Jalkal Bihag.
80	Respondent No. 80	Hotel Preeti Guest house, Subash Nagar, Varanasi	05-11-2022	No	The representative, Sagar informed that the water supply of the hotel is being done through one tube well.
81	Respondent No. 81	Laxmi Guest House, Dashaswamedh, Varanasi	09-12-2022	No	The representative of hotel refused to provide information
82	Respondent No. 82	Hotel Janhvee International, Englishia line	09-08-2022	No	The representative Shri R K Sinha informed that the water supply of the hotel is being done through two tube wells.
83	Respondent No. 83	Shivani Guest House, Englishia line, Varanasi	09-12-2022	No	The representative Shri Chandra bhushan Mishra informed that the water supply of the hotel is being done through one tube well.
84	Respondent No. 84	Rajendra Lodge, Pared kothi, Varanasi	05-10-2022	No	The representative Shri Muma Rai, informed that the water supply of the hotel is being done through one tube well.
85	Respondent No. 85	Nivana Hotel, The Mall Road, Cantonment, Varanasi	3/30/2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one tube well.
86	Respondent No. 86	Hotel Surabhi International, Paharia Sarnath	09-10-2022	No	The representative of the hotel informed that the water supply of the hotel is being done through two tube wells & Jalkal bihag.
87	Respondent No. 87	Hotel Satyam, Pared kothi, Cantonment, Varanasi	05-11-2022	No	The representative of the hotel Shri Bharat Kumar Pandey, informed that the water supply of the hotel is being done through one tube well.
88	Respondent No. 88	Hotel Sarnath International, Baraipur, Varanasi	09-09-2022	No	The representative of the hotel informed that the water supply of the hotel is being done through two tube well.
90	Respondent No. 90	New Sarnath Guest house, opposite Thai temple Sarnath, Varanasi	5/24/2022	No	The representative of the hotel Shri Vikash Dubey, informed that the water supply of the hotel is being done through one tube well.
92	Respondent No. 92	Hotel O K International, Rampura, Laxa, Varanasi	09-12-2022	No	The representative of the hotel Shri Shashi Kant Rai, informed that the water supply of the hotel is being done through one tube well & Jalkal bihag.

93	Respondent No. 93	Hotel Divine Destination, Rampura, Laxa	09-12-2022	No	The representative of the hotel Shri Sandeep Pandey, informed that the water supply of the hotel is being done through one tube well & Jalkal bibhag.
94	Respondent No. 94	Hotel Mahaveer International, Godowalia, Laxa	09-11-2022	No	The representative of the hotel Shri Vijay Prakesh, informed that the water supply of the hotel is being done through one tube well.
95	Respondent No. 95	Pavitr Guest House, Naryan Nagar, Gurubagh, Varanasi	09-11-2022	No	The representative of the hotel Shri Ajay Khumaru, informed that the water supply of the hotel is being done through one tube well.
96	Respondent No. 96	Hotel Himalaya, Parod Kohi, Varanasi	9/18/2022	No	The representative Shri Deepak Rai informed that the water supply of the hotel is being done through one tube well.
98	Respondent No. 98	Vaishnavi Lodge, S 21/44A, Englishiya line, Varanasi	05-09-2022	No	The representative of the hotel Shri Santosh Kumar informed that the water supply of the hotel is being done through one tube well.
99	Respondent No. 99	Hotel Priya, Maldehiya, Phool Mandi, Varanasi	5/21/2022	No	The representative Shri Ramashankar Yadav informed that the water supply of the hotel is being done through one tube well.
100	Respondent No. 100	Hotel Aditya Inn, Roadways, Varanasi	09-11-2022	No	The representative Shri Pramod Singh informed that the water supply of the hotel is being done through one tube well.
101	Respondent No. 101	Hotel Deepak Palace, Panch Mandir, Assi	09-11-2022	No	The representative Shri Vinay Kumar informed that the water supply of the hotel is being done through one tube well. Firm has constructed one rainwater harvesting structure.
102	Respondent No. 102	Hotel Barabdari, Maidagin, Varanasi	9/13/2022	No	The representative Shri Sandeep Anand Singh informed that the water supply of the hotel is being done through Jalkal Bibhag. The firm has not provided receipt of Jalkal Bibhag.
103	Respondent No. 103	Narendra Guest House, Samneghat, Laxa	09-10-2022	No	The representative informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
104	Respondent No. 104	Paramhans Guest house, Malviya Kunj, Laxa	9/13/2022	No	The representative Anur Singh informed that the water supply of the hotel is being done through Jalkal Bibhag.

105	Respondent No. 105	S G T Plaza, Ganga, Samarth	09-09-2022	No	The representative informed that the water supply of the hotel is being done through one tube well.
106	Respondent No. 106	Palki Guest House, Pared kothi, Varanasi	05-06-2022	No	The representative Shri Santosh Kumar Singh informed that the water supply of the hotel is being done through one well.
107	Respondent No. 107	Hotel Janak, Pared Kothi, Varanasi	05-07-2022	No	The representative Shri Dilip Kumar Mishra informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag and firm has one tube well of defunct nature. Though receipt of Jal Kal has been not provided.
108	Respondent No. 108	Shivalki Guest House, Malviya Kunj, Lanka	9/13/2022	No	The representative Shri Krishna Kant Rai informed that the water supply of the hotel is being done through one tube well.
109	Respondent No. 109	Hotel Banasar Havelli, B-1/224, Assi Ghat, Varanasi	5/20/2022	No	The representative of the hotel refused to provide information.
110	Respondent No. 110	Hotel Varanasi Inn, C - 19/2018-N, Big Bazar Road, Sigra, varanasi	5/22/2022	No	The representative of the hotel Shri Shivam, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
111	Respondent No. 111	Hotel The West Inn, Nepali Kothi, The Mall Cantonment, Varanasi	05-06-2022	No	The representative of the hotel Smt. Sonali Singh, informed that the water supply of the hotel is being done through one tube well.
112	Respondent No. 112	Hotel Pratap Palace, Pared kothi, Cantonment, Varanasi	05-07-2022	No	The representative of the hotel Shri Abhay, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
113	Respondent No. 113	Hotel Galaxy Inn, S 17/1-A-4, Paharia, Akadha tiraha, Varanasi	9/19/2022	No	The representative of the hotel Shri Vipin, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
115	Respondent No. 115	Manglam Guest House, Lanka, Varanasi	09-09-2022		32 & 115 same
116	Respondent No. 116	The Sapphire Grand, Nepali Kothi, Varana bridge, Varanasi	3/30/2022	No	The representative informed that the water supply of the hotel is being done through one tube well.
117	Respondent No. 117	Nitin Guest House, Pared kothi, Varanasi	05-07-2022	No	The representative of the hotel Shri Kamlesh, informed that the water supply of the hotel is being done through one tube well.

Dr. 12 April

118	Respondent No. 118	Hotel Anwar, Pared kothi, Cantonment, Varanasi	05-07-2022	No	The representative of the hotel Shri Pratik Dubey, informed that the water supply of the hotel is being done through one tube well.
119	Respondent No. 119	Hotel Costa River, S 20/51 A - 4 A1, Nepali Kothi, Varanasi	05-04-2022	No	The representative of the hotel Shri Sanjeev Kumar informed that the water supply of the hotel is being done through one tube well. The firm has installed STP.
120	Respondent No. 120	Old Vishnu Guest House, B 16/13, Pandey Haveli, Varanasi	09-09-2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one tube well. The firm has installed STP.
121	Respondent No. 121	Hotel Prakesh Palace, B-30/2-175 k, Lanka, Varanasi	5/20/2022	No	The representative of the hotel Shri Sunil Kumar Tiwari, informed that the water supply of the hotel is being done through one tube well.
122	Respondent No. 122	Shri Lodge, Bhelupur chouraha	09-10-2022	No	The representative of the hotel Shri Ravindra Pandey, informed that the water supply of the hotel is being done through one tube well.
123	Respondent No. 123	Hotel Ansha, New Bangali tola, Pandey haveli	09-10-2022	No	The representative of the hotel Shri Ajay Jaiswal, informed that the water supply of the hotel is being done through one tube well.
124	Respondent No. 124	Chanda Guest House, B 4/60, Hanuman Ghat, Varanasi	9/19/2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
125	Respondent No. 125	Hotel Rivera Palace, Shivala	09-11-2022	No	The representative of the hotel Shri Sobhit Agrawal informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
126	Respondent No. 126	Shiv Mangal lodge, S 21/57, Englishiya line, Varanasi	5/21/2022	No	The representative of the hotel Shri Surendra Nath Choubey, informed that the water supply of the hotel is being done through one tube well.
128	Respondent No. 128	Shiva Kashi Guest House, Englishia line	09-08-2022	No	The representative Shri Pramod Vishwakarma informed that the water supply of the hotel is being done through one tube well.
129	Respondent No. 129	Ma Sankhata Guest House, Pared Kothi, Varanasi	05-11-2022	No	The representative Shri Jitendra Kumar informed that the water supply of the hotel is being done through Jalkal Bibhag. Though he has not provided the receipt of Jal Kal Bibhag.

17

Amol

130	Respondent No. 130	Hotel Nar-Indra, P - 292 Pared Kothi, Varanasi	05-12-2022	No	The representative of the hotel refused to provide the information.
131	Respondent No. 131	Bhagya Shree Guest House, Vijay Nagar Market, Varanasi	05-09-2022	No	The representative Shri Vinod Kumar Maurya informed that the water supply of the hotel is being done through Jal Kal Bibhag. Though receipt of Jal Kal Bibhag is not provided.
132	Respondent No. 132	Satya Narayan Guest House, Pared Kothi, Varanasi	09-09-2022	No	The representative informed that the water supply of the hotel is being done through one tube well.
133	Respondent No. 133	Satyamayan lodge, Pared kothi, Varanasi	05-07-2022	No	The representative of the hotel Shri Sushil kumar, informed that the water supply of the hotel is being done through one tube well.
134	Respondent No. 134	Hotel Shyam Residency, Malviya Kunj, Lanka	9/13/2022	No	The representative of the hotel Shri Abhishek Singh, informed that the water supply of the hotel is being done through one tube well.
135	Respondent No. 135	Hotel Shagun Palace, C 31/30, Englishiya Line, Varanasi	5/22/2022	No	The representative of the hotel Shri Sonu Mishra, informed that the water supply of the hotel is being done through one tube well.
136	Respondent No. 136	Hotel La- Ra India, varanasi	05-12-2022	No	The representative Shri Naveen Singh informed that the water supply of the hotel is being done through one tube well.
137	Respondent No. 137	Pratap Hotel, Pared kothi, Varanasi	05-06-2022	No	The representative of the hotel Shri Santosh Kumar, informed that the water supply of the hotel is being done through one tube well.
138	Respondent No. 138	Annapurna Guest house, Englishia line	09-08-2022	No	The representative Shri Ravindra Upadhyay informed that the water supply of the hotel is being done through one tube well.
139	Respondent No. 139	Ashirwad Guest House, Behind Plaza Inn, Paredkothi	09-12-2022	No	The representative Shri Rakesh Mishra informed that the water supply of the hotel is being done through one tube well.
140	Respondent No. 140	Hotel Rajkamal Palace, Pared Kothi, Varanasi	05-07-2022	No	The representative Shri Parkaj Shrivastava informed that the water supply of the hotel is being done through Jal Kal Bibhag. Though he has not provided receipt of Jal Kal Bibhag.

141	Respondent No. 141	Hotel Midcity, D 46/7 near Laxa Police station, Varanasi	9/19/2022	No	The representative Shri Ashuash Dixit, informed that the water supply of the hotel is being done through one Tubewell
142	Respondent No. 142	K J International, Babatpur	09-07-2022	No	The representative informed that the water supply of the hotel is being done through one tube well. Though he refused to provide further information
143	Respondent No. 143	New Chetak hotel, Pared Kothi, Varanasi	05-06-2022	No	The representative Shri Vijay Kumar Panday informed that the water supply of the hotel is being done through one tube well
144	Respondent No. 144	Royal Guest House, Bindal complex Mahmoorganj, Varanasi	5/23/2022	No	The representative of the hotel Shri Kaushik Sarraf informed that the water supply of the hotel is being done through one tube well.
145	Respondent No. 145	Manglam Guest house, Pared Kothi	09-08-2022	No	The representative Shri Gopal Mishra informed that the water supply of the hotel is being done through one tube well.
146	Respondent No. 146	Hotel Jyoti, Laxa road, Varanasi	09-12-2022	No	The representative of the hotel Shri Atma Ram informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
147	Respondent No. 147	Hotel V K Grand, Laxa road, Varanasi	09-11-2022	No	The representative of the hotel Shri Harsh Dev informed that the water supply of the hotel is being done through one tube well.
148	Respondent No. 148	Shri Krishna Dharmshala, Railway station, Varanasi	09-10-2022	No	The representative of the hotel Shri Vivek Sharma informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
149	Respondent No. 149	Ankit Guest House, S 2/54, Englishiya Line, Varanasi	5/21/2022	No	The representative of the hotel Shri Omprakash Singh, informed that the water supply of the hotel is being done through one tube well.
150	Respondent No. 150	M/s Seth Anandram Jaipuria Smriti Bhawan society, Varanasi	09-09-2022		The representative informed that the water supply of the hotel is being done through one tube well.
151	Respondent No. 151	Hotel Havelli Inn, Telinbag, Varanasi	9/18/2022	No	The representative of the hotel Shri Daya Shankar Rai, informed that the water supply of the hotel is being done through Jalkal Bibhag. Though he has not provided the receipt of Jalkal Bibhag.

15 Ambl.

152	Respondent No. 152	Hotel Arti, Harishchandra Ghat, Varanasi	09-10-2022	No	The representative of the hotel Shri Aarun, informed that the water supply of the hotel is being done through one tube well.
153	Respondent No. 153	Teerth Guest House, Kalka Gali, Varanasi	09-10-2022	No	The representative of the hotel Shri Rohit Patel, informed that the water supply of the hotel is being done through Jalkal Bibhag. Though he has not provided the receipt of Jalkal Bibhag.
154	Respondent No. 154	Kumiko Guest House, Pandey Ghat, Varanasi	9/14/2022	No	The representative of the hotel informed that the water supply of the hotel is being done through Jalkal Bibhag.
155	Respondent No. 155	Zebra Hotel pvt.ltd, Varanasi	3/30/2022	No	The representative informed that the water supply of the hotel is being done through two tube well.
156	Respondent No. 156	Kashi Stay Guest House, D 7/27, Shakarkand Gali, Dashaswamedh, Varanasi	9/19/2022	No	The representative of the Hotel Shri Sanjay Kumar Chaudhary, informed that the water supply of the hotel is being done without tube well.
157	Respondent No. 157	Ganges Top Guest House, B 4/62, Harishchandra Ghat, Varanasi	9/19/2022	No	The representative of the Hotel Shri Shalendra Yadav, informed that the water supply of the hotel is being done through one tube well.
158	Respondent No. 158	Godavari Lodge, B- 31/82-9, Lakshmi Nagar, Lanka, Varanasi	09-09-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through one tube well.
159	Respondent No. 159	Vikram Palace, Shivpur	09-07-2022	No	The representative Shri Santosh Kumar Shrivastava informed that the water supply of the hotel is being done through one tube well.
160	Respondent No. 160	Hotel Rahi Palace, Rahtyatra, Varanasi	09-10-2022	No	The representative Shri Rishab Keshari informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
161	Respondent No. 161	Mehra Atithi Bhawan, Chitragehanta, Varanasi	09-11-2022	No	The representative Shri Shiv Kumar Mehra informed that the water supply of the hotel is being done through one tube well.
163	Respondent No. 163	Hotel Sahu, Dasashwamed Ghat	09-11-2022	No	The representative refused to provide information.
164	Respondent No. 164	Alka Guest House, Sunderpur, Varanasi	09-10-2022	No	The representative informed that the water supply of the hotel is being done through one tube well.
165	Respondent No. 165	Shambhagya Shri Guest house, Englishia line	09-08-2022	No	The representative Shri Munna Singh informed that the water supply of the hotel is being done through one tube well.

20

166	Respondent No. 166	Hotel Patanjali, Pared kothi, Varanasi	05-07-2022	No	The representative of the hotel Shri Priam kumar, informed that the water supply of the hotel is being done through one tube well.
167	Respondent No. 167	Hotel Newstar, Pared kothi, Varanasi	05-11-2022	No	The representative of the hotel Shri Rinku refused to provide information.
168	Respondent No. 168	Bhagirathi Hotel, Pared kothi, Varanasi	05-10-2022	No	The representative Shri Demesh Pandey informed that the water supply of the hotel is being done through Jal Kal Bibhag. Though receipt of Jal Kal Bibhag is not provided.
169	Respondent No. 169	Hotel Star Palace, Pared kothi, Varanasi	05-06-2022	No	The representative of the hotel Shri Lal Bahadur Seth informed that the water supply of the hotel is being done through one tube well.
170	Respondent No. 170	Hotel Vaibhav, 56 Patel nagar, Cantonment, Varanasi	05-05-2022	No	The representative of the hotel Shri Jitendra Nath Singh, informed that the water supply of the hotel is being done through one tube well.
171	Respondent No. 171	Saraswati Lodge, Englishia line	09-08-2022	No	The representative Shri Deepak Mishra informed that the water supply of the hotel is being done through one tube well.
172	Respondent No. 172	Satsang lodge, Hanuman mandir wali gali, English line, Varanasi	05-09-2022	No	The representative of the hotel Shri Sushil Gupta, informed that the water supply of the hotel is being done through one tube well.
173	Respondent No. 173	R. K. Guest House, Pared kothi, Varanasi	05-10-2022	No	The representative of the hotel was not available to provide information.
174	Respondent No. 174	Hotel Grand Continental, pared kothi, Cantonment, Varanasi	05-07-2022	No	The representative of the hotel refused to provide the information.
175	Respondent No. 175	Hotel Blue Star, Englishia Line, Varanasi	5/21/2022	No	The representative of the hotel Shri Dharendra Singh informed that the water supply of the hotel is being done through one tube well.
176	Respondent No. 176	Hotel Sweta Residency, Opposite Railway Station, Cantonment, Varanasi	05-12-2022	No	The representative of the hotel refused to provide the information.
177	Respondent No. 177	Hotel Relax, Pared kothi, Varanasi	05-06-2022	No	The representative of the hotel Shri Rajesh Kumar Singh, informed that the water supply of the hotel is being done through one tube well.

178	Respondent No. 178	Hotel Augusto, Jangamhari road, Godowalia	09-09-2022	No	The representative of the hotel Shri Sayyad Hasan, informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
180	Respondent No. 180	Goldi Guest house, English Line, Varanasi	05-09-2022	No	The representative of the hotel Shri A.K. SIVASTAVA, informed that the water supply of the hotel is being done through one tube well.
181	Respondent No. 181	Hotel Mansarovar, S 21/116, Pared kothi Cantt, Varanasi	05-12-2022	No	The representative of the hotel Shri Bachchal Gupta, informed that the water supply of the hotel is being done through one tube well. Firm has constructed one recharge structure.
183	Respondent No. 183	Satsang Lodge, Englishia line	09-08-2022	No	The representative Shri Satish Kumar Mishra informed that the water supply of the hotel is being done through one tube well.
184	Respondent No. 184	Shiv Atithi Grah, Sam Nagar, Gurubagh, Varanasi	09-12-2022	No	The representative informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
185	Respondent No. 185	Pooja Residency, Mahmoorganj < Varanasi	09-12-2022	No	The representative Shri Prashant Tiwari informed that the water supply of the hotel is being done through one tube well.
186	Respondent No. 186	Mahesh Seva Sanshan, Tulsipur, Mahmoorganj, Varanasi	9/18/2022	No	The representative Shri Rajesh Kumar Nayak informed that the water supply of the hotel is being done through two tube wells.
187	Respondent No. 187	Aroma Guest House, B 30/98-A1, Lanka Nagwa Road, Varanasi	09-09-2022	No	The representative informed that the water supply of the hotel is being done through one tube wells.
188	Respondent No. 188	Maruti Guest House, B-31/83K, Ahilyabai colony, Lanka, Varanasi	09-09-2022	No	The representative of the hotel Shri Chandan, informed that the water supply of the hotel is being done through one tube wells.
189	Respondent No. 189	Maruti Guest House, Lanka, Varanasi	9/19/2022		The representative informed that the water supply of the hotel is being done through one tube well.
190	Respondent No. 190	Vikrama Lodge, Vidhyapeeth, Varanasi	5/13/2022	No	The representative Shri Vishal Kumar Singh informed that the water supply of the hotel is being done through one tube well.

191	Respondent No. 191	Hotel Gangotri, D-47/193 Ramapuri, Varanasi	09-12-2022	NO	The representative Shri Shashi jaiswal informed that the water supply of the hotel is being done through one tube well.
192	Respondent No. 192	Hotel Pragya International, Nai Sadak, Varanasi	09-12-2022	No	The representative Shri Naveen jaiswal informed that the water supply of the hotel is being done through one tube well
193	Respondent No. 193	Sun Shiv Hotel, Luxa, Varanasi	09-12-2022	No	The representative Shri Vijay Gupta informed that the water supply of the hotel is being done through one tube well.
194	Respondent No. 194	Hotel Sita, Chausathi ghat, Varanasi	09-09-2022	No	The representative Shri Saurabh Sharma informed that the water supply of the hotel is being done through one tube well
195	Respondent No. 195	Seth Anandram Jaipuria Smriti Bhawan, Godowalia, Varanasi	09-11-2022	No	The representative Shri Manoj Sharma informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
196	Respondent No. 196	Hotel Shivam, Pared Kolhi, Varanasi	05-10-2022	No	The representative Shri Akash Shrivastava informed that the water supply of the hotel is being done through One tube well.
197	Respondent No. 197	Hotel J S Residency, Gauriganj, Bhehapur	09-10-2022	No	The representative Shri Rajesh Dhawan informed that the water supply of the hotel is being done through One tube well & Jalkal Bibhag.
198	Respondent No. 198	Hotel Kalika, S 21/3, Englishiya line, Varanasi	5/21/2022	No	The representative of the hotel Shri Satyanarayan Prasad, informed that the water supply of the hotel is being done through one tube well.
199	Respondent No. 199	Suryaoday Haveli, Shivala ghat, Varanasi	9/13/2022	No	The representative of the hotel Shri Pankaj Mahajan, informed that the water supply of the hotel is being done through one tube well & Jalkal Bibhag.
201	Respondent No. 201	Tripti Lodge, Jammu kothi, Dadaswamedh, Varanasi	09-10-2022	No	The representative of the hotel Shri Ravi Khatri, informed that the water supply of the hotel is being done through one tube well.
202	Respondent No. 202	Vivah Vishram Bhawan, Luxa road, Varanasi	09-11-2022	No	The representative of the hotel Shri Manish Raj Dev, informed that the water supply of the hotel is being done through one tube well & Jalkal bibhag.
203	Respondent No. 203	Hotel Jandhra, Luxa road luxa			Could not locate

204	Respondent No. 204	Surya Residency, Nsi Sadak, Godowalia, Varanasi	09-12-2022	No	The representative of the hotel Shri Vijay Upadhyaya, informed that the water supply of the hotel is being done through one tube well & Jalkal bhabag.
205	Respondent No. 205	National Lodge, Kashi Vidhya Peeth, Englishya Line, Varanasi	5/13/2022	No	The representative Shri Manvijayan Kumar informed that the water supply of the hotel is being done through Jalkal Bhabag.
206	Respondent No. 206	Vinayak Heritage, Luxa road, Varanasi	09-11-2022	No	The representative Shri Ashish Kumar informed that the water supply of the hotel is being done through Jalkal Bhabag.
207	Respondent No. 207	Vijaya Lodge, Luxa road, Varanasi	09-11-2022	No	The representative Shri Rakesh Singh informed that the water supply of the hotel is being done through one tube well.
208	Respondent No. 208	Hotel Indra, Pared kothi, Cantonment, Varanasi	05-07-2022	No	The representative of the hotel Shri Priyam Kumar, informed that the water supply of the hotel is being done through one tube well.
209	Respondent No. 209	Radiant YMCA, Tourist Hostel, Sampurnanand Nagar, Sigra	09-10-2022	No	The representative of the hotel Shri Vijay Pandey, informed that the water supply of the hotel is being done through one tube well & Jalkal Bhabag.
210	Respondent No. 210	Hotel Ashoka Grand, Kashi Vidhyapeeth, Varanasi	09-10-2022	No	The representative of the hotel Smt Rashmi Jaiswal informed that the water supply of the hotel is being done through one tube well.
211	Respondent No. 211	Hotel Kanishka, C 30/34 551, Maladhiya Lahubir, Varanasi	5/23/2022	No	The representative of the hotel Shri Arvind Kumar Upadhyaya, informed that the water supply of the hotel is being done through one tube well.
212	Respondent No. 212	Anand lodge, Pared kothi, Varanasi	05-11-2022	No	The representative of the hotel Shri Rahul Pandey, informed that the water supply of the hotel is being done through one tube well.
213	Respondent No. 213	Hotel Kaushik, NH-2 Bypass Bhadwar, Varanasi	9/19/2022	No	The representative of the hotel informed that the water supply of the hotel is being done through One tube well.
215	Respondent No. 215	Hotel U. S. Residency, N 8/180-U-1, Rajender Vihar colony, Varanasi	9/19/2022	No	

216	Respondent No. 216	Hotel Aditya, Akhauri Kuan, Rampura, Varanasi	9/18/2022	No	The representative of the hotel Shri Govind, informed that the water supply of the hotel is being done through one tube well.
217	Respondent No. 217	Sri Venkateshwar Lodge, Dasaswamedh, Varanasi	09-10-2022	No	The representative of the hotel, informed that the water supply of the hotel is being done through Jalkal Bibhag. Though he has not provided receipt of Jalkal Bibhag.
218	Respondent No. 218	Hotel M R K, Dasaswamedh, Varanasi	09-09-2022	No	The representative of the hotel Shri Krishna Gopal Pandey, informed that the water supply of the hotel is being done through one tube well.
219	Respondent No. 219	Family Guest House, Pataleswar, Dasaswamedh, Varanasi	09-09-2022	No	The representative of the hotel Shri Shami Vishwash, informed that the water supply of the hotel is being done through Jalkal Bibhag. Though he has not provided receipt of Jalkal Bibhag.
220	Respondent No. 220	Hotel Samrat, Nai Sadak Crossing, Varanasi	09-09-2022	No	The representative of the hotel Shri Ashok Kumar, informed that the water supply of the hotel is being done through one Tube well.
221	Respondent No. 221	Babu Guest House, Aurangabad, Varanasi	09-12-2022	No	The representative of the hotel Shri Sonu Chaudhan, informed that the water supply of the hotel is being done through one Tube well.
222	Respondent No. 222	Hotel Jannana, D-47/191, Juxa, Varanasi	09-12-2022	No	The representative of the hotel Shri Ramkrishna Yadav, informed that the water supply of the hotel is being done through one Tube well.
223	Respondent No. 223	Shri Omkar Palace, D-22/10, Chausatti ghat, Bengali tola, Varanasi	09-09-2022	No	The representative of the hotel Shri Shalabh Pandey, informed that the water supply of the hotel is being done through one Tube well.
224	Respondent No. 224	Ajay Guest House, D-21/11, Raunahat Ghat, Bengali Tola, Varanasi	5/22/2022	No	The representative of the hotel Shri Ajay chakravarty, informed that the water supply of the hotel is being done through one Tube well.
225	Respondent No. 225	K-shree Guest House, D-38/113, Ghughrani Gali, Bansphatak, Varanasi	09-10-2022	No	The representative of the hotel Shri Nibhya Tiwari, informed that the water supply of the hotel is being done through one Tube well.
226	Respondent No. 226	Aarun Hotel, Bada dev, Dasaswamedh, Varanasi	9/18/2022	No	The representative of the hotel Shri B Roy, informed that the water supply of the hotel is being done through one Tube well.

✓
25/9/22

227	Respondent No. 227	Hotel Neele Ganga, Parel Kothi, Varanasi	05-10-2022	No	The representative Shri Vishnu Maya informed that the water supply of the hotel is being done through one tube well.
228	Respondent No. 228	Hotel Panchsheel, 25 Lajpat Nagar Malahiya, Varanasi	5/19/2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
229	Respondent No. 229	Kishan Lodge, C-31/11 Englishia Line, Varanasi	09-08-2022	No	The representative of the hotel Shri Satish Kumar, informed that the water supply of the hotel is being done through one Tube well.
230	Respondent No. 230	Hotel Rajvansh, Englishia line	09-08-2022	No	The representative Shri JaiPrakash Singh informed that the water supply of the hotel is being done through one tube well.
231	Respondent No. 231	Hotel Square Inn (Ex Pannil), Badli Vihar, Varanasi	05-04-2022	No	The representative refused to provide information.
232	Respondent No. 232	Shri Bagwan Das Aulhi Bhawan, mukinganj rajhat, Machodti, Varanasi	9/19/2022	No	The representative of the hotel Shri Armit Kumar, informed that the water supply of the hotel is being done through one Tube well.
233	Respondent No. 233	Hotel Heritage, D-47/160, Beside instant colour Lab, Laxa Road, Varanasi	09-11-2022	No	The representative of the hotel Shri Rahul, informed that the water supply of the hotel is being done through one Tube well.
234	Respondent No. 234	Hotel Shyamal, B-30/1 S.M., Janki Bagh, Lanka, Varanasi	5/20/2022	No	The representative of the hotel Shri Rajesh Yadav, informed that the water supply of the hotel is being done through one tube well.
235	Respondent No. 235	Elena Hotel, d-21/13 Ranamahal Ghat, Bengali tola, Varanasi	09-09-2022	No	The representative of the hotel Shri Rahul Seth, informed that the water supply of the hotel is being done through one Tube well.
236	Respondent No. 236	Hotel P.N. Ganga, dashaswamedh, varanasi	09-11-2022	No	Hotel representative refused to provide information
237	Respondent No. 237	Hotel Kashika, Bulanaia, Varanasi	09-11-2022	No	The representative of the hotel Shri Yougesh Verma, informed that the water supply of the hotel is being done through one Tube well.
238	Respondent No. 238	Baba Guest House, D-20/15, Munshi Ghat, Varanasi	5/22/2022	No	The representative of the hotel Shri Raghunath, informed that the water supply of the hotel is being done through one Tube well.

✓

ba 26 Arush

239	Respondent No. 239	Hotel Farin, D-50/129-130, Nai Sadak, Varanasi	09-12-2022		The representative of the hotel Shri dilshwer Ahmed, informed that the water supply of the hotel is being done through one Tube well.
240	Respondent No. 240	Annapurna Telwala Dharmasala, D 53/98, Rathyatra, Varanasi	09-12-2022	No	The representative of the hotel, informed that the water supply of the hotel is being done through one Tube well.
241	Respondent No. 241	De villa Inn, c-27/207, Jagatganj, Varanasi	09-12-2022	No	The representative of the hotel Smt Chanda Yadav, informed that the water supply of the hotel is being done through Two Tube well.
242	Respondent No. 242	Hotel Nataraj, C-26/10, Lahurabir, Varanasi	09-12-2022	No	The representative of the hotel Shri Chandan, informed that the water supply of the hotel is being done through one Tube well.
243	Respondent No. 243	Ambika lodge, S 21/33-A, Englishiya Line, Varanasi	5/21/2022	No	The representative of the hotel Shri Poonam Gupta, informed that the water supply of the hotel is being done through Jai Kal Bibhag and as inform by firm representative matter is subjudice.
244	Respondent No. 244	Hotel Temple on Ganges, Assi, Varanasi	5/20/2022	No	The representative of the hotel Shri Ashutosh Pandey, informed that the water supply of the hotel is being done through one tube well.
245	Respondent No. 245	Shyam Lodge, Nai Sadak, Varanasi	09-12-2022	No	The representative of the hotel Shri Rajendra Prasad Chaurasiya, informed that the water supply of the hotel is being done through one Tube well.
246	Respondent No. 246	Ganga Darshanum Guest House, D 17/76, Dashashwamedh, Varanasi	09-09-2022	No	The representative of the hotel, informed that the water supply of the hotel is being done through one Tube well.
247	Respondent No. 247	Budha guest House, D 21/12A, Chausatti Ghat, Varanasi	09-09-2022	No	The representative of the hotel Smt Meena Yadav, informed that the water supply of the hotel is being done through one Tube well.
248	Respondent No. 248	Gokul Grand, Sonarpura, Varanasi	09-10-2022	No	The representative Shri Suraj Mishra informed that the water supply is being done through Jalkal Bibhag. Though he has not provided the receipt.
249	Respondent No. 249	Lotus Hotel Inn, SA 10/92, Mawaiya Road, Samath, Varanasi	09-09-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through one Tube well.
250	Respondent No. 250	Baranash Kothi, Budh vilas colony, Mall Road, Varanasi	05-04-2022	No	The representative of the hotel Shri Shatrugh, informed that the water supply of the hotel is being done through one tube well.

251	Respondent No. 251	Hotel Deva Inn, Gadawlia, Varanasi	09-12-2022	No	The representative of the Hotel Shri Akshay Jaiswal, informed that the water supply of the hotel is being done through one Tube well.
252	Respondent No. 252	River Palace, Buthvihar colony, Mall Road, Varanasi	05-04-2022	No	The representative of the hotel Shri Shatrugh, informed that the water supply of the hotel is being done through two tube well.
253	Respondent No. 253	Sahani Guest House, near Trauma center, Lanka, Varanasi	09-10-2022	No	The representative of the Hotel Shri Pritvindh Sahani, informed that the water supply of the hotel is being done through one Tube well.
254	Respondent No. 254	Murti Guest House, B 31/80-A-14, Ahilyabai colony, Varanasi	9/19/2022		The representative of the Hotel Shri Santosh Kumar Singh, informed that the water supply of the hotel is being done through one Tube well.
255	Respondent No. 255	Hotel Yatri Niwas, Englishia line, Varanasi	5/22/2022	No	The representative of the Hotel Shri Khurshid Alam, informed that the water supply of the hotel is being done through Jal Kal Bibhag. Though he has not provided the receipt of Jal Kal Bibhag.
256	Respondent No. 256	Royal Guest House, Pared kothi, Varanasi	05-10-2022	No	The representative of the hotel Shri Ram Narayan Singh, informed that the water supply of the hotel is being done from Jal Kal Bibhag. However Receipt has not been provided.
257	Respondent No. 257	Hotel Shri Ram International, D 38/126-127, Banspharak Road, Varanasi	09-10-2022	No	The representative of the Hotel Shri Tahid, informed that the water supply of the hotel is being done through one Tube well.
258	Respondent No. 258	Hotel Gateway Kalash, Dashaswamedh, Varanasi	09-11-2022	No	The representative of the Hotel Shri Sumit Tripathi, informed that the water supply of the hotel is being done through one Tube well.
259	Respondent No. 259	Palace Hotel, Godowlia, Varanasi	05-12-2022	No	The representative refused to provide information.
260	Respondent No. 260	Hotel Glory, Pared Kothi, Varanasi	05-07-2022	No	The representative informed that the water supply of the hotel is being done through one tube well. Though representative refused to sign.
261	Respondent No. 261	Golden Lodge, Dashaswamedh, Varanasi	9/18/2022	No	No representative was available to furnish the information

262	Respondent No. 262	Kashi Annapurna Guest House, D 8/20, Kalika Gali, Varanasi	09-10-2022	No	The representative of the Hotel Shri Prakash Singh, informed that the water supply of the hotel is being done through one Tube well.
263	Respondent No. 263	Hotel Jaipuria, B 5/40C, Shivala Opp, Vishal Mega mart, Varanasi	9/18/2022	No	The representative of the Hotel Shri Akash Kumar Soni, informed that the water supply of the hotel is being done through one Tube well.
264	Respondent No. 264	Mam Guest House, D 38/24, Bansphatak, Godowlia, varanasi	09-10-2022	No	The representative of the Hotel , informed that the water supply of the hotel is being done without using Tube well.
265	Respondent No. 265	Liberty Guest House, Ahilyabai Ghat, Dashashwamedh, Varanasi	09-11-2022	No	The representative of the Hotel Shri Anurag, informed that the water supply of the hotel is being done through one Tube well.
266	Respondent No. 266	Palace on Ganges, B-1/158, Assi Ghat, Varanasi	9/13/2022	No	The representative of the Hotel Shri Pranchal, informed that the water supply of the hotel is being done through one Tube well.
267	Respondent No. 267	Prabhu Sundaram Guest House, B-3/250, Shivala, Varanasi	09-09-2022	No	The representative of the Hotel Shri Rahul, informed that the water supply of the hotel is being done through one Tube well.
268	Respondent No. 268	Prakash Guest House, near Kashi Vishwanath temple, D17/146, Dashaswamedh, chitranganj Park, Varanasi	05-09-2022	No	The representative of the Hotel , informed that the water supply of the hotel is being done through one Tube well.
269	Respondent No. 269	Om Rest House, D 24/31 A, Pandey Ghat, Bengali tola, Varanasi	09-09-2022	No	The representative of the Hotel , informed that the water supply of the hotel is being done through one Tube well.
270	Respondent No. 270	Palace Hotel, Godowlia, Varanasi	05-12-2022	No	The representative refused to provide information.
271	Respondent No. 271	Hotel Glory, Pared Kothi, Varanasi	05-07-2022	No	The representative informed that the water supply of the hotel is being done through one tube well. Though representative refused to sign.
272	Respondent No. 272	Hotel vijay, Pared kothi, Varanasi	05-12-2022	no	The representative was not provided information
273	Respondent No. 273	Maa Padmavati Guest House, Vishwanath Gali, Bhairavi, Varanasi	09-10-2022	No	The representative of the Hotel Shri Upendra Kumar Singh , informed that the water supply of the hotel is being done without Tube well.

274	Respondent No. 274	Hotel Juslok, D-53/88, Luxa Road, Varanasi	09-11-2022	No	The representative of the Hotel Shri Koshan Lal, informed that the water supply of the hotel is being done through One Tube well.
275	Respondent No. 275	Hotel Holy Ganges view, B 30/252 A-1a, Assi Ghat, Varanasi	09-09-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done through One Tube well.
276	Respondent No. 276	Lakshmi Guest House, Malahiya, Varanasi	09-10-2022	No	The representative of the Hotel Shri Saugay Yadav, informed that the water supply of the hotel is being done through One Tube well.
277	Respondent No. 277	Hotel Akash Ganga, B-3/209, Shyila, Varanasi	09-09-2022	No	The representative of the Hotel Shri Vaibhav, informed that the water supply of the hotel is being done through One Tube well.
278	Respondent No. 278	Hotel Dolphin International, Plot NO. B20, 48 Bhelupur road, Jawahar Nagar, Varanasi	9/16/2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tube well.
279	Respondent No. 279	Hotel De Paris, 15, The Mall Road, Cantonment, Varanasi	09-12-2022	No	The representative of the Hotel Shri Rakesh Kumar Shrivastav, informed that the water supply of the hotel is being done through Two Tube well.
280	Respondent No. 280	Safari Guest House, B 5/291, Awadhyarbi, Humam Ghat, Varanasi	9/13/2022	No	The representative of the Hotel Shri Sanju singh, informed that the water supply of the hotel is being done without Tube well.
281	Respondent No. 281	Krishna lodge, S 21/42, English Lane, Cantonment, Varanasi	05-09-2022	No	The representative of the hotel Shri Akhilesh Tiwari, informed that the water supply of the hotel is being done through one tube well.
282	Respondent No. 282	Hotel Varanasi Palace, Pared kothi, Varanasi	05-07-2022	No	The representative of the hotel Shri P. Singh informed that the water supply of the hotel is being done through one tube well & Jal Kal Bihag.
283	Respondent No. 283	Vishwanath Guest House, Ganj Samath varanasi	09-10-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through one Tube well.
284	Respondent No. 284	Hotel Ganges View, Assi ghat, Varanasi	9/13/2022	No	The representative of the Hotel Shri Prakash, informed that the water supply of the hotel is being done through one Tube well.
285	Respondent No. 285	Hotel Ganesha, B-1/48, Assi, Varanasi	09-11-2022	No	The representative of the Hotel Shri Naresh Kathuria, informed that the water supply of the hotel is being done through one Tube well.

286	Respondent No. 286	Krishna lodge, S 21/42, English Line, Cantonment, Varanasi	05-09-2022	No	281 & 286 are same
287	Respondent No. 287	Sundaram Guest house, Pared kothi, Varanasi	05-11-2022	No	The representative of the hotel Shri Shitala Prasad, informed that the water supply of the hotel is being done through one tube well.
288	Respondent No. 288	Shubhan Guest House, Pared Kothi, cantt, Varanasi	09-08-2022	No	The representative of the Hotel Shri Anand Kumar Singh, informed that the water supply of the hotel is being done through one Tube well.
289	Respondent No. 289	Hotel Sarala Inn, C 30/36 C, Maladhiya, Varanasi	5/19/2022	No	The representative of the hotel Shri Abhay Shukla, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
290	Respondent No. 290	Hotel Aditya Inn, D 37/34, Bada Dev, Godowlia, Varanasi	09-10-2022	No	The representative of the Hotel Shri Aditya Jaiswal, informed that the water supply of the hotel is being done through one Tube well.
291	Respondent No. 291	Ananti Resi House, Sonia Road, Varanasi	9/18/2022	No	No representative was available to furnish the information
292	Respondent No. 292	Hotel Roshan, Luxa Road, Varanasi, Behind Police station, Varanasi	09-12-2022	No	The representative of the Hotel Shri Dharendra, informed that the water supply of the hotel is being done through one Tube well.
293	Respondent No. 293	Hotel Modern, Lahurabir, Varanasi	5/23/2022	No	The representative of the hotel representative refused to provide the information.
294	Respondent No. 294	Ganga View Guest House, Sonarpura road, Varanasi	09-10-2022	No	The representative of the Hotel Shri Raja Shrivastava, informed that the water supply of the hotel is being done through one Tube well.
295	Respondent No. 295	Hotel Dolphin International, Plot NO. B20, 48 Bheulpur road, Jawahar Nagar, Varanasi	9/16/2022	No	278 & 295 are same
296	Respondent No. 296	Chaitanya Hotel Inn, Saranath road, Aunol Nagar, Varanasi	09-10-2022	No	The representative of the Hotel Shri Laxmikant Tiwari, informed that the water supply of the hotel is being done through one Tube well.
297	Respondent No. 297	Surya Guest House, D-5/46, Tripura Bhairavi, Dashashwamedh, Varanasi	09-10-2022	No	The representative of the Hotel Shri Rajeev Chakraborty, informed that the water supply of the hotel is being done through one Tube well.

298	Respondent No. 298	Manglam Guest House, Pared Kothi, Cantt, Varanasi	09-08-2022	No	The representative of the Hotel Shri Gopal Mishra, informed that the water supply of the hotel is being done through one Tube well.
299	Respondent No. 299	Rameshwaram Guest House, near Luxa, Luxa road, Varanasi	09-11-2022	No	The representative of the Hotel Shri Raghav Yadav, informed that the water supply of the hotel is being done through one Tube well.
300	Respondent No. 300	Suraj Guest House, Pared kothi, Varanasi	05-11-2022	No	The representative of the hotel Shri Shivam Yadav, informed that the water supply of the hotel is being done through one tube well.
301	Respondent No. 301	Shri Sai Ganesha Guest house, Paredkothi, Varanasi	05-11-2022	No	The representative informed that the water supply of the hotel is being done through one tube well.
302	Respondent No. 302	Rose Heritage Home, shivala Varanasi	9/13/2022	No	The representative of the Hotel Shri Jitendra, informed that the water supply of the hotel is being done without Tube well.
303	Respondent No. 303	Hotel East View, Sindhya Ghat, Varanasi	09-11-2022	No	The representative of the Hotel Shri Vikram Singh, informed that the water supply of the hotel is being done through one Tube well.
304	Respondent No. 304	Hotel Aadesh Palace, Banphatuk, Varanasi	09-11-2022	No	The representative of the Hotel Shri Vishwanath Banerjee, informed that the water supply of the hotel is being done through one Tube well.
305	Respondent No. 305	Alakhnanda Guest House, D 5/100, Tripura Bhairavi, Deshasthwarmedh Road, Varanasi	09-10-2022	No	The representative of the Hotel Shri Akshay Sahani, informed that the water supply of the hotel is being done without using Tube well.
306	Respondent No. 306	Shri Dattatreya Atithi Gṛh, D-60/10, choti Gaithi, Varanasi	09-11-2022	No	The representative of the Hotel Shri Shyamhari Janwal, informed that the water supply of the hotel is being done through One Tube well.
307	Respondent No. 307	Hotel Giriraj Inn, B 5/31, Avadhgarvi, Siwala road, Sonarpura, Varanasi	9/13/2022	No	The representative of the Hotel Shri Rajat, informed that the water supply of the hotel is being done through One Tube well.
308	Respondent No. 308	Rajmahal Hotel, Gurnubagh, Luxa Road, Varanasi	09-11-2022	No	The representative of the Hotel Shri Nitin, informed that the water supply of the hotel is being done through One Tube well.

309	Respondent No. 309	Shree Ram lodge, C 21/5, Englishiya line, Varanasi	5/21/2022	No	The representative of the hotel Shri arvind Gupta, informed that the water supply of the hotel is being done through one tube well.
310	Respondent No. 310	Hotel Blue Diamond, CK-64/100B, Kabirchauraha Crossing, Varanasi	09-11-2022	No	The representative of the Hotel Shri T.N. Singh, informed that the water supply of the hotel is being done through One Tube well.
311	Respondent No. 311	Mastana Palace, C-10/53, Gajpura, Varanasi	09-12-2022	No	24 7311 are same
312	Respondent No. 312	Om Vishwanath Lodge, B- 8/97, Harischandra Ghat, Varanasi	09-11-2022	No	The representative of the Hotel , informed that the water supply of the hotel is being done through One Tube well.
313	Respondent No. 313	Hotel Vishwanath, B 10/7, Krim kund, Shivala, Varanasi	09-09-2022	No	The representative of the Hotel Shri Bhanu Prasad Yadav , informed that the water supply of the hotel is being done through Two Tube well.
314	Respondent No. 314	Hotel Eden, D 50/38, Kajiputkalanai Sadak, Varanasi	9/19/2022	No	The representative of the Hotel Shri Anwar Khan , informed that the water supply of the hotel is being done through One Tube well.
315	Respondent No. 315	Yogini Lodge, Pandey Ghat, Bangali Tola, Varanasi	9/13/2022	No	The representative of the Hotel Shri Sanjeev Yadav , informed that the water supply of the hotel is being done through One Tube well.
316	Respondent No. 316	Hotel Veena, C 32/3A-K-1, Vidyapeeth, Varanasi	5/21/2022	No	The representative of the hotel informed that the water supply of the hotel is being done through one tube well. Though hotel representative refused to sign.
317	Respondent No. 317	Hotel Sunshine, B 3/257, Shivala, Varanasi	09-09-2021	No	The representative of the Hotel Shri Diwakar Prasad Yadav, informed that the water supply of the hotel is being done through One Tube well.
318	Respondent No. 318	Bangla Atithi Bhawan, D 38/139-140, Hanuakatora, Varanasi	9/14/2022	No	The representative of the Hotel Shri Shyam Sundar, informed that the water supply of the hotel is being done through One Tube well.
319	Respondent No. 319	shree Sai Kripa Guest House, B-3/226, Shivala Varanasi	9/13/2022	No	The representative of the Hotel Shri Vikas Nanda, informed that the water supply of the hotel is being done without Tube well.
320	Respondent No. 320	Ashtoka Ganges, Giriyagar mai sadak, Varanasi	09-12-2022	No	The representative of the Hotel Shri Ashok Kumar, informed that the water supply of the hotel is being done through One Tube well.

321	Respondent No. 321	Hotel Keshari Anshu Bhawan, D-36/184, Dashashwamedh Road, Varanasi	9/14/2021	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tube well.
322	Respondent No. 322	Hotel Varanasi Heritage, B- 2/50A, Bhadaini Tulsighat, Assi, Varanasi	09-11-2022	No	The representative of the Hotel Shri Mihlesh Kumar Pandey, informed that the water supply of the hotel is being done through One Tube well.
323	Respondent No. 323	Yash Residency, Durga Kund, Varanasi	9/13/2022	No	The representative of the Hotel Shri Kaushik K. Pandey, informed that the water supply of the hotel is being done without Tube well.
324	Respondent No. 324	The Hideaway (Ganga tourist Lodge), Luxa Road, Varanasi	09-12-2022	No	The representative of the Hotel Shri Vijay Chandra, informed that the water supply of the hotel is being done through one Tube well.
325	Respondent No. 325	Shiv Ganga Guest House, Luxa Road, Varanasi	09-12-2022	No	The representative of the Hotel Shri Manoj Yadav, informed that the water supply of the hotel is being done through One Tube well.
326	Respondent No. 326	Karamal Sabidevi Dharamshala, D-48/143, Luxa Road, Varanasi	09-11-2022	No	The representative of the Hotel Shri Udhav Das, informed that the water supply of the hotel is being done through One Tube well.
327	Respondent No. 327	Hotel Yelchiko, Patel Nagar, Cantonment, Varanasi	05-05-2022	No	The representative informed that the water supply of the hotel is being done through one tube well. Representative refused to sign.
328	Respondent No. 328	80 River end P guest House, B1/128-18, Assi Ghat, Varanasi	5/20/2022	No	The representative of the hotel Refused to provide information.
329	Respondent No. 329	Hotel Picasso, B-3/296, Shivvati Road, Varanasi	9/16/2022	No	The representative of the Hotel Shri Omesh Yadav, informed that the water supply of the hotel is being done through One Tube well.
330	Respondent No. 330	Hotel U.D. Assi Inn, B-2/141, Bhadaini Assi, Varanasi	09-11-2022	No	The representative of the Hotel Shri Santosh Singh, informed that the water supply of the hotel is being done through One Tube well.
331	Respondent No. 331	Prabha Guest House, D-57/48-B, Sovia, Varanasi	09-10-2022	No	The representative of the Hotel Shri Ram Naresh Chaurasia, informed that the water supply of the hotel is being done through One Tube well.

332	Respondent No. 332	Kedar Lodge, D-36/49, August kund, Dashashwamedh, Varanasi	09-10-2022	No	The representative of the Hotel Shri Kedar Nath Singh, informed that the water supply of the hotel is being done through One Tube well.
333	Respondent No. 333	Harsundari Dharmshala, Godowlia, Varanasi	09-11-2022	No	The representative of the Hotel Smt Kajal Chatterjee, informed that the water supply of the hotel is being done through One Tube well.
334	Respondent No. 334	Hotel Buddha, C-26/35, Ramkatora, Lahubir, Varanasi	9/13/2022		Hotel representative refused to provide information
335	Respondent No. 335	Hotel Ajay, Lahubir, Varanasi	09-12-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tube well.
336	Respondent No. 336	Hotel Four Seasons, D39/24, Kodai Chawki, Varanasi	09-11-2022	No	The representative of the Hotel Shri shakib, informed that the water supply of the hotel is being done through One Tube well.
337	Respondent No. 337	J P Guest House, Pured keothi, Varanasi	05-11-2022	No	The representative of the hotel Shri Shivam Yadav, informed that the water supply of the hotel is being done through one tube well.
338	Respondent No. 338	Vaibhav Lodge, D 15/52, Man Mandir, Dashashwamedh, Varanasi	9/14/2022	No	Hotel representative refused to provide information
339	Respondent No. 339	Hotel Heritage Inn, B-3/26-A, Shivala, Varanasi	09-09-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tube well.
340	Respondent No. 340	Baranwal Sewa Sadan, Bedi pyari, Varanasi	09-11-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tube well.
341	Respondent No. 341	Hotel Gautam, Ramkatora, Varanasi	5/23/2022		The representative of Hotel Shri Manglam informed that water is being supplied from one tubewell & Jalkai Bibhug
342	Respondent No. 342	Marigold Guest house, D20/10-D, Munshi Ghat, Varanasi	09-09-2022	No	The representative of the Hotel Shri Sonu Lal mangini, informed that the water supply of the hotel is being done through One Tube well.
343	Respondent No. 343	Hotel Sawastik International, Godowalia, Varanasi	09-10-2022	No	The representative Shri Rahul informed that the water supply of the hotel is being done through one tube well.
344	Respondent No. 344	Hotel Kashi Khand, Bhelupur Crossing, Varanasi	09-10-2022	No,	The representative of the Hotel Shri Adarsh Singh, informed that the water supply of the hotel is being done through One Tube well.

345	Respondent No. 345	Shivarti Guest House, Dashashwamedh Road, Varanasi	09-11-2022	No	The representative of the Hotel Shri Ashish Gupta, informed that the water supply of the hotel is being done through One Tubewell.
346	Respondent No. 346	Hotel Arya, B-8/47-48, Sonarpura, Varanasi	09-10-2022	No	The representative of the Hotel Shri Vinod Kumar Pandey, informed that the water supply of the hotel is being done through One Tubewell.
347	Respondent No. 347	Hotel R. B. International, Ram Bhawan inbetween IP Vijaya Mall, Bhelupur, Varanasi	09-10-2022	No	The representative of the Hotel Shri Santosh Tiwari, informed that the water supply of the hotel is being done through TWO Tubewell.
348	Respondent No. 348	Hotel H K J Residency, Bhikaripur crossing, Saundarpur, Varanasi	9/13/2022	No	The representative of the Hotel Shri Siya Ram Gupta, informed that the water supply of the hotel is being done through One Tubewell.
349	Respondent No. 349	Hotel K. B. O. Inn, D 35/297, Jangamhari, Varanasi	09-09-2022	No	The representative of the Hotel Shri B. C. Pal, informed that the water supply of the hotel is being done through One Tubewell.
350	Respondent No. 350	Rudra Guest House, D-17/71-1, Bangali Toia, Dashashwamedh ghat, Varanasi	09-09-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tubewell.
351	Respondent No. 351	Chandra Hotel, D-58/12, Sovia road sigra, Varanasi	09-10-2021	No	The representative of the Hotel Shri R P Singh, informed that the water supply of the hotel is being done through One Tubewell.
352	Respondent No. 352	Sukanya guest house, R K Puram Colony, Varanasi	9/19/2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tubewell.
353	Respondent No. 353	Hare Rama Hare Krishna, B-3/26, Shivla Varanasi	09-09-2022	No	The representative of the Hotel Shri Majidul Yaday, informed that the water supply of the hotel is being done without Tubewell
354	Respondent No. 354	Hotel M. K. International, Bulanala Chauraha, Varanasi	9/13/2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tubewell
355	Respondent No. 355	Hotel Nandini, Pandey Haweli, near Bengali Toia, Varanasi	05-07-2022	No	The representative of the Hotel Shri Dercendra Yadav, informed that the water supply of the hotel is being done through One Tubewell
356	Respondent No. 356	Tiwari Lodge, B-1/243A, Assi, Varanasi	9/13/2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done through One Tubewell

✓
e
Vansh

357	Respondent No. 357	Hotel Basant, Chetganj, Varanasi	09-12-2022	No	The representative of the Hotel Shri Mahendra Vishwakarma - informed that the water supply of the hotel is being done through One Tubewell
358	Respondent No. 358	Sangam Lodge, S 21/54 SS - Englshiya line, Varanasi	5/21/2022	No	The representative of the hotel Shri Ranjeet singh, informed that the water supply of the hotel is being done through one tube well.
359	Respondent No. 359	Shivkashi Guest House, Bengali Tola, Varanasi	9/18/2022	No	Hotel was closed
360	Respondent No. 360	Shantana Guest House, Khalishpur, Varanasi	9/14/2022	No	The representative of the Hotel Shri Sushanta Kumar Das - informed that the water supply of the hotel is being done without Tubewell
361	Respondent No. 361	Varanasi Guest house, Pared kothi, Varanasi	05-06-2022	No	The representative of the hotel Shri Surya Prakash Shukla, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
362	Respondent No. 362	Shri Balaji Guest House, Shivala Ghat, Varanasi	9/13/2022	No	The representative of the Hotel Shri Abhishek Singh - informed that the water supply of the hotel is being done through One Tubewell
363	Respondent No. 363	Marilyn Guest House, B-3/306, Shivala, Varanasi	09-11-2022	No	The representative of the Hotel Shri Vikas - informed that the water supply of the hotel is being done through One Tubewell
364	Respondent No. 364	Rashmi Guest House, A palace on River, D16/28-A, mammandir ghat, Deshashwamedh, Varanasi	09-09-2022	No	The representative of the Hotel Shri Faizan Ahmed - informed that the water supply of the hotel is being done through One Tubewell
365	Respondent No. 365	J.K. International, Iuxa Road, varanasi	09-11-2022	No	The representative of the Hotel Shri Chandan Dubey, informed that the water supply of the hotel is being done through One Tubewell
366	Respondent No. 366	Hotel Sandeep, Chetganj, Varanasi	09-12-2022	No	Hotel representative refused to provide information
367	Respondent No. 367	Hotel Balaji Palace, B13/113, Baman villa, Sonarpura, Varanasi	09-10-2022	No	The representative of the Hotel Shri Mausam, informed that the water supply of the hotel is being done through One Tubewell
368	Respondent No. 368	Anami lodge, B-11/160, Assi Ghat, Varanasi	9/13/2022	No	The representative of the Hotel Shri A.N.singh, informed that the water supply of the hotel is being done through One Tubewell

369	Respondent No. 369	Hotel Miraj International, D 50/127, Kazipura kela nai sadak, Varanasi	09-11-2022	No	The representative of the Hotel Smt Nageena Yadav, informed that the water supply of the hotel is being done through One Tubewell
370	Respondent No. 370	Green Lodge, Nai Sadak, Varanasi	09-12-2022	No	The representative of the Hotel Smt Shiv chaurasiya, informed that the water supply of the hotel is being done through One Tubewell
371	Respondent No. 371	Hotel Vijay International, Agast Kanda, Varanasi	09-10-2022	No	The representative of the Hotel , informed that the water supply of the hotel is being done through One Tubewell
372	Respondent No. 372	The HHV Varanasi, Hotel Hindustan International, C 21/3 Maldahbiya, Varanasi	5/19/2022	No	The representative of the hotel Shri M.L. Dubey, informed that the water supply of the hotel is being done through two tube wells & Jal Kal Bihabag. Firm has installed STP.
373	Respondent No. 373	Marco Guest House, Laxman Bhawan lane opp. Hotel pushpanjali, Varanasi	9/19/2022	No	The representative of the Hotel Ramesh Vaswani , informed that the water supply of the hotel is being done thorough One Tubewell
374	Respondent No. 374	Bhadrakali guest House, Ahilyabai ghat, Bhramapara colony, Varanasi	09-09-2022	No	The representative of the Hotel , informed that the water supply of the hotel is being done thorough One Tubewell
375	Respondent No. 375	Ganga Yogi Lodge, Kheer sweet, Behind Baba Farid mazid, Sonarpura, Varanasi	09-10-2022	No	The representative of the Hotel Shri Srinivasa Raju, informed that the water supply of the hotel is being done thorough One Tubewell
376	Respondent No. 376	Om Home Guest House, Shivala, Varanasi	9/13/2022	No	The representative of the Hotel Shri Vikram Aditya, informed that the water supply of the hotel is being done thorough One Tubewell & Jalkal Bihabag
377	Respondent No. 377	K. K. Guest House,, B 16/1 Pandey Havell, near Andhra Ashram, Varanasi	09-10-2022	No	The representative of the Hotel , informed that the water supply of the hotel is being done thorough One Tubewell
378	Respondent No. 378	Girdhari Guest House, D 31/51, Jangambari Math, Back side of J&K Bank, Varanasi	09-09-2022	No	The representative of the Hotel Shri Vijay Anand Yadav, informed that the water supply of the hotel is being done thorough One Tubewell
379	Respondent No. 379	Hotel Central Residency, C19/122- K.A. Siga Thana, Varanasi	5/22/2022	No	The representative of the hotel Shri Sandeep Kumar, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bihabag.

381	Respondent No. 381	Hotel Samant, Agast kund, Varanasi	09-12-2022	No	The representative of the Hotel Shri Anup Bhattacharya, informed that the water supply of the hotel is being done through One Tubewell
382	Respondent No. 382	Tara Guest House, B-13/221, Mansarovar Pandey Haveli, Varanasi	9/13/2022	No	The representative of the Hotel Shri Sujat Bhattacharya, informed that the water supply of the hotel is being done thorough without Tubewell
383	Respondent No. 383	Hotel K V International, Khatishpur, Dasaswamedh, Varanasi	9/19/2022	No	Could not locate
384	Respondent No. 384	Shri Guest House, 17/122-A, Dasthswamedh Ghat, Varanasi	09-09-2022	No	The representative of the Hotel, informed that the water supply of the hotel is being done thorough without Tubewell
385	Respondent No. 385	Sagar Guest House, Vijay Nagar market, Varanasi	05-09-2022	No	The representative Ram Bali Pandey informed that the water supply of the hotel is being done through one tube well.
386	Respondent No. 386	Sandhya Guest House, B-3/304, Shivala, Varanasi	09-09-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done thorough One Tubewell
387	Respondent No. 387	Hotel G. G. Inn, Gauri, Saranah, Varanasi	09-10-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done thorough One Tubewell
388	Respondent No. 388	Shri Shri Purushottam Dharmashala, D 47/205, Rumiapura, Godoliya, Varanasi	09-12-2022		The representative of the Hotel Shri Raju Patel, informed that the water supply of the hotel is being done thorough TWO Tubewell
389	Respondent No. 389	Sardar Valbhav Bhai Patel Smarak, S 14/83, Teliyaibagh, Andhra pal, Varanasi	09-08-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done thorough one Tubewell
390	Respondent No. 390	Hotel keval Palace, opp. Hyderabad gate, BHU, Varanasi	09-10-2022	No	The representative of the Hotel Shri Nilesh Kumar, informed that the water supply of the hotel is being done thorough one Tubewell
391	Respondent No. 391	Guleria Kothi, Guleria Ghat, Chowk, Varanasi	09-11-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done thorough one Tubewell
392	Respondent No. 392	OM Guest House, Assi, Varanasi, behind jagannath temple, Varanasi	9/13/2022	No	The representative of the hotel Smt Amrita Ku. Mishra, informed that the water supply of the hotel is being done through one tube well.
393	Respondent No. 393	Hotel New international, Station road, Lahurabir, Varanasi	5/23/2022	No	

✓

Amish

394	Respondent No. 394	Shiva Lodge, D 5/85, Tripura, Bhairavi Ghat, Dashaswamedh, Varanasi	09-10-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done without Tubewell
395	Respondent No. 395	Shri Maya Guest House, Laxmanpura, Varanasi	09-12-2022	No	The representative of the Hotel Shri Vikas Jaiswal, informed that the water supply of the hotel is being done through One Tubewell
396	Respondent No. 396	Hotel Lav kush International, S 20/61 - 65, Buddha vihar, The mall cantonment, Varanasi	05-05-2022	No	The representative of the hotel Shri Brjivhari Singh, informed that the water supply of the hotel is being done through one tube well.
397	Respondent No. 397	Manit Guest House, Assi, Varanasi	5/20/2022	No	No representative was available to furnish the information
398	Respondent No. 398	Gupta Inn, S 19/122, PWD Road, Varuna Bridge, Varanasi	09-12-2022	No	19 & 398 are same
399	Respondent No. 399	Dashashwamedh Lodge, D 15/71, Dashashwamedh Road, Varanasi	09-11-2021	No	No representative was available to furnish the information
400	Respondent No. 400	Tara Guest House, Ganj, Samath, Varanasi	09-09-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done thorough one Tubewell
401	Respondent No. 401	Krishna Guest House, SA-10/15A-11, Ganj, Samath, Varanasi	09-10-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done thorough one Tubewell
402	Respondent No. 402	Bireshwar Pandey Dharmashala, Ramapura, Laxa Road, Varanasi	09-12-2022	No	The representative of the Hotel informed that the water supply of the hotel is being done thorough one Tubewell
403	Respondent No. 403	Himalaya Lodge, Dasaswamedh, Varanasi	09-10-2022	No	Could not locate
404	Respondent No. 404	Scindhia Guest House, Manikarnika Ghat, Varanasi	09-11-2022	No	The representative of the Hotel Shri Sarad Kumar Barman, informed that the water supply of the hotel is being done thorough one Tubewell
405	Respondent No. 405	Singh Guest House, B 3/22B, Shivala, Varanasi	09-11-2022	No	The representative of the Hotel Shri Chottu, informed that the water supply of the hotel is being done without Tubewell
406	Respondent No. 406	Hotel Shanti Inn, Hanumanghat, Varanasi	9/13/2022	No	The representative of hotel informed that water is being supplied through one tube well
407	Respondent No. 407	The Hotel Swastik Inn, August kund, Godowlia, Varanasi	05-12-2022	No	The representative of the Hotel Shri Anan Mehra, informed that the water supply of the hotel is being done through One Tubewell

✓
K. K. Mehta
400

408	Respondent No. 408	Usha Guest House, Akatha Chouraha, Patariya, Varanasi	9/14/2021	No	The representative of the Hotel Shri Jai Prakash Mishra, informed that the water supply of the hotel is being done through One Tubewell
409	Respondent No. 409	Kiran Guest House, N 10/60GS, shyama Nagar Kakarnatta B. L. W Road, Varanasi	9/19/2022	No	The representative of the Hotel Shri Sitaram Kesari, informed that the water supply of the hotel is being done through One Tubewell
410	Respondent No. 410	Sumit Lodge, Pared kothi, Varanasi	05-10-2022	No	The representative Shri Neeraj Kumar Saith informed that the water supply of the hotel is being done through one tube well.
411	Respondent No. 411	Hotel Diamond Palace, D-47/194, Ramapura, Varanasi	09-12-2022	No	The representative of the Hotel Shri Santosh Kumar Jaiswal, informed that the water supply of the hotel is being done through One Tubewell
412	Respondent No. 412	Paramhansa Hotel, C 32/ 3A -N, Vidhyapeeth Road, Varanasi	5/21/2022	No	The representative of the hotel Shri Naresh Kumar Sharma, informed that the water supply of the hotel is being done through one tube well & Jal Kal Bibhag.
413	Respondent No. 413	Hotel Sonmoney, B 6/91 -A, Hansichandran Ghat, Varanasi	9/13/2022	No	The representative of the Hotel informed that the water supply of the hotel is being done through One Tube well

(Kalika Singh)
Regional Officer
U.P. Pollution Control Board
Varanasi

(Vipin Kumar Mishra)

Assistant Hydrogeologist (Central
Ground Water Board, State Unit
Office, Allahabad)


(Dr. Gyan Prakash Yadav)
ASDM, Sadar,
Varanasi

Annexure-V

2




3-A



3-B



5



6-A





6-B



42

Handwritten signature and checkmark.



14-B



15-A



15-B



15-C



15-D



15-E



44

Handwritten signature or initials.

16




18-A



18-B




18-C



19







20-A




45

45







47



45 km/h





56

Volunt


60-A




60-B



63-A



63-B



64



65



66



69



70




71



72



80






h




h

Handwritten signature or mark.




54 pencil








Handwritten mark resembling a stylized 'A' or 'V'.



Handwritten mark resembling a stylized 'L' or 'K'.










6

1000-1000-1000




159

166





1


young.







to finish




to 010101.





to Vmish





64 Knut











to finish.



to 10/10/2014



68






Hand


to pencil



to Amuse.



in Amick.



72



(Kalika Singh)
Regional Officer
U.P. Pollution Control Board
Varanasi

(Dr. Gyan Prakash Yadav)
ASDM
Sadar, Varanasi

(Vipin Kumar Mishra)
Assistant Hydrogeologist
Central Ground Water Board,
State Unit Office, Allahabad

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- 13 / भूजल विभाग-वा/यूपीराभूजलप्रविप्रा / 2022-23 दिनांक 13-04-2022

क्रम सं.	होटल का नाम	पता	थाना	मोबा
1	संजय होटल	बावतपुर	बड़ागाँव	9819945958, 9415208158
2	होटल गंगेश इन्ड	गोदीलिया	लखता	7703000028
3	होटल इन्दिया	पटेल नगर कैंट	कैंट	9005935883
4	होटल एमाला प्लाजा फेअरवेलो	माल रोड कैंटमेन्ट	कैंट	9792396899
5	होटल जी.बी.पी. (यूनिट आफ़ कर्न रेजीडेन्सी)	सारनाथ	सारनाथ	9800500902, 0542-2588111
6	होटल प्लाजा इन	घरेलू कोठी	कैंट	7051159810
7	राज गंगेश	नवेंसर	नवेंसर	9235601200
8	होटल स्टे बनारस	सिंगरा	सिंगरा	9594950095
9	होटल क्लार्क	माल रोड कैंटमेन्ट	कैंट	9336312074
10	होटल ग्रेप राइन	पझाव	रामनगर	758500214
11	हॉटेलियास	गुरुबान	लखता	9792111151, 7570009998
12	होटल सर्वस्वरी	माधव मार्केट	सिंगरा	9005868444
13	होटल सिद्धार्थ	सिनस	सिंगरा	9852071775
14	होटल सूर्या	द माल कैंट	कैंट	8853002389
15	होटल सीटी इन	कैंट रेलवे स्टेशन	सिंगरा	7753888355
16	होटल मेराडेन ग्रीन्ड	पटेल नगर	कैंट	9889297203
17	राज नवेंसर पैलेस	नवेंसर	नवेंसर	9235601200
18	होटल मदीन	द माल	कैंट	8889297203
19	होटल सिद्धार्थ	रंगोली त्रिभुवानी	सारनाथ	9848416482
20	होटल आइडियस इन	घरेलू कोठी	सिंगरा	9415228535
21	पर्यटक आवास भूड	सारनाथ	सारनाथ	9415902707
22	होटल जानकी इम्पेर मेरानस	इंग्लिशिया मार्केट	सिंगरा	9792203144, 0542-2221585
23	होटल सूर्यी इम्पेर मेरानस	अकथ	सारनाथ	7390050055
24	सारनाथ गेस्ट हाउस	बर्धपुर	सारनाथ	9836323635
25	होटल रेडीसन	द माल कैंटमेन्ट	कैंट	9818005077
26	होटल रेडीयन्स कोर्ट यार्ड	मुकुंद	मुकुंदा	7392048033
27	होटल कोस्टा रिवीरा	बेतगाँव	बेतगाँव	9883831480
28	नरेगा गेस्ट हाउस	समने बाट	लका	7822021188
29	होटल एम्प्रीटीओ प्लाजा	गंज हवेलिया	सारनाथ	7317002939
30	द अमरावा	द माल	कैंट	9898500230

31	होटल न्यू ब्राउवे	नौशेक	भेलू पुरा	9792133338
32	होटल कोजो इण्टर नेशनल	नौशेक	कड़ागांव	9451494290
33	होटल अरुणा	मीर घाट		
34	होटल ईप्स कान्टीनेन्टल	परेड कोठी	दशरथमेघ	7819009995
35	होटल रिसेन्स	परेड कोठी	सिंगरा	9415352548, 7007293698
36	सेठ आनन्दन जयपुर	गोदोहिया	सिंगरा	9415352548
37	होटल इन्डा	परेड कोठी	दशरथमेघ	9835415954
38	युग रेजीडेन्सी	गणेशपुर कालोनी	सिंगरा	7878883030
39	होटल टेम्पल ऑन भगेज	अन्सी	लंका	7518408882
40	होटल लोड्स इण्टर नेशनल	भक्किया सारनाथ	भेलूपुर	9838528802
41	बनारस कोठी	द भास	सारनाथ	9795305305, 9838617000
42	होटल जे पुरिया	सियाला	कैन्टेनेन्ट	9452150970, 9336915025
43	होटल डी० परिस	द भास	भेलूपुर	9721991144, 9451985081
44	होटल आदित्या इन	दशरथमेघ	कैन्ट	8853234704
45	होटल मस्ताना पैलेस	पितर कुण्डा	दशरथमेघ	7800139350, 9839920238
46	होटल एच०के०एच० रेजीडेन्सी	भिक्षुकी पुर	पेतमंज	7800999831
47	होटल कैवल पैलेस	हैदराबाद गेट	सुन्दरपुर	9559187820
48	होटल अयमण्ड पैलेस	लक्का रोड मजदा	लंका	8891938865
			लक्का	9415282007

उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवतरचनात्मक, औद्योगिक, आर०ओ० प्लॉट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेन्ट) एवं ट्रिलिंग एजेन्सी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबंधन परिषद्
वाराणसी।

नोटिस

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- 36 / भूजलवि0खं0-या0 / यूपीरामूज0प्रविप्रा / 2022-23 दिनांक 05-05-2022

क्रम सं०	होटलों का नाम	पता	थाना	मो०नं०
1	होटल त्रिदेव	काल बैरव	कोतवाली	7232901801
2	होटल मिण्डोज इन	माल रोड कैट	कैट	7753095777, 8932012089
3	होटल रनवे इन	बावतपुर	बड़ागांव	9839049185
4	किरन पैलेस गेस्ट हाउस	बुद्ध विहार कालोनी कैट	कैट	9830641757, 0542-2504111
5	होटल पिनोवल गेट	सारनाथ	सारनाथ	8303172388, 8303172390
6	होटल अतिथि सत्कार	रामापुरा	लक्सा	7318207361
7	गिरनार लाज	परेड कोठी	कैट	9415626121
8	मे० होटल मधुबन पैलेस	ककरमत्ता	मेलूपुर	9580500902, 0542-2588111
9	होटल सरीन इन	महमूरगंज	सिगरा	9336929785
10	होटल गुप्ता इन	पी०डब्ल्यू०डी० रोड	कैट	8429181818
11	होटल जेड इन	सिकरौल	शिवपुर	9956217000
12	होटल सिल्क सिटी प्रा०लि०	बुद्ध विहार कालोनी	कैट	8218311740
13	लीना गेस्ट हाउस	मानसरोवर	मेलूपुर	9415355635
14	न्यू कपूर गेस्ट हाउस	परेड कोठी	कैट	9918712708
15	मस्ताना पैलेस	पितर कुण्डा चेतगंज	चेतगंज	9936435308
16	होटल ली० लोटस ग्रैण्ड	ककरमत्ता	वाराणसी	6392833308
17	होटल ओजस ग्रैण्ड	ड्रामा सेंटर	लंका	8004932880
18	होटल 38 अवेन्यू	सिकरौल	कैट	7800622200
19	पवन गेस्ट हाउस	परेड कोठी	कैट	9451890911
20	परिवार गेस्ट हाउस	परेड कोठी	सिगरा	9305193727
21	होटल ब्लू माउण्ट	सुभाष नगर	सिगरा	9794380005
22	मंगलम् गेस्ट हाउस	लंका	लंका	70710718677
23	सदाशिव गेस्ट हाउस	रामापुरा	मेलूपुर	8299410168
24	सावन गेस्ट हाउस	माधव मार्केट	लंका	9415204682
25	होटल अर्जुन पैलेस	परेड कोठी	सिगरा	9838061449
26	होटल हलिवुड	परेड कोठी	सिगरा	9415988796
27	होटल द्वारिका	नगवां	लंका	7776551973
28	होटल लैण्डमार्क	महमूरगंज	सिगरा	7318001714

29	एमएम्स कन्टीनेन्टल	माल कन्टीनेन्ट	कैंट	9919002122, 9919002193
30	होटल वरुणा	सिंगरा	सिंगरा	8381810725
31	होटल एसएलएलईओ रेजीडेंसी	स्थावात्रा	सिंगरा	9839804007, 9839801007
32	होटल जानकी इण्टर नेशनल	सिंगरा	सिंगरा	9044001896, 9359016480
33	होटल प्रताप	नगवा	लका	9415820383
34	होटल पद्मिनी इण्टर नेशनल	सिंगरा	सिंगरा	8415985960
35	होटल वाग्मी	शिवपुर	शिवपुर	9300801108
36	कम्फर्ट इन बनावल	बुद्ध विहार कालोनी	कैंट	98393211379
37	होटल रीजेन्सी	अंधरापुल जी०टी०रोड	सिंगरा	7617007114
38	होटल सीना प्लाजा	मिलट बाजार	शिवपुर	9919007775, 9336265979
39	होटल काशी	परेश कोठी	सिंगरा	8167198888
40	जगदम्बा गेस्ट हाउस	परेश कोठी	सिंगरा	8839479099
41	कामेश हट	जगतगंज	चेतगंज	9951117851
42	होटल उदय पैलेस	नेवाहा सुन्दरपुर	लका	8248157629
43	होटल विष्णु प्रिया	परेश कोठी	कैंट	7570977777
44	होटल जियारा	शिवपुर	शिवपुर	8415202803, 7007121822
45	होटल रामेश्वरम वाटिका	सफ्ट मोशन	लका	7894363105
46	श्री ब्रह्मा गेस्ट हाउस	परेश कोठी	सिंगरा	9335078479
47	होटल साई इण्टर नेशनल	बाँदपुर	मण्डुवाडीठ	8303486254
48	होटल पार्क	इंगलिसिया लार्जिन	सिंगरा	9935788886
49	शिवम् गेस्ट हाउस	बड़पुर	सारनाथ	9585222333
50	होटल मोतम ग्रैंड	परेश कोठी	सिंगरा	9839655286

उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके सहित अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर०ओ० प्लांट और सामूहिक उपनोक्ता (अस्पताल, अपार्टमेन्ट) एवं ड्रिलिंग एजेंसी उपनोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने से प्रावधान किये गये हैं। तथा रेन चादर हार्डवेयरिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूगर्भ जल प्रबंधन परिषद
वाटानसी।

नोटिस

जिला भूजल प्रबन्धन परिषद, वाराणसी।


पत्रांक- ५। / भूजल वि० खं०-वा० / यूपीराभूज०प्रवि०/2022-23 दिनांक 10-5-2022

क्रम सं०	होटल का नाम	पता	स्थान	मोबा०
1	होटल आशिषा	परेड कोठी	सिंगरा	9415284176
2	होटल विनय डब	जगम दाड़ी	दशरथनगर	9792019733
3	होटल जे०जे० रेजीडेन्सी	कोल्हजा	मेलपुर	8948889888
4	सनराईज लॉज	मीर घाट	दशरथनगर	7897281887
5	ममपति गेस्ट हाउस	मीर घाट	दशरथनगर	7525880088
6	जी०एस० रेजीडेन्सी	भुवनेश्वर नजी	दशरथनगर	8881308800
7	मिठानी गेस्ट हाउस	इंगलिशवा लाइन	सिंगरा	9919588771
8	राजेन्द्र लाज	परेड कोठी	सिंगरा	9918922217
9	होटल निर्वाण	द माल रोड	कैंट	9415202793
10	होटल सत्यम	परेड कोठी	सिंगरा	9936225136
11	न्यू सनाथ गेस्ट हाउस	गैज सारनाथ	सारनाथ	9838323835
12	होटल ओ०के० इण्डिय नेशनल	सक्का	लक्का	9935521074
13	होटल डिवाइन डेस्टिनेशन	समापुरा	लक्का	8532982525
14	होटल महवीर इण्डिय नेशनल	सक्का	लक्का	8198480006
15	होटल पार्वती गेस्ट हाउस	गुरुबाग	लक्का	9918837000
16	होटल हिमालया	मलवहिया	सिंगरा	9935897256, 9161558000
17	होटल वैष्णवी लॉज	इंगलिशवा लाइन	सिंगरा	9851376990
18	होटल प्रिया	इंगलिशवा लाइन	सिंगरा	8400502655
19	होटल आदित्या इन	रोडवेज	कैंट	7704088884
20	होटल शराह दरे	मैदानिग	कोतवाली	8450011905
21	परमेश्वर गेस्ट हाउस	मलवीय कैंज	लक्का	9140080081
22	पालकी गेस्ट हाउस	परेड कोठी	सिंगरा	0542-2200129, 9415826207
23	होटल जनक	परेड कोठी	सिंगरा	99935780988
24	शिवालिक अतिथि गृह	मलवीय कैंज	लक्का	9451889905
25	होटल बनारस हवेली	अस्सी	भेसपुर	9885441873
26	होटल वाचपसी	बिंग बाजार रोड	सिंगरा	8176009999
27	होटल द वेस्टिन	नेपाली काठी	कैंट	7090792687
28	होटल प्रताप पैलेस	परेड कोठी	सिंगरा	9889979000
29	होटल गैलेक्सी इन	पहड़िया	सारनाथ	9453886888
30	मंगलम् गेस्ट हाउस	लक्का	लक्का	70710718877
31	होटल सफावर ड्रीम्स	नेपाली काठी	कैंट	7817017450
32	नितिन गेस्ट हाउस	परेड कोठी	सिंगरा	9936415491
33	होटल अनर	इंगलिशवा लाइन	सिंगरा	93055844500
34	होटल कोस्टा रिवर	कैंटोमेन्ट	कैंट	9519102001

35	होटल विष्णु गेस्ट हाउस	पाण्डेय हवेली	भेलूपुरा	9415818361
36	होटल प्रकाश पैलेस	लंका	लंका	9415224017
37	श्री लॉज	भेलूपुर	भेलूपुर	99935175447, 9451038522, 8318777482
38	होटल आस्था	पाण्डेय हवेली	भेलूपुर	9415818361
39	मन्दार गेस्ट हाउस	हनुमान घाट	भेलूपुरा	9338800521
40	होटल रिवेरा इन	भदौनी	भेलूपुर	9518210888, 9721974111
41	शिव मंदल लॉज	इंगलिशिया लाईन	सिंगरा	9473835847
42	होटल अप्सरविजिता	लंका	लंका	9919710480
43	शिव काशी गेस्ट हाउस	इंगलिशिया लाईन	सिंगरा	9452301252
44	श्री संकट गेस्ट हाउस	परेड कोठी	सिंगरा	9416453357
45	होटल नर इन्द्रा	परेड कोठी	सिंगरा	9792203141
46	सत्य श्री गेस्ट हाउस	जगतगंज	घोतगंज	9648737474
47	सत्य नारायण लॉज	परेड कोठी	सिंगरा	9454230455
48	होटल श्याम रेजिडेन्सी	लंका	लंका	9415024737
49	होटल रागुन पैलेस	इंगलिशिया लाईन	सिंगरा	9451112796
50	लारा इण्डिया	गोर्दीनिया	दरभयमेत	9307893362

उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम प्रदेश में 62 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वाणिज्यिक, अवसंरचनात्मक, औद्योगिक, आर0ओ0 प्लॉट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेंट) एवं ड्रिलिंग एजेंसी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।


 जिलाधिकारी
 (अध्यक्ष)
 जिला भूगर्भ जल प्रबंधन परिषद्
 वाराणसी।

नोटिस
अनुस्मारक

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- ५४ / भूजल/वि०खं०-वा० / यूपीसभूज०प्रवि० / 2022-23 दिनांक ०४-०६- 2022

क्रम सं०	होटलों का नाम	पता	थाना	मोबा०
1	संजय होटल	बासतपुर	बसुनाथ	9519946958, 9415208158
2	होटल गंगेश बैड	गोधीलिया	लक्का	7703000028
3	होटल इण्डिया	पटेल नगर कैंट	कैंट	9305935853
4	होटल एनाम प्लाजा जे०एच०बी०	माल रोड कैंटमेन्ट	कैंट	9792398899
5	होटल जीएच०बी० (लिमिटेड आफ़ कर्न रेजीडेंसी)	सारनाथ	सारनाथ	9580500902, 0542-2588111
6	होटल एनाम इन	फरेड कोठी	कैंट	7061158610
7	राज गवेष	नरेश्वर	नरेश्वर	8235801200
8	होटल स्टे नगर	सिंगरा	सिंगरा	9894950095
9	होटल क्लार्क	माल रोड कैंटमेन्ट	कैंट	9336312074
10	होटल ग्रैंड बाइन	पड़ाव	रामनगर	756500214
11	हॉटेलिस्ट	भुलबाग	लक्का	9782111151, 7870009968
12	होटल सर्वेसरी	माल रोड कैंट	सिंगरा	9005889444
13	होटल सिद्धार्थ	सिवरा	सिवरा	9852071775
14	होटल सुखी	द माल कैंट	कैंट	8933002358
15	होटल सीटी इन	कैंट रेलवे स्टेशन	सिवरा	7753888355
16	होटल वेस्टर्न ग्रैंड	पटेल नगर	कैंट	9899297203
17	राज नरेश्वर पैलेस	नरेश्वर	नरेश्वर	8235801200
18	होटल मदीन	द माल	कैंट	9899297203
19	होटल सिद्धार्थ	रंगोली त्रिगुहली	सारनाथ	9848418482
20	होटल आइडियल इन	फरेड कोठी	सिंगरा	9415228535
21	पर्यटक आवास गृह	सारनाथ	सारनाथ	8415902707
22	होटल आनंदी इण्टर नेशनल	इमलिसिया लाइन	सिंगरा	9782203144, 0542-2221586
23	होटल फुर्ली इण्टर नेशनल	अकथा	सारनाथ	7380050055
24	सारनाथ गेस्ट हाउस	बरहपुर	सारनाथ	9838323635
25	होटल रेडीसन	द माल कैंटमेन्ट	कैंट	9819806077
26	होटल रेडीसन कोर्ट यार्ड	मुकुता	मुकुता	7382048033
27	होटल कोस्टा रिवेरा	चेतगञ्ज	चेतगञ्ज	9883831480
28	नरेश्वर गेस्ट हाउस	समने घाट	लक्का	7522021186
29	होटल एनाम०बी० प्लाजा	गंज हवेलिया	सारनाथ	7317002938
30	द अमाया	द माल	कैंट	9838900230

C/o

31	होटल न्यू ब्राउडे	गौरीगंज	भेलू पूरा	9792133338
32	होटल कैप्टेन इन्टर नेशनल	बावतपुर	बझागांव	9451494290
33	होटल अल्फा	मीर घाट	दशरथगंज	7619009896
34	होटल टैप्ल कान्टीनेन्टल	परैलकोठी	सिंगरा	9415352548, 7107293688
35	होटल रिलेक्स	परैल कोठी	सिंगरा	9415352546
36	सैठ आनन्दम अवधपुर	बोर्दसिका	दशरथगंज	9335415954
37	होटल इन्फा	परैल कोठी	सिंगरा	7878883030
38	सा रेजीडेन्सी	गणेशपुर कालोन्ही	लंका	7518408862
39	होटल टेम्पल आनू गंगेज	अस्सी	भेलूपुर	9936528802
40	होटल लोड्स इन्टर नेशनल	मन्थिया सापनाथ	सापनाथ	9795305305, 9839617000
41	बनारस कोठी	द भाल	कैन्टोमेन्ट	9452160970, 9338915025
42	होटल जे पुरिया	शिवाला	भेलूपुर	9721991144, 9461965081
43	होटल डी० बैरिस	द भाल	कैन्ट	8853234704
44	होटल आदित्या इन	दशरथगंज	दशरथगंज	7800130350, 9639920236
45	होटल मस्ताना पैलेस	पितर कुम्हा	भेतगंज	7800999831
46	होटल एचवर्क/जे० रेजीडेन्सी	मिखारी पुर	सुन्दरपुर	8552187820
47	होटल कैवल पैलेस	हैदरगढ़ गेट	लंका	8881935865
48	होटल सयमन्ड पैलेस	लंकन रोड मजदा	लंका	9415292007

उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, शान्तिनिक, अवसंरचनात्मक, औद्योगिक, आर०ओ० प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेंट) एवं ड्रिलिंग एजेंसी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हावैस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपको विरुद्ध उत्तर प्रदेश भूजल प्रबंधन एवं विनियमन अधिनियम की धारा-48 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी
(अध्यक्ष)
जिला भूगर्भ जल प्रबंधन परिषद्
वाराणसी।

35

05-05-22

15

नोटिस
अनुस्मारक

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- 83 / भूजल वि० ख०-या०/ यूपीएमजलप्रविप्रा/ 2022-23 दिनांक 03-06-2022

क्रम सं०	होटलों का नाम	पता	धरना	मो० नं०
1	होटल त्रिवेद	कस्तूर मेरु	कोतवाली	7232901801
2	होटल सिन्धु इन्	माल रोड कैंट	कैंट	7753095777, 8832012089
3	होटल रनवे इन्	नामनपुर	बड़ागांव	8838048185
4	किंग पैलेस गेस्ट हाउस	बुद्ध विहार कालोनी कैंट	कैंट	8838641757, 0542-2504111
5	होटल विनायक गेट	सारनाथ	सारनाथ	8303172388, 8303172390
6	होटल अविधि सत्कार	रामपुरा	लका	7318207381
7	गिरनार साध	परेश कोठी	कैंट	9415826121
8	नो होटल मधुवन पैलेस	ककरभत्ता	मेलपुर	9580500902, 0542-2508111
9	होटल सरीन इन्	मधुगंज	सिंगरा	8338829785
10	होटल गुप्ता इन्	पी० जे० रोड	कैंट	8429181818
11	होटल जेड इन्	सिकरील	सिंगरा	9856217000
12	होटल सिल्क सिटी प्रोपर्टी	बुद्ध विहार कालोनी	कैंट	8218311740
13	लीना गेस्ट हाउस	मानसरोवर	मेलपुर	8415355635
14	न्यू कपूर गेस्ट हाउस	परेश कोठी	कैंट	9918712708
15	मस्ताना पैलेस	विहार कुम्हा बसगाँव	बसगाँव	9838435308
16	होटल ली० लोडस ग्रैन्ड	ककरभत्ता	वाराणसी	8322833308
17	होटल जोजस ग्रैन्ड	ट्रामा सेंटर	लका	8004932880
18	होटल 38 अपेन्स	सिकरील	कैंट	7800522200
19	पवन गेस्ट हाउस	परेश कोठी	कैंट	9451880911
20	परिवार गेस्ट हाउस	परेश कोठी	सिंगरा	9308183727
21	होटल डब्ल्यू भाउण्ट	सुभाष नगर	सिंगरा	8794380005
22	मंगलम गेस्ट हाउस	लका	लका	70710718877
23	सदाशिव गेस्ट हाउस	रामपुरा	मेलपुर	8289410188
24	सावन गेस्ट हाउस	मधुव मार्केट	लका	9415204882
25	होटल अर्जुन पैलेस	परेश कोठी	सिंगरा	9838081449
26	होटल अखिल	परेश कोठी	सिंगरा	9418808788
27	होटल इंदिरा	मगदा	लका	7778551973

o/c

28	होटल लेफ्टमैन	महमूदगंज	सिंगरा	7318031714
29	एम्पायर कान्टीनेन्टल	माल कान्टीनेन्ट	कैंट	9919002122, 9919002020
30	होटल वरुणा	सिंगरा	सिंगरा	8381910725
31	होटल एम्पायर 0050 रेजिडेंसी	स्वयात्मा	सिंगरा	9830804007, 9830801007
32	होटल जानकी इण्टर नेशनल	सिंगरा	सिंगरा	9044001898, 9369018480
33	होटल प्रताप	नाराय	लंका	9415620383
34	होटल चहामिनी इण्टर नेशनल	सिंगरा	सिंगरा	9415985988
35	होटल यामी	सिवपुर	सिवपुर	9309601106
36	कम्फर्ट इन बंगला	बुद्ध विहार कालोनी	कैंट	98393211379
37	होटल रोजेन्सी	अग्रचपल जैमदीपसेठ	सिंगरा	7817007114
38	होटल सोना प्लाजा	गिफ्ट बाजार	सिवपुर	9919007775, 9336265979
39	होटल कार्शी	परदे कोठी	सिंगरा	8167198888
40	जगदम्भा गेस्ट हाउस	परदे कोठी	सिंगरा	9939479099
41	कम्पेस हट	जगतगंज	बेतगंज	9851117681
42	होटल उदय पैलेस	नेवादा सुन्दरपुर	लंका	8248157529
43	होटल किंगु क्रिया	परदे कोठी	कैंट	7570977777
44	होटल जियात	सिवपुर	सिवपुर	9415202803, 7007121822
45	होटल प्रमोस्वरम पाटिका	लंकट मोहन	लंका	7884363106
46	श्री मन्दा गेस्ट हाउस	परदे कोठी	सिंगरा	9335078479
47	होटल साई इण्टर नेशनल	चौदपुर	गण्डुवाडीह	8303488254
48	होटल पार्क	इन्वेलिखिख लाइन	सिंगरा	983578986
49	सिमर गेस्ट हाउस	बरईपुर	सारनख	9565222333
50	होटल गीतम ग्रीण्ड	परदे कोठी	सिंगरा	9839666286

उत्तर प्रदेश मूल्य प्रबंधन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, वणिज्यिक, अवसरचलात्मक, औद्योगिक, आरओओ प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेंट) एवं ड्रिलिंग एजेंसी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वैस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में ऊद्योहस्तक्षेत्री द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nvish mitra portal पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश मूल्य प्रबंधन एवं विनियमन अधिनियम की धारा-48 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

(अध्यक्ष)

जिला भूमि जल प्रबंधन परिषद्
वाराणसी।

नोटिस
अनुस्मारक

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक- ९७ / गूजोकिडो-या० / यूपीराभूज०प्रवि० / 2022-23 दिनांक 13-06-2022

क्रम सं०	होटल का नाम	पता	क्षेत्र	मोबा०
1	होटल आरिफा	परेड कोठी	सिंगरा	9415284178
2	होटल विभव हर्ष	जंगम बाड़ी	दशरथपुर	9792019733
3	होटल जे०के० रेजीडेन्सी	कोलहूआ	भैरपुर	8948089888
4	समराईज लॉज	गौर घाट	दशरथपुर	7897261987
5	पम्पहाई गेस्ट हाउस	गौर घाट	दशरथपुर	7525880088
6	जोहरा रेजीडेन्सी	भुवनेश्वर गली	दशरथपुर	8881308800
7	सिमाना गेस्ट हाउस	इंगलिसवा लाइन	सिंगरा	8918586771
8	राजेश लाज	परेड कोठी	सिंगरा	9918922217
9	होटल निर्वाण	द मास रोड	कैट	9415202793
10	होटल सत्यम	परेड कोठी	सिंगरा	9838225138
11	न्यू भवन गेस्ट हाउस	गज सारनाथ	सारनाथ	9838328635
12	होटल ओ०के० इण्डर गेसनल	लक्ष्मी	लक्ष्मी	9835521074
13	होटल डिवाइन रेस्टोरेशन	समापुरा	लक्ष्मी	9532982528
14	होटल महावीर इण्डर गेसनल	लक्ष्मी	लक्ष्मी	9189480008
15	होटल पार्क गेस्ट हाउस	गुरुनग	लक्ष्मी	9918837000
16	होटल हिमालया	मलदहिया	सिंगरा	9935897258, 8161558000
17	होटल ईश्वरी लॉज	इंगलिसवा लाइन	सिंगरा	9651376890
18	होटल प्रिया	इंगलिसवा लाइन	सिंगरा	8400502655
19	होटल आदित्य इन	रोडवेज	कैट	7704088884
20	होटल क्राइस्ट दरी	मेशागिन	कोतवाली	9450011905
21	परमेश्वर गेस्ट हाउस	मालवीय कंज	लका	8140090061
22	पालकी गेस्ट हाउस	परेड कोठी	सिंगरा	8542-2200129, 9416628207
23	होटल जनक	परेड कोठी	सिंगरा	99835780988
24	मिथिलिक अतिथि भू	मालवीय कंज	लका	9451888905
25	होटल बंगला हवेली	अस्सी	भैरपुर	9693441873
26	होटल वाराणसी	दिग बाजार रोड	सिंगरा	8178003898
27	होटल द गेस्टम	नेपाली कार्म	कैट	7080792687
28	होटल प्रताप पैलेस	परेड कोठी	सिंगरा	9888879000
29	होटल गैलेक्सी इन	फहिया	सारनाथ	8455888888
30	मंगलम गेस्ट हाउस	लका	लका	70710718677
31	होटल सफायर ग्रैंड	नेपाली कार्म	कैट	7817017450
32	मिथिन गेस्ट हाउस	परेड कोठी	सिंगरा	9935415491
33	होटल अमर	इंगलिसवा लाइन	सिंगरा	83088844500
34	होटल कोस्टा रिवर	कैटमिस्ट	कैट	8519102001

C/C

35	होटल विष्णु गेस्ट हाउस	पान्हेय हवेली	भेलपुरा	9415818381
36	होटल प्रकाश पैलेस	लका	लका	9415224017
37	श्री लॉज	भेलपुर	भेलपुर	89935175447, 9451038522, 8316777482
38	होटल आर्या	पान्हेय हवेली	भेलपुरा	9415818381
39	बन्दा गेस्ट हाउस	हनुमान घाट	भेलपुरा	9336900521
40	होटल रिम्वे इन्	नदनी	भेलपुरा	8518210888, 8721974111
41	शिव भंगल लॉज	इंगलिशिया साईन	सिंगरा	9473835847
42	होटल अपराजिता	लका	लका	9918710480
43	शिव कारी गेस्ट हाउस	इंगलिशिया साईन	सिंगरा	9462301282
44	मों संकटा गेस्ट हाउस	परैड कोठी	सिंगरा	9415453357
45	होटल नर इन्डा	परैड कोठी	सिंगरा	9792203141
46	भाग्य बी गेस्ट हाउस	जगतगंज	घेतगंज	9848737474
47	सत्य नारायण लॉज	परैड कोठी	सिंगरा	9454230488
48	होटल रयान रेजीडेंसी	लका	लका	9415024737
49	होटल सगुन पैलेस	इंगलिशिया साईन	सिंगरा	9457112786
50	लारा इन्डिया	मोदीलिया	दशाश्वमेध	9307689382

उत्तर प्रदेश मूलजल प्रबंधन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, सामाजिक, अक्सरघनात्मक, औद्योगिक, आर0ओ0 प्लांट और सार्वजनिक उपनोक्ता (अस्पताल, अपार्टमेंट) एवं ड्रिलिंग एक्सेन्सी उपनोक्ता को अनापति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्तक्षरों द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल www.upgwdonline.in/nivesh mitra portal पर आवेदन कर अनापति प्रमाण पत्र प्राप्त करें। अस्पता की स्थिति में आपके विरुद्ध उत्तर प्रदेश मूलजल प्रबंधन एवं विनियमन अधिनियम की धारा-48 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी
(अध्यक्ष)
जिला भूगर्भ जल प्रबंधन परिषद्
वाराणसी।

जिला भूजल प्रबन्धन परिषद, वाराणसी।

पत्रांक-- 344 / भूजलविखंडवा0 / यूपीराभूजलप्रविप्रा / 2021-22 दिनांक 25-11-2021

होटल विदेब कासगैरव - वाराणसी,

उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम प्रदेश में 02 अक्टूबर 2019 से प्रभावी है। जिसके तहत अधिसूचित/गैर अधिसूचित, याणिज्यिक, अवसंरचनात्मक, औद्योगिक, आरओओ प्लांट और सामूहिक उपभोक्ता (अस्पताल, अपार्टमेंट) एवं ड्रिलिंग एजेंसी उपभोक्ता को अनापत्ति प्रमाण पत्र प्राप्त करने के प्रावधान किये गये हैं। तथा रेन वाटर हार्वेस्टिंग प्रणाली की स्थापना अनिवार्य है।

अतः इस सम्बन्ध में अधोहस्ताक्षरी द्वारा निर्देश दिये जाते हैं कि 15 दिवस के अन्दर पोर्टल (www.upgwdonline.in) पर आवेदन कर अनापत्ति प्रमाण पत्र प्राप्त करें। अन्यथा की स्थिति में आपके विरुद्ध उत्तर प्रदेश भूजल प्रबन्धन एवं विनियमन अधिनियम की धारा-46 के अन्तर्गत विधिक कार्यवाही की जायेगी, जिसके लिए आप स्वयं उत्तरदायी होंगे।

जिलाधिकारी

अध्यक्ष

जिला भूगर्भ जल प्रबन्धन परिषद
वाराणसी।

[illegible]

होटलों के लिए रेन वाटर हार्वैस्टिंग एनओसी जरूरी

चारणसी। सरकार ने मूल के उपयोग के लिए संबंधित विभाग से अनुमति प्राप्त करने के लिए सूचना जारी की है। इसके द्वारा वे सभी होटल आदि। इसकी ध्यान में रखते हुए

हैदराबाद संचालकों को भूजल उपयोग के संबंध में दिया प्रशिक्षण

सकता है। लखनऊ के केंद्रीय भूजल विभाग के प्रमुख जल शास्त्री विपिन कुमार मिश्र ने प्रोजेक्ट के माध्यम से जलस्रोतों और उपस्थिति के बारे में विस्तार से समझाया 5

भोजल विभाग के कमिष्ठ अधिकारी
श्रीसुखा प्रसाद सिंह ने कागजी प्रक्रिया पूरी
करने के लिए जरूरी कार्यों को



उत्तर प्रदेश असेम और कारागरी होटलसयर्स एसोसिएशन के संस्थापन में सुमधर को कैटेगोरी मित्र होटल व्यवसाय में प्रशिक्षण कार्यक्रम का आयोजन किया गया। इसमें कारागरी होटल एसेसिएशन, कारागरी टूरिज्म बिल्डिंग एंड टूरिस्ट सैलफर एसोसिएशन की भी भागीदारी रही। प्रशिक्षण कार्यक्रम में एसडीएम अन प्रकाश ने कहा कि भूजल के नए निष्पन्न से सम्बंधित संकाय समाधान के लिए एक समिति बनी है। जहाँ समस्या का निराकरण किया जा

समस्याएँ। प्रमुख पत्रकार के क्षेत्रीय अधिकारी कालिका सिंह ने ५ जून से सम्बंधित विशेष जनकारी दी : कार्यक्रम में होटल संचालकों ने अपनी शिकायतों का समाधान भी किचन और सुप्रभ में किया। कार्यक्रम में आगंतुकों का स्वगत एहसान रजफ खान, संचालन सौर विजय प्रकाश तथा धन्यवाद प्रकाश गुप्त मौरी ने किया। इस अवसर पर खदीप गटियाल, गुप्त मौरी, कल्लू मेहता, सुभाष कपूर, पंकज आदि उपस्थित थे।



उत्तर प्रदेश अध्यादेश संख्या, 7 अगस्त, 2019

73

No. 1408(29)/XXIX-Y-3-19-1(k); 14-19

Dated Lucknow, August 7, 2019

In pursuance of the provisions of clause (3) of Article 348 of the Constitution, the Governor is pleased to order the publication of the following English translation of the Uttar Pradesh Bhoo-Garbha Jal (Prabandhan Aur Viniyog) Adhiniyam, 2019 (Uttar Pradesh Adhiniyam Sanhita 13 of 2019) as passed by the Uttar Pradesh Legislature and assented to by the Governor on August 3, 2019. The English Shorter Version Bhoo-Garbha Jal Anubhag-1 is administratively concerned with the said Adhiniyam.

**THE UTTAR PRADESH GROUND WATER
(MANAGEMENT AND REGULATION) ACT, 2019**

(U.P. Act no. 13 of 2019)

[As passed by the Uttar Pradesh Legislature]

AN

ACT

to provide for protecting, conserving, controlling and regulating ground water to ensure its sustainable management in the State, both quantitatively and qualitatively, especially in stressed rural and urban areas, and for matters connected therewith or incidental thereto.

WHEREAS uncontrolled and rapid extraction of ground water has resulted in alarming situation of declining ground water levels and depletion of ground water reservoirs in many parts of the State, both in rural and urban areas;

AND WHEREAS groundwater, being the single most important source of water for domestic, agricultural and industrial use, is the backbone of drinking water, food and livelihood security in rural and urban areas;

AND WHEREAS a serious groundwater crisis prevails due to excessive overdraft and groundwater contamination;

AND WHEREAS development of ground water is the need of the State, its management, control and regulation, specially in over-exploited and critical areas is also the need of the hour for protection and preservation of this precious resource;

AND WHEREAS it is also expedient to provide for conservation, protection and development of ground water resources for the purpose of proper augmentation/recharge of ground water in stressed areas and to prevent ground water pollution by instituting effective wholesome measures of ground water quality thereof in the State;

AND WHEREAS the equitable and environmentally sound regulation of groundwater also contributes to tackling some of the most important challenges of our times, including climate change;

AND WHEREAS water is unitary in nature, requiring the integration of surface water and groundwater, has lateral links to land and vegetation and has an intricate relationship with aquifers (through natural recharge);

AND WHEREAS groundwater in its natural state is a common pool resource and the Supreme Court of India has applied the public trust doctrine to groundwater, in recognition that private property rights in groundwater are inappropriate given the emerging issues, conflicts and dynamics of groundwater;

AND WHEREAS the State Government has, after careful examination of all related aspects, decided that it is expedient and necessary in the public interest to manage and regulate the extraction and use of ground water judiciously in any form and also to conserve and protect ground water in the stressed areas of the State and that shall be accorded the highest priority in both planning and management;

AND WHEREAS a new legal framework (with norms, principles, procedures and institutions) capable to address contemporary and emerging challenges is required to ensure the qualitative and quantitative sustainability of groundwater resources and equity in groundwater use;

AND WHEREAS the State Government has, after careful examination of all related aspects, decided that in the public interest the first right to use of ground water would be for drinking, domestic and cattle

CHAPTER - I

PRELIMINARY

1. (1) This Act may be called the Uttar Pradesh Ground Water (Management and Regulation) Act, 2019.

(2) It extends to the whole of the State of Uttar Pradesh.

(3) It shall come into force on such date as the State Government may, by notification in the Gazette, appoint and different dates for different areas may be appointed.

(4) Penal provisions made under this Act, shall not be applicable on domestic and agricultural uses of ground water.

2. (1) in this Act, unless the context otherwise requires, —

(3) 'Appropriate Authorities' means 'Gram Panchayat Ground Water Sub-Committee', 'Block Panchayat Ground Water Management Committee', 'Municipal Water Management Committee' and the 'District Ground Water Management Council'.

(b) "Aquitif" means an underground layer of geological formation, group of formations or part of a formation, comprising fractured rocks, sand, gravel and like sediments, that is sufficiently porous, permeable and saturated with water and/or transmits/accepts and yields significant quantity of water to a well or spring.

(c) "Bhojpal Sena" - a group of persons constituted in every district of Uttar Pradesh for carrying out ground level awareness programs.

(d) 'Block Panchayat Ground Water Management Committee' means the Block Panchayat Ground Water Management Committee constituted under section 4;

(4) "Bell User" means a person or a group of persons, including any establishment such as hotel/cottage/palace, residential building/housing colony/apartment/private hospital/nursing homes/business complexes/halls/visitor parks, which extract and use ground water for the purpose of his or her or their operational water needs.

(f) 'Central Ground Water Board' means the Central Ground Water Board, Ministry of Water Resources, River Development and Ganga Rejuvenation, Government of India;

(2) "Commercial user" means a person or a group of persons including any institution or any agency or any establishment who or which extracts and uses ground water for the purpose which directly or indirectly benefits, either or their business or trade or to attain financial gain or profit;

(ii) "Development Authority" means a District Development Authority in the State of Uttar Pradesh;

(1) "District Ground Water Management Council" means the District Ground Water Management Council constituted under section 6;

(5) "Drilling Agency" means an establishment, owned by a person or a class of persons or an institution, who or which is involved as a part of trade thereof drilling wells/inde wells for extracting and use of ground water for any purpose such as domestic/irrigation/commercial/industrial/pulki infrastructure.

(k) 'Environmental Flow' refers to the quality, quantity, and timing of water flows required to maintain the composition, functions, processes, and resilience of aquatic ecosystems that provide goods and services to people;

(l) 'Gram Panchayat Ground Water Sub Committee' means the Gram Panchayat Ground Water Sub Committee constituted under section 3;

(m) 'Ground Water Department' means the Ground Water Department of the Government of Uttar Pradesh;

(n) 'Ground Water Quality Sensitive Zone' means such an area where quality of ground water is affected with high level/excessive concentration of chemical elements, physicochemical constituents, heavy metals and bacteriological contamination, resulted due to geogenic or anthropogenic causes;

(o) 'Ground Water Resource Estimation Report' refers to the latest approved report, based on the Ground Water Estimation Committee methodology, prepared by the Ground Water Department, Uttar Pradesh and Central Ground Water Board for block-wise assessment of groundwater resources including categorization of blocks into over-exploited, critical, semi-critical and safe categories;

(p) 'Ground Water Security Plan' means a plan to be progressively based on available hydrogeological information and shall include such measures/interventions which are area-specific and hydrogeologically feasible;

(q) 'Ground Water' means the water occurring in its natural state below the ground surface in the zone of saturation and that can be extracted through wells or any other means or emerges as springs and base flows in streams and rivers;

(r) 'Industry' means any business, trade, undertaking, manufacture or calling of employers, carried out with a motive to make any gain or profit, and includes any calling service, employment, handicraft, or industrial occupation or avocation of workmen or any systematic activity carried on by co-operation between an employer and his workmen (whether such workmen are employed by such employer directly or by or through any agency including a contractor) for the production of goods;

(s) 'Infrastructural User' means a person or a group of persons including a firm or any company, who or which extracts and use ground water for the purpose of carrying out such activities/projects which are directly related to infrastructural development;

(t) 'Municipal Water Management Committee' means the Municipal Water Management Committee constituted under section 5;

(u) 'Notified area' means the area notified as such under section 9 which includes Over-exploited, Critical blocks and Stressed Urban Areas;

(v) 'Pani Panchayat' means a group of persons constituted at pond level for maintenance and conservation of ponds;

(w) 'Pollution' means such contamination of ground water or surface water or such alteration of the physical, chemical or biological properties of water or such discharge of any sewage, Plastic, Chemical or any effluents of any other kind, as may be notified

(16) Rainwater harvesting means the technique or system of collection and storage of rainwater, at prior watershed scale, including roof-top harvesting, for storage or for recharge of groundwater;

(2) "State Ground Water Management and Regulatory Authority" means the Utah Potable State Ground Water Management and Regulatory Authority established under section 7;

(b) "User of ground water" means a person or a class of persons or an institution who or which owns or uses or sells ground water for any purpose including domestic use made either as personal or community back and includes an industry, a commercial user, a bulk user, a company or an establishment whether governmental or not but does not include a person or a class of persons or an institution who or which are ground water drawn from well by manual or animal devices such as hand pump, rope and bucket, foot-wheel etc.

(a) "Water User Association" means an organization of elected people constituted at canal, outlet level for managing and restraining irrigation water outflow.

(2) Words and expressions used but not defined herein and defined in any law then in force shall have the same meaning respectively assigned to them in such law.

INSTITUTIONAL FRAMEWORK

3. (1) There shall be constituted a Gram Panchayat Ground Water Sub-Committee in every Gram Panchayat, which shall by the lowest public unit in rural areas within a block to protect and manage groundwater resources under this Act.

(2) The State Government shall, by notification in the Gazette, within three months of the constitution of District Ground Water Management Council, issue directions to the District Ground Water Management Council for constituting the Gram Panchayat Ground Water Sub-Committee, which shall consist of:-

John H. Chalmers — Gum Products

(c) three Members as representative of Gram Panchayat, having field knowledge of water resources to be nominated by the Block Development Officer;

(d) two Members of Bhoopal Sena/Pani Panchayat/Water User Association/Water and Sanitation Committee to be nominated by the Block Development Officer;

(e) two Members as representative from concerned departments working at Block Level to be nominated by the Block Development Officer;

(3) The terms and conditions of the service of the Members shall be such as may be prescribed.

(4) The functions of the Gram Panchayat Ground Water Sub-Committee shall be:-

(a) to collect information from all sources;

(b) to prepare the Gram Panchayat Ground Water Security Plan as provided under section 13;

(c) to carry out such other functions, as may be prescribed.

4. (1) There shall be constituted a Block Panchayat Ground Water Management Committee, which shall be a public unit at block level for overall management of ground water;

(2) The State Government shall, by notification in the Gazette, within three months of the constitution of District Ground Water Management Council, issue direction to the District Ground Water Management Council for constituting the Block Panchayat Ground Water Management Committee, which shall consist of:-

(a) the Chairperson :- Block Pramukh;

(b) the Member Secretary :- Block Development Officer (BDO);

(c) three Members as representative of Gram Panchayat, having field knowledge of water resources to be nominated by the District Magistrate;

(d) two Members of Bhoopal Sena/Pani Panchayat/Water User Association/Water and Sanitation Committee, to be nominated by the District Magistrate;

(e) two Members as representative from concerned departments working at Block Level to be nominated by the District Magistrate.

(3) The terms and conditions of the service of the Members shall be such as may be prescribed.

(4) The functions of the Block Panchayat Ground Water Management Committee shall be:-

(a) to prepare an annual Block Level Ground Water Security Plan by consolidating Gram Panchayat Ground Water Security Plans, each prepared in cluster of at least ten neighbouring gram panchayats, according to the guidelines as may be formulated/prescribed;

(b) to monitor the implementation of Block Panchayat Ground Water Security Plan;

(c) to register all the wells within the notified and non-notified areas other than those of existing commercial, industrial, infrastructural and bulk users as per the provisions of sub-section (2) of section 10 and sub-section (2) of section 11 within the territorial jurisdiction of respective Block;

(d) to carry out such other functions, as may be prescribed.

5. (1) There shall be constituted a Municipal Water Management Committee, which shall be the lowest public unit for managing water in urban areas in an integrated manner.

(2) The State Government shall, by notification in the Gazette, within three months of the constitution of District Ground Water Management Council, issue direction to the District Ground Water Management Council for constituting the

Block Panchayat
Ground Water
Management
Committee

Municipal Water
Management
Committee

(a) the Chairperson - Nagar Pramuks/Nagar Palika Pramuks, as the case may be;

(b) the Member Secretary - Nagar Ayukt or Executive Officer, as the case may be;

(c) two Members as representatives of Public, having field knowledge of water resources to be nominated by the District Magistrate;

(d) two Members of Resident Welfare Association/Social Group to be nominated by the District Magistrate;

(e) three Members as representative from concerned departments (including one from Ground Water Department) to be nominated by the District Magistrate.

(3) The terms and conditions of the service of the Members shall be such as may be prescribed.

(4) The functions of the Municipal Water Management Committee shall be:-

(a) to work in co-ordination with water related institutions within the respective municipality;

(b) to determine the sources of water supply (surface water and ground water) and integrate them;

(c) to prepare an overall Municipal Ground Water Security Plan provided under section 13;

(d) to register all the wells within the notified and non-notified areas other than those of existing commercial, industrial, institutional and bulk users as per the provisions of sub-section (2) of section 16 and sub-section (2) of section 11, within the territorial jurisdiction of respective municipality;

(e) to monitor the implementation of Municipal Ground Water Security Plan;

(f) to carry out such other functions, as may be prescribed.

District Ground
Water Management
Council

6. (1) There shall be constituted a District Ground Water Management Council, which shall be an overall unit for management of ground water resources at district level.

(2) The State Government shall, by notification in the Gazette, within three months of the constitution of State Ground Water Management and Regulatory Authority, issue direction to the State Ground Water Management and Regulatory Authority for constituting the District Ground Water Management Council, which shall consist of:-

(a) the Chairperson - District Magistrate;

(b) the Member Secretary - District Development Officer;

(c) one Member as subject Expert having longstanding working experience in the field of ground water management in the State, to be nominated by the District Magistrate;

(d) one Member from the public Non-Government Organization/social sector having experience in the field of ground water to be nominated by the District Magistrate;

(e) other Members shall be the district level representatives (one each) from Ground Water Department, Uttar Pradesh Pollution Control Board, Agriculture Department, Minor Irrigation Department, Uttar Pradesh Jal Nigam, Local Body, Development Authority, Irrigation and Water Resources Department, Industries Department, Horticulture Department and Forest and Wild Life Department;

(f) one representative (as invitee) each from the respective Block

Development Officer, District Development Committee and Municipal Ground

(3) The terms and conditions of the service of the Members shall be such as may be prescribed.

(4) The functions of the District Ground Water Management Council shall be:-

(a) to consolidate Block Panchayat and Municipal Ground Water Security Plan into District level Ground Water Security Plan, based on micro-watershed approach and as per the guidelines as may be prescribed;

(b) implementation of District Ground Water Security Plan;

(c) to monitor the implementation of District Ground Water Security Plan;

(d) to conduct water awareness programmes;

(e) to register all existing commercial, industrial, infrastructural and bulk users in notified and non-notified areas and grant of authorization/certificate/No-objection certificate for ground water abstraction in non-notified areas and registration of drilling agencies;

(f) to carry out such other functions, as may be prescribed or assigned by the Uttar Pradesh State Ground Water Management and Regulatory Authority;

(g) to co-ordinate with Union Panchayat Ground Water Sub-Committees, Block Panchayat Ground Water Management Committee and Municipal Water Management Committee as well as with the State Ground Water Management and Regulatory Authority.

7. (1) The State Government shall, by notification in the Gazette, establish, with effect from such date as may be specified in the notification, an State Authority to be known as the Uttar Pradesh State Ground Water Management and Regulatory Authority.

State Ground
Water
Management and
Regulatory
Authority

(2) The State Ground Water Management and Regulatory Authority shall consist of:-

1	The Chief Secretary, Government of Uttar Pradesh	Chair-person
2	The Additional Chief Secretary/Principal Secretary, Minor Irrigation and Ground Water Department, Government of Uttar Pradesh	Member
3	The Additional Chief Secretary/Principal Secretary, Finance Department, Government of Uttar Pradesh	Member
4	The Engineer-in-Chief, Irrigation and Water Resources Department, Uttar Pradesh	Member
5	The Director, Agriculture Department, Uttar Pradesh	Member
6	The Director, Horticulture Department, Uttar Pradesh	Member
7	The Member Secretary, Uttar Pradesh Pollution Control Board	Member
8	The Chief Town and Country Planner, Awas evam Shahari Vikas Vihag, Uttar Pradesh	Member
9	The Director, Awas Baniya, Uttar Pradesh	Member
10	The Director, Local Bodies, Uttar Pradesh	Member
11	The Managing Director, Uttar Pradesh Jal Nigam	Member
12	The Chief Engineer, Minor Irrigation Department, Uttar Pradesh	Member
13	The Director, Industries Department, Uttar Pradesh	Member
14	The Regional Director, Central Ground Water Board (NR)	Member
15	The Principal Chief Constructor of Forest, Parks and Recreation Department	Member

16.	Three Subject Experts (to be nominated by the State Government), having long standing working experience of ground water management in the State of Uttar Pradesh.	Member
17.	An eminent person from Public/Non-Government Organization/Social Sector working in the field of ground water.	Member
18.	One representative (as invited) each from the respective Block Panchayat, Ground Water Management Committee, Municipal Ground Water Management Committee and District Ground Water Management Council.	Member

(3) The Director, Ground Water Department, Uttar Pradesh shall be the Member Secretary of the State Ground Water Management and Regulatory Authority.

(4) The term of office and the manner of filling the vacancies and other conditions of service of the Chairperson and other members shall be such as may be prescribed.

(5) The Chairperson shall be the principal executive officer of the State Ground Water Management and Regulatory Authority and the office of the Director, Ground Water Department shall work as the secretariat of the State Ground Water Management and Regulatory Authority.

(6) The functions of the State Ground Water Management and Regulatory Authority shall be:-

(a) to notify the areas for management and regulation of ground water resources as provided under section 9;

(b) to identify the areas for management and regulation of ground water resources as provided under section 12;

(e) in the ground water abstraction limits as provided under section 15;

(d) to take ground water pollution control measures as provided under section 24.

(7) Staff of the State Ground Water Management and Regulatory Authority.

(a) In order to enable the State Ground Water Management and Regulatory Authority to perform its functions properly or exercise the powers under this Act, the State Government may appoint such number of technical personnel and other staff as it may consider necessary including all of institutional support, facilities and the budget;

(b) The functions, terms and conditions of service of such employees shall be such as may be prescribed.

(g) The State Ground Water Management and Regulatory Authority shall function under the overall control and supervision of the State Government.

(f) Support for other Appropriate Bodies:

Provision shall also be made for the staff and office including all institutional support and working facilities, budgetary requirements for the Gram Panchayat Sub-Committee/Block Panchayat/Municipal Committee and the District Council for smooth and decent functioning.

CHAPTER - III DUTIES AND RESPONSIBILITIES

2. (1) The Ground Water Department shall develop a mechanism to co-ordinate with the appropriate body such as Municipal Ground Water Management Committee in case of urban areas and Block Panchayat Ground Water Management Committee for rural areas through the District Ground Water Management Council.

Deputy of Ground
Water Department

(2) The department shall work as Technical Secretariat for the State Ground Water Management and Regulatory Authority.

(3) Identification of areas for the purpose of regulating ground water: The Ground Water Department in consultation with State Ground Water Management and Regulatory Authority shall identify and delineate the areas, such as over-exploited and critical blocks categorized as per latest Ground Water Resource Estimation carried out by the Ground Water Department and Central Ground Water Board and the stressed Municipal/Urban areas (where significant decline of ground water levels, i.e., more than 20 cm/year recorded during the last five years), for taking up appropriate measures for overall management and regulation of ground water in such areas, which are to be designated as Notified Areas for the purpose of the regulation through notification.

(4) Ground Water Information/Data: All the available ground water information/data regarding Over-exploited/Critical blocks and Stressed Urban areas shall be provided to the District Ground Water Management Council as well as other Appropriate Authorities by the Divisional Data Centre of respective Field Divisions of Ground Water Department. Such information shall also be made available on-line through the website of the Ground Water Department.

CHAPTER-IV POWERS AND FUNCTIONS

9. (1) Where the State Ground Water Management and Regulatory Authority, after consultation with appropriate authorities (based on inputs from the Ground Water Department) is of the opinion that it is necessary or expedient in the public interest to manage and regulate ground water for various purposes in any form in any area and to enforce rain water harvesting/ground water recharge and to implement various appropriate water conservation/water saving/water efficient practices in over-exploited/critical blocks and stressed urban areas (as identified and delineated by the Ground Water Department) where ground water levels have depleted to critical or alarming levels, it shall advise the State Government in such manner as may be prescribed to declare by notification such areas as Notified Areas for the purpose of this Act with effect from such date as may be specified in the notification.

Power to notify
areas for
management and
regulation of
ground water
resources

Provided that-

(a) the date specified in the notification under this sub-section shall not be earlier than three months from the date of publication of the notification;

(b) every notification in Hindi as well as in English language under this section shall, in addition to its publication in the Gazette, be published in not less than three daily regional newspapers having wide circulation in that region and also be served in such other manner as may be prescribed.

(2) The Procedure for Declaration and issuance of notification of the areas referred in sub-section (1) shall be such as may be prescribed.

(3) The notification issued under sub-section (1) shall be reviewed periodically by the State Ground Water Assessment Report and according to the findings of the shall be in such manner as may be prescribed.

Registration of
Users in Notified
Areas

10. (1) Registration of existing-commercial, industrial, infrastructural and bulk users of Ground Water: Every existing well for commercial, industrial, infrastructural and bulk user located in Notified Areas (both urban and rural areas) shall apply to the respective District Ground Water Management Council for grant of a certificate of registration. The procedure, time limit, forms, fee etc. and other provisions for the grant of registration certificate shall be such as may be prescribed:

Provided that-

(a) where any existing Commercial user or Bulk user is found extracting ground water without registration, he or she or a group of persons or an agency (as the case may be) shall be liable to be punished under Chapter-VIII;

(b) where a registered well becomes defunct, this fact shall immediately be brought to the notice of the respective District Ground Water Management Council by the user of ground water;

(c) where any such user of ground water, having certificate of registration wants to carry-out any modification or alteration in a registered well, he or she or a group of persons or an agency (as the case may be) shall obtain clearance for the same from the State Ground Water Management and Regulatory Authority in such manner as may be prescribed.

(2) Every existing and future users of ground water, other than those mentioned in sub-section (1), including domestic and agriculture users of ground water shall register online or directly to the respective Block Panchayat Ground Water Management Committee/Municipal Water Management Committee for ground water usage. The web-portal for online intimation shall be informed by the said committee.

Registration of
Existing,
Commercial,
Industrial,
Infrastructural and
Bulk Users of
Ground Water in
Non-notified
Areas

11. (1) Every well (existing or to be sited) for commercial, industrial, infrastructural and bulk use of ground water in non-notified areas shall apply to the respective District Ground Water Management Council for grant of a certificate of registration. The procedure, time limit, forms, fee etc. and other provisions for the grant of registration certificate shall be such as may be prescribed:

Provided that-

(a) if any Commercial, industrial, infrastructural or Bulk user of ground water is found extracting ground water without registration, he or she or a group of persons or an agency (as the case may be) shall be liable to be punished under Chapter-VIII;

(b) if a registered well becomes defunct, this fact shall immediately be brought to the notice of the respective District Ground Water Management Council by the user of ground water;

(c) if any such user of ground water, having certificate of registration wants to carry-out any modification or alteration in a registered well, he or she or a group of persons or an agency (as the case may be) shall have to obtain clearance for the same from the respective District Ground Water Management Council in such manner as may be prescribed.

(2) Every existing and future user of ground water, other than those mentioned in sub-section (1), including a domestic or an agriculture user of ground water shall register online or directly to the respective Block Panchayat Ground Water Management Committee/Municipal Water Management Committee for ground water usage. The web-portal for online intimation shall be informed by the said committee.

12. (E) No person or group of persons or institution or agency or establishment shall construct/sink any new well for Commercial, Industrial, Infrastructural and Bulk use including construction of boring/safe-wells under Government Schemes within the Notified areas, except Government schemes for drinking water supplies and tree plantations. If anyone contravenes the provisions of this sub-section, he or she will be liable for punishment under Chapter-VIII. Such ban shall continue till the year is designated by the State Government on advice of Uttar Pradesh State Ground Water Management and Regulatory Authority on the basis of new Ground Water Resource Estimation Report, a significant improvement in declining trend of water ground water levels after seeking approval from the State Government.

Sanction well construction in Notified Areas

(2) Extraction, sale and supply of raw/unprocessed/unmineralised ground water in Notified Areas by a person or class of persons or institution or agencies or any other establishments for the purpose of commercial/bulk uses will not be allowed and such an act will be punishable under Chapter-VIII.

13. For ensuring and achieving sustainability of ground water resources in the Notified areas, Ground Water Security Plans shall be prepared for systematic implementation in such manner as may be prescribed.

Preparation and Implementation of Ground Water Security Plans in Notified Areas

14. Any person or class of persons or institution or agency or establishments desiring to sink a well for the purpose of abstraction of ground water for commercial, industrial, infrastructural or bulk use in the non-notified area shall apply to the respective District Ground Water Management Council for No-Objection Certificate for this purpose. The procedure, time limit, forms, application, fee etc. and various provisions, terms and conditions for the No-objection certificate shall be such as may be prescribed:

Grant of Authorization for Ground Water Abstraction in Non-notified Areas

Provided that the person desiring user of ground water shall apply for the issue of authorization certificate therefor under this section within a period of ninety days from the date of commencement of this Act:

Provided further that:-

(a) the terms and conditions shall include but are not restricted to:-

- i-the maximum quantity of water that shall be allowed for extraction;
- ii-precautions to prevent any contamination of ground water by mandating existing pollution control standards and measures;
- iii-detailed conservation measures, including rainwater harvesting, to be taken;
- iv-groundwater recharging measures as per the hydrogeological feasibility;
- v-recycling of a prescribed proportion of the extracted groundwater for the use;
- vi-treating wastewater to bring it to prescribed standards before it is discharged;
- vii-adopting and practising the most efficient water use practices and technology;

(b) the authorization/No-objection granted for a specified purpose shall not be used for any purpose other than that for which it has been granted;

(c) the holder of authorization certificate/No-objection certificate shall be prohibited from selling by whatever name or form, ground water extracted

(d) such new users after getting authorization/No-objection certificate for abstraction and use of ground water for desired purpose shall ensure that they shall have to obtain certificate of registration from the respective District Ground Water Management Council after the construction of the well is completed in such manner as may be prescribed.

(e) (i) District Ground Water Management Council may cancel the authorization/No-objection certificate in case of non-compliance of the terms and conditions of the authorization/No-objection certificate.

Provided that the District Ground Water Management Council concerned shall give the holder of authorization certificate/No-objection certificate an opportunity of being heard before cancelling such certificate.

(ii) Authorization certificate/No-objection certificate issued under this section shall be in alienable. However, such certificate, granted to an individual, shall be inherited by his or her legal heirs and shall continue to be valid for the remaining period as long as the legal heirs continue the activities done by the deceased holder of such certificate. However, on transfer of the property for the benefit for which such certificate was granted, the authorization certificate/No-objection certificate shall continue to be valid so long as the nature of the activity continues unaltered by the new owner.

(iii) The authorization certificate/No-objection certificate shall be valid for such period as fixed in the certificate.

(iv) Where the validity of the authorization certificate/No-objection certificate has expired, the holder of such certificate shall apply afresh for continuation thereof.

Filing of form
for abstraction of
Ground Water for
Commercial,
Industrial,
Infrastructural or
Bulk users of
ground water

15. (1) The State Ground Water Management and Regulatory Authority in consultation with the Ground Water Department (depending upon the hydrogeological conditions and resource potential of the area concerned) shall fix the ground water abstraction limit for the existing Commercial, Industrial, Infrastructural or Bulk users of ground water while issuing registration for well in notified as well as Non-notified areas and fix all the new Commercial, Industrial, Infrastructural or Bulk users of ground water in Non-notified areas, while issuing registration or authorization certificate/No-objection certificate for well, in such terms and conditions as may be prescribed.

(2) No person can withdraw ground water in contravention of the limit fixed under sub-section (1).

Payment of
Ground Water
abstraction fee

16. (1) No commercial, industrial, infrastructural or bulk user of ground water herein after in this section refer to as the said user, shall extract ground water in both the notified and non-notified areas without payment of fee to be charged annually on the basis of quantity of ground water drawn. The fee shall be deposited in such manner as may be prescribed.

(2) The fee referred to in sub-section (1) shall be in addition to water cost charged under the Water (Prevention and Control of Pollution) Cess Act, 1977.

(3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix meters of such standards and at such places as may be prescribed and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. A annual ground water audit shall be conducted to check the actual extracted water against quantity of ground water allowed/authorized for extraction.

17. (1) No person including firm, agency or company shall perform or engage in drilling the ground for extraction of ground water without registration with District Ground Water Management Council concerned.

Registration of drilling agencies

(2) Every person, firm, agency or company already engaged in drilling of ground for extraction of ground water shall apply for the registration with the District Ground Water Management Council within such period as may be required by the said Council.

18. The power of every Appropriate Authority for any ground water user and drilling agencies in notified and non-notified areas shall be such as may be prescribed.

Power of the Authority in notified and non-notified areas for any user of Ground Water

19. Every order or direction issued under section 14 shall be served in such manner as may be prescribed.

Service of orders, etc.

20. No person shall be entitled to claim any damages or compensation from the State Government or any appropriate authority for any loss sustained by him by virtue of any action taken under this Act.

Bar to claim compensation

21. The State Ground Water Management and Regulatory Authority may, by general or special order in writing, direct that all or any of the powers or duties which may be exercised or discharged by it shall, in such circumstances and under such conditions, if any, as may be specified in its order be exercised or discharged also by any person, appropriate body, specified in this behalf in the order issued after approval of State Government.

Delegation of powers and duties

22. All employees of the State Ground Water Management and Regulatory Authority shall when acting or purporting to act in pursuance of the provisions of this Act or the rules made there under be deemed to be public servants within the meaning of section 21 of the Indian Penal Code.

Employees of the Authority to be Public Servants

23. No prosecution, suit or other legal proceeding shall be instituted against the State Government, any Appropriate Authority, any other officer of the Government or any member or other employees of any Appropriate Authority for anything done or intended to be done in good faith under this Act, or the rules made there under.

Provision against action taken in good faith

CHAPTER-V

PREVENTION OF GROUND WATER POLLUTION

24. (1) The Ground Water Department shall identify and demarcate (vertically and laterally) in consultation with the State Ground Water Management and Regulatory Authority, District Ground Water Management Councils and the expert bodies such as Central Ground Water Board, Uttar Pradesh Jal-Nigam and Uttar Pradesh Pollution Control Board, such areas which are found affected with ground water quality and pollution hazards for the purpose of prevention and control of ground water pollution in such areas and also to find safe quality source for potable water supplies.

Demarcation and protection of Ground Water quality sensitive zones

(2) Such areas, as are demarcated in sub-section (1), shall be declared as Ground Water Quality Sensitive Zones by notification by the State Government in Ground Water Department every two years for the purpose of prevention and protection of ground water pollution.

25. The Gram Panchayat Ground Water Sub-Committees, Block Panchayat Ground Water Management Committees and Municipal Ground Water Management Committees shall be responsible for collecting information related to ground water pollution including sources of pollution. Such information shall be compiled and consolidated at the level of respective District Ground Water Management Councils for onward submission to State Ground Water Management and Regulatory Authority for appropriate action.

Collection of information related to Ground Water pollution contamination

Ground Water
Pollution control
measures

26. (1) The State Ground Water Management and Regulatory Authority shall ensure that no commercial, industrial, infrastructural and bulk user pollute ground water. It shall ensure through respective District Ground Water Management Council to make installation of treatment plant mandatory wherever necessary in such manner as may be prescribed.

(2) Where such user of ground water referred to in sub-section (1) fails to set up treatment plant within the prescribed period, the State Ground Water Management and Regulatory Authority shall have the right to get the necessary treatment plant constructed at such user's cost and proceed against such user under the provisions of sub-section (2) of section 39.

Prohibition on use of
well for disposal of
polluting matter etc.
into the aquifers

27. (1) No commercial, industrial, infrastructural and bulk user by operation or process or any treatment and disposal system shall:-

(a) discharge or dispose waste water, sewage, trade and domestic effluent or contaminants into the well, or;

(b) dump waste on the land which may lead to leaching or percolation of contaminants, toxins into the aquifer.

(2) Any user of ground water who contravenes the provision of sub-section (1) shall be liable to be punished under sub-section (2) of section 39.

Ban on direct
recharging from
open areas into the
aquifers

28. (1) In the process of Artificial Recharge to Ground Water from rain water (except from rooftop) falling on open land, graded roads (paved/unpaved), agricultural farms shall not be allowed for direct recharging into the aquifer through recharge well, bore well, recharge shaft, injection well etc.

(2) Any person who contravenes the provision of sub-section (1) shall be liable to be punished under sub-section (2) of section 39.

Prohibition on
polluting of ponds,
rivers, wells, etc.

29. (1) The Appropriate Authorities shall ensure that no commercial, industrial, infrastructural and bulk user pollute ponds, rivers, wells, etc. by disposing or discharging of dirty water or any other polluting matter.

(2) Any person who contravenes the provision of sub-section (1) shall be liable to be punished under sub-section (2) of section 39.

(3) The Appropriate Authorities shall take all measures to ensure that any waste from domestic households does not pollute ponds, rivers, wells, etc.

CHAPTER - VI

SELF REGULATION, RAIN WATER HARVESTING, GROUND WATER RECHARGE, RECYCLING AND REUSE, PREVENTION OF WATER LOGGING

Self regulation

30. (1) The farmers of Notified Areas (Rural) shall be encouraged by the respective Gram Panchayat Ground Water Sub-Committees, Block Panchayat Ground Water Management Committees for adopting the process of self regulation.

(2) Process for adopting self regulation: The process of self regulation shall be adopted in the following manner in order to protect, conserve and regulate ground water resources in the stressed areas:-

(a) the farmers shall ensure that by applying desired quantity of irrigation water/number of watering to the crops as per the requirements of watering scientifically recommended for different crops that the wastage of ground water and over irrigation is avoided,

(b) the farmers of Notified Areas (Rural) shall be encouraged to adopt various water conservation/water saving practices including farm bunding, farm ponds, use of variety of low water crops and use of drip and sprinkler irrigation

(c) every user of ground water in both rural and urban areas shall be encouraged to extract and use ground water in an economical and efficient way, avoid waste of water, use give priority to recycled water, adopting of rain water harvesting and recharging methods.

31. (1) The Appropriate Authorities shall encourage rainwater harvesting and catchment conservation as per geological conditions which should be integral part of Water Security Plans. The Appropriate Authorities shall sensitize different users of ground water about the suitable technologies of rainwater harvesting systems in stressed urban and rural areas. Users of ground water may obtain suitable technical drawing and design of Rain Water Harvesting System from the Appropriate Authorities. They shall undertake all possible steps in integrated natural resources conservation, use and regulation for the augmentation of groundwater resources within its jurisdiction, through integration and convergence of all external resources relating to developmental schemes and projects.

Rain water harvesting, Ground Water recharge and catchment conservation

(2) Notwithstanding anything to the contrary contained in any other law of the State for the time being in force, the Municipal Water Management Committee shall impose stipulated conditions under existing building by-laws for providing rooftop rainwater harvesting structures, duly issued by the State Government by notification. Such stipulations shall be binding on concerned Government agencies sanctioning or approving building plans. The provision of Combined Rooftops System for group housing colonies shall also be made mandatory under building by-laws.

(3) Catchment conservation shall include appropriate groundwater conservation and recharge structures depending on the nature of the terrain/soil condition/geology of the area.

32. The Appropriate Authorities shall within their area encourage recycling and, in particular, foster re-use of water for non-potable urban, industrial, and agricultural use, as well as augmentation of potable water supplies through wellroot reuse:

Recycling and re-use of Ground Water

Provided that:

commercial, industrial, infrastructural and bulk users withdrawing ground water above a determined threshold limit shall be mandated to recycle water for purposes as may be suitable. Appropriate Authorities shall design monitoring and incentive mechanisms to enforce such mandates.

33. (1) The Appropriate Authorities shall within their areas discourage and prevent such activities that are likely to lead to potential water logging of land. Such bodies shall undertake all possible regulatory measures, for the protection of land against water logging.

Prevention and mitigation of water logging

(2) In canal command, the Irrigation Department shall take appropriate measures and make provisions to effectively improve sub-surface water logged conditions.

(3) The Gram Panchayat Ground Water Sub-Committee, Block Panchayat Ground Water Management Committee or Municipal Water Management Committee, may impose such stipulated conditions, as may be prescribed, for regulating such activities in waterlogged areas that may lead to worsening of the water logging condition. The Block Panchayat Ground Water Management Committee/Municipal Water Management Committee, in consultation with the District Ground Water Management Councils and concerned departments, shall take steps to mitigate water logging through proper interventions.

(4) Water logging mitigation measures shall be adopted by using appropriate processes and technologies, in due consultation with expert bodies concerned.

Revival and
Rejuvenation of
rivers, ponds,
wells, etc.

34. The Appropriate Authorities shall work for revival and rejuvenation of rivers, ponds, wells, etc. in every village. Appropriate Authorities shall develop and execute efficient plans to conserve such rivers, ponds, wells, etc.

CHAPTER-VII

IMPACT ASSESSMENT AND TRANSPARENCY

Impact
Assessment

35. (1) It shall be the duty of the Appropriate Authorities to undertake impact assessment of both social and environmental aspects of such activities to be implemented in the area of their jurisdiction in accordance to the provisions of this Act.

(2) The process of impact assessment shall include short-term and cumulative impact assessment, may be in the following fields and specifically:-

- (a) Impact on right to water for Hls;
- (b) Impact on drinking water sources;
- (c) Impact on quality and quantity of groundwater;
- (d) Impact on agricultural production;
- (e) Impact on the ecosystem including rivers and water bodies;
- (f) Impact on land use.

Transparency
System

36. (1) It shall be the duty of the Appropriate Authorities in the area of their jurisdiction to ensure an effective and citizen-friendly transparency.

(2) The mechanism, content, periodicity, and other details of the information to be put out proactively.

(3) All requests for information within a district shall be fulfilled within reasonable period.

Order of
priority
disclosure

37. (1) The Appropriate Authorities with respect to the area of their jurisdiction shall proactively disclose information;

(2) It shall be the duty of the appropriate body to disseminate the records in such a manner that any person can understand the information easily. This obligation shall also include the dissemination of information in a consolidated and summarized form.

Information to be
open to Public
Domain

38. Information on the Impact Assessment of such activities taken up under this Act in section 35 shall be placed on Internet for access by public.

CHAPTER-VIII

OFFENCES AND PENALTIES

Offences and
penalties

39. (1) If any commercial, industrial, infrastructural and bulk user of groundwater or any drilling agency-

(a) contravenes or fails to comply with any of the provisions of this Act or any rule made there under except provisions described under chapter-V; or

(b) obstructs the Appropriate Authorities or any other person authorized by the State Ground Water Management and Regulatory Authority to exercise any of the powers under this Act, shall be punishable with fine which shall not be less than two lakh rupees which may extend up to five lakh rupees or imprisonment which shall not be less than six months and which may extend to one year or with both, in case of first offence.

(2) repeats the offence after conviction under sub-clause (b); such user shall be deemed to be guilty of second offence and shall be punished with fine which shall be double the amount of fine awarded to him or her, in addition to imprisonment awarded to him or her under the said sub-clause. Besides, the

(2) Any commercial, industrial, institutional and bulk user of ground water who contravenes any of the provisions provided under sub-section (2) of section 26, section 27, section 28 and section 29, shall be liable for punishment, -

(a) with imprisonment for a term which shall not be less than two years but which may extend to three years with fine which shall not be less than five lakh rupees but which may extend to ten lakh rupees, in case of first offender;

(b) with imprisonment for a term which shall not be less than five years but which may extend to seven years with fine which shall not be less than ten lakh rupees but which may extend to twenty lakh rupees, if the offence is committed by a person who has previously been convicted for the offence referred to in clause (a).

(3) Any supplier of water (other than Government drinking water supply schemes) who supplies or causes to be supplied groundwater which fails to meet the quality standard prescribed under any law for the time being in force shall be punished with fine which shall not be less than two lakh rupees and which may extend to five lakh rupees.

(4) Whoever being an owner of a building liable for installation of a system for harvesting rainwater to recharge groundwater as per the sanctioned drawing, design and guidelines issued by any of the Development Authority or any other authority having power to sanction drawing, fails to do so, shall be punished in such manner and with such punishment as may be prescribed.

40. (1) Whenever an offence under this Act has been committed by a company, every person who at the time of the commission of offence was in charge of, or was responsible to the company for the conduct of the business of the company, shall be deemed to be guilty of the offence;

Offences
by Companies

(2) Notwithstanding anything contained in sub-section (1), where an offence under this Act has been committed with the consent or connivance of, or is attributable to any neglect on the part of, any director, manager, secretary or other officer of the company, such director, manager, secretary or other officer shall also be deemed to be guilty of that offence;

EXPLANATION: For the purpose of this section-

(1) "Company" means anybody corporate and includes a firm or other association or individuals; and

(2) "Director", in relation to a firm, means a partner in the firm.

41. (1) An offence punishable under sub clause (d) of clause (b) of sub-section (1) of section 39 may be compounded on the application of the accused before or after the institution of the prosecution by such officers as may be notified by the State Government after imposing fifty per cent of minimum fine prescribed for the offence as compounding fee along with the minimum prescribed fine;

Compounding of
offences

Provided that the remedy for compounding shall be available for the first offence only.

(2) Every officer referred to in sub-section (1) shall exercise the power to compound an offence subject to the direction, control and supervision of the State Government.

(3) Every application for the compounding of an offence shall be made in such form and in such manner as may be prescribed.

(4) Where any offence is compounded before the institution of any prosecution, no prosecution shall be instituted in relation to such offence, against the offender in relation to whom the offence is so compounded.

(5) Where the composition of any offence is made after the institution of any prosecution, such composition shall be brought by the officer referred to in sub-section (1) in writing to the notice of the court in which prosecution is pending and on such notice of the composition of the offence being given, the person against whom the offence is so compounded shall be discharged.

Cognizance of
offences

42. (1) Offences under this Act shall be cognizable and triable by a judicial magistrate of first class.

(2) The magistrate may take cognizance of the offence on a complaint filed by the District Ground Water Management Council or by any approved person :

Provided that-

before instituting the prosecution, the aggrieved person shall give one-month's notice to the District Ground Water Management Council intimating her or his intention to initiate prosecution.

CHAPTER -IX

GRIEVANCE REDRESSAL

Ground Water
Grievance
Redressal Officer

43. (1) The District Magistrate of each district of Uttar Pradesh shall act as District Ground Water Grievance Redressal Officer.

(2) Any person may submit his or her grievance on issues related to management, conservation, distribution and pollution of ground water to the District Ground Water Grievance Redressal Officer.

(3) Any person aggrieved by the decision of the District Ground Water Grievance Redressal Officer may submit his or her grievance to State Ground Water Management and Regulatory Authority.

Jurisdiction and
powers of Ground
Water Grievance
Redressal Officer

44. (1) The District Ground Water Grievance Redressal Officer shall have jurisdiction over all grievances mentioned in sub-section (2) of section 43, within his territorial jurisdiction.

(2) The grievances shall be submitted to District Groundwater Grievance Redressal Officer in such manner as may be prescribed.

(3) The District Groundwater Grievance Redressal Officer shall take appropriate action through respective Gram Panchayat Ground Water Sub Committee/ Block Panchayat Ground Water Management Committee/ Municipal Water Management Committee or District Ground Water Management Council, as the case may be, after submission of grievance at any subsequent time, not exceeding sixty days.

CHAPTER -X

MISCELLANEOUS

Power of the
appropriate
authorities to call
for information

45. The State Ground Water Management and Regulatory Authority and the District Ground Water Management Councils shall have the power to call for any information from any department of the State Government or any other person, which is required by it in the exercise of its powers and the performance of its duties and functions under this Act or the rules, regulations and bye-laws made there under, and such department or person shall be bound to furnish such information.

Provision of the
appropriate
authorities to
recover costs, if
in contravention of
the Act

46. (1) The District Ground Water Management Council, subject to the provision of this Act, may require any Commercial, Industrial, Infrastructural or Bulk user of ground water and any existing agency, who has sunk or is sinking a well or who has extracted or is extracting water in contravention of any of the provisions of this Act, by notice in writing to stop such extraction within the time specified in the notice, being not less than fifteen days, and require the owner or the person in possession of the well to close or seal off the well in his own hand in such manner as it may specify in such

(2) If the person on whom a notice under sub-section (1) has been served does not stop such extraction or stop such extraction but does not close or seal off the well to the satisfaction of the appropriate authority within the time specified in the notice, the council (concerned) may enter the land and close or seal off the well.

(3) The cost incurred by the council (concerned) under sub-section (2) shall be recoverable as an arrear of land revenue from the person on whom a notice under sub-section (1) has been served.

47. (1) Pre-existing rights of a user of ground water will continue to be valid for a period of one year from the date of commencement of this Act, after which the rights and entitlements shall be in accordance with the provisions of this Act. Pre-existing rights

(2) The user of ground water shall not be entitled for any compensation for any legal or other rights that become extinguished under this Act.

48. The State Government shall create a fund to be known as Ground Water Fund and all the receipts on account of penalties, registration fees, fee on ground water connection etc. shall be credited to this fund. The fund shall be operated by the Director, Ground Water Department. The fund shall be utilized for ground water management activities in the State such as conservation of ground water, both through demand side and supply side management for encouraging demand side interventions and for increasing efficiency of ground water usage by effective monitoring devices/mechanisms, decided by the State Government and Ground Water Department. Ground Water Fund

49. The State Government may, by notification, make rules to carry out the provisions of this Act. Power of the State Government to make rules

50. (1) If any difficulty arises in giving effect to the provisions of this Act, the State Government may, by order, published in the Gazette, make such provisions not inconsistent with the provisions of this Act, as may appear to be necessary or expedient for removing the difficulty. Power to remove difficulties

Provided that, no order shall be made under this section after the expiry of two years from the date of commencement of this Act.

(2) Every order made under this section shall, as soon as may be after it is made, be laid before both Houses of the State Legislature.

51. In the interest of overall development of the State, the State Government on recommendation of the State Ground Water Management and Regulatory Authority may exempt any user or class of users or case from any provision of this Act. Power of the State Government to exempt any user or case

52. Notwithstanding anything contained in any other law of the State of Uttar Pradesh for the time being in force, the provisions of this Act shall prevail. Effect of this Act on other laws

STATEMENT OF OBJECTS AND REASONS

Ground Water is the single most important source of water for domestic, agricultural and industrial uses. It is the backbone of drinking water, food and livelihood in rural and urban areas. It has been brought to the notice of State Government that uncontrolled and rapid extraction of ground water has resulted in alarming situation of declining ground water levels and depletion of ground water reservoirs in several areas of the state. In order to deal with the situation of serious groundwater crisis and groundwater contamination in the state, it has been decided to make a law to provide for protecting, conserving, controlling and regulating ground water to ensure its sustainable management, both quantitatively and qualitatively, especially in stressed rural and urban areas.

This Uttar Pradesh Ground Water (Management and Regulation) Bill, 2019 is introduced accordingly.

By order,
J.P. SINGH-II,
Principal Secretary.

वीन/का/अपीओ-एपीओ 102 राजधानी-विनोद-2019-2020-000 प्रतियां-(अध्यक्ष/डी/आफसेट)।

पीएचए/एपीओ-एपीओ 00 000 विनोद-2019-2020-000 प्रतियां-(अध्यक्ष/डी/आफसेट)।

Inspection report in compliance of order dated 25/02/2022 passed by Hon'ble NGT in OA No.438/2018 (Arti versus CGWA & Ors).

In reference to the aforesaid case, the latest decision taken up by Hon'ble NGT in O.A. 438/2018 on 25/02/2022 has been described below:

"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month...."

A Committee was constituted by the Head of Office, Central Ground Water Board, Northern Region, Lucknow vide Letter No.4 (237_NGT)/CGWB/NR/S&I/2022-255 dated 23/03/2022 to ensure compliance of NGT decision.

The joint team comprised nominated members from Central Ground Water Board, Lucknow; Uttar Pradesh Pollution Control Board, Agra circle and District Administration, Agra district for carrying out inspection of Hotels, Resorts, Marriage lawns, Banquet halls, Guest houses etc. in Agra district.

The following list contains the names of nominated members who carried out the joint inspection:

1. Mr. Tejas.Y.Mankikar, Scientist-B (Hydrogeology), Central Ground Water Board, Lucknow.
2. Dr. Vishwanath Sharma, Regional Officer (I/c), U P Pollution Control Board, Agra.
3. Additional District Magistrate (City), Agra.

The premises of 61 nos. of project proponents were visited for checking compliance of N.O.C status between 29/04/2022 to 30/04/2022 and 17/05/2022 to 19/05/2022. Partial completion was possible since the list included 424 nos. of project proponents.

The summarized details of the visit of the joint team to premises of each proponent has been attached below.

61 nos. of project proponents were inspected for compliance as per Hon'ble NGT directions, of which

- 1 star hotels = 5 Nos.
- 2 star hotels = 20 Nos.
- 2.5 star hotels = 7 Nos.
- 3 star hotels = 19 Nos.
- 4 star hotels = 1 Nos.
- 5 star hotels = 4 Nos.
- Marriage lawn = 1 Nos.
- Banquet halls = 1 nos.
- Economy guest house = 2 Nos.
- Homestay & Luxury BNB = 1 Nos.

Sl. No.	Name of Hotel/ Marriage Lawn/ Banquet Hall/Guest House with address	Date of Inspection	No. of Tubewells & Groundwater abstraction (m ³ /year)	Date of Establishment	Status of N.O.C taken from CGWA / U.P.G.W.D	Observations/Remarks by Joint Committee
1	Bhawna Clark's Inn, Bhawna Tower, Kailashpuri road, Opp. Garadwara Ku Taal, Sector-16, Kar Kunj Chauraha, AGRA.	29/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
2	Hotel Sunway Inn & Banquet, 43/494, NII-2, Opp. K.K.Nagar, Sikandra, AGRA.	29/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
3	Hotel Kanak Palace, Near Sikandra Monument, Opp. L.I.C Building, Bajrang Nagar, AGRA.	29/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
4	Hotel Vikram Palace, 8-B/7C Bypass road, Near St. Conrad's Inter College, Khadar, AGRA.	29/04/2022	2 nos. of Tubewells Abstraction approximately 120 to 130 m ³ /year.	2012	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.
5	Hotel Poonam Plaza, New Agru, Dayalbagh Road, AGRA.	29/04/2022	1 nos. of Tubewell. Abstraction approximately 400 m ³ /year.	01/2013	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed. Underground tank stores approximately 1.5 m³ of rainwater that is utilized when required.

6	Hotel Neelkanth Deluxe, 89, Bypass road, Near Bhagwan Talkies Chauraha, New Agra Colony, AGRA.	29/04/2022	1 nos. of Tubewell. Quantum of abstraction undisclosed.	2001	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.
7	Dauji's Celebration Banquet, 1 st Floor, G-Hotel, Central Bank road, Ghatwasan, Kamla Nagar, AGRA.	29/04/2022	2 nos. of Tubewells. Abstraction approximately 813 m ³ /year.	2015	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.
8	Hotel Atithivan, Rajwara, Kamla Nagar, Near Water works chauraha, AGRA.	29/04/2022	2 nos. of Tubewells. Abstraction approximately 910 m ³ /year.	12/2002	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.
9	Hotel Metro, Sanjay Palace, Block-36, Civil Lines, AGRA.	29/04/2022	1 nos. of Tubewell. Quantum of abstraction undisclosed.	-	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.
10	Hotel Panchratan, 114, Opp. Income Tax Office, Sanjay Palace, Civil Lines, AGRA.	29/04/2022	-	-	-	<ul style="list-style-type: none"> Hotel closed since 20/03/2022. 1 watchman looks after the property.
11	Hotel Eminent, 58, Delhi Gate road, Hariparwat, Raja ki Mandi, AGRA.	29/04/2022	1 nos. of Tubewell. Quantum of abstraction undisclosed.	02/2016	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.
12	Maharaja Agrasen Bhawan, Ratan Muni road, Opp.Meena Bazaar Kothi, Sikri Mandi, Loha Mandi, AGRA.	29/04/2022	3 nos. of Tubewells. Abstraction approximately 450 to 500 m ³ /year.	1997	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.

13	Hotel Ganga Ratan, Fatehabad road, Tourist Complex area, Near Man Singh Palace, Tajganj, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
14	Hotel Ashish Palace, Opp. Hotel Howard Plaza, Fatehabad road, Tajganj, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
15	Hotel Kant, 3/9, Fatehabad road, Tajganj, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
16	Hotel Alpine Inn, Opp. Diamond Carpet, Near KFC Restaurant, Fatehabad road, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
17	Hotel Priya, Opp. Shanti Manglick Hospital, Fatehabad road, Tajganj, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
18	Maya Hotel and Restaurant, 18/84, Fatehabad road, Purani Mandi, Tajganj, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
19	Shri Ram Guest House, Opp. Bijli Ghar bus stand, AGRA.	30/04/2022	N.A.	-	Copy of water supply Bill from U.P. Jal Kal, Agra attached.	<ul style="list-style-type: none"> N.A.
20	Kishan Guest House, Chhipitola road, Opp. Bijli Ghar bus	30/04/2022	N.A.	-	Copy of water supply Bill from U.P. Jal Kal, Agra attached.	<ul style="list-style-type: none"> N.A.

	stand, Kaji Pada, AGRA,					
21	Hotel Prince Sanjay, Shivaji Market, Chhipitola, Rakabganj, AGRA,	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
22	Hotel East Lite, 1/47/56, Raja Ki Mandi railway station road, Delhi Gate, Civil Lines, AGRA,	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
23	Hotel Angaman Yatri Niwas (Chokho Jecman), Hariparwat, Professors Colony, Civil Lines, Agra,	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
24	Hotel Shilaza, Raja Ki Mandi railway station road, Delhi Gate, Loha Mandi, AGRA,	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
25	Hotel Amba Inn, Raja Ki Mandi railway station road, Professors Colony, Loha Mandi, Civil Lines, AGRA,	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist.
26	Hotel Ashoka Bar & Restaurant, 145, Raja Ki Mandi railway station road, Professors Colony, Loha Mandi, Civil Lines, AGRA,	30/04/2022	1 nos. of Tubewell. Abstraction approximately 275 m ³ /year.	1958	None.	<ul style="list-style-type: none"> No documentary proof provided to corroborate data. Photography of tubewells not allowed.
27	U.P. Tourism Rahi Tourist Bungalow,	30/04/2022	-	-	-	<ul style="list-style-type: none"> Receptionist said that he would send

	46, Raja Ki Mandi railway station road, Professors Colony, Loha Mandi, Civil Lines, AGRA.					required data by email. <ul style="list-style-type: none"> No email received till date.
28	Pall Hotel, 1/42/A/12, Raja Ki Mandi railway station road, Professors Colony, Loha Mandi, Civil Lines, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
29	Om Sai Nath Hotel & Restaurant, 58, Sector-5, Near Hema Petrol Pump, Sikandra-Bodla road, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
30	Hotel M.S.Palace, Sector-5, Avas Vikas Colony, Loha Mandi, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
31	Hotel Blue Berry, C-5, Sector-5, Avas Vikas Colony, Sikandra-Bodla road, Loha Mandi, AGRA.	30/04/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
32	Hotel Areeba, 30/6, Fatehabad Rd, Near Saga Emporium, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Receptionist refused to co-operate in spite of being showing a copy of NGT judgement and refused to give any information.
33	Hotel Laxman Resort, 17A/1B/1, Fatehabad Rd, Opposite Saga Emporium, Tajganj, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.

34	Hotel City Square and Suites, Opposite Saga Emporium, Near Pind Balluchi, Fatehabad Road, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
35	Hotel Anant Plaza, 30, Opposite Saga Emporium, Fatehabad Road Tajganj, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist.
36	Hotel Luv Kush, Opposite ITC Mughal, Fatehabad road, Tajganj, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
37	Hotel Big Daddy, Next to Bikanervala, Fatehabad road, Tajganj, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Closed since March 2020.
38	Hotel Taj Heritage, Near Saga Emporium, Opposite Hotel Laxman Resort, Fatehabad road, Tajganj, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
39	Hotel Panna Paradise, Opposite KFC, Taj Nagri crossing, Fatehabad road, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
40	Hotel Royale' Residency, Near TDI Mall, Opposite Hotel Trident Hilton, Fatehabad road, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.



41	City Star Hotel, Opposite Trident Hotel, Taj Nagri Phase-I, Tajganj, Fatehabad road, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
42	Merit Hotel, 25/68/M/1, Opposite TDI Mall, Tajganj, Fatehabad road, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
43	Hotel Prema Palace, 43/261, Fatehabad road, Tajganj, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
44	Hotel Taj Inn, 18/163, Taj View crossing, Fatehabad road, Tajganj, AGRA.	17/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist.
45	Hotel Deluxe Inn, Subrata road, Bagichi, Tajganj, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
46	Hotel Ratandeep, Near GMB Sweets & Food Plaza, Fatehabad road, Bagichi, Tajganj, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
47	Hotel Crystal Retreat, 4 th Floor, Fatehabad road, Opposite Axis Bank, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> Undergoing Renovation at the time of inspection. No details sent by email till date.
48	Hotel Seven Hills Tower, Jasoriya Enclave, Fatehabad	18/05/2022	1 nos. of tubewell. Abstraction	04/2022 (Re-opened)	N.O.C present.	<ul style="list-style-type: none"> Data sent by email. Copy of N.O.C and details of Rainwater harvesting not submitted by email.



	road, Adjoining S.B.I Training Centre, AGRA.		approximately 1,460 m ³ /year.			<ul style="list-style-type: none"> • Photography of tubewells not allowed. • Rainwater Harvesting System claimed to be under pipeline.
49	Bliss: A Homely Stay, Sangeeta Apartments, Jasoria Enclave, Fatehabad road, Tajganj, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> • Receptionist said that he would send required data by email. • No email received till date. • Photography of tubewells not allowed.
50	Howard Plaza-The Fern, Bansal Nagar, Fatehabad road, Tajganj, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> • Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. • Photography of tubewells not allowed.
51	Hotel Mani Ram Palace, Subrata road, Tourist Complex Area, Near Man Singh Palace, Tajganj, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> • Receptionist said that he would send required data by email. • No email received till date. • Photography of tubewells not allowed.
52	Hotel Kanha Continental, #6, Lane opposite Hotel Mansingh Palace, Tourist Complex Area, Fatehabad road, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> • Receptionist said that he would send required data by email. • No email received till date. • Photography of tubewells not allowed.
53	Hotel King's Castle, Besides Hotel Kanha Continental, Tourist Complex Area, Fatehabad road, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> • Receptionist said that he would send required data by email. • No email received till date. • Photography of tubewells not allowed.
54	Hotel Udipi Residency, Hotel lane opposite Hotel Mansingh Palace,	18/05/2022	-	-	-	<ul style="list-style-type: none"> • Receptionist said that he would send required data by email. • No email received till date.


	Tourist Complex Area, Fatehabad road, AGRA.					<ul style="list-style-type: none"> Photography of tubewells not allowed.
55	Hotel Amar Yatri Niwas, 181, Near Hotel Mansingh Palace, Tourist Complex, Vibhav Nagar, Fatehabad road, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> Receptionist said that he would send required data by email. No email received till date. Photography of tubewells not allowed.
56	Hotel Atithi, Near Hotel Mansingh Palace, Tourist Complex Area, Vibhav Nagar, Tajganj, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> Receptionist said that he would send required data by email. Photography of tubewells not allowed. No email received till date.
57	Hotel Amar, Near Hotel Mansingh Palace, Tourist Complex Area, Vibhav Nagar, Tajganj, AGRA.	18/05/2022	-	-	-	<ul style="list-style-type: none"> Required details/data not provided citing absence of Hotel Owner/Manager by the Receptionist. Photography of tubewells not allowed.
58	Jaypee Palace Hotel & Convention Centre, Fatehabad road, AGRA.	19/05/2022	2 nos. of Tubewells, Abstraction = 1,02,200 m ³ /year.	1999	U.P.G.W.D N.O.C dated 09/12/2019 with N.O.C Nos. REG029080 & REG032198. Valid for 5 years.	<ul style="list-style-type: none"> Proponent has provided the diagram of Soak wells used in Rainwater Harvesting system but has not given the quantum of Rainwater harvested/recharged with calculation. ETP & STP installed. Copies of CTE from UPPCB for Air & Water provided. Rainwater Harvesting system in place.
59	The Oberoi Amar Vilas, Taj East Gate road, Paktola, Tajganj, AGRA.	19/05/2022	2 nos. of Tubewells. Abstraction = 69,163 m ³ /year.		U.P.G.W.D N.O.C dated 15/03/2019 with N.O.C No. REG010422. U.P.G.W.D N.O.C Application No.	<ul style="list-style-type: none"> Copies of CTE from UPPCB for Air & Water not provided by the proponent. ETP & STP installed. Rainwater system in place. Quantum of

					AGRA1221RBU00 09 dated 07/01/2022.	<p>Rainwater harvested/recharged = 5,459.71 m³/year.</p> <ul style="list-style-type: none"> Proponent has not provided the diagram of Soak wells used in Rainwater Harvesting system and calculation of Rainwater harvested/recharged.
60	<p>Taj Hotel and Convention Centre, Plot No.18A/772-781, Mauza-Basai, Mustakil road, AGRA.</p>	19/05/2022	<p>3 nos. of Tubewells.</p> <p>Abstraction = 1,31,400 m³/year.</p>		<p>U.P.G.W.D N.O.C Application Nos. AGRA0422NBU00 07; AGRA0422NBU00 08 & AGRA0422NBU00 09 dated 10/04/2022.</p>	<ul style="list-style-type: none"> ETP & STP installed, STP of 225 KLD capacity. Copies of CTO from UPPCB for Air & Water provided. Rainwater harvesting system in place. Proponent has not provided the diagram of Soak wells used in Rainwater Harvesting system and calculation of Rainwater harvested/recharged.
61	<p>Hotel Trident, Near SH-62, Basai Khurd, Tajganj, AGRA.</p>	19/05/2022	<p>1 nos. of Tubewell.</p> <p>Abstraction = 45,168.75 m³/year.</p>		<p>U.P.G.W.D N.O.C Application No. AGRA1221RBU00 10 dated 07/01/2022.</p>	<ul style="list-style-type: none"> ETP & STP installed. Copies of CTO from UPPCB for Air & Water enclosed. Rainwater harvesting system in place. Quantum of Rainwater harvested/recharged = 34,566.00 m³/year. Proponent has not provided the diagram of Soak wells used in Rainwater Harvesting system and calculation of Rainwater harvested/recharged.

PHOTOGRAPHS OF THE TUBEWELLS IN HOTELS DURING THE INSPECTION

	
(a) Photograph of Tubewell No.1 at Jaypee Hotel & Convention Centre, Agra.	(b) Photograph of Tubewell No.2 at Jaypee Hotel & Convention Centre, Agra. [Currently defunct]

	
(a) Photograph of Tubewell No.1 at Trident Hotel, Agra.	(b) Photograph of board outside structure housing Tubewell No.1 at Trident Hotel, Agra.



(a) Photograph of Tubewell No.1 with attached flow meter at Taj Hotel & Convention Centre, Agra.



(b) Photograph of Tubewell No.2 with attached flow meter at Taj Hotel & Convention Centre, Agra.



(c) Photograph of Tubewell No.3 with attached flow meter at Taj Hotel & Convention Centre, Agra.



(a) Photograph of Tubewell No.1 with attached flow meter at The Oberoi Amar Vilas, Agra.



(b) Photograph of Tubewell No.2 with attached flow meter at The Oberoi Amar Vilas, Agra.

Tejas.Y.M
20/06/2022
(TEJAS.Y.MANKIKAR)
Scientist-B
(Hydrogeology)
Central Ground Water Board,
Northern Region, Lucknow.

vsh
20/6/22
(DR.VISHWANATH SHARMA)
Regional Officer (I/c)
U.P. Pollution Control Board,
Agra

D
20/6/22
Additional District
Magistrate (City) Agra.

**Inspection report in compliance of order dated 25/02/2022 passed by Hon'ble NGT in
OA No.438/2018 (Arti versus CGWA &Ors).**

In reference to the aforesaid case, the latest decision taken up by Hon'ble NGT in O.A. 438/2018 on 25/02/2022 has been described below:

"... 47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Buddha Nagar, Bareilly, Varanasi, Jhansi and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month...."

A Committee was constituted by the Head of Office, Central Ground Water Board, Northern Region, Lucknow vide Letter No.4 (237_NGT)/CGWB/NR/S&I/2022-255 dated 23/03/2022 to ensure compliance of NGT decision. 61 nos. of Hotels/Banquet halls/marriage lawns/guest houses were inspected upto 26/07/2022.

The joint team comprised nominated members from Central Ground Water Board, Lucknow; Uttar Pradesh Pollution Control Board, Agra circle and District Administration, Agra district for carrying out inspection of remaining 363 nos. of Hotels, Resorts, Marriage lawns, Banquet halls, Guest houses etc. in Agra district as the Hon'ble NGT court had directed the joint committee to complete the remaining work, take remedial action and submit the report within a month as the next hearing was scheduled for 28/09/2022.

The following list contains the names of nominated members who carried out the joint inspection:

1. Mr. Tejas.Y.Mankikar, Scientist-B (Hydrogeology), Central Ground Water Board, Lucknow.
2. Mr. Vishwanath Sharma, Regional Officer, Uttar Pradesh Pollution Control Board, Agra circle.
3. Additional District Magistrate (ADM), City (Agra).



The premises of 363 nos. of project proponents were visited for checking compliance of N.O.C status between 07/09/2022 to 19/09/2022. The list included 424 nos. of project proponents and 61 nos. of project proponents were inspected by the joint committee between 29/04/2022 to 30/04/2022 and 17/05/2022 to 19/05/2022.

The summarized details of the visit of the joint team to premises of each proponent has been tabulated below.

363 nos. of project proponents were inspected for compliance as per Hon'ble NGT directions, of which

- Hotels = 239 Nos.
- Marriage lawns = 82 Nos.
- Banquet halls = 10 Nos.
- Economy guest house = 26 Nos.
- Home Stays = 2 Nos.
- Resorts = 2 Nos.
- Hostels = 2 Nos.

The proponents at Sl. Nos. 5, 7, 60, 101, 102, 158, 162, 174, 177, 288, 294, 313, 337, 346, 350 and 354 were found to have closed their business on account of losses incurred in 2019 or in 2020 due to the Novel Corona virus pandemic.



Sl. No.	Name of Hotel/ Marriage Lawn/ Banquet Hall/ Guest house	Address	Date of Inspection	No. of Tubewells & Groundwater abstraction (m ³ /year)	Date of Establishment	Status of N.O.C taken from CGWA / U.P.G.W.D	Observations/Remarks by Joint Committee
1	Hotel Ravi Palace	A-7 Taj Nagari Phase -1, Opp. Hotel Radisson Near Basai Police chowki Fatehabad Road Agra Agra - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
2	Hotel Taj Prince	Taj Nagari, R.K. Puram Phase-2, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
3	Hotel East Gate	Near Hotel Radisson, Taj Nagari Phase 1, R.K. Puram Phase-2, Basai Khurd, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	2 Tubewells	-	-	Other details not provided by the Management
4	Hotel Sulit	A-4, Taj Nagari, Phase-1, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
5	Riga Home Stay: Oyo 8888	Opposite Hotel Taj Prince, Taj Nagri Phase - 1, Agra	07/09/2022	-	-	-	Hotel closed Covid in 2020
6	Hotel Shree Kunj Palace	Taj Nagri Phase - 1, R.K. Puram Phase - 2, Agra	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
7	Hotel Grand Father	MMIG-120, Taj Nagari, R.K. Puram Phase-2, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	Hotel closed Covid in 2020
8	Hotel Gayatri Palace	Near Basai Police Chowki, Fatehabad Rd, Taj Nagari Phase 1, Tajganj, Agra, Uttar Pradesh - 282004	07/09/2022	-	-	-	Temporarily closed due to construction
9	Hotel The Jalsa	Fatehabad Rd, near Hotel Four Points, Taj Nagari Phase 1, Basai Khurd, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	2016	-	UP Jal Nigam connection available. No bill produced as proof.

10	Hotel Relax Inn	SH62, Taj Ganj, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
11	Hotel The Empire	Fatehabad road, Basai Khurd, Agra - 282001	07/09/2022	-	-	-	No information provided by the Management
12	Hotel Fab Home Stay	5363+6GX, Shilpgram Rd, Taj Nagari, R.K. Puram Phase-2, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
13	Hotel The Drizzle	Prateek Enclave, 2, Taj East Gate Rd, Taj Nagari Phase 1, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
14	Hotel Crimson Palace	768, Shilpgram Rd, Taj Nagari Phase 1, Telipara, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
15	Hotel The Retreat	Taj Nagari Phase - 1 Near Prateek Enclave, Shilpgram Rd, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
16	Hotel The Four Apple	Shilpgram Rd, opp. The Retreat, Taj Nagari Phase 1, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
17	Hotel R K Palace	5363+RP9, Shilpgram Rd, Phase-1, Taj Nagri, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
18	Hotel Marygold	5363+V99, NearTaj Mahal, Shilpgram Rd, Taj Nagari, RK Puram, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
19	Hotel Shree Nath	Shilpgram road, Phase - 1, Agra	07/09/2022	N.A.	-	-	Copy of Water bill by U.P. Jal Nigam for FY 2019-20 given

20	Friends Paying Guest House	P-6, near Shilpgram road, Taj Nagari Phase 1, Telipara colony, Agra, Uttar Pradesh - 282004	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
21	Gypsy Nest Hotel (Ashiyana Palace)	MMIG-29/30, Shilpgram Rd, Taj Nagari Phase 1, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
22	Moustache Hostel	MIG 1 & 2, Shilpgram Road Taj Nagri, Phase 1, Taj East Gate, MIG Colony, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	Hostel under renovation
23	Oyo Zaki HS	47 MIG, Shilpgram Rd, Taj Nagari, Phase 1, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	U.P. Jal Nigam water supply. No bill produced as proof.
24	Bedweiser Backpackers Hostel	Near Shilpgram, Taj Nagari Phase 1, Tajganj, Agra	07/09/2022	-	-	-	No information provided by the Management
25	Hotel Bhoomi Vilas	Eastern Gate - Taj Mahal, 1, Amarlok VIP, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
26	Tara Palace Hotel	Taj East Gate Road, Shilpgram Rd, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
27	Hotel Taj Resort	Taj East Gate Rd, Forest Colony, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
28	Hotel Atulyaa Taj	538, Taj East Gate Rd, near Shilpgram Road, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
29	Hotel Rashmi	Eastern Gate - Taj Mahal, Taj Mahal, Road, near Hotel Amar Vilas, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management

30	Hotel Taj Plaza	Taj East Gate Road, Shilpgram Rd, near Hotel Oberoi Amar Vilas, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
31	Hotel Radisson	C-2, C-1, Fatehabad Rd, Taj Nagari Phase 1, R.K. Puram Phase-2, Basai Khurd, Agra, Uttar Pradesh - 282004	07/09/2022	1 Tubewell	-	-	Other details not provided by the Management
32	Hotel Crystal Sarovar Premiere	Fatehabad Rd, near KFC, Tajganj, Agra, Uttar Pradesh - 282001	07/09/2022	-	-	-	No information provided by the Management
33	Hotel ITC Mughal	Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	N.A.	-	-	<ul style="list-style-type: none"> CTO for Air & Water from UPPCB available. RTRWH of 21,089 m³/year.
34	Hotel Shyam Palace	Taj Nagri Phase - 1, Agra	08/09/2022	-	-	-	No information provided by the Management
35	Hotel Pankaj Guest House	Shilpgram Road, Silpgram Tajmahal Road Taj Nagari Phase 1, Taj Nagar, Taj Nagri Rd, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	-	-	-	No information provided by the Management
36	OYO 03 Townhouse Inn	Agra - Bah Rd, Tajganj, Basai, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
37	Jain Banquet Hall & Homestay	Mahal wala road, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
38	OYO Hotel Taj Ramaya Stay	Maya Stays, Tajganj, Agra, Uttar Pradesh - 282004	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
39	Hotel Taj View - IHCL Selegions	Fatehabad Rd, Bagichi, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	3 Tubewells & abstraction = 19,710; 21,900 & 16,790 m ³ /year respectively	-	U.P.G.W.D N.O.C Nos. NOC034822; NOC021896 & NOC026075	<ul style="list-style-type: none"> STP of 90 KLD functional. RTRWH of 259.41 m³/year.

40	Royal Kohinoor Garden	No.354, Fatehabad Rd, Tourist Complex Area, Near Man Singh Palace, Sadar Bazar, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	08/09/2022	-	-	-	Water supply from a tubewell located in Kaila cold storage unit.
41	Pachauri Garden	Near Jaypee Hotel, Fatehabad road, Agra	08/09/2022	-	-	-	No information provided by the Management
42	SNJ Gold	Near Jaypee Hotel, Tora Police Chowki, Fatehabad Rd, Agra	08/09/2022	2 Tubewells	-	-	Other details not provided by the Management
43	D' Grand Marquis	205, Fatehabad Rd, near Japee Hotel, Tajganj, Agra, Uttar Pradesh - 282002	08/09/2022	2 Tubewells	-	-	Other details not provided by the Management
44	The Keyaan Saloni	Fatehabad Rd, Kalal Kheria, Agra, Uttar Pradesh - 282003	08/09/2022	3 Tubewells	-	-	Other details not provided by the Management
45	Hotel Ramada Plaza	672 Basai, Fatehabad Rd, Rakabganj, Agra, Uttar Pradesh - 282001	08/09/2022	2 Tubewells & abstraction = 12,330 & 16,440 m ³ /year respectively	-	U.P.G.W.D N.O.C No. NOC047412 & NOC031480	<ul style="list-style-type: none"> STP of 45 KLD functional. CTE for Air & Water from UPPCB applied for. Quantum of RTRWH undisclosed.
46	The Elroy Jalsa	TDI CITY, Fatehabad Rd, Mayapura, Uttar Pradesh - 283125	08/09/2022	2 Tubewells	-	-	Other details not provided by the Management
47	The Celebrations Farm	43XG+FCM, Tajganj, Agra, Uttar Pradesh - 283125	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
48	Hotel CP Residency	9, Fatehabad Rd, Kalal Kheria, Agra, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
49	Hotel Mid Way Taj	Near Gateway Green Ravi Farm, Fatehabad road, Agra	08/09/2022	1 Tubewell	-	-	Hotel under renovation
50	Gateway Green Ravi Farm	43XF+Q8, Tajganj, Agra, Uttar Pradesh - 283125	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management

51	Vishal Guest House (Hotel New Krishna Palace)	Next to Gateway Green Ravi Farm, Tajganj, Agra	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
52	Pearls Resort	Bharat Petrol Pump, Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 283125	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
53	Prince Greens	Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
54	Hotel Royale Regent	Fatehabad Rd, opp. Hotel Jaypee Palace, Pushpanjali Puram Phase 3, Tajganj, Agra, Uttar Pradesh - 282003	08/09/2022	2 Tubewells	-	-	Other details not provided by the Management
55	Hotel Karan Vilas	Fatehabad Rd, Opposite Hotel, Pushpanjali Puram Phase 3, J. P. Palace, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	2 Tubewells	-	-	Other details not provided by the Management
56	Narayanam Garden	Fatehabad Rd, opp. Jaypee Hotel, Pushpanjali Puram Phase 3, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
57	Silver Palace Banquet Hall	5357+397, Fatehabad Rd, opposite Trident Hotel, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
58	Hotel Pearl Blue	Fatehabad Rd, Taj Nagri Phase 2, Raj Nagar, Agra, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
59	Hotel Swess Grand	Plot No. 33, Rajnagar, Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	1 Tubewell	-	-	Other details not provided by the Management
60	Hotel Castle View	PLOT NO . 69 & 70, RAJ NAGAR, AGRA, Tora, Uttar Pradesh - 282001	08/09/2022	N.A.	-	-	Hotel closed since Covid in 2020

61	Triveni Green Farm House	No.67, Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 282001	08/09/2022	2 Tubewells	-	-	Other details not provided by the Management
62	Double Tree by Hilton	: B/H-1&2, Taj Nagri Phase 2, Agra, Uttar Pradesh - 282001	09/09/2022	3 Tubewells & abstraction = 14,600 m ³ /year for each tubewell.	Mar-13	N.O.C application Nos. AGRA0722RBU0016, AGRA0722RBU0017 & AGRA0722RBU0018 dated 19/07/2022 given	<ul style="list-style-type: none"> STP of 40 KLD functional. RTRWH of 7,862 m³/year.
63	Laaj Garden	5332+JP2, Unnamed Road, Tajganj, Basai, Uttar Pradesh - 282001	09/09/2022	-	-	-	No information provided by the Management
64	Hotel Aaradhya Residency	Plot No-94, 100 Feet Rd, behind CNG gas station, Taj Nagri Phase 2, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
65	Rama Home Stay	93, Fatehabad Rd, Behind CNG Pump, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
66	Hotel Taj Sojourn	B-80, Sector-B-1 Type – E, behind CNG Pump, Taj Nagri Phase 2, Agra, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
67	Heaven's Garden	Phase-2, Fatehabad Rd, Taj Nagri Phase 1, Basai Khurd, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	-	-	-	No representative available to give information
68	The Crown	A-85 Fatehabad Road near cristal sarover Tajganj, Taj Nagri Phase 2, II, Agra, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management

69	Hotel Gayatri Residency	Plot No: 57, Taj Nagari, Phase 2, Behind Hotel Crystal Sarovar Premium,, Fatehabad Road,, Tajganj, Agra, Uttar Pradesh - 282004	09/09/2022	1Tubewell	-	-	Other details not provided by the Management
70	The Grand Tree	Taj Nagri, Tajganj, Agra – 282001.	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
71	Hotel Taj Sarovar	A-55, Ph.2, Taj Nagari, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	-	-	-	Owner didn't co-operate
72	Hotel Rajni Guest House	Taj Nagari, phase-2, sector -1, Agra, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
73	Courtyard by Marriott	Fatehabad Rd, Taj Nagri Phase 2, li, Agra, Uttar Pradesh - 282001	09/09/2022	2 Tubewells & abstraction = 14,592 & 51,100 m ³ /year	-	U.P.G.W.D Application N.O.C No. AGRA0422RBU0012 & AGRA0422RBU0011 dt. 19/04/2022	<ul style="list-style-type: none"> STP of 200 KLD functional. CTO for Air & Water from UPPCB available. RTRWH of 16,094 m³/year.
74	The Grand Palms	5345+8XV, Tajganj, Basai, Uttar Pradesh - 282001	09/09/2022	2 Tubewells	-	-	Other details not provided by the Management
75	Jay Devi Garden	5355+CVJ, Agra – Bah Rd, Tajganj, Basai, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
76	The Taj Vilas	Fatehabad Rd, Opp. Hotel Trident, Taj Nagari Phase 1, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	2 Tubewells & abstraction = 4,562.50 & 13,651 m ³ /year.	-	U.P.G.W.D N.O.C No. NOC041180 and NOC 041188	Other details not provided by the Management
77	Shiv Sangam Garden	5355+46G, TDI Mall, Opposite TDI Mall, Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
78	The Orchid Farm	5343+Q4J, Unnamed Road, Tajganj, Basai, Uttar Pradesh - 282001	09/09/2022	2 Tubewells	-	-	Other details not provided by the Management

79	Hotel Samovar	1, Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	-	-	-	Hotel under renovation
80	Hotel Apollo	Taj View crossing, 15, 252/1, Fatehabad Rd, Tourist Complex Area, Near Man Singh Palace, Impeypura, Tajganj, Agra, Uttar Pradesh - 282001	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
81	Clark's Shiraz	54, Taj Rd, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	09/09/2022	2 Tubewells	-	-	Other details not provided by the Management
82	Oyo Anand Residency	Hanuman Nagar, Sea TV Road, Maruti Estate Rd, Shahganj, Agra, Uttar Pradesh - 282010	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
83	Hotel Shanti Palace	C-1/19 Karkunj Road Near Kargil Petr Bodla PT DEEN DAYAL UPADHYAY PURAM SEC-13, Uttar Pradesh - 282007	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
84	Hotel Adhiraj Palace	Near Kargil Petrol Pump, Suruchipuram Colony, Sikandra, Agra, Uttar Pradesh - 282007	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
85	Hotel Mohan	12, Sikandra-Bodla Rd, Near Kargil Petrol Pump, sector 9, Avas Vikas Colony, Sikandra, Agra, Uttar Pradesh - 282007	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
86	Hotel TSR	Near Kargil petrol pump, Avas Vikas Colony, Sikandra, Agra.	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management

87	Laxmi Palace	6X23+4MG, Sikandra-Bodla Rd, Friendspuram, Bodla, Sikandra, Agra, Uttar Pradesh - 282001	09/09/2022	2 Tubewells	-	-	Other details not provided by the Management
88	Krishna Palace	Gwalior Rd, near Rohita ki Nahar, Agra, Uttar Pradesh - 282009	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
89	Hotel MS Palace	5XW4+W45, Sector 5, Avas Vikas Colony, Lohamandi, Agra, Uttar Pradesh - 282007	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
90	Hotel Big Bell	Sikandra-Bodla Rd, Sector 5, Avas Vikas Colony, Lohamandi, Agra, Uttar Pradesh - 282007	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
91	Vaishnavi Vatika & Guest House	Paschimpuri, Agra – 282007.	09/09/2022	2 Tubewells	-	-	Other details not provided by the Management
92	Hotel JS Plaza	Pachimpuri road, Eent Ki Mandi Rd, Bodla, Sikandra, Agra, Uttar Pradesh - 282007	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
93	Hotel SR Palace	47, Pashchimpuri Rd, Pushpdeep Enclave, Bodla, Sikandra, Agra, Uttar Pradesh - 282007	09/09/2022	2 Tubewells	-	-	Other details not provided by the Management
94	Harshdeep Guest House	5XW3+R8X, Pashchimpuri Rd, Near Hema Petrol Pump, Bodla, Lohamandi, Agra, Uttar Pradesh - 282007	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
95	Hotel RR Palace	5WHC+2J6, Agra – Bharatpur Rd, Manghatai, Bichpuri, Uttar Pradesh - 283105	09/09/2022	1 Tubewell	-	-	Other details not provided by the Management
96	DR Palace	Agra-Bharathpur road, Bichpuri, Agra.	09/09/2022	2 Tubewells	-	-	Other details not provided by the Management

97	Tirupati Hotel & Banquet Hall	47, Shyam Nagar, Vayu Vihar Rd, adjoining Mohan Garden, Paschim Puri, Sikandra, Agra, Uttar Pradesh - 282007	10/09/2022	1 Tubewell	-	-	Other details not provided by the Management
98	Mohan Garden & Guest House	6W2W+CJH, Infront of mohan garden, Pashchimpuri Rd, Agra, Uttar Pradesh - 282007	10/09/2022	2 Tubewells	-	-	Other details not provided by the Management
99	Hotel Vanya Palace	Marriage Home, Bodla Road Near Mohan Garden, Paschim Puri, Sikandra, Agra, Uttar Pradesh - 282007	10/09/2022	2 Tubewells	-	-	Other details not provided by the Management
100	Shiv Palace	Shri Radhey Vihar Road, Shastri Puram Rd, Paschim Puri, Dahtaura, Shastripuram, Agra, Uttar Pradesh - 282007	10/09/2022	2 Tubewells	-	-	Other details not provided by the Management
101	Hotel La Palace	526Q+9XF, Fatehabad Rd, Tourist Complex Area, Near Mughal Sheraton, Bagichi, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	Hotel closed since 2019
102	Hotel Taj Felicity	Near Hotel BR International, Taj Nagri Phase – 1, Basai Khurd, Tajganj, Agra.	10/09/2022	-	-	-	Hotel closed since Covid in 2020
103	Hotel BR International	Opp. New Akbar international, behind TDI Mall, Taj Nagari Phase 1, Phase 1, Basai Khurd, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
104	Hotel Marc Blu	Taj Mahal, Near Kalakriti Eastern Gate, Shilpgram Rd, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management

105	Hotel Taj Stay	1 km From Taj Mahal, Taj East Gate Rd, Taj Nagari Phase 1, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
106	Hotel The Taj	Fatehabad road, opposite Shree Ji Sweet House, Bansal Nagar, Agra.	10/09/2022	-	-	-	No information provided by the Management
107	Hotel Krishna	Fatehabad Rd, Purani Mandi, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
108	Hotel Taj Allish	18/160-A, Fatehabad Rd, Impeypura, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
109	Hotel Sagar	527Q+G8W, Fatehabad Rd, Near Kailash Cinema, Bansal Nagar, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
110	Hotel Gopal	Fatehabad road, Tajganj, Agra.	10/09/2022	-	-	-	No information provided by the Management
111	Hotel Radhe	15/43, near Sagar hotel, Gummat, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
112	9 Star Hotel	18/159/A/4A-4B, M.P Pura, opposite of Shiv Tea Stall, Purani Mandi, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
113	Hotel M	Near 9 Star Hotel, Purani Mandi, Tajganj, Agra.	10/09/2022	-	-	-	No information provided by the Management
114	Hotel Rudra Vilas	Near Hotel 9 Star Hotel, Purani Mandi, Tajganj, Agra.	10/09/2022	-	-	-	No information provided by the Management

115	Hotel Crystal Inn	KHASRA NO. 785, HOTEL CRYSTAL INN, Fatehabad Rd, behind TDI MALL, Agra, Uttar Pradesh - 282001	10/09/2022	N.A.	-	-	Owner claimed to have Ganga pipeline supply but no proof given.
116	Oyo Hotel Zee	Fatehabad Rd, Bansal Nagar, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
117	Shalya Guest House	527Q+5QC, Fatehabad Rd, Near Kailash Cinema, Impeypura, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	1 Tubewell	-	-	No information provided by the Management
118	Hotel Sitaram	Taj View Crossing, Fatehabad Rd, Impeypura, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	1 Tubewell	-	-	No information provided by the Management
119	Hotel Deepak	15/2K/5, Fatehabad Rd, Near Kailash Cinema, M.P Pura, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	1 Tubewell	-	-	No information provided by the Management
120	Hotel Rosewood	Taj Mahal, near West Gate, Bansal Nagar, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	1 Tubewell	-	-	No information provided by the Management
121	Hotel Jyoti Palace	18/159 A 12B In Front Of Kailash Talkies, Fatehabad Rd, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
122	Hotel Orange	33/110, Mahatma Gandhi Road, Pratappura, Mahatma Gandhi Rd, Pratappura, Katlupur, Rakabganj, Agra, Uttar Pradesh - 282001	10/09/2022	1 Tubewell	-	-	No information provided by the Management

123	Sharma Paying Guest House	5374+X2F, Taj East Gate Rd, Taj Nagari Phase 1, Telipara, Tajganj, Agra, Uttar Pradesh - 282001	10/09/2022	N.A.	1995	-	Copy of Water supply from Agra Development Authority dated 1995 given
124	Hotel Pratiksha Inn	Taj East Gate, Taj Nagri Phase – 1, Agra	10/09/2022	1 Tubewell	-	-	No information provided by the Management
125	Shri Ratan Guest House	52H4+H7G, Mahatma Gandhi Rd, Dhakaran Crossing, Panchkuian, Rakabganj, Agra, Uttar Pradesh - 282010	10/09/2022	1 Tubewell	-	-	No information provided by the Management
126	Hotel R.B. Palace	Shop No.4/11, R.B.Gauri Complex, Kachahri Rd, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	10/09/2022	-	-	-	No information provided by the Management
127	Hotel Chandra Palace	3/281, Mahatma Gandhi Rd, Dhakran Crossing, Panchkuian, Rakabganj, Agra, Uttar Pradesh - 282010	10/09/2022	1 Tubewell	-	-	No information provided by the Management
128	Hotel Moti Palace	Mahatma Gandhi Rd, Dhakran Crossing, Panchkuian, Rakabganj, Agra, Uttar Pradesh - 282010	10/09/2022	-	-	-	No information provided by the Management
129	Hotel Laxmi Palace	13/18, Dhakran, Mahatma Gandhi Rd, Crossing, Agra, Uttar Pradesh - 282002	10/09/2022	-	-	-	No information provided by the Management
130	Shree Ram Guest House	52XH+Q6V, Dhakran Crossing, Panchkuian, Rakabganj, Agra, Uttar Pradesh -	10/09/2022	1 Tubewell	-	-	Other details not provided by the Management
131	Hotel Sai Decora Guest House	69, Mahatma Gandhi Rd, Subhash Park, Panchkuian, Rakabganj, Agra, Uttar Pradesh - 282010	11/09/2022	-	-	-	No information provided by the Management

132	Hotel Ekta Palace	26/ 644 A, M G ROAD, in front of Agra College Ladies Wing, Uttar Pradesh - 282002	11/09/2022	-	-	v	Hotel closed since Covid in 2020
133	Hotel Vrindavan	Agra College Playground, Mahatma Gandhi Rd, Raja ki Mandi, Opp, Agra, Uttar Pradesh - 282002	11/09/2022	2 Tubewells	-	-	Other details not provided by the Management
134	Holiday Inn	Commercial Complex, 16/2/8, Mahatma Gandhi Rd, Sanjay Palace, Sanjay Place, Civil Lines, Agra, Uttar Pradesh - 282002	11/09/2022	N.A.	-	-	<ul style="list-style-type: none"> U.P. Jal Kal bill (Surface water supply) dated 05/07/2022 given. Quantum of RTRWH undisclosed.
135	Hotel Solitaire	Mahatma Gandhi Road Near Hariparvat Police Station Civil Lines, Hariparwat, Crossing, Agra, Uttar Pradesh - 282002	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management
136	Hot Dharamlok	Raja ki Mandi Mahatma Gandhi Road Raja Mandi, Labh Chand Market, Crossing, Agra, Uttar Pradesh - 282002	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management
137	Hotel Vimal Lodge	52H4+V8P, Mahatma Gandhi Rd, Dhakran Crossing, Nai ki Mandi, Rakabganj, Agra, Uttar Pradesh - 282010	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management
138	Hotel Girnar	31/274, M.G.Road, Opposite L.I.C Building, Agra – 282002.	11/09/2022	-	-	-	No information provided by the Management
139	Hotel DC Vilas	30/48A, Chhipitola Rd, Munda para, Rakabganj, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management

140	Hotel Bengal Lodge	52C6+CRQ, Rakabganj, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management
141	Hotel Regency	414, Cantt Rd, Namner, Rakabganj, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management
142	Hotel Kirandeep	384, The Mall Rd, Sadar Bazar, Namner, Rakabganj, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management
143	Hotel Swarajya Palace	2-363A Mall Road, Near, Pratappura Crossing, Namner, Agra, Uttar Pradesh - 282001	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management
144	Aradhya Paying Guest House	Opposite Hotel Kirandeep, Pratappura Crossing, Namner, Agra.	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management
145	Grand Hotel	137, Mall Rd, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management
146	Hotel Sarwan	85/1, Sultanpura, Agra Cantt, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	Owner claimed he had N.O.C from Agra Cantonment board but did not produce a copy
147	Hotel Narayan Palace	392, Krishna Nagar, Sultanpura Station Road, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management
148	Hotel Dinesh	3/29, Mall Rd, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	N.A.	1985	-	R.O. water supply from an agency.
149	Hotel Vijay	88-A, Mall Rd, Sultanpura, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 28200	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management

150	Hotel Byke Ride	276, Mall Rd, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	1 Tubewell	22-07-17	-	Other details not provided by the Management
151	Hotel Prem Sagar	264, The Mall Rd, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management
152	Hotel Kanchan Villa	260, Mall Rd, Opposite Police Station, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management
153	Hotel Ranjit	263, Mall Rd, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	-	-	-	No information provided by the Management
154	Hotel Shri Sai	52, Agra Cantt., Idgah Colony, Agra.	11/09/2022	1 Tubewell	-	-	Other details not provided by the Management
155	Hotel Riya Palace	52 VIP Road, Idgah Bus Stand Road, Idgah Colony, Agra, Uttar Pradesh - 282001	11/09/2022	2 Tubewells	-	-	Other details not provided by the Management
156	Hotel Bawa Palace	51, Idgah Rd, Near Bus Stand, Purani Idgah Colony, Model Town, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
157	Hotel Avalon Taj	53/2, Old Idgah Colony(State Highway 39, Idgah Rd, near Agra Cantt, opposite Axis Bank, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	N.A.	-	-	U.P. Jal Kal Department bill dated 04/01/2021 given

158	Hotel Sheetal	Number – 34 – B, Namner Rd, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	Hotel closed since Covid in 2020
159	Hotel Da Laurette	31, Kishan garh, Idgah road, Agra.	12/09/2022	1 Tubewell	-	-	Other details not provided by the Management
160	Hotel Taj Palace	Idgah Bus Stand Rd, Purani Idgah Colony, Kishan Garh, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	2 Tubewells	-	-	Hotel under renovation
161	Hotel Amar Ashiyana	26, Near Idgah Bus Stand, Purani Idgah Colony, Model Town, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	N.A.	-	-	Owner claims to have Ganga Pipeline (Surface water) supply but no proof given.
162	Hotel Indraprastha Residency	51/1A, Arjun Nagar Rd, Tiraha, East Arjun Nagar, Arjun Nagar, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	Hotel closed Covid in 2020.
163	Krishna Guest House	Kheria Mode Rd, near Anand Inter College, Ayodhya Kunj-A, South Arjun Nagar, Jodha Bai ka Rauza, Arjun Nagar, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
164	Hotel Diamond	Sarai Khawaja Kheria Mode, VIP Rd, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
165	Hotel Moon Star	VIP Rd, Kheria Mode, Saraikhwaja, Arjun Nagar, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
166	Hotel Omega	57/93 A, Sitaram Building Near Agra Cantt, Railway Station, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management

167	Hotel Paarrijat Palace	Kishan Garh, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	N.A.	-	-	Owner claims to have Ganga Pipeline (Surface water) supply but no proof given.
168	Hotel KCR	Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	1 Tubewell	-	-	Hotel under renovation in addition to having Surface water supply from Agra Cantonment board but no proof given.
169	Hotel Prakash	Plot No. 324, Mall Rd, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
170	Hotel Jeet	293, Mall Rd, Sultan Pura, Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
171	Hotel Vishal	Plot No 294, station road Sultan Pura , Agra Cantt agra near railway DRM house, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
172	Hotel Alleviate	6/27/1A, Yamuna Kinara Rd, Belanganj, Mantola, Agra, Uttar Pradesh - 282003	12/09/2022	2 Tubewells	-	-	Other details not provided by the Management
173	Hotel King Park Avenue	City Station Road, opposite B P Oil Mill Ghatia Azam Khan, Uttar Pradesh - 282003	12/09/2022	-	-	-	No information provided by the Management
174	Hotel Blue Palace	Near Bhagwan Talkies, Agra, Uttar Pradesh - -- 282005.	12/09/2022	-	-	-	Hotel closed Covid in 2020
175	Hotel Lotus Deluxe	19, Kripal Colony, Opp. Bhagwan Talkies, Next to Aarti Bar, Bhagwan Talkies X-ing, NH-2,, Agra, Uttar Pradesh - 282005	12/09/2022	-	-	-	No information provided by the Management

176	Hotel Ashadeep	37/1D, Udai Bhawan, 37/1D, Dayal Bagh Rd, Bhagwan Talkies crossing, Nagla Padi, Agra, Uttar Pradesh - 282005	12/09/2022	-	-	-	No information provided by the Management
177	Hotel The Kamta	Bypass Road, Near Bhagwan Talkies Crossing, Nehru Nagar, New Agra Colony, Agra, Uttar Pradesh - 282005	12/09/2022	2 Tubewells	-	-	Hotel closed Covid in 2020
178	Hotel City Inn	36/405-D, Bye Pass Rd Chauraha Dargah Abbulala, Gandhi Nagar, Agra, Uttar Pradesh - 282001	12/09/2022	-	-	-	No information provided by the Management
179	Hotel Ganga Ratan	Bye Pass road Chauraha, Gandhi Nagar, Agra.	12/09/2022	N.A.	-	-	Hotel has Surface water connection from Agra Development Authority but no proof given.
180	Utsav Marriage Lawn	31/408, Bypass Rd, Nagla Chiddha, Kamla Nagar, Agra, Uttar Pradesh - 282005	12/09/2022	-	-	-	No information provided by the Management
181	Sanjay Guest House	Professors Colony, Ghatwasan, Kamla Nagar, Agra, Uttar Pradesh - 282004	13/09/2022	-	-	-	No information provided by the Management
182	Shree Ji Guest House	Professors Colony, Ghatwasan, Kamla Nagar, Agra, Uttar Pradesh - 282004	13/09/2022	-	-	-	No information provided by the Management
183	Hotel Central Grand	F-521/1, Rahul Plaza, Near Pani ki tanki, Kamla Nagar, Agra.	13/09/2022	-	-	-	No information provided by the Management
184	Dauji's Shubh Mangal Banquet	Mangal plaza, near, Pani Ki Tanki Rd, Kaveri Kunj, Kamla Nagar, Agra, Uttar Pradesh - 282005	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management

185	Hotel Park Lane	Central Bank Rd, Ghatwasan, Kamla Nagar, Agra, Uttar Pradesh - 282005	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
186	Hotel Khubsaras Palace	1/83-A, Panchkuiya crossing, Nalband Agra.	13/09/2022	-	2021	-	Owner claimed U.P. Jal Nigam connection available but no proof given.
187	Dayal Lodge and Banquet	25, Dayal Bagh Rd, Nagla Padi, Indra Puri, New Agra Colony, Agra, Uttar Pradesh - 282005	13/09/2022	2 Tubewells	-	-	Other details not provided by the Management
188	Hotel Vijay Vilas	Vijay Market, 36/202, Dayal Bagh Rd, Nagla Padi, Indra Puri, New Agra Colony, Agra, Uttar Pradesh - 282005	13/09/2022	1 Tubewell	-	-	<ul style="list-style-type: none"> Owner claimed that Hotels having water tank of more than 2,000 m³ capacity were eligible for N.O.C as per Hotel & Restaurant association, Agra and he didn't qualify. Other details not provided by the Management.
189	Hotel Usha Kiran	6223+HH4, Mahatma Gandhi Rd, Pratap Pura, Civil Lines, Agra, Uttar Pradesh - 282002	13/09/2022	-	-	-	No information provided by the Management
190	Hotel Vaibhav Palace	Ratan Muni Road Near, Madiya Katra, Alam Ganj, Agra, Uttar Pradesh - 282003	13/09/2022	-	-	-	No information provided by the Management
191	Janaki Garden	YU vihar road, Sucheta, Agra, Uttar Pradesh - - 283105	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
192	Uday Palace	100 feet, Vayu Vihar Rd, Agra, Uttar Pradesh - 283105	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
193	Goga Ji Garden	5WJQ+6VX, Vayu Vihar Pashchim Puri Rd, Nagla Akkhe, Pathauli Village, Agra, Uttar Pradesh - 283105	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management

194	SR Garden	5357+699, Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 282001	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
195	Chiranjiv Seva Sadan	C-2, Alwatiya Rd, Ajam Pada, Balaji Puram, Shahganj, Agra, Uttar Pradesh - 282010	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
196	Hari Om Vatika	5XH8+Q54, Alwatiya Rd, Ajam Pada, Balaji Puram, Shahganj, Agra, Uttar Pradesh - 282010	13/09/2022	2 Tubewells	-	-	Other details not provided by the Management
197	Shanti Vatika Farm House	100 Feet Road, Alwatiya Rd, Maruti Estate, Avadhpuri Colony, Agra, Uttar Pradesh - 282010	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
198	Prem Vatika and Farm House	Deoretha 100 Feet Bypass Rd, Maruti Estate Rd, Albatiya, Avadhpuri Colony, Shahganj, Agra, Uttar Pradesh - 282010	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
199	Raj Garden	Choti, Alwatiya Rd, Maruti Estate, Shahganj, Agra, Uttar Pradesh - 282010	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
200	Navdeep Seva Sadan	100 Feet Bypass Rd, Shiv Vihar Phase 1, MANISH NAGAR, Bodla, AWADHPURI, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
201	Hotel Gwal Palace	Sector 3, Central Park Rd, near Central Bank, Avas Vikas Colony, Lohamandi, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	2014	-	No information provided by the Management

202	Hotel Shivam Inn	Central Park Rd, Sector 3, Avas Vikas Colony, Sikandra, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	U.P.G.W.D N.O.C No. NOC037821	No scope for RTRWH.
203	Hotel MD Grand	Sector - 3, Central Park Rd, near Central Bank, Avas Vikas Colony, Agra, Uttar Pradesh - 282004	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
204	Hotel Devam Inn	5XW6+CVV, Sector 7, Sector 6, Avas Vikas Colony, Lohamandi, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
205	Maa Santoshi Marriage Lawn	9J7H+GJM, Sikandra, Uttar Pradesh - 209125	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
206	Chandra Palace	3/281, Mahatma Gandhi Rd, Dhakran Crossing, Panchkuian, Rakabganj, Agra, Uttar Pradesh - 282010	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
207	Hotel JMS Inn	Tomar Village, Bichpuri Rd, opposite Vasan Factory, Bodla Crossing, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
208	Friends Garden	NH-2, Near Guruka Taal, Agra.	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
209	BD Garden	5WMQ+9Q8, Vayu Vihar Rd, Manghatai, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
210	Radhika Palace	Vayu Vihar Rd, Manghatai, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
211	KR Palace	5WMQ+VQH, Shastripuram, Vayu Vihar Rd, Manghatai, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management

212	Parashar Garden	5WQR+G7P, Vayu Vihar Rd, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
213	Shiv Garden	5WRR+99Q, Babuji Chauraha Rd, Dahtaura, Sikandra, Dehtora, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
214	Ratan Palace	5WRR+85P, Agra, Uttar Pradesh - 282007	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
215	Gokul Palace	Bagh wala Chauraha road, Manghatai, Agra - 282007.	13/09/2022	1 Tubewell	-	-	Other details not provided by the Management
216	Verma Palace	Plot 69 C Sneh Vihar Mauza, Kalwari, Agra, Uttar Pradesh - 282007	14/09/2022		-	-	R.O. Water supply from an agency
217	Shubh Mangalam Palace	3XCP+M6G, Kakua Gwalior Road, Agra, Uttar Pradesh - 282009	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
218	Panchratan Palace	100 Ft, Vayu Vihar Rd, Kalwari, Agra, Uttar Pradesh - 282010	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
219	Radha Mohan Resort	5WJQ+5FJ, Pathauli Village, Agra, Uttar Pradesh - 283105	14/09/2022	2 Tubewells	-	-	Other details not provided by the Management
220	Varun Hotel	Gwalior Road, Kakua, Agra, Uttar Pradesh - 282009	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
221	Kohinoor Guest House	Chhipitola Rd, Chakkipat, Munda para, Rakabganj, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
222	Kohinoor Hotel	Jain Bhawan, Chhipitola road, Agra - 282002.	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
223	Arihant Guest House	25/36A, Jain bhawan, Chhipitola Rd, Chakkipat, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management

224	Prabhat Hotel	52G7+JQC, Munda para, Rakabganj, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
225	Triveni Hotel	Chhipitola road, Chakkipat, Agra.	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
226	Hotel Shiv Kanchan	52G7+JH2, Chhipitola, Rakabganj, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
227	Hotel Sunlight	Hotel sunlight, Chhipitola, Rakabganj, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
228	RG Palace Hotel	25/45, Chhipitola Rd, Chakkipat, Chhipitola, Rakabganj, Agra, Uttar Pradesh - 282003	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
229	Hotel Evergreen	Bus Stand, 53/14 Near Idgah, Kishan Garh, Colony, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
230	Hotel SS Palace	Near, Sikandra- Bodla Rd, Tomb of Akbar The Great Area, Sikandra, Agra, Uttar Pradesh - 282007	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
231	Yash Grand Palace	6W4Q+8PM, Bajrang vihar, near ghoghai, pashchim puri, Sabji Mandi Rd, Agra, Uttar Pradesh - 282007	14/09/2022	2 Tubewells	-	-	Other details not provided by the Management
232	Divya Resorts	6W6Q+53H, Unnamed Road, Lohamandi Bainpur Mustkil, Agra, Uttar Pradesh - 282007	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
233	Radha Farms	42GR+8GV, Kaulakha, Rajrai, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management

234	Man Singh Palace Lawn	MG road 2, Lakhanpur, Shastripuram, Agra, Uttar Pradesh - 282007	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
235	Ganga Garden	5WHC+CP2, NH 11 - NH 2 bypass road, Agra, Uttar Pradesh - 283105	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
236	Jain Smriti Bhawan	250, Ratan Muni Rd, Jaipur House, Hasanpur, Lohamandi, Agra, Uttar Pradesh - 282010	14/09/2022	2 Tubewells	-	-	Other details not provided by the Management
237	Krishna Farm House	6W7J+4F7, Site-C Industrial area, Sikandra, Agra, Uttar Pradesh - 282007	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
238	Rajput Garden	5WJM+PX2, Manghatai, Agra, Uttar Pradesh - 282007	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
239	Uttam Green	6W5Q+2C8, Rishipuram Colony, Lohamandi, Bainpur Mustkil, Uttar Pradesh - 282007	14/09/2022	N.A.	-	-	R.O. water supply from an agency
240	Hotel Shyam	No:30, 111, Bagh Muzaffar Rd, Kidwai Park, Raja ki Mandi, Civil Lines, Agra, Uttar Pradesh - 282002	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
241	Hotel Chandralok	Labh Chand Market, Raja Mandi, Mahatma Gandhi Road, Agra, Uttar Pradesh - 282002	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
242	Hotel Dazzling	Fatehabad Rd, next to Bikanervala, opposite ITC Mughal, Tajganj, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell and Groundwater r abstraction = 700 m ³ /year	-	-	No facility for Rainwater Harvesting
243	Taj Marriage Home	Crossing, Saket Colony, Shahganj, Agra.	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management

244	Umang Marriage Home	57, Fatehabad Rd, Tajganj, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
245	Hotel Golden Bird	A-3, Fatehabad Rd, Taj Nagri Phase 2, Tajganj, Agra, Uttar Pradesh - 282001	14/09/2022	-	-	-	No details provided by the Management
246	Sahil Garden	Maruti Estate Rd, Kala Kunj, Shahganj, Agra, Uttar Pradesh - 282010	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
247	Paradise Mahal	Seth Surajbhan Ki Bagichi, National Highway 2, Sikandra, Near Guru Ka Tal, Agra, Uttar Pradesh - 282007	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
248	Mangalam Vivaah Sthal	5XP8+5R6, Bodla Road, M.G Rd 2, Syam Nagar, Shahganj, Agra, Uttar Pradesh - 282010	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
249	Hotel Shalimar	Chhipitola Rd, Power House, Chhipitola, Chakkipat, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
250	Hotel Shri Ram	52H7+9FJ, Chhipitola, Rakabganj, Agra, Uttar Pradesh - 282003	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
251	Hotel Sudarshan Grand HS	30/6/20-J, Punjab and Sindh bank building, Fatehabad Road, opposite ITC Mughal, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
252	Kishan Guest House	Chhipitola Rd, Opp.Bijilighar Bus Stand, Kajipada, Agra.	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
253	Ch. Biri Singh Marriage Home	62F3+M6J, Sunder Bagh, DayalBagh, Agra, Uttar Pradesh -	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management

254	Laxmi Marriage Home	21, Veer Nagar, Vidya Nagar, DayalBagh, Agra, Uttar Pradesh - 282001	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
255	Kamala Mahal	13/23/2, Nunhai Rd, Peelakhar, T.Y.C. Phase-II, Agra, Uttar Pradesh - 282006	14/09/2022	N.A.	-	-	R.O. water supply from an agency
256	Hari Om Seva Sadan	62J2+72G, 100 Feet Rd, Vaibhav Kunj, DayalBagh, Agra, Uttar Pradesh - 282007	14/09/2022	1 Tubewell	-	-	Other details not provided by the Management
257	Hotel RSG	Swamibagh, DayalBagh, Agra, Uttar Pradesh - 282005	15/09/2022	N.A.	-	-	Owner claims to have Agra Development Authority (Surface water connection) but no proof given.
258	Hotel Taj Way Inn	Taj Way inn Yamuna Kinara Road, Jivan Mandi Road, Krishna Colony, Jeoni Mandi, Civil Lines, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
259	Hotel River View	Yamuna Kinara Rd, Pipal Mandi, hathi ghat, Agra, Uttar Pradesh - 282003	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
260	Hotel Lal's Inn	2, Daresi Rd, opp. HP Petrol Pump, Sita Ram Colony, Pipal Mandi, Mantola, Agra, Uttar Pradesh - 282002	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
261	Hotel Marwadi Bhojanalaya	Daresi number 2, Near agra fort railway station, from platform, Street Number 5, Agra, Uttar Pradesh - 282003	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
262	Hotel Shree Krishna	17/143, Daresi No.2 near Agra fort railway station behind, Rawatpara, Agra, Uttar Pradesh -	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management

263	Hotel Ajay Intentional	No 1, 16/29, Daresi Rd, Sheb Bazar, Mantola, Agra, Uttar Pradesh - 282003	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
264	Hotel Aashiyana	Shilpgram Rd, near Masjid, Taj Nagari Phase 1, Telipara, Tajganj, Agra, Uttar Pradesh - 282006	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
265	Hotel Chanakya	Minto Road, Agra Shamshabad Raja Kherah Marg, near All India Radio Station, Vibhav Nagar, Tajganj, Agra, Uttar Pradesh - 282001	15/09/2022	2 Tubewells	-	-	Other details not provided by the Management
266	Hotel Grace	Mool Chand Market Shaheed Nagar, Agra Shamshabad Raja Kherah Marg, near Upadhyay hospital, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
267	Hotel Siddharth	2/95, Western Gate Taj-Mahal, Tajganj, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
268	Hotel Dazzle	MDR 113W, near Jaggi Nursing Home, Vibhav Nagar, Tajganj, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
269	Hotel Dasaprakash	163A, 18/6, Shamshabad Road, Vibhav Nagar, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
270	Hotel Viren Pacific	Viren 7B, Sector 1, Vibhav Nagar, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
271	Hotel Akbar and Restaurant	Kagarol House, 196 Field Marshal Cariappa Road, near Fort, Nai basti, Rakabganj, Agra, Uttar Pradesh - 282001	15/09/2022	N.A.	-	-	Owner claims to have Agra Development Authority (Surface water connection) but no proof given.

272	Rajwara Marriage Lawn	Rajwada Banquet Hall, Jamuna Kinara Road, Strand Rd, Jeoni Mandi, Civil Lines, Agra, Uttar Pradesh - 282004	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
273	Hotel Jannat	Jivani Mandi Rd, near jeoni, Jeoni Mandi, Civil Lines, Agra, Uttar Pradesh - 282004	15/09/2022	2 Tubewells	-	-	Other details not provided by the Management
274	Hotel Orbit Inn	70 & 71, Gandhi Nagar, NH-2, Agra, Uttar Pradesh - 282002	15/09/2022	2 Tubewells	-	-	Other details not provided by the Management
275	Hotel Shree Residency	Bye Pass Road, adjacent to Shree Talkies, Bhagwan Talkies crossing, Agra, Uttar Pradesh - 282002	15/09/2022	N.A.	-	-	Owner claims to have Agra Development Authority (Surface water connection) but no proof given.
276	Balwant Lodge	36/239, Bypass Rd, behind Bhagwan Talkies, Nehru Nagar, Civil Lines, Agra, Uttar Pradesh - 282002	15/09/2022	2 Tubewells	-	-	Other details not provided by the Management
277	Var Vadhu Krishna Complex	6X74+MG2, K. K. Nagar, Bain Bazar, Sikandra, Agra, Uttar Pradesh - 282007	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
278	Hotel Paradise Mahal	Seth Surajbhan Ki Bagichi, National Highway 2, Sikandra, Near Guru Ka Tal, Agra, Uttar Pradesh - 282007	15/09/2022	2 Tubewells	-	-	Other details not provided by the Management
279	Kusum Garden	6X7C+RHX, Kakrait, Agra, Uttar Pradesh - 282007	15/09/2022	-	-	-	No representative available to give information
280	OK Farm House	Maharishipuram kakretha Behind Amar Ujala Press Sikandara, Agra, Uttar Pradesh - 282007	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
281	LR Farm House	6X89+2PP, Maharishi Puram Colony, Agra, Uttar Pradesh - 282007	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management

282	Mana Madopuram Marriage Home	NH-2, Bye pass road, Agra.	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
283	Chandra Pushp Palace	Plot No. 8B-3A Kailash Vihar, NH 2, By Pass Road, Near St. Conrad College, Agra, Uttar Pradesh - 282007	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
284	Hotel City Square	NH2, Khandari Crossing, Khandari, Agra, Uttar Pradesh - 282005	15/09/2022	N.A.	-	-	Owner claims to have Agra Development Authority (Surface water connection) but no proof given.
285	Vidhika Residency Hotel	Bhagwan Talkies crossing, Nagla Padi, Agra, Uttar Pradesh - 282005	15/09/2022	2 Tubewells	-	-	Other details not provided by the Management
286	Hotel Aashadeep	37/1D, Dayal Bagh Rd, Bhagwan Talkies crossing, Nagla Padi, Agra, Uttar Pradesh - 282005	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
287	Hotel Palm Galaxy	NH-2, Etmadpur, Agra, Uttar Pradesh - 283204	15/09/2022	-	-	-	No information provided by the Management
288	Mayur Tourist complex	526R+27G, Fatehabad Rd, Bagichi, Tajganj, Agra, Uttar Pradesh - 282001	15/09/2022	-	-	-	Hotel closed Covid in 2020
289	Hotel Jodha the Great	NH2, opposite Guru Ka Taal Gurudawara, Transport Nagar, Agra, Uttar Pradesh - 282007	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
290	Madhushree Hotel	Taj Expressway Link Rd, opp. State Bank of India NUNHAI AGRA, Nunihai, Agra, Uttar Pradesh - 282001	15/09/2022	2 Tubewells	-	-	Other details not provided by the Management
291	Lauries Hotel	33/100, Mahatma Gandhi Rd, Pratap Pura, Rakabganj, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management

292	Hotel Lotus Inn	ICICI Bank ATM Building, Lotus Inn HIG1, Taj Nagari Phase - 1, Near Shilpgram Parking, Agra, Uttar Pradesh - 282001	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
293	Hotel Maple Grand	A-15, Tajganj, Fatehabad road, Agra - 282001.	15/09/2022	1 Tubewell	-	-	Other details not provided by the Management
294	Hotel Swaagat	Minto Rd, Rajpur Chungi, Vibhav Nagar, Tajganj, Agra, Uttar Pradesh - 282001	15/09/2022	-	-	-	Hotel closed Covid in 2020
295	Shri Raman Vatika	14, Basant Awas, Mughal Rd, Kamla Nagar, Agra, Uttar Pradesh - 282005	15/09/2022	-	-	-	No representative available to give information
296	Laxmi Vatika	Plot No. 7 Shree Nagar Colony PH-II, Trans Yamuna Colony, Agra, Uttar Pradesh - 282006	15/09/2022	-	-	-	No representative available to give information
297	Moti Mahal Garden	6354+H52, Naveen Galla Mandi Rambagh Firozabad Rd, Mahavir Nagar, Naraich, Agra, Uttar Pradesh - - 282006	16/09/2022	-	-	-	No representative available to give information
298	Shri Durga Saptasati Dharamshala	6358+WM5, Kanpur Rd, T.Y.C. Phase-II, Kuberpur, Uttar Pradesh - 282006	16/09/2022	N.A.	-	-	Tanker supply when required
299	Shri Shiv Shankar Seva Sadan	6352+2QM, Mughal Rd, Lashkarpur, Sri Nagar Colony, Trans Yamuna Colony, Agra, Uttar Pradesh - 282006	16/09/2022	N.A.	-	-	Owner claims to have Agra Development Authority (Surface water connection) but no proof given.
300	Hotel Globe Meridian	Ganesh Singha Rd, Shop No.4/7, Main Crossing, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management

301	Hotel Mis Fila	Building no 4 Miss Filla 9, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
302	Hotel Green Star	13/1 Mauza Tora ,Cycle Track Connected to VIP Road, Fatehabad Rd, Agra, Uttar Pradesh - 282001	16/09/2022	N.A.	-	-	Owner claims to have Agra Development Authority (Surface water connection) but no proof given.
303	Hotel Lawania Vilas	4/29, Kachahri Rd, Main Crossing, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	N.A.	-	-	Owner claims to have Agra Development Authority (Surface water connection) but no proof given.
304	Hotel SD International	Police Chowki Rd, Near Baluganj Crossing, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
305	Hotel Relax	4/229, Hastings Rd, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
306	Hotel Taj Residency	No. 4/453, Police Chowki Rd, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
307	Hotel Viren International	4/144, Gwalior Rd, Near Petrol Pump, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
308	Hotel Sahil	5288+M5H, Ajmeri Rd, Gwalior Road, Near Petrol Pump, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
309	Hotel Maharani Residency	Near Police Chowki, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management

310	DR Residency	4/295, Sadar Bazar road, Near Police Chowki, Agra - 282001.	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
311	Sun Hotel	Plot No. 4/305, Near, Police Chowki Rd, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
312	Hotel Essar Guest House	5292+MWQ, Ajmer Rd, Nagariya, Model Town, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
313	Hotel Tapasya	Near, Sikandra - Bhagwan Talkies Rd, New Agra Colony, Agra, Uttar Pradesh - 282007	16/09/2022	-	-	-	Hotel closed since 2019
314	Ashoka Guest House	Ganesh Singha Rd, Ajmeri Road, Opposite of DIG Police Residence, Shahzadi Mandi, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
315	Hotel Sagun (Samod Inn)	Agra Cantt, Idgah Colony, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
316	Hotel Tourist Guest House	4, Ganesh Singha Rd, 62, Kutchery Rd, opposite District Board, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
317	Taj Deluxe Hotel	4/58, KATCHERY Road, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
318	KD Guest House	4/59, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
319	Sewa Hotel	Baluganj, Rakabganj, Agra - 282001.	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management

320	KGN Hotel	33/65-B, Kachahri Rd, near Petrol Pump, Adarsh Nagar, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
321	Hotel Crown Palace	5297+2QH, Ganesh Singha Rd, Adarsh Nagar, Shahzadi Mandi, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
322	Hotel Jainson Residency	Ganesh Singha Rd, Adarsh Nagar, Shahzadi Mandi, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
323	Hotel Ved	33/65, Kacheri Road, Near Petrol Pump, Baluganj, Shahzadi Mandi, Rakabganj, Agra, Uttar Pradesh - 282001	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
324	Hotel Premanil	17, Bodla Rd, Baghel Market, Sikandra Chauraha, Sikandra, Agra, Uttar Pradesh - 282007	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
325	Hotel Royal Palace	Bodla Rd, Baghel Market, Sikandra Chauraha, Sikandra, Agra, Uttar Pradesh - 282007	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
326	Agra Guest House	6X82+62M, National Highway No.2, Opposite Akbar Tomb, Vijay Market, Sikandra Crossing, Radha Nagar, Sikandra, Agra, Uttar Pradesh - 282007	16/09/2022	1 Tubewell	-	-	Other details not provided by the Management
327	Hotel Sheltear	Near, Sikandra Crossing, Sikandra, Agra, Uttar Pradesh - 282007	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management

328	Madhu Resorts	NH-2, near Mathura Road, Sikandra, Agra, Uttar Pradesh - 282007	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
329	Samadhiya Garden	Shobha Nagar, Foundry Nagar, Agra, Uttar Pradesh - 282006	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
330	Hotel Avexia	DHL building, Block #66 & 73 Delhi Agra Road, next to Kalyan Hyundai, Sikandra, Agra, Uttar Pradesh - 282007	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
331	Dhruv Guest House	Sikandra, Agra, Uttar Pradesh - 282007	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
332	Agarmilan Agra	NH2, near Canara Bank, Sikandra, Agra, Uttar Pradesh - 282007	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
333	Jasoda Guest House	In front of L.I.C Building, Sikandra, Agra - 282007.	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
334	Neerav Prem Vatika	6X76+G5F, Bain Bazar, Maharishi Puram Colony, Agra, Uttar Pradesh - 282007	18/09/2022	N.A.	-	-	Tanker supply when required
335	Astha Vatika	NH2, near Canara Bank, Sikandra, Agra, Uttar Pradesh - 282007	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
336	Basant Garden	7/5, Agra Mathura Road Kailashpuri, Agra, Uttar Pradesh - 282002	18/09/2022	N.A.	-	-	Owner claims to have U.P. Jal Nigam supply but no proof produced
337	Hotel Besant	Nehru Nagar, Civil Lines, Agra - 282003.	18/09/2022	-	-	-	Hotel closed Covid in 2020
338	Devansh Hotel	1/64, Chennai - Delhi Highway, Hariparwat, Professors Colony, Civil Lines, Agra, Uttar Pradesh - 282002	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
339	Govardhan Hotel	1/63, Ajmeri Rd, Delhi Gate Rd, Agra, Uttar Pradesh - 282001	18/09/2022	2 Tubewells	-	-	Other details not provided by the Management

340	Hotel Nuova	Block No. S-23 Wazirpura Road Near St. Patrick's Junior College, Sanjay Place, Agra, Uttar Pradesh - 282002	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
341	Hotel Marina	16/2/8, Commercial Complex, Sanjay Place, M.G. Road , Agra, Uttar Pradesh - - 282002	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
342	Hotel PL Palace	Mahatma Gandhi Rd, in front of Income Tax Office, Sanjay Palace, Sanjay Place, Civil Lines, Agra, Uttar Pradesh - 282002	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
343	Hotel Classic Grand	Opposite Akbar Tomb Parking No.2, Agra - 282002	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
344	Hotel Crystal Palace	Opposite Akbar Tomb Parking No.2, Agra - 282003	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
345	Hotel The KS Royal	Plot No. 617, NH- 2, opposite Akbar Tomb, Sikandra, Agra, Uttar Pradesh - 282007	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
346	Hotel Safari	Devi Memorial Hospital, Minto Road, Shaheed Nagar Rd, Opposite Iswari, Tajganj, Agra, Uttar Pradesh - 282001	18/09/2022	-	-	-	Hotel closed since Covid in 2020
347	D'Seasons Hotel	Durga Maa Complex, D session, near Upadhyay Hospital, Shaheed Nagar, Agra, Uttar Pradesh - 282001	18/09/2022	-	-	-	No information provided by the Management
348	Hotel Sahib's Red Carpet	31/172, Hari Nagar Colony, 1, near Gol Market, Rajpur Chungi, Agra, Uttar Pradesh - 282001	18/09/2022	-	-	-	No information provided by the Management

349	Hotel Osaka Taj	3/49, khandelwal Colony, Pratap Pura, Rakabganj, Agra, Uttar Pradesh - 282001	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
350	Hotel Ratan Palace	New Abadi, Sohallah road, Agra Cantt., Agra - 282001.	18/09/2022	-	-	-	Hotel closed since Covid in 2020
351	Hotel Deviram Palace	3/2, Pratap Pura, Rakabganj, Agra, Uttar Pradesh - 282001	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
352	Hotel Surya Inn	503/2/248, Ajmer Road, Namner Crossing, Ajmer Road,, Agra, Uttar Pradesh - 282001	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
353	Hotel Viren Plaza	1st Floor Maa Vaishno Complex Idgah Bus Stand Road Near Idgah Bus Stand, Nagariya, Agra, Uttar Pradesh - 282001	18/09/2022	1 Tubewell	-	-	Other details not provided by the Management
354	Hotel Sakura	49, Ajmer Rd, Nagariya, Model Town, Idgah Colony, Agra, Uttar Pradesh - 282001	18/09/2022	-	-	-	Hotel closed since Covid in 2020
355	Hotel Atul Palace	Cantt Rd, Namner, Rakabganj, Agra, Uttar Pradesh - 282001	18/09/2022	-	-	-	No information provided by the Management
356	Hotel Harish Palace	2/206, Cantt Rd, Namner, Rakabganj, Agra, Uttar Pradesh - 282001	18/09/2022	-	-	-	No information provided by the Management
357	Hotel Sai President	Mahatma Gandhi Rd, Opposite Hotel, Mohanpura, Dholpur House, Agra, Uttar Pradesh - 282001	18/09/2022	-	-	-	No information provided by the Management
358	Hotel Grand Imperial	20/46, Mahatma Gandhi Rd, Baluganj, Rakabganj, Agra, Uttar Pradesh - 282001	19/09/2022	-	-	-	No information provided by the Management

359	Jatin Garden	100 Feet Rd, Opposite Allahabad Bank, Ram Mohan Vihar, DayalBagh, Agra, Uttar Pradesh - 282005	19/09/2022	1 Tubewell	-	-	Other details not provided by the Management
360	Shri Ram Farmhouse Dayalbagh	313, Poiya Ghat Rd, DayalBagh, Agra, Uttar Pradesh - 282005	19/09/2022	-	-	-	No representative available to give information
361	Sursena Regal Vista	A/C, 1/2 sector A, Fatehabad Rd, Taj Nagri, Phase 2, II, Agra, Uttar Pradesh - 282001	19/09/2022	1 Tubewell	-	-	Other details not provided by the Management
362	Purushottam Bagh	94, PURUSHOTTAM BAGH, DayalBagh, Agra, Uttar Pradesh - 282006	19/09/2022	-	-	-	No representative available to give information
363	Siris 18	C 2/3, Fatehabad Rd, Taj Nagri Phase 2, II, Agra, Uttar Pradesh - 282001	19/09/2022	1 Tubewell	-	-	Other details not provided by the Management

PHOTOGRAPHS OF THE TUBEWELLS IN HOTEL PREMISES DURING THE JOINT INSPECTION



(a) Photograph of Tubewell No.1 at Hotel Clark's Shiraz, Agra.



(b) Photograph of Tubewell No.2 at Hotel Clark's Shiraz, Agra.



(a) Photograph of Tubewell No.1 at Courtyard by Marriott



(b) Photograph of Tubewell No.2 at Courtyard by Marriott

Handwritten signatures and stamps at the bottom right of the page, likely indicating official approval or inspection records.



(a) Photograph of Tubewell No.1 at Double Tree by Hilton



(b) Photograph of Tubewell No.2 at Double Tree by Hilton



(c) Photograph of Tubewell No.3 at Double Tree by Hilton



(a) Photograph of Tubewell No.1 at Hotel Ramada Plaza



(b) Photograph of Tubewell No.1 at Hotel Ramada Plaza



(a) Photograph of Tubewell No.1 at Hotel Taj View – IHCL Selections



(b) Photograph of Tubewell No.2 at Hotel Taj View – IHCL Selections



(c) Photograph of Tubewell No.3 at Hotel Taj View – IHCL Selections

Handwritten signatures and stamps at the bottom right of the page.


19/09/2022
(TEJAS.Y.MANKIKAR)
SCIENTIST-B
(HYDROGEOLOGY)
CENTRAL GROUND
WATER BOARD,
NORTHERN REGION,
LUCKNOW.


(VISHWANATH
SHARMA)
REGIONAL OFFICER,
UTTAR PRADESH -
POLLUTION CONTROL
BOARD, AGRA CIRCLE.


19/9/22
ADDITIONAL DISTRICT
MAGISTRATE (ADM),
CITY (AGRA).


19/09/2022
(TEJAS.Y.MANKIKAR)
SCIENTIST-B
(HYDROGEOLOGY)
CENTRAL GROUND
WATER BOARD,
NORTHERN REGION,
LUCKNOW.


(VISHWANATH
SHARMA)
REGIONAL OFFICER,
UTTAR PRADESH -
POLLUTION CONTROL
BOARD, AGRA CIRCLE.


19/9/22
ADDITIONAL DISTRICT
MAGISTRATE (ADM),
CITY (AGRA).



भारत सरकार
जन शक्ति विभाग
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सैफत-वी, सीतापुर रोड योयाना, अलीगढ़
सबका - 226021
दूरभाष : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD YOYANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022- 727

Dated:

11 9 SEP 2022

To,

The District Magistrate
Meerut

Sub: Remedial action on account of abstracting GW without NOC In compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 29.08.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, it is to inform that joint inspection report of Meerut was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Meerut which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018

(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Meerut for information and necessary action.
5. Nodal Officer, Uttar Pradesh Ground Water Department & Ground Water Regulation and Management, Meerut for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



माननीय मंत्रालय
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सितपुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
E-mail : cgrwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issues Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवान
सेक्टर-बी, सीतापुर रोड योआना, अगारु
लखनऊ - 226001
दूरभाष: (0522)-2363812
ई-मेल: rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD YOIANA, AGARU
LUCKNOW-226 001
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022- 727

Dated:

09 SEP 2022

To,

The District Magistrate
Gautam Buddha Nagar

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 06.09.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, it is to inform that joint inspection report of Gautam Buddha Nagar was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Gautam Buddha Nagar which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018

(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Gautam Buddha Nagar for information and necessary action.
5. Nodal Officer, Minor Irrigation Department & Ground Water Regulation and Management, Gautam Buddha Nagar for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



माननीय मंत्रालय
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सीतापुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : cgrwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issues Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जल वन विभाग
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-बी, सितपुर रोड योजना, अलीगंज
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cdwr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD YOIANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : cdwr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022- 727

Dated:

9 SEP 2022

To,

The District Magistrate
Jhansi

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 12.09.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, it is to inform that joint inspection report of Jhansi was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Jhansi which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018


(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Jhansi for information and necessary action.
5. Nodal Officer, Uttar Pradesh Ground Water Department & Ground Water Regulation and Management, Jhansi for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



संयुक्त सरकार
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सितपुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
E-mail : cgrwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issue Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जल शक्ति विभाग
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, शितापुर रोड योजना, अलीगढ़
लुक्नो-226021
दूरभाष : (0522)-2363812
ई-मेल : cdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YOJANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : cdnr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022- 727

Dated:

To,

The District Magistrate
Gorakhpur

19 SEP 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 19.09.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, It is to inform that joint inspection report of Gorakhpur was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Gorakhpur which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018


(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Gorakhpur for information and necessary action.
5. Nodal Officer, Uttar Pradesh Ground Water Department & Ground Water Regulation and Management, Gorakhpur for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



भारत सरकार
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सीतापुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : cgrwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issues Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जल शक्ति विभाग
केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-बी, सितापुर रोड योझना, अलीगढ़
सम्बन्ध - 226021
दूरभाष : (0522)-2363812
ई-मेल : rdrr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD YOJANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdrr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022- 727

Dated:

19 SEP 2022

To,

The District Magistrate
Kanpur Nagar

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 19.09.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, it is to inform that joint inspection report of Kanpur Nagar was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Kanpur Nagar which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018

Sanjiv
(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Kanpur Nagar for information and necessary action.
5. Nodal Officer, Uttar Pradesh Ground Water Department & Ground Water Regulation and Management, Kanpur Nagar for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



संयुक्त सरकार
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सितपुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : cgrwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issue Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जन शक्ति मंत्रालय
केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
मैक्टर-बी, सीतापुर रोड योआना, अलीगढ़
पिनकोड - 226021
दूरभाष: (0522)-2363812
ई-मेल: rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD YOANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022-

Dated:

2-2 SEP 2022

740

To,

The District Magistrate
Lucknow

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 20.09.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, it is to inform that joint inspection report of Lucknow was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Lucknow which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018

(S.G. Bhattacharya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
5. Nodal Officer, Uttar Pradesh Ground Water Department & Ground Water Regulation and Management, Lucknow for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



माननीय मंत्रालय
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-8, सितपुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-8, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
E-mail : cgrwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issues Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जल शक्ति विभाग
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-बी, सितापुर रोड योआना, अलीगढ़
समूह-226001
दूरभाष : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-B, SITAPUR ROAD YOJANA, ALIGANJ
LUCKNOW-226001
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022-

Dated: 22 SEP 2022

739

To,

The District Magistrate
Varanasi

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 22.09.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, it is to inform that joint inspection report of Varanasi was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Varanasi which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018

(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Varanasi for information and necessary action.
5. Nodal Officer, Uttar Pradesh Ground Water Department & Ground Water Regulation and Management, Varanasi for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



भारत सरकार
जल शक्ति विभाग
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-III, सीतापुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-III, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : cgrwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issue Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN



भारत सरकार
जन शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सैक्टर-8, सितापुर रोड योजना, अलीगंज
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : rdnr-cgwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTION-8, SITAPUR ROAD YOJANA, ALIGANJ
LUCKNOW-226 021
PHONE : (0522)-2363812
e-mail : rdnr-cgwb@nic.in



No. 4(237_NGT)/CGWB/NR/S&I/2022-

Dated:

738

2-2 SEP 2022

To,

The District Magistrate
Agra

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: 1. Joint Inspection Report submitted by e-mail dated 22.09.2022
2. Office letter No. 4(237_NGT)/CGWB/NR/S&I/2022-295 dated 11.04.2022

Sir,

With reference to subject cited above, it is to inform that joint inspection report of Agra was sent to yourself as per Sl. No. 1. Further vide letter dated 11.04.2022, the possible remedial action were also communicated as per Sl. No.2 (copy attached).

It is requested to issue the necessary direction to Nodal Officer of Ground Water Regulation and Management to take the following remedial action as suggested earlier against those hotels, marriage/ banquet halls/ resorts, guest houses in Agra which are abstracting ground water without valid NOC.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery, as per CGWA guidelines notified on dated 24.09.2020 at sl. no. 15.0.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

It is to inform that next date of the above case in Hon'ble NGT is 28.09.2022.

Yours faithfully

Enclosure: 1. Letter dt. 11.04.2022

2. Hon'ble NGT Order dt. 25.08.2022 vide OA No. 438/2018


(S.G. Bhartiya)
Regional Director

Copy to:

1. Additional Chief Secretary, Environment, Forest and Climate Change Department, UP Government for information and necessary action.
2. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
3. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow for information and necessary action.
4. Regional Officer, Uttar Pradesh Pollution Control Board, Agra for information and necessary action.
5. Nodal Officer, Uttar Pradesh Ground Water Department & Ground Water Regulation and Management, Agra for information and necessary action.
6. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
7. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.



भारत सरकार
जल शक्ति मंत्रालय
केंद्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र
भुजल भवन
सेक्टर-III, सीतापुर रोड योडाना, अलीगढ़
लखनऊ - 226021
दूरभाष : (0522)-2363812
ई-मेल : cgrwb@nic.in

GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
CENTRAL GROUND WATER BOARD, NORTHERN REGION
BHUJAL BHAWAN
SECTOR-III, SITAPUR ROAD YODIANA, ALIGAH
LUCKNOW-226 021
PHONE : (0522)-2363812
E-mail : cgrwb@nic.in

75
आज़ादी का
अमृत महोत्सव

No. 4(237_NGT)/CGWB/NR/S&I/2022- 295

Dated:

To,

The District Magistrate

Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi

11 APR 2022

Sub: Remedial action on account of abstracting GW without NOC in compliance of Order passed by Hon'ble NGT, New Delhi on dated 25.02.2022 in OA No. 438 of 2018 Arti vs CGWA & Ors.

Ref: Central Ground Water Authority, New Delhi mail dated 07.04.2022.

Sir,

With reference to subject cited above, it is to inform that possible Remedial Action may be taken against those hotels, marriage/ banquet halls/ resorts, guest houses which are abstracting ground water without valid NOC. In this regard, the direction may kindly be issued to Joint Committee for taking following remedial actions.

1. Tubewell/ Borewell may be sealed if project proponent does not hold a valid NOC.
2. Environmental Compensation may be calculated for illegal withdrawal (after considering the necessary rebate due to the pandemic), with necessary coordination with yourself for its recovery.
3. Operation of tubewell/ borewell only be allowed to operate after obtaining proper NOC.

This issue with the approval of competent authority.

Yours faithfully

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Copy to:

1. Director, Ground Water Department, 9th Floor, Indira Bhawan, Ashok Marg, Lucknow-226001 with request to expedite the process of granting NOC to defaulting units as per guidelines of CGWA. (As observed by NGT, Guidelines of CGWA to prevail over State Act).
2. Regional Officer, Uttar Pradesh Pollution Control Board, Agra/ Bareilly/ Gautam Buddha Nagar/ Ghaziabad/ Gorakhpur/ Jhansi/ Kanpur/ Lucknow/ Meerut/ Varanasi for information and necessary action.
3. Member, Central Ground Water Authority, 18/11 Jamnagar House, Mansingh Road, New Delhi-110011 for information
4. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, NH-IV, Faridabad-121001 for information.

Sanjiv
11/4/22
(S.G. Bhartariya)
Regional Director

Item No. 07

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 438/2018

Arti

Applicant

Versus

Central Ground Water Authority & Ors.

Respondent(s)

Date of hearing: 25.08.2022

**CORAM: HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER****ORDER**

1. This OA 438/2018 (hereinafter referred to as '**OA**') has been filed by one Arti (applicant) raising a complaint that the condition of ground water in District Ghaziabad is very precarious and all the 4 blocks of District Ghaziabad are under over-stressed category; and ground water is depleting very rapidly particularly on account of illegal and unauthorized abstraction by various hotels, marriage halls, party lawns etc. located in District Ghaziabad. Some of such proponents, extracting ground water as per the allegation made by applicant, are impleaded as respondents 5 to 126.

2. The matter proceeded on various dates and thereafter was considered in detail vide order dated 25.02.2022. Tribunal found it appropriate to issue Notices to several private Respondents as stated in para 44 and also directed respondent nos. 1 and 3 i.e. Central Ground Water Authority (hereinafter referred to as '**CGWA**') and Uttar Pradesh Jal

Nigam (hereinafter referred to 'UPJN') to submit further report mentioning as to what further remedial action has been taken on account of violation of environmental laws for abstraction of ground water illegally by the Proponents referred to in para 45 of the said order.

3. We also constituted a joint Committee comprising UPPCB, CGWA and concerned District Magistrates to find out hotels, marriage/banquet halls, resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam Budh Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from competent authority, take remedial action and submit report within one month.

4. The extract of the order dated 25.02.2022 contained in para 44 to 49 is as under:-

"44. We therefore, direct that notice be issued to respondents no. 7, 10, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 42, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 66, 67, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 98, 99, 100, 102, 103, 104, 105, 106, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 121, 122, 123, 124 and 126. Notice be issued by State PCB by an appropriate mode. These respondents may file reply within one month.

45. In para 8(E), 7 respondents' numbers are given i.e., 9 & 96 (repeated), 11 & 91 (repeated), 28, 29, 68, 71 and 125 stating that those units have been closed and in respect to respondent 26, 34, 108 and 116, it is stated that their addresses are not correct. We find that the above information need be rechecked and verified. It must also come on record as to when these units were closed and whether they had been extracted ground water illegally or not.

46. In regard to these respondents, respondent nos. 1 and 3 i.e. CGWA and UPJN shall submit further report which shall also mention as to what further remedial action has been taken on account of the violation of environmental laws in abstraction of ground water illegally by these proponents, within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

47. Considering magnitude of illegal abstraction of ground water and laxity of responsible Regulators if failing to check, similar illegalities in other cities cannot be ruled out. However, considering

manpower constraints of such bodies, we are of the view to proceed first in respect of corporation cities of State of U.P. We, accordingly constitute joint Committees comprising UPPCB, CGWA and concerned District Magistrates and direct to find out hotels, marriage/banquet halls/resorts, guest houses etc. in Lucknow, Kanpur, Agra, Meerut, Gautam buddha Nagar, Bareilly, Varanasi, Jhansi, and Gorakhpur abstracting ground water without NOC from the competent authority, take remedial action and submit report within one month.

48. *List on 04.04.2022.*

49. *A copy of this order be forwarded to CGWA, UPJN, UPPCB and concerned District Magistrates by e-mail for compliance."*

5. Neither State PCB has submitted report with regard to service of Notices upon the respondents mentioned in para 44 nor an action taken report has been filed by CGWA and UP Jal Nigam, nor the joint Committee constituted for submitting its report in respect of various hotels etc. in different Districts has submitted any report till date.

6. Initially, the report was required to be submitted before 04.04.2022 and the matter was directed to be listed on 04.04.2022 but thereafter, it was further adjourned but till date no report has been filed though more than six months have passed. This is a very serious state of affair on the part of these statutory authorities who have been directed by this Tribunal to perform in a particular manner but they have defied the orders of this Tribunal and therefore, this is a fit matter where stern action must be taken against these authorities.

7. However, we are giving one more opportunity, failing which we will be compelled to issue warrants against the concerned authorities.

8. Let Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam shall remain present on the next date to explain us as to why the order dated 25.02.2022 has not been complied with and requisite information has not been submitted.

9. Since, UPPCB and CGWA are also part of the Committee, the officials representing the said bodies shall also explain us as to why the joint Committee report as required to be submitted as per direction contained in para 47 has also not been submitted. It is open to the said respondents to comply order dated 25.02.2022 by the next date, failing which we may take appropriate stringent action in the matter.

List for further consideration on 28.09.2022.

A copy of this order shall be communicated to Member Secretary, UPPCB, Member Secretary, CGWA and Chairman, UP Jal Nigam and to all District Magistrates of the Districts in respect whereof information was required as mentioned in para 47 of the order dated 25.02.2022.

We also direct the Registry to issue notice to the private respondents mentioned in para 44 of the order dated 25.02.2022 so that they may also file their response in this matter.

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

August 25, 2022
Original Application No. 438/2018
SN