



FACTSHEET #1

Emission Intensity Tracking

ON THE ROAD TO

C  **P**

26



DISCUSSION PAPER SERIES

India's Climate
Change Strategy

India's emission intensity commitment under Nationally Determined Contribution (NDC)

To reduce the emission intensity of its Gross Domestic Product (GDP) by 33 to 35 per cent below 2005 levels by 2030

1. The goal of the Paris Agreement (PA) is to limit global warming to well below 2°C, preferably to 1.5°C, compared to pre-industrial levels.
2. India submitted its NDC on 02 November 2016 with a commitment to '*reduce the emission intensity of its GDP by 33 to 35 percent by 2030 from 2005 level*'.
3. Earlier, India had declared a voluntary target of reducing emissions intensity, excluding emissions from the agriculture sector, by 20–25 per cent below 2005 levels by 2020. This was announced in the Indian Parliament on 28 April 2015 by the Union Minister of Environment, Forest and Climate Change.
4. In February 2021, in its Third Biennial Update Report (BUR-3) to the United Nations Framework Convention on Climate Change (UNFCCC), India stated that it had reduced emission intensity of its GDP by 24 per cent between 2005 and 2016. This marks progress compared to its achievement of reducing emission intensity by 21 per cent by 2014, as stated in BUR-2.
5. India will undertake the following mitigation actions to meet its emission intensity reduction targets:
 - a. Increase the share of non-fossil fuels in overall energy mix
 - b. Improve energy efficiency measures
 - c. Increase forest and tree cover to enhance CO₂ removal
6. India aims to achieve 175 GW of renewable energy capacity by 2022. Till 28 February 2021, the country had achieved 94 GW, comprising 25 per cent share in total installed capacity for power generation. If large hydro installed capacity is included (45 GW by February 2021), then India's non-fossil energy capacity is 139 GW—close to 38 per cent of installed capacity. In terms of generation of power, the picture is different as fossil energy continues to dominate.

India is decoupling economic growth from emissions

A reduction of 24 per cent in emission intensity of India's GDP (excluding agriculture emissions) was achieved between 2005 and 2016.

Reduction in emission intensity
2005–2010: 12 per cent
2005–2014: 21 per cent
2005–2016: 24 per cent

Energy intensity, carbon intensity and emission intensity

Energy intensity: Energy intensity is defined as the amount of energy consumed for every unit of GDP. This includes all fuels used in the country. The energy intensity of the economy can be reduced by moving from fossil to non-fossil fuels, adopting energy efficiency measures, employing new and improved technologies, increasing productivity, and shifting overall production from sectors that use a lot of energy (like manufacturing or mineral processing) to others that do not (like services).

As per India Energy Outlook 2021 of the International Energy Agency (IEA)¹, India's GDP has increased six-fold between 1990 and 2019, whereas final consumption of energy has only increased two and half times, indicating rapid improvement in energy intensity in these three decades. This is primarily due to a shift away from biomass as primary fuel in the residential sector, the share of which reduced from 48 per cent (1990) to 18 per cent (2019) due to increase in electrification and liquified petroleum gas (LPG) penetration. The efficiency gains made by shifting from biomass (with very low conversion efficiency of 5–10 per cent) to higher efficiency LPG and electricity are responsible for 60 per cent of the decline in energy intensity during the period. As per analysis given in BUR-2, India's energy intensity (at 2011–12 price level GDP) decreased from 0.2732 Mega Joule per rupee in 2011–12 to 0.2401 in 2016–17, indicating a reduction of more than 12 per cent in a span of five years. The decline is being attributed to the larger share of service sector growth in the country, which has meant that GDP growth has been faster than energy growth.

Carbon intensity: Carbon intensity of the economy is measured as carbon dioxide (CO₂) emissions per unit of GDP. It is dependent on the fuel mix (carbon intensity of the energy sector) and energy intensity. Theoretically, the lowest carbon intensity would be of a country that has the least use of fossil energy in its fuel mix and has the best energy intensity—also dependent on the nature of the economy (service vs manufacturing for instance).

As per India Energy Outlook 2021 of the IEA, India is the third largest global emitter of CO₂, despite low per capita CO₂ emissions. CO₂ contributes more than 78 per cent of India's total GHG emissions (2016), and the energy sector contributes more than 92 per cent of all CO₂ emissions from the country. The

carbon intensity of the Indian power sector in 2020 was 725 gCO₂/kWh. Though this was lesser than 830 gCO₂/kWh during 2012–13², it was still well above the global average of 510 gCO₂/kWh. This points to the dominance of inefficient coal power in India.

As per IEA's Stated Policy Scenario (STEPS), India's per capita CO₂ emissions are low and will remain low, but CO₂ emissions will grow by about 50 per cent by 2040, compared to 2019 levels.

Emission intensity: Emission intensity is defined as the total amount of greenhouse gas emissions emitted for every unit of GDP. Significantly, it counts emissions beyond those related to energy (such as emissions from agriculture), and greenhouse gases beyond carbon dioxide (such as methane). It is different from the energy intensity of the economy, which is how much energy a country uses to generate wealth—measured in terms of its GDP.


In 2009, when the Indian government (under the UPA³ regime) was considering the adoption of an emission intensity target for the country, it had acknowledged the fact that India's economy was becoming less energy intensive—there was a decline of 30 per cent between 1990 to 2005 (annual improvement was 1.7 per cent).

This is also the case worldwide. According to the IEA, the world economy in 2030 will be some 40 per cent larger than today but will use 7 per cent less energy. In its estimation for the net-zero scenario, IEA calculates that a major worldwide push to increase energy efficiency is an essential part of these efforts to bring the annual rate of energy intensity improvements to an average of 4 per cent by 2030—about three times the average rate achieved over the last two decades.⁴

Emission intensity target: On track?

In 2015, the Indian government submitted its first biennial update report (BUR-1) to the UNFCCC.⁵ According to this report, the emission intensity of India's GDP (excluding emission from agricultural sector) had decreased by 12 per cent between 2005 and 2010. The energy intensity of the economy had decreased at an annual rate of over 2.5 per cent between 2005 and 2012. Emission intensity of GDP was 35.14 kg CO₂e / 1000 Rs (at constant 2004–05 prices) in 2005. It declined to 31.01 kg CO₂e / 1000 Rs in 2010.


Graph 1: Time series of India's GHG emission inventory (2000–2014)



Source: Indian BUR-2

In 2018, India submitted BUR-2 to UNFCCC.⁶ India's emission inventory for the year 2014, as calculated in BUR-2, was over 2,607 million tonne CO₂e of GHG, excluding land use, land use change and forestry (LULUCF). LULUCF sector remains a 'sink' in India. If LULUCF is included, the net national emissions reach over 2,306 million tonne CO₂e. The report established that emission intensity of India's GDP had reduced by 21 per cent between 2005–2014.

BUR-3, submitted early 2021, shows India's GHG emissions were 2,839 million tonne CO₂e, without LULUCF.⁷ LULUCF remains a net sink. After inclusion of LULUCF, GHG emissions of the country reached 2,531 million tonne CO₂e.

Graph 2: Sectoral contribution in India's GHG inventory (2016)

Source: Indian BUR-3

Emission inventory

The energy sector's contribution to total GHG emissions of India is the largest (in 2016 its contribution was more than 75 per cent). Agriculture is the second largest contributor with a share of more than 14 per cent. Agriculture emits methane (CH_4) and nitrous oxides (N_2O) and does not have any CO_2 contribution. Industrial Processes and Product Use (IPPU) contributes 8 per cent, in which the contribution of CO_2 is about 73 per cent.


In a sectoral view of the emission inventory during 2005–2016, we can observe that emissions from the energy sector have gained considerable momentum, both in absolute emissions as well as percentage share of overall emissions of India, in spite of electricity growth (CAGR 3.92) being slower than GDP growth (CAGR 8.17 per cent).⁸ This reflects the high percentage of fossil fuels used in electricity generation (as of 2019, 80 per cent of total generation is from coal, gas and oil combustion).⁹ Contribution of the agriculture sector has declined steadily, primarily due to increase in agricultural production due to high yields, improved cropping practices, and better management of livestock. IPPU (industrial sector) maintains a constant share. This implies a steady

Table 1: India's emission inventory 2005–2016 and yearly increments

Sector	Year	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2016
Energy	Total emissions (MtCO ₂ e)	1,275	1,307	1,374	1,398	1,510	1,510	1,675	1,748	1,817	1,910	2,129
	Yearly change		3%	5%	2%	8%	0%	11%	4%	4%	5%	6%
Industrial Processes and Product Use (IPPU)	Total emissions (MtCO ₂ e)	130	136	145	160	165	172	187	203	193	202	226
	Yearly change		5%	7%	10%	3%	4%	9%	9%	-5%	5%	6%
Agriculture	Total emissions (MtCO ₂ e)	368	375	390	378	390	390	411	407	417	417	407
	Yearly change		2%	4%	-3%	3%	0%	5%	-1%	2%	0%	-1%
Waste	Total emissions (MtCO ₂ e)	74	57	66	74	65	65	72	79	83	78	75
	Yearly change		-23%	16%	12%	-12%	0%	11%	10%	5%	-6%	-2%
LULUCF	Total emissions (MtCO ₂ e)	-204	-205	-205	-169	-253	-253	-206	-370	-370	-301	-308
	Yearly change		0%	0%	-18%	50%	0%	-19%	80%	0%	-19%	1%
Total Emission of India	Total emissions (MtCO ₂ e)	1,643	1,671	1,770	1,841	1,877	1,884	2,121	2,068	2,139	2,306	2,531
	Yearly change		2%	6%	4%	2%	0%	13%	-2%	3%	8%	5%

Source: Indian BUR 2 & 3 to UNFCCC

Graph 3: Sectoral contribution in India's GHG inventory (1994–2016)



Source: CSE analysis of GOI data

rise of emissions from the sector in line with the increase in absolute emissions of the country. This reflects the slow progress in reducing emission intensity from hard-to-decarbonize sectors such as iron and steel, and non-metallic industries such as cement, which together contribute more than 62 per cent of the emissions from the industrial sector.¹⁰

Calculating emission intensity


In the data published in BUR-2 and BUR-3, emission intensity has been calculated with GDP in Rs (constant 2011–12 price level).

India's emission intensity in 2005 was 0.0278 kg CO₂e/rupee. It reduced to 0.0219 kg CO₂e/rupee in 2014, and 0.0207 kg CO₂e/rupee in 2016. This equates to 21 per cent reduction of emission intensity by 2014 and 24 per cent by 2016.

CSE's analysis of GHG emission intensity takes emission inventory data from two reputed third-party data sources—the World Resources Institute (WRI-CAIT) and the Potsdam Institute. GDP (2011–12 constant price) data has been sourced from the Ministry of Statistics and Programme Implementation (<http://mospi.nic.in>).

There are differences between the emission intensity reduction rates derived from all three sources, primarily due to difference of GHG emission inventories. However, the rates converge by 2016, indicating improvement in data transparency.

Graph 4: India's emission intensity reduction



Source: CSE analysis

Summary

India's emission intensity, which is a measure of the increased emissions per unit of GDP, has been declining at a rate of 1–2 per cent annually, as per GOI submissions to the UNFCCC.

According to this analysis, India is on track to meet its NDC (33–35 per cent reduction by 2030), which it has defined not in terms of absolute reduction in GHG emissions but in terms of how much it will reduce emissions intensity as it grows economically. Between 2005–2016, emission inventory analysis from three sources—Government of India, WRI-CAIT and Potsdam Institute—shows that India has reduced emission intensity between 24–25 per cent. If the current rate of annual decline is extrapolated by a moderate 1 per cent, India may achieve a reduction between 39–40 per cent below 2005 level by 2030. However, the rate of growth in sectoral emissions is increasing and there could be a situation where the reduction in terms of intensity may start to decline.

References and endnotes

1. Anon 2021. *India Energy Outlook 2021*. World Energy Outlook Special Report, International Energy Agency. Accessed at https://iea.blob.core.windows.net/assets/1de6d91e-e23f-4e02-b1fb-51fdd6283b22/India_Energy_Outlook_2021.pdf
2. Anon 2018. *India Second Biennial Update Report to the United Nations Framework Convention on Climate Change*. Ministry of Environment, Forest and Climate Change, Government of India. Accessed at <https://unfccc.int/sites/default/files/resource/INDIA%20SECOND%20BUR%20High%20Res.pdf>
3. The United Progressive Alliance (UPA) is a coalition of political parties in India formed after the 2004 general election.
4. Anon 2021. *Net Zero by 2050: A Roadmap for the Global Energy Sector*. International Energy Agency. Accessed at <http://www.indiaenvironmentportal.org.in/files/file/NetZeroby2050.pdf>
5. Anon 2015. *India First Biennial Update Report to the United Nations Framework Convention on Climate Change*. Ministry of Environment, Forest and Climate Change, Government of India. Accessed at <https://unfccc.int/resource/docs/natc/indbur1.pdf>
6. Anon 2018. *India Second Biennial Update Report to the United Nations Framework Convention on Climate Change*. Ministry of Environment, Forest and Climate Change, Government of India. Accessed at <https://unfccc.int/sites/default/files/resource/INDIA%20SECOND%20BUR%20High%20Res.pdf>
7. Anon 2021. *India Third Biennial Update Report to The United Nations Framework Convention on Climate Change*. Ministry of Environment, Forest and Climate Change, Government of India. Accessed at https://unfccc.int/sites/default/files/resource/INDIA_%20BUR-3_20.02.2021_High.pdf
8. Anon 2019. *Long term electricity demand forecasting*. Central Electricity Authority, Ministry of Power, Government of India. Accessed at https://cea.nic.in/old/reports/others/planning/pslf/Long_Term_Electricity_Demand_Forecasting_Report.pdf

-
9. Anon 2020. *India 2020 Energy Policy Review*. International Energy Agency. Accessed at https://niti.gov.in/sites/default/files/2020-01/IEA-India%202020-In-depth-EnergyPolicy_0.pdf
 10. V. Gupta, T. Biswas, D. Janakiraman, K. Ganesan 2019. *Greenhouse Gases Emissions of India (subnational estimates): Manufacturing Sector (2005–2015 series)*. GHG Platform India. Accessed at: <http://ghgplatform-india.org/data-andemissions/industry.html>

India is not only on track to meet its Nationally Determined Commitment (to reduce the emission intensity of its GDP by 33 to 35 per cent below 2005 levels by 2030) but may even exceed the commitment and achieve a reduction of 39–40 per cent if the current rate of annual decline is extrapolated by a moderate 1 per cent. However, the rate of growth in sectoral emissions is increasing and there could be a situation where the reduction in terms of intensity may start to decline.



Centre for Science and Environment

41, Tughlakabad Institutional Area, New Delhi 110 062

Phones: 91-11-40616000 Fax: 91-11-29955879

E-mail: subhasish.parida@cseindia.org Website: www.cseindia.org