

BEFORE THE NATIONAL GREEN TRIBUNAL
CENTRAL ZONAL BENCH, BHOPAL
ORIGINAL APPLICATION NO 61/2021 (CZ)

Petitioner

Dr. Sarvam Ritam Khare

Versus

Respondents

State of Madhya Pradesh & Ors

SN	PARTICULARS	ANNEXURE	PAGE NO
1	Action taken by Respondent No. 4, M P Pollution Control Board [MPPCB]		2-3
2	The Copy of letter dated 01.09.2022 of Nagar Palika Parishad, Panna with photographs	R-01	4-14
3	Letter to Nagar Palika Parishad, Panna	<u>R- 02</u>	15-16
4	Copy of letter dated 06.09.2022	<u>R- 03</u>	17
5	Report on Evaluation of Environment Compensation from Jan-2022- June 2022	<u>R- 04</u>	18-20
6	The copy of Notice dated 12.09.2022	<u>R- 05</u>	21-22

Date: 28.09.2022

Place: Bhopal

Submitted by MPPCB:-



Through Counsel

Adv. Parul Bhadoria

BEFORE THE NATIONAL GREEN TRIBUNAL
CENTRAL ZONAL BENCH, BHOPAL
ORIGINAL APPLICATION NO 61/2021 (CZ)

Petitioner

Dr. Sarvam Ritam Khare

Versus

Respondents

State of Madhya Pradesh & Ors

ACTION TAKEN REPORT BY THE RESPONDENT No. 4

M P POLLUTION CONTROL BOARD [MPPCB]

1. That, the instant case has been filled by the applicant alleging discharge of untreated sewage effluent into the Kilkila River by Respondent No. 5, Municipal Corporation, Panna degrading the water quality of the river and adversely affecting the agricultural land and public health.
2. That, the Hon'ble Tribunal vide its order dated 13.07.2021 directed as under :-

“Collector, Panna and State PCB are directed to comply the order and ensure the compliance of the environmental rules and further to ensure that there should not be any discharge of untreated water into the water-bodies and there shall not be any illegal encroachment on the water bodies or on the open public land and in-case, if it is found in violation of environmental rules, immediate necessary action be taken in accordance with law.
3. That, in compliance with order dated 13.07.2022 action has been taken by the Nagar Palika Parishad, Panna. **The copy of Report and Photographs is enclosed herewith as Annexure-1.**
4. That, the Hon'ble Tribunal vide order dated 26.08.2022 directed as under :-

“Madhya Pradesh Pollution Control Board is directed to take necessary actions for imposing and realizing the environmental compensation. As per report submitted by the Madhya Pradesh Pollution Control Board, an amount to the tune of Rs. 228 lakhs up to December, 2021 has been imposed on the violators of norms but the amount of compensation has not been deposited till date. The Pollution Control Board is directed to realize the environmental compensation through the Collector and submit the report.

The calculation and realization of environmental compensation w.e.f. January, 2022 onwards should be immediately acted upon by the Pollution Control Board.”

4. That, in compliance with order dated 26.08.2022, inspection was conducted on 02.09.2022 by the official of Regional Office, Sagar and during inspection it was found that, at present, the waste water of about 10 wards of Panna city is getting into the Kilkila river through the drain and nets have been set up to prevent solid waste from mixing in the river, STP has not been constructed by the Municipal, DPR has been prepared by the municipality and the proposal has been sent to the government.
5. That, Efforts are being made by the MP Pollution Control Board through the Collector, Panna to deposit the imposed compensation amount of Rs 228 Lakh on Nagar Palika Parishad, Panna. **The copy of Letter has been enclosed herewith as Annexure-2.** Thereafter, Assistant Engineer of Municipal Corporation, Panna informed that the matter will be kept in the meeting of Municipal Corporation, Panna in respect to amount of compensation imposed on them. **The Copy of letter dated 06.09.2022 has been enclosed herewith as Annexure-3.**
6. That, in compliance with Hon'ble Tribunal order dated 26.08.2022, the assessment of environment compensation has to be imposed on Nagar Palika Parishad, Panna for non-compliance with MSW Rules 2016 from the month of January 2022 - June 2022 is Rs 99 lakh. **The copy of the inspection report of Nagar Palika Parishad, Panna has been enclosed herewith as Annexure-4.** Notice has been issued against Nagar Palika Parishad, Panna to deposit the environment compensation for non-compliance with MSW Rules 2016 from the month of January 2022 - June 2022 (**Annexure-5**)
5. Hon'ble Tribunal may kindly be pleased to take the aforesaid report on record.

Date: 28.09.2022

Place: Bhopal

Submitted by MPPCB:-



Through Counsel

Adv. Parul Bhadoria

कार्यालय नगर पालिका परिषद पन्ना, जिला पन्ना (म0प्र0)

क्रमांक / 2562 / न.पा.प. / 2022

पन्ना, दिनांक 11/9/22

प्रति,

क्षेत्रीय अधिकारी

म.प्र.प्रदूषण नियंत्रण बोर्ड

सागर म.प्र.

विषय :- माननीय एन.जी.टी.ओ.ए. प्रकरण क. 61/2021 डॉ. श्रवम रितम खरे विरुद्ध मध्यप्रदेश शासन व अन्य में पारित आदेश दिनांक 26.08.2022 एवं 29.09.2021

संदर्भ :- आपका पत्र क्रमांक 883/क्षे.का./प्रनिबो/2022 भोपाल, दिनांक 01.09.2022

उपरोक्त विषयांतर्गत संदर्भित पत्र के माध्यम से प्रकरण क. 61/2021(डॉ. श्रवम रितम खरे विरुद्ध मध्यप्रदेश शासन व अन्य) में माननीय राष्ट्रीय हरित अधिकरण भोपाल बेंच के दिनांक 13.07.2022 पारित आदेश के परिपालन में नगर पालिका पन्ना द्वारा निम्नानुसार कार्यवाहीयां की गई है।

बिन्दु क्रमांक 01. नगर में स्थित (Water Bodies) जलाशय/तालाबों का अतिक्रमण हटाकर मुनारो व पोल स्थापित कर सीमांकन किया गया।

बिन्दु क्रमांक 02. नगर के तालाबों में मिलने वाली सीवरेज/गंदी नालियों का नाला में डायवर्ड किया गया है। जिसमें वर्तमान में किसी भी तालाब में सीवरेज व नालियों का गंदा पानी नहीं जा रहा है।

बिन्दु क्रमांक 03. संयुक्त जाँच दल द्वारा दिनांक 28.09.2022 को नगर पालिका परिषद पन्ना के मुख्य नगर पालिका अधिकारी, सहायक यंत्री, उपयंत्री व प्रदूषण नियंत्रण बोर्ड सागर के रसायनज्ञ श्री आर.बी.यादव द्वारा निरीक्षण किया गया निरीक्षण के दौरान पन्ना शहर के लगभग 10 वार्डों के दूषित जल/मल जो विभिन्न नालों एवं नालियों के माध्यम से किल-किला नदी में मिलते पाया गया, वर्तमान में पाया गया निकाय द्वारा सोलिड वेस्ट को नदी में मिलने से रोकने के लिये जालियों का उपयोग किया जा रहा है। निरीक्षण प्रतिवेदन संलग्न है।

1. पन्ना शहर से उत्पन्न दूषित जल के उपचार हेतु एस.टी.पी.के निर्माण हेतु (ECOENIX DESIGN CONSORTIUM (JV) GURUGRAM) कन्सेलटेन्ट से राशि रु. 2094.94 लाख की डी.पी.आर. तैयार की गई है तथा शहर से उत्पन्न दूषित जल जिन नालों के माध्यम से किल-किला नदी में मिल रहा है उनके निर्माण हेतु राज्य आपदा प्रबंधन मद से 7.00 कि.मी. नाला के निर्माण के लिये राशि रु. 395.00 लाख का प्रस्ताव अलग से शासन को कार्यपालन यंत्री सागर संभाग सागर के पत्र क्रमांक/या.प्र./2021/1164 सागर दिनांक 05.07.2021 से अनुशंसा सहित शासन को भेजा गया है। एस.टी.पी. निर्माण हेतु स्वीकृति मिलने पर आगामी कार्यवाही की जावेगी।

- संलग्न:- 1. उपरोक्तानुसार
2. फोटोग्राफ
3. सीमांकन के आदेश की प्रति


मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद
पन्ना (म0प्र0)

क्रमांक / 2562 / न.पा.प. / 2022

पन्ना, दिनांक 1/9/22

प्रतिलिपि:-

01. माननीय सदस्य सचिव महोदय, मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड को सूचनार्थ सम्प्रेषित।
02. माननीय, कलेक्टर महोदय पन्ना की ओर सादर सम्प्रेषित।


मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद
पन्ना (म0प्र0)

निरीक्षण - प्रतिवेदन

माननीय राष्ट्रीय हरित अधिकरण, भोपाल बैठक प्रचलित प्रकरण क्रमांक 61/2021 (डी श्रवण रितम खरे विरुद्ध म.प्र शासन व अन्य) में दिनांक 10.08.2021 के पालनार्थ जानकारी का विवरण।

माननीय राष्ट्रीय हरित अधिकरण, द्वारा पारित आदेश के अनुपालन हेतु कलेक्टर जिला पन्ना द्वारा प्रकरण में जाँच हेतु निम्नानुसार समिति का गठन किया गया।

1. क्षेत्रीय अधिकारी प्रदूषण नियंत्रण बोर्ड सागर।
2. मुख्य नगर पालिका अधिकारी नगर पालिका परिषद पन्ना


उपरोक्त संयुक्त जाँच दल द्वारा दिनांक 28.09.2021 को नगर पालिका परिषद पन्ना के मुख्य नगर पालिका अधिकारी, सहायक यंत्री, उपयंत्री व प्रदूषण नियंत्रण बोर्ड सागर के रसायनज्ञ श्री आर.बी.यादव द्वारा निरीक्षण किया गया निरीक्षण के दौरान पन्ना शहर के लगभग 10 वार्डों के दूषित जल/मल जो विभिन्न नालों एवं नालियों के माध्यम से किल-किला नदी में मिलते पाया गया। वर्तमान में पाया गया निकास द्वारा सॉलिड वेस्ट को नदी में मिलने से रोकने के लिये जालियों का उपयोग किया जा रहा है। निरीक्षण के दौरान लिये गये नालों/नदी के छाया चित्र संलग्न हैं।


जिला प्रशासन/जिला शहरी विकास अभिकरण जिला पन्ना के पत्र क्रमांक 753 दिनांक 29.09.2018 द्वारा मिनी स्मार्ट सिटी योजना अंतर्गत नाला निर्माण एवं सीवेज ट्रीटमेंट प्लांट की विस्तृत योजना तैयार कराने हेतु प्रमुख अभियंता मध्य प्रदेश अर्बन डेवलपमेंट कम्पनी लिमिटेड को लेख किया गया जिसमें विभाग द्वारा दूषित जल/मल को किलकिला नदी में मिलने से पूर्व नाला निर्माण एवं सीवेज ट्रीटमेंट प्लांट की निम्नानुसार विस्तृत योजना तैयार की गई :-


क्र.	कार्य का नाम	लागत (राशि लाख में)
01	RCC नाला निर्माण (रानीगंज से आगरा मोहल्ला, पहाड़ कोठी से आगरा मोहल्ला एवं बड़ा बाजार से आगरा मोहल्ला तक)	215.48
02	नाला से STP चेम्बर तक पाईप लाइन का कार्य	2.13
03	सीवेज ट्रीटमेंट प्लांट (STP) 3.5 MLD का निर्माण कार्य	350.00
04	उपचारित सीवेज के पुनर्उपयोग का कार्य	4.09
	कुल निर्माण लागत	576.56


उपरोक्त विस्तृत योजना के संबंध में म0प्र0 अर्बन डेवलपमेंट कम्पनी द्वारा कार्यवाही नहीं किये जाने के कारण सीवेज ट्रीटमेंट प्लांट एवं नाला निर्माण का कार्य नहीं हो पाया है।

वर्तमान में जल जीवन मिशन अंतर्गत निकायों में Sewage Network, Sewage Treatment Plant (STP) Including Tertiary Treatment की विस्तृत योजना तैयार कराने हेतु संचालनालय नगरीय प्रशासन एवं विकास मध्य प्रदेश भोपाल के पत्र क्र. 2021/11/7831 दिनांक 06.07.2021 द्वारा शासन स्तर से डी.पी.आर तैयार किये जाने हेतु, कन्सलटेन्ट निकाय में नियुक्त किये जाने की कार्यवाही की जा रही है।


रसायनज्ञ
म.प्र. प्रदूषण नियंत्रण बोर्ड
सागर (म0प्र0)


उपयंत्री
नगर पालिका परिषद
पन्ना (म0प्र0)


सहायक यंत्री
नगर पालिका परिषद
पन्ना (म0प्र0)


मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद
पन्ना (म0प्र0)

शासकीय कार्य हेतु

०१०

मध्य प्रदेश सरकार, दिनांक २१ मई २०१८

[भाग ४ (ग)]



प्ररूप-तीन
(नियम ६ देखिये)
सीमांकन दल की रिपोर्ट

संज्ञक-प्रकरण क्रमांक ५३

न्यायालय तहसील दार तहसील पन्ना जिला पन्ना
मध्य प्रदेश

तारीख २८/४/२२ सीमांकन रिपोर्ट

मध्य प्रदेश शासन जल संसाधन विभाग पन्ना

आपके आदेश दिनांक २६/४/२२ के अनुपालन में भूमिस्वामी (लोकपाल सिंह तालाब)
हल्का नम्बर/सेक्टर नम्बर २१ पुरी पोतन दार ग्राम/नगरीय क्षेत्र अर्जी में अवस्थित
सर्वेक्षण संख्यांक/ब्लाक संख्यांक/भू-खण्ड संख्यांक के सीमांकन की रिपोर्ट पटवारी ने
निम्नानुसार प्रस्तुत की है :

- सीमांकन के कियान्वयन की तारीख २८/४/२२
- सीमांकन शुरू होने का समय ९:३० A.M. सीमांकन समाप्त होने का समय १:३० P.M.
- सीमांकन के नोटिस का विवरण हितवद्ध पक्षकारों को दिये

स.क्र.	नाम	नोटिस की तामीली का प्रकार तथा तारीख
(1)	(2)	(3)
१	मध्य प्रदेश शासन जल संसाधन विभाग पन्ना	
२		
३		

- पक्षकारों का विवरण जिन्हें नोटिस तामील नहीं हो सका

स.क्र.	नाम	नोटिस की तामील न होने के कारण
(1)	(2)	(3)
१		
२		

सत्य प्रामाणिक

तहसील दार

पन्ना जिला पन्ना जिला

भाग 2 (ग)

गणतंत्रिय राज्य, दिनांक 21 फरवरी 2018

497

5. सीमांकन के दौरान वर्तमान अधिकारियों तथा पदाधारों के नाम

संक्र	नाम	पदनाम
(1)	(2)	(3)
1	अधीनस्थ	राठनि
2	सुरेश कुमार वर्मा	पटवार
3	सलीम चिन्हा	पटवार
4	मुकुंद सिंह	पटवार
5	समवरण पटेल	पटवार
6	विमल यादव	पटवार
7	इंद्रपाल सिंह	पटवार

6. सौनिमित सीमा चिन्हों का क्रमांक 224 140.805 हे० (लोकपाल स्याहार तावत)

7. भूमि या उसके भाग पर भूमिस्वामी से भिन्न किसी अन्य व्यक्ति के कब्जे का विवरण (रिपोर्ट के साथ नक्शों में लाल स्याही से चिह्नित किया जाए)

संक्र	नाम	क्षेत्रफल (हेक्टेयर में/वर्गमीटर में)	व्यक्ति
(1)	(2)	(3)	(4)
1	आरज़ी नम्वर 224/140.805 हे० के अंश भाग रक्ता		
2	140.805 हे० पर अर्धस्वतंत्रता जमुल हुसैन पिठ सबदल हुसैन का पटवार की खुरी लगाए अर्धस्वतंत्रता जमुल हुसैन		
3			

8. सीमांकन के दौरान उठाई गई आपत्तियों के विवरण तथा उन पर विनिश्चय

संक्र	आपत्तिकर्ता का नाम	संक्षिप्त में आपत्तियाँ	आपत्तियों पर विनिश्चय
(1)	(2)	(3)	(4)
1			
2			
3			

प्रमाणित
मुख्य अधिकारी
गणतंत्रिय राज्य (म.प्र.)

9. पंचनामा में हरताक्षर के द्वारा दर्ज कराये गये क्षेत्रों का विवरण

क्र.सं.	नाम (2)	इन्कार करने का कारण (3)
1		
2		
3		

10. यदि सीमांकन नहीं किया जा सका हो, तो कारण अभिलिखित किये जाए-

11. राज्य निरीक्षक/नगर सर्वेक्षक द्वारा पूर्व सीमांकन से भिन्नता (तरीख) नहीं

12. दल प्रमुख की टिप्पणियां आर.नं. 224 रकबा 140.805 हे. भूमि, अल्ल संसाधन विभाग पन्ना लोकपाल सभाग तालाब के नाम - दर्ज है।

तारीख 28/4/22
नाम पुरुषोत्तम

हरताक्षर 28/4/22
नाम जे.पी. रावत (रा.नि.)
दल प्रमुख तथा दल के अन्य सदस्य

संलग्न :

1. हितवद्ध पक्षकारों पर तामील किए गये नोटिस की प्रतियां
2. बिना तामील हुये नोटिस मूल में (यदि कोई हो)
3. पंचनामा
4. क्षेत्र पुरावा
5. नक्शा

532
25/7/2022
25/7/2022
25/7/2022
25/7/2022

नगरपालिका को सौंपा गया है।
हरिताक्षर द्वारा

सत्य प्रताप

कार्यालय राजस्व निरीक्षक पन्ना, तहसील पन्ना जिला पन्ना (म०प्र०)

क्र० / रा०निरी०/2021/पन्ना

दिनांक : 26/4/22

प्रति,

मन्त्र शासन लोकपाल सागर तालाब-

1. पिता तहसील पन्ना जिला पन्ना (म०प्र०)

2. पिता

निवासी ग्राम तहसील पन्ना

जिला पन्ना (म०प्र०)

.....आवेदकगण

बनाम

1. मन्त्र शासन लोकपाल सागर तालाब निवासी

2. पिता निवासी

3. पिता निवासी

4. पिता निवासी

5. पिता निवासी

तहसील पन्ना जिला पन्ना (म०प्र०)

.....अनावेदकगण

विषय :- सीमांकन हेतु सूचना पत्र।

संदर्भ :- श्रीमान् तहसीलदार महोदय, तहसील पन्ना के पत्र क्रमांक/ — / प्रवा०/21/पन्ना/दि० 26/4/22 एवं अनु० अधि० महोदय (रा०) पन्ना के पत्र क्र०/ / सी०/पन्ना/दि० के फालन में।

आवेदक

मन्त्र शासन लोकपाल सागर तालाब

द्वारा ग्राम तहसील पन्ना जिला पन्ना (म०प्र०) की आ०नं०

224 रक्बा 140.805 हे०

रकबा क्रमशः

जो आवेदक के नाम दर्ज है, के द्वारा म०प्र० भू-राजस्व संहिता 1959 की धारा 129 के अन्तर्गत सीमांकन हेतु आवेदन पत्र श्रीमान् तहसीलदार महोदय, तहसील कार्यालय पन्ना में प्रस्तुत किया गया है। जिसका सीमांकन कार्य स्थल पर जरीब/ए०टी०ए० मशीन के द्वारा किया जाना है।

अतः आप समस्त अनावेदकगण एवं ग्रामवासियों को सूचित किया जाता है, कि दिनांक 26/4/22 को आवेदित भूमि का सीमांकन किया जाना है। जिससे आप मौके पर सीमांकन के समय उपस्थित रहें एवं सीमांकन में आपत्ति होने पर समक्ष में ही आपत्ति पेश करें। सीमांकन उपरान्त की गई आपत्ति मान्य नहीं की जावेगी।

तत्त्व प्रातोलो

तहसीलदार

तहसील पन्ना जिला पन्ना (म०प्र०)

मन्त्र शासन लोकपाल सागर तालाब

जिला पन्ना (म०प्र०)

पि.प.प.प.

आज दिनांक 28/4/2022 को तहसीलदार महोदय
तहसील पन्ना के अदेश दिनांक 25/4/2022 के अदेशानुसार
अस संसाधन विभाग पन्ना एवं राजन्व रीम राता
लोकाय सगा तालाब का सीमांकन मॉफा स्थल पर
उपस्थित ने 224 रकबा 140.805 हे. ^{व 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233} स्थित ग्राम पुनः प्रशासन
का किया गया। सीमांकन मुक्त दिनों के अभाव
मात्रा दिव्य गया। सीमांकन के लक्षण जल संसाधन
विभाग की ओर से सी. देवी नंदन शर्मा स्वतंत्र निमित्त
उपस्थित है। सीमांकन पर स्थापित चक्रा 75 नाए जगा
सीमांकन समझाते गये। अदेश दिनांक 28/4/2022 224 रकबा 140.805 हे.
के अंश भाग रकबा 1.050 हे. पर चक्रा की बखरी (बोर्डिंग) बना-
का अंश भाग रकबा 8 रकबा 3.0 हे. सवदल हुसेन नि. एस. एस.
राज पन्ना, क. पाना गया।

मौके पर स्थल-पंचायत तहसील दिनांक 28/4/22

28/4/22
28/4/22

28/4/2022

28/4/22

28/4/22

28/4/2022

28/4/2022

नीलू सिंह

(लोकाय)

सत्य प्रतिलिपि

तहसीलदार







स्मरण पत्र

क्षेत्रीय कार्यालय, म.प्र.प्रदूषण नियंत्रण बोर्ड

दीन दयाल नगर, हाऊसिंग बोर्ड कॉलोनी, सागर

Telefax-07582-299162, E-mail-romppcb_sagar@rediffmail.com

कमांक
प्रति,

/क्षे.का./प्रनिबो/2022

सागर, दिनांक / /22

मुख्य नगर पालिका अधिकारी,
नगर पालिका परिषद,
पन्ना।

विषय :- माननीय राष्ट्रीय हरित अधिकरण, भोपाल बेंच द्वारा पारित आदेश के अनुपालन बावत्।

सन्दर्भ:- 1. माननीय राष्ट्रीय हरित अधिकरण, भोपाल बेंच के प्रकरण क. 61/2021 में दिनांक 26.08.2022 को पारित आदेश।
2. इस कार्यालय का पत्र क. 671 दिनांक 01.07.2022

उपरोक्त विषयान्तर्गत एवं सन्दर्भित पत्रों के परिप्रेक्ष्य में लेख है कि माननीय राष्ट्रीय हरित अधिकरण, भोपाल बेंच के प्रकरण क. 61/2021 (डॉ. श्रवम रितम खरे विरुद्ध मध्यप्रदेश शासन व अन्य) में दिनांक 26.08.2022 को पारित आदेश की प्रति अवलोकन एवं आवश्यक कार्यवाही हेतु संलग्न है। कृपया पूर्व में बोर्ड मुख्यालय के पत्र क. 795 दि. 11.03.2022 द्वारा अधिरोपित की गई पर्यावरणीय क्षतिपूर्ति के जमा करने के संबंध में अद्यतन स्थिति से अवगत कराते हुए पन्ना शहर से उत्पन्न दूषित जल के उपचार हेतु किलकिला नदी में मिलने के पूर्व स्थल पर प्रस्तावित एसटीपी की स्थापना संबंधी वर्तमान तक की गई कार्यवाही की जानकारी अतिशीघ्र उपलब्ध कराये ताकि माननीय न्यायालय के समक्ष समय-सीमा में एक्शन टेकन रिपोर्ट प्रस्तुत की जा सके।

विदित हो कि प्रकरण में आगामी तिथि 09.09.2022 नियत है।


क्षेत्रीय अधिकारी, सागर

पृ.क. 884 /क्षे.का./प्रनिबो/2022

सागर, दिनांक 01/9 /22

प्रतिलिपि:-

1. श्रीमान कलेक्टर जिला-पन्ना की ओर कृपया सूचनार्थ एवं निर्देशार्थ प्रेषित है।
2. विधि अधिकारी, म.प्र.प्रदूषण नियंत्रण बोर्ड भोपाल की ओर कृपया सूचनार्थ प्रेषित।



क्षेत्रीय अधिकारी, सागर

स्मरण पत्र**क्षेत्रीय कार्यालय, म.प्र.प्रदूषण नियंत्रण बोर्ड****दीन दयाल नगर, हाऊसिंग बोर्ड कॉलोनी, सागर**

Telefax-07582-299162, E-mail-romppcb_sagar@rediffmail.com

कमांक 671 / क्षे.का. / प्रनिबो / 2022

सागर, दिनांक 01/07/22

प्रति,

**मुख्य नगर पालिका अधिकारी,
नगर पालिका परिषद,
पन्ना।**

विषय :- माननीय राष्ट्रीय हरित अधिकरण, भोपाल बेंच के प्रकरण क. 61/2021 (डॉ. श्रवम रितम खरे विरुद्ध मध्यप्रदेश शासन व अन्य)

सन्दर्भ:- 1. बोर्ड मुख्यालय का पत्र क. 795 दिनांक 11.03.2022
2. माननीय एनजीटी द्वारा पारित आदेश दिनांक 17.05.2022
3. इस कार्यालय का पत्र क. 548 दि. 01.06.2022

उपरोक्त विषयान्तर्गत एवं सन्दर्भित पत्रों के परिप्रेक्ष्य में लेख है कि माननीय राष्ट्रीय हरित अधिकरण, भोपाल बेंच के प्रकरण क. 61/2021 (डॉ. श्रवम रितम खरे विरुद्ध मध्यप्रदेश शासन व अन्य) में दिनांक 17.05.2022 को पारित आदेश की प्रति अवलोकन/कार्यवाही हेतु इस कार्यालय के सन्दर्भित पत्र क. 3 में माध्यम से आपको प्रेषित की गई थी। कृपया बोर्ड मुख्यालय के पत्र क. 795 दि. 11.03.2022 द्वारा अधिरोपित की गई पर्यावरणीय क्षतिपूर्ति के जमा करने के संबंध में अद्यतन स्थिति से अवगत कराते हुए पन्ना शहर से उत्पन्न दूषित जल के उपचार हेतु किलकिला नदी में मिलने के पूर्व स्थल पर प्रस्तावित एसटीपी की स्थापना संबंधी वर्तमान तक की गई कार्यवाही की जानकारी अतिशीघ्र उपलब्ध करायें ताकि माननीय न्यायालय के समक्ष समय-सीमा में एक्शन टेकन रिपोर्ट प्रस्तुत की जा सके।

विदित हो कि प्रकरण में आगामी तिथि 13.07.2022 नियत है।

(व्ही.एस.राय)

क्षेत्रीय अधिकारी, सागर

पृ.क. 672 / क्षे.का. / प्रनिबो / 2022
प्रतिलिपि:-

सागर, दिनांक 01/07/22

1. श्रीमान कलेक्टर जिला-पन्ना की ओर कृपया सूचनार्थ एवं निर्देशार्थ प्रेषित है।
2. श्री सुधीर श्रीवास्तव, विधि अधिकारी, म.प्र.प्रदूषण नियंत्रण बोर्ड भोपाल की ओर कृपया सूचनार्थ प्रेषित।

(व्ही.एस.राय)

क्षेत्रीय अधिकारी, सागर

कार्यालय नगर पालिका परिषद पन्ना, जिला पन्ना (म0प्र0)

क्रमांक / 2602 / न.पा.प. / 2022

पन्ना, दिनांक 06/09/2022

प्रति,


क्षेत्रीय अधिकारी
क्षेत्रीय कार्यालय,
म.प्र.प्रदूषण नियंत्रण बोर्ड
सागर म.प्र.

विषय :- माननीय राष्ट्रीय हरित अधिकरण भोपाल के प्रकरण क. 61/2021 डॉ. श्रवम रितम खरे विरुद्ध मध्यप्रदेश शासन व अन्य के संबंध में।

संदर्भ:- अपका पत्र क्रमांक 883/क्षे.का./प्रनिबो/2022 सागर दिनांक 01.09.2022

उपरोक्त विषयांतर्गत संदर्भित पत्र के तारतम्य में लेख है कि माननीय राष्ट्रीय हरित अधिकरण भोपाल के प्रकरण क. 61/2021(डॉ. श्रवम रितम खरे विरुद्ध मध्यप्रदेश शासन व अन्य) के संबंध में माननीय न्यायालय के आदेश दिनांक 26.08.2022 द्वारा क्षतिपूर्ति की राशि 228.00लाख की लगाई गई है। माननीय न्यायालय द्वारा लगाई गई क्षतिपूर्ति के संबंध में प्रकरण परिषद की आगामी बैठक में रखा जावेगा।

परिषद निर्णय उपरान्त कार्यवाही की जावेगी।


मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद
पन्ना (म0प्र0)

Inspection Report By Regional Office Sagar

(Jan 2022 to June 2022)

- **Name of ULB / Cantonment Board** - Nagar Palika Parishad, Panna
- **Population** - 50820
- **Name, Designation & Address of Incharge of ULB / Cantt. Board** - Basant Chaturvedi, CMO
- **Name, Designation & Address of Incharge of Facility / Cantt. Board** -
- **Name & Designation of ULB / Cantt. Board officer present during inspection** - Suresh Shahu, AE

Part A - Compliance status of MSW Rules 2016 - Rule (22) from Serial No. 1 – 10

S. No.	Description	Compliance Status	
		Yes	No
1	Identification of suitable sites for setting up solid waste processing facilities	Yes	
2	Identification of suitable sites for setting up common regional sanitary landfill facilities for suitable clusters of local authorities under 0.5 million population and for setting up common regional sanitary landfill facilities or stand alone sanitary landfill facilities by all local authorities having a population of 0.5 million more.		No
3	Procurement of suitable sites for setting up solid waste processing facility and sanitary landfill facilities.	Yes	
4	Enforcing waste generations to practice segregation of bio degradable, recyclable, combustible, sanitary waste domestic hazardous and inert solid wastes at source,	Yes	
5	Ensure door to door collection of segregated waste and its transportation in covered vehicles to processing or disposal facilities.	Yes	
6	Ensure separate storage, collection and transportation of construction and demolition wastes	Yes	
7	Setting up solid waste processing facilities by all local bodies having 100000 or more population	NA	
8	Setting up solid waste processing facilities by local bodies and census towns below 100000 population.	Yes	
9	Setting up common or stand alone sanitary landfills by or for all local bodies having 0.5 million or more population for the disposal of only such residual wastes from the processing facilities as well as untreatable inert wastes as permitted under the Rules		No
10.	Setting up common of regional sanitary landfills by all local bodies and census towns under 0.5 million population for the disposal of permitted waste under the rules		No

Part B - Remediation of legacy waste	
(i) Number of Dump sites containing legacy waste existing in ULB as on 1-1-22	Nil
(ii) Location of each Dumpsite	NA
(ii) Quantity of legacy waste deposited in each dump site (MT)	NA
(iv) Status of remediation completed in each dump sites between 1-1-22 and 30-06-22 (<i>Provide completion Date for each site</i>)	NA

Part C- In-situ-phytoremediation / bio-remediation of drains

S. No.	Description	Information to be provided by Regional Officer
(i)	Number of Drains meeting water bodies (Name of drains/Nallah if any)	01 Nallah
(ii)	In-situ-bio-remediation system required on drains (Please provide Nos.)	Nil
(iii)	Drains where in-situ-bioremediation have been started till 31.12.21 (Please provide Nos.)	No
(iv)	Remaining Drains where in-situ-bioremediation had not been started till 31.12.21 (Please provide Nos.) (ii minus iii)	No
(v)	Drains on which in-situ-bioremediation started between 1-1-22 and 30-06-22 (<i>Provide commencement Date for each drain</i>)	No
(v)	Drains where in-situ-bioremediation have not been started by 30.06.22 (Please provide Nos.)	01

Part D-Status of STPs

S. No.	Description	Information to be provided by Regional Officer (<i>Provide numbers and capacities in MLD of each one</i>)
(i)	Number of STPs required in the ULB / Cantt. Board	01
(ii)	Number of STPs operationalised till 31.12.21	Nil
(iii)	Remaining STPs for construction/ operationalization as on 31-12-21 (i minus ii)	01
(iv)	No of STPs which are operationalised between 01.01.22 to 30.06.22 (<i>Provide commencement Date for each STP & its capacity</i>)	Nil
(v)	Number of STPs remaining which are yet to be constructed/operationalised in ULB after 30.06.22 (iii minus iv)	01

Urban Local Body – Nagar Paliak Parishad, Panna

Total Environmental Compensation on ULB (To be calculated from Jan 2022 to June 2022)

S. No.	Description	Amount in Lakh
A	Non Compliance of MSW Rules 2016 - Rule (22) from serial No. 1-10 (Compensation as per part A of Annex. I as per ULB population)	-
B	(i) Remediation of entire Legacy Waste dump site(s) from ULB not been completed till 30-06-22 (Compensation as per part B of Annex. I as per ULB population for 6 months)	(i) -
	OR (ii) Remediation of entire Legacy Waste dump site(s) from ULB completed between 01.01.22- 30-06-22 (Compensation as per part B of Annex. I as per ULB population <u>to be calculated for the period of non compliance in months</u>)	(iii) -
C	(i) In-situ-bio-remediation – of the drains where in situ-bio-remediation have not been started by 30.06.22 (Compensation as per part C of Annex. I @ Rs. 5 lakh/drain/month for 6 months)	(i) 1 x 5 x 6 = Rs. 30.00
	AND (ii) In-situ-bio-remediation – of the drains where in situ-bio-remediation have been started between 01.01.22 to 30.06.22 (Compensation as per part C of Annex. I @ Rs. 5 lakh/drain/month <u>to be calculated for the period of non compliance in months for each drain</u>)	(ii) -
		TOTAL: - Rs. 30.00
D	(i) Non constructed/non operationalised STPs by 30.06.22 (Compensation as per part D of Annex. I @ Rs. 10 Lakhs/STP/Month for 6 months)	(i) 10 x 6 = Rs. 60.00
	AND (ii) Operationalisation of STPs between 1.1.22 to 30.06.22 (Compensation as per part D of Annex. I @ Rs. 10 Lakhs/STP/Month <u>to be calculated for the period of non compliance in months for each STP</u>)	(iii) -
		TOTAL: Rs. 60.00
GRAND TOTAL COMPENSATION:		Rs. 90.00 Lakh

Date of Inspection: - 02.09.2022

Name & Signature of Inspecting Officer :- Ram Bahor Yadav, Chemist

I hereby approve the above said facts of the inspection report.


 Regional Officer
 (Name & Signature with seal)



No. 3594 MSW/HOPCB/2022

Bhopal, Date: 12 SEP 2022

To,

The Chief Municipal Officer,
Nagar Palika Parishad, Panna,
Distt.- Panna (M.P.)

Sub: Execution of the directions passed by Hon'ble National Green Tribunal dated 26/08/2022 in O.A. 61/2021 (CZ) Dr. Sarvam Ritam Khare Vs. State of MP & Ors for imposing Environment Compensation.

Ref: 1. NGT order dt. 26/08/2022 in O.A. 61/2021 (CZ) Dr. Sarvam Ritam Khare Vs. State of MP & Ors
2. NGT orders dated 28/01/2022, 25.02.2020, 28.02.2020 & 14.12.2020 in OA No. 606/2018 "Compliance of Municipal Solid Waste Management rules, 2016"
3. This office letter No. 174/MSW/HOPCB/2021 Bhopal Dated 24/12/2021 & 795 dt. 11/03/2022

WHEREAS MP Pollution Control Board (MPPCB) is a statutory body constituted under section 4 of the Water (Prevention & Control of Pollution) Act, 1974 and has been entrusted with the responsibilities of enforcement of the Environment Laws in the State.

WHEREAS, the power to issue directions under section-5 of the Environment (Protection) Act, 1986 has been delegated to the Chairman, MPPCB vide notification dated 10.04.2001.

WHEREAS, you are the Nagar Palika Parishad and it is the mandatory duty of Urban Local Bodies/ Cantonment Board to comply with the Solid Waste Management Rules, 2016, as well as management & treatment of sewage of the town & to protect the natural water bodies from pollution.

WHEREAS, you have not obtained authorization as per the provision of Solid Waste Management Rules, 2016 from the MPPCB.

WHEREAS, in OA No. 606/2018, "Compliance of Solid Waste Management Rules, 2016 and other environment issues", Hon'ble National Green Tribunal, Principal Bench, New Delhi has directed on 17/01/2020 & 25/02/2020 that -

1. After 31.03.2020 failure to comply with Rule 22 of SWM Rules, from Serial No. 1 to 10, every local body shall be liable to pay compensation at the rate of Rs. 10 Lakh per month per local body for population of above 10 lakhs, Rs. 5 lakh per month per local body for population between 5 lakhs and 10 lakhs and Rs. 1 lakh per month for other local body from 01.04.2020 till compliance.
2. Continued failure of every local body on the subject of commencing the work of legacy waste sites remediation from 01.04.2020 till compliance will result in liability to pay compensation at the rate of Rs. 10 lakh per month per local body for population of above 10 lakhs, Rs. 5 lakh per month per local body for population between 5 lakhs and 10 lakhs and Rs. 1 lakh per month for other local body.
3. Interim measures for phytoremediation/bioremediation etc. in respect of 100% sewage to reduce the pollution load on recipient water bodies shall be undertaken by 31.03.2020. Compensation is payable for failure to do so at the rate of Rs. 5 lakh per month per drain by concerned local bodies/states (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2020.
4. Commissioning of STPs by 31.03.2021-Compensation is payable for failure to do so at the rate of Rs. 10 lakh per month per STP by concerned Local Bodies/States (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2021.


MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL - 462 016

{0755} 2464428, 2466191 Fax : {0755} 2463742 e-mail: mswmppcb18@gmail.com

WHEREAS, NGT vide its order dated 14/12/2020 has extended the time line for levy of compensation from 01/04/2020 to 01/07/2020

WHEREAS, State PCB has been directed by NGT vide order dated 28.02.2020 to assess and recover the amount of compensation liable to be paid by the Urban Local Bodies on the basis of above criteria.

WHEREAS, MPPCB vide this office letter No. 174 dt. 24/12/2021 has already directed you to pay Environment Compensation of Rs.66.00 Lakhs for period of violation from 01.07.2020 to 31.12.2020 & vide letter No795 dt. 11/03/2022 to pay *Environment Compensation of Rs.66.00 Lakh for period of violation from 01/01/2021 to 30/06/2021 & Rs. 96.00 Lakh for period of violation from 01/07/2021 to 31/12/2021.*

WHEREAS, you have not deposited the said amount of environmental compensation till date.

WHEREAS, Hon'ble NGT has directed to MPPCB in order dated 26/08/2022 in OA .No. 61/2021 (CZ) to realised pending environmental compensation through the Collector Panna & Submit the report. The letter is issued by MPPCB vide letter no 3347 dated 30/08/2022 to district Collector Panna to comply the direction of Hon'ble NGT.

WHEREAS, Hon'ble NGT has directed to MPPCB to calculate & realise environmental Compensation for non Compliance w.e.f. **01/01/2022 to 30/06/2022.**

WHEREAS, as per inspection dated 02/09/2022 carried out by Regional Office, MPPCB, Sagar, it is observed that you have not complied with the tasks & timelines given by the Hon'ble NGT for period **01.01.2022 to 30.06.2022** as per details given below :-

NON COMPLIANCE									
ULB Name	District	Rule 22of SWM Rules 2016		Legacy Waste disposal Compensation (Rs In lakh)	Bioremediation of Drains		Commencement of STP installation		Total (Rs In lakh)
		S.No of Non Compliance	Compensation (Rs In lakh)		No of Drains	Compensation (Rs In lakh)	No of STPs	Compensation (Rs In lakh)	
Panna	Panna	2, 10	6.0	0	1	30.0	1	60.0	96.0

Therefore, you are here by directed to pay Environment Compensation of Rs. 96.00 Lakhs for the period of Violation from 01/01/2022 to 30/06/2022 along with earlier compensation amount Rs. 228.00 Lakhs to totaling Rs. 324.00 Lakhs. within 15 days from the date of issue these directions, in the P.D. account number 051/1121/2109 of Additional Secretary Environment Department in Vindhyachal Treasury, Vindhyachal Bhawan Bhopal.

This issues with the approval of the competent authority. Kindly acknowledge the receipt of this letter.

**For and On Behalf of
M.P. Pollution Control Board**

(A.A. Mishra)
Member Secretary

Copy to :-

- 1- Principal Secretary, Urban Development & Housing Department, Govt of MP, Mantralaya, Vallabh Bhawan, Bhopal. for information & necessary action to ensure the compliance of NGT order please.
- 2- The Commissioner, Urban Administration and Development Department, Palika Bhawan, Shivaji Nagar, Bhopal for information & necessary action to ensure the compliance of NGT order please.
- 3- Collector, Panna (M.P.) for information and necessary action for realisation of total amount of environment compensation Rs. 324 Lakhs from the Nagar Palika Parishad Panna at the earliest.
- 4- The Regional Officer, M. P. Pollution Control Board, Sagar for information & necessary action please.