

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI

ORIGINAL APPLICATION No. 220 OF 2022

IN THE MATTER OF:

K. Ravindran
R/o.Madhu Park Ridge Apartment,
Bandlaguda Jagir, Gandipet (M),
Rangareddy District.

Applicant

Versus

State of Telangana
and Ors

Respondent(s)

REPORT OF TELANGANA STATE POLLUTION CONTROL BOARD

RUNNING INDEX

Sl. No.	Particulars	Page Nos.
1.	Report dated 22.11.2022 of the Telangana State Pollution Control Board. (TSPCB).	1 – 3
2.	Annexure-I – TSPCB letter dated 21.09.2022 communicating Hon'ble NGT Order dated 05.09.2022.	4 – 6
3.	Annexure-II – TSPCB letter dated 28.10.2022 addressed to Commissioner, GHMC & HMWS&SB.	7
4.	Annexure-III – Photograph showing the erected fencing on both sides of Tippu Khan Bridge, Bandlaguda Jagir, Gandipet (M), Rangareddy District.	8
5.	Annexure-IV – Report dated 07.11.2022 filed by Commissioner, GHMC before the Hon'ble NGT.	9 – 15
6.	Annexure-V – HMWS&SB letter dated 01.11.2022 addressed to TSPCB.	16
7.	Annexure-VI – Commissioner, Bandlaguda Jagir Municipal Corporation letter dated 04.11.2022 addressed to TSPCB.	17 – 24

Place: Hyderabad.

Date: 28-11-2022.

(1)

REPORT DATED: 22.11.2022 OF THE ENVIRONMENTAL ENGINEER, Telangana State PCB, REGIONAL OFFICE, RANGAREDDY IN O.A NO. 220 OF 2022 IN THE MATTER OF COMPLAINT FILED BY SRI. K. RAVINDRAN R/O. BANDLAGUDA JAGIR, GANDIPET (M), RANGAREDDY DISTRICT.

It is to submit that, the Hon'ble NGT, New Delhi has received a complaint made by the petitioner Mr. K. Ravindran resident of Madhu Park Ridge Apartment, Bandlaguda Jagir, Rangareddy District, Gandipet Mandal through email on 07.02.2022, stating that the human excreta is collected from the septic tanks from the surroundings residences in and around Bandlaguda Jagir Municipal Corporation and other surroundings gram panchayats and the same is being dumped into the Musi River at Tippu Khan Bridge. It is further stated that the huge quantity of the human excreta can be seen floating on the river, the filthy stench emanating from the musu river bed, is spread to the main Chevella road and surrounding residential areas posing serious health hazards to the inhabitants of the area.

As per the directions of the Hon'ble NGT, New Delhi, a joint committee was constituted with the following members and the joint committee inspected the area on 23.06.2022 & 14.07.2022, given certain recommendations & submitted report to the Hon'ble NGT.

1. Sri. D Krupananad, Joint Chief Environmental Engineer (JCEE), Telangana State Pollution Control Board (TSPCB).
2. K. Chandra Kala, Revenue Divisional officer, Rajendranagar Division, Rangareddy District.
3. Sri. G. Venugopal Reddy, Municipal Commissioner, Bandlaguda Jagir Municipal Corporation.

RECOMMENDATIONS OF THE JOINT COMMITTEE:

1. The GHMC / Musi River Front Development Corporation Limited (MRFDCL) shall erect fencing across both sides of Tippu Khan Bridge to a minimum height of 10 to 12 feet, so that human excreta/municipal solid waste cannot be dumped into river Musi.
2. The HMWS&SB/CDMA shall ensure that the septic tankers shall have permission and also GPS tracking system to the tankers for collection and disposal of human excreta transported to Fecal Sludge Treatment plants (FSTPs)/STPs (sewage treatments plants) maintained and operated by HMWS&SB.
3. The GHMC/Bandlaguda Jagir municipality shall ensure that there is no authorized septic tanker movement in their jurisdiction.
4. The GHMC /Bandlaguda Jagir municipality shall install CCTV cameras across the Tippu Khan Bridge so as to prevent unauthorized dumping of Human excreta / Municipal solid waste in to Musi river."

The Hon'ble NGT vide order dated: 05.09.2022 issued notices to the (i) State of Telangana through Chief Secretary, Government of Telangana, (ii) Principal Secretary, Urban Development, Government of Telangana, (iii) Commissioner, Bandlaguda Jagir Municipal Corporation (BJMC) (iv) Commissioner, Greater Hyderabad Municipal Corporation (GHMC) and (v) Chairman, Hyderabad Metropolitan Water Supply and Sewerage Board through E-mail requiring them to file their response/reply to the averments made in the application and observations/recommendations made in the report of the Joint Committee within two months and directed to the state PCB, Bandlaguda Jagir Municipal Corporation (BJMC), Greater Hyderabad Municipal Corporation (GHMC) and Hyderabad Metropolitan

(2)

Water Supply & Sewerage Board (HMWSSB) to take appropriate action in accordance with the observations/recommendation made in the report of the Joint committee and submit further action taken reports within 2 months through email.

In this regard the following is submitted:

The Telangana State PCB has taken Hon'ble NGT orders dated: 05.09.2022 to the notice of MAUD Department, HMWSSB, GHMC & CDMA, Govt of Telangana vide letter dated: 21.09.2022 (Copy attached as **ANNEXURE -I**) and also taken to the notice of Zonal commissioner, GHMC, Deputy Commissioner, GHMC, Director (Projects), HMWSSB vide letter dated: 28.10.2022 (Copy attached as **ANNEXURE -II**). The status of the compliance/action taken on the issues mentioned in the application and recommendations of the Joint Committee are submitted below.

S No	Issue raised in complaint	Compliance status
1.	The human excreta is collected from the septic tanks from the surroundings residences in and around Bandlaguda Jagir Municipal Corporation and other surroundings gram panchayats and the same is being dumped into the Musi River at Tippu Khan Bridge.	No dumping of human excreta was observed during inspections conducted on several occasions. It was also informed by the applicant that no dumping of human excreta happening into the Musi River.
2.	The huge quantity of the human excreta can be seen floating on the river	Not seen floating of human excreta on the river.
3.	The filthy stench emanating from the musu river bed	The filthy smell was came down to the minimal by arresting the dumping of human excreta and cleaning of surrounding area.

The compliance status with the recommendations of the Joint Committee is submitted below:

S No	Recommendation of Joint Committee	Compliance status
1.	The GHMC / Musi River Front Development Corporation Limited (MRFDCL) shall erect fencing across both sides of Tippu Khan Bridge to a minimum height of 10 to 12 feet, so that human excreta/municipal solid waste cannot be dumped into river Musi.	It was observed that fencing was erected with a height of 8 ft on both sides of Tippu Khan Bridge by GHMC. Photographs are enclosed as ANNEXURE-III . The GHMC in its report stated that the height of the fencing is proposed to raise to 10-12 ft which is under process and will be completed soon. Copy of GHMC report is enclosed as ANNEXURE-IV .
2.	The HMWS&SB/CDMA shall ensure that the septic tankers shall have permission and also GPS tracking system to the tankers for collection and disposal of human excreta transported to Fecal Sludge Treatment plants (FSTPs)/STPs	The HMWS&SB has empanelled 62 nos of septic tank cleaning vehicles through M/s. Administrative Staff College of India (ASCI), Hyderabad for collection of septage and conveying to the nearest FSTP/STP for core treatment, treating septage

(3)

	(sewage treatments plants) maintained and operated by HMWS&SB.	along with sewage at existing STPs. The septic tank cleaning vehicles are fitted with GPS tracking system and being monitored by M/s. ASCI, Hyderabad. Copy of report submitted by HMWS&SB is enclosed as ANNEXURE-V.
3.	The GHMC/Bandlaguda Jagir municipality shall ensure that there is no authorized septic tanker movement in their jurisdiction.	The Bandlaguda Jagir municipality issued a paper notification regarding unauthorized usage of septic tankers and issued registrations to the existing septic tankers. Copy of report submitted by the Bandlaguda Jagir municipality is enclosed as ANNEXURE-VI.
4.	The GHMC /Bandlaguda Jagir municipality shall install CCTV cameras across the Tippu Khan Bridge so as to prevent unauthorized dumping of Human excreta / Municipal solid waste in to Musi river."	The Bandlaguda Jagir municipality has installed CC TV cameras with support of Madhu Park Ridge Apartment Association. Copy of report submitted by the Bandlaguda Jagir municipality is enclosed as ANNEXURE-VI.

During inspection of the area at Madhu Park Ridge Apartment / Tippu khan bridge on 27.10.2022, it was observed that no filthy stench emanating from the musli river bed and the same was acknowledged by the applicant Sri. K. Ravindran, he also expressed his opinion positively on the action taken by the Departments.

Submitted.

Place: Hyderabad

Date: 22.11.2022



ENVIRONMENTAL ENGINEER
CONTROL
THE
STATE OF
NEW YORK



TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-3, Industrial Estate, Sanathnagar, Hyderabad – 500018
Phone: 040 – 23887500

ANNEXURE-2

Lr. No. 6/NGT-New Delhi/ TSPCB/Legal/2022-74

4

Date: 21-09-2022

To

The Spl. Chief Secretary to Govt.,
MA&UD Dept.,
Govt of Telangana.

The Managing Director,
HMWS&SB, Khairtabad,
Hyderabad.

The Commissioner,
GHMC, Lower Tank Bund,
Hyderabad.

The Commissioner & Director,
CDMA, Govt of Telangana.



Sir,

Sub: TSPCB -- Legal -- Hon'ble NGT, New Delhi – Original Application No. 220 of 2022 based on complaint by e-mail by K.Ravindran, Bandlaguda Jagir, Gandipet Mandal, RR District – Order dated 05.09.2022 (uploaded on 12.09.2022) -- Reg.

- Ref:
1. OA No. 220 of 2022.
 2. Hon'ble NGT, New Delhi Order dated 25.04.2022.
 3. This office Lr.No.6/NGT-New Delhi/TSPCB/Legal/2022-33, dated 23.05.2022.
 4. Joint Committee report dated 14.07.2022.
 5. Hon'ble NGT, New Delhi Order dated 05.09.2022.

It is to submit that based on the letter petition made by Sri.K.Ravindran, R/o.Bandlaguda Jagir, Gandipet Mandal, RR District, an Original Application is registered before the Hon'ble NGT, New Delhi regarding dumping of human excreta which ultimately joining Musi River at Tippu Khan Village Bridge.

The Hon'ble NGT, New Delhi vide Order dated 25.04.2022 appointed a Joint Committee with

- i. State PCB (Nodal Agency) – Sri.D.Krupanand, JCEE;
- ii. Municipal Commissioner, Bandlaguda Jagir Municipal Corporation, RR District and
- iii. District Collector, RR District (mentioned as Hyderabad).

In compliance to the Hon'ble NGT directions, the Joint Committee has submitted the report dated 14.07.2022 to the Hon'ble NGT. The copy of the report is placed below for kind perusal.

The following are the recommendations of the Joint Committee: -

- i. The **GHMC / Musi River Front Development Corporation Ltd., (MRFDCL)** shall erect fencing across both sides of Tippu Khan Bridge to a minimum height of 10 to 12 feet, so that human excreta / municipal solid waste cannot be dumped into the River Musi.
- ii. The **HMWS&SB / CDMA** shall ensure that the septic tankers shall have permission and also GPS tracking system to the tankers for collection and disposal of human excreta transported to Fecal Sludge Treatment Plants (FSTPs) / STPs (Sewage Treatment Plants) maintained and operated by HMWS&SB.

Contd...2

(5)

- iii. The **GHMC / Bandlaguda Jagir Municipality** shall ensure that there is no authorized septic tanker movement in their jurisdiction.
- iv. The **GHMC / Bandlaguda Jagir Municipality** shall install CCTV cameras across the Tipu Khan Bridge so as to prevent unauthorized dumping of Human excreta / Municipal Solid Waste into Musi River.

The Board submitted status of compliance of the recommendations of the Joint Committee on 03.09.2022 to the Standing Counsel, New Delhi.

The Hon'ble NGT, New Delhi during the hearing held on 05.09.2022 taken on record the report of the Joint Committee. The relevant extract of the Hon'ble NGT Order dated 05.09.2022 is as follows: -

"

ORDER

.....

5. In view of observations/recommendations in the report of the Joint Committee above, we consider it to appropriate to issue notice to the (i) State of Telangana through Chief Secretary, Government of Telangana, (ii) Principal Secretary, Urban Development, Government of Telangana, (iii) Commissioner, Bandlaguda Jagir Municipal Corporation (BJMC) (iv) Commissioner, Greater Hyderabad Municipal Corporation (GHMC) and (v) Chairman, Hyderabad Metropolitan Water Supply and Sewerage Board through E-mail requiring them to file their response/reply to the averments made in the application and observations/recommendations made in the report of the Joint Committee within two months at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.

6. Reply/response on behalf of Telangana State PCB be also filed to the averments made in the application and observations / recommendations of the report of the Joint Committee within two months by e-mail at judicialngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.

7. The State PCB, Bandlaguda Jagir Municipal Corporation (BJMC), Greater Hyderabad Municipal Corporation (GHMC) and Hyderabad Metropolitan Water Supply and Sewerage Board (HMWS&SB) are also directed to take appropriate action in accordance with the Observations/recommendation made in the report of the Joint Committee and submit further action taken reports within two months by e-mail at judicialngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.

8. List for further consideration on 19.12.2022.

9. *The Registry is directed to send the VC link to the applicant so that he can participate in the proceedings on the date of hearing fixed.*

10. *In view of the facts and circumstance of the case, we also consider personal appearance of the Regional Officer, Telangana State PCB and the Commissioners, BJMC and GHMC on the next date of hearing through VC to be essential for producing the relevant documents regarding compliance with environmental norms and assisting this Tribunal in just and proper adjudication of the questions involved in the case and they are accordingly directed to remain present before this Tribunal on that date".*

The copy of the above Order is enclosed for information.

The case is posted for hearing on 19.12.2022.

This is for information and compliance of directions of Hon'ble Tribunal.

Yours faithfully,
Sd/-
MEMBER SECRETARY

Encl: As above.

Copy to:

1. The District Collector, RR District for information and necessary action.
2. The Commissioner, Bandlaguda Jagir Municipal Corporation, Hyderabad for information and necessary action.
3. The JCEE, ZO, Hyderabad for information and necessary action.
4. The SEE (MSW), Board Office, Hyderabad for information and necessary action.
5. The EE, RO, RR-I for information and necessary action. The RO, RR-I is directed to attend the Virtual Hearing on 19.12.2022 with latest information and relevant records.

// T.C.F.B.O //


**JOINT CHIEF ENVIRONMENTAL ENGINEER-II,
TSPCB, HEAD OFFICE, HYD.**



7) ANNEXURE - II
TELANGANA STATE POLLUTION CONTROL BOARD

REGIONAL OFFICE – I, RANGAREDDY DISTRICT

H.No.6-3-1219, Block C, Ward No.91, 2nd Floor, Backside of Country Club, Kundanbagh, Umanagar, Begumpet, Hyderabad - 500016.

M. Venkat Narsu,
Environmental Engineer

Email:ee-rr1-tspcb@telangana.gov.in


Lr.No. /TSPCB/RO.I-RRD/2022- 777

Date: 28.10.2022

To
The Commissioner,
GHMC,
CC Complex, Tank Bund Road,
Lower Tank Bund,
Adarsh Nagar, Hyderabad.

The Managing Director,
HMWSSB, Khairatabad,
Hyderabad.

Sir,



Sub: TSPCB-RO-I, RRD- O.A No. 220 of 2022 filed by K. Ravindran – Communication of the Hon'ble NGT order dated: 05.09.2022 - Intimation - Reg.

Ref: Lr No. 6 /NGT-New Delhi/TSPCB/Legal/2022-74 Dated: 21.09.2022.

It is to submit that based on the petition filed by Sri. K. Ravindran, resident of Bandlaguda jagir, Gandipet Mandal, Rangareddy District, an original application is registered before the Hon'ble NGT, New Delhi regarding dumping of human excreta which ultimately joining Musi River at Tippu Khan Village Bridge.

In this regard, the Hon'ble NGT issued order dated: 05.09.2022 with a direction to take appropriate action in accordance with recommendations made in the report of the Joint Committee and submit further action taken reports within 2 months time by email at judicial-ngt@gov.in and also considered personal appearance of officials of TSPCB, commissioner, BJMC under GHMC on the next date of hearing through VC i.e., on 19.12.2022. Copy of order dated: 05.09.2022 is enclosed for kind perusal.

Submitted for kind information and necessary action.



ENVIRONMENTAL ENGINEER


ENVIRONMENTAL ENGINEER

Telangana State POLLUTION CONTROL BOARD
REGIONAL OFFICE,
RANGA REDDY DISTRICT.

Copy submitted to the Zonal Commissioner, GHMC, Khairatabad for kind information and necessary action

Copy submitted to the Deputy Commissioner, GHMC, Circle-13, Karwan for kind information and necessary action.

Copy submitted to the Director (Projects), HMWSSB, Khairatabad for kind information and necessary action.



ANNEXURE-I

(8)

ANNEXURE-III



(9)

ANNEXURE-IV

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPLE BENCH, NEW DELHI**

O.A. NO. 220 of 2022

IN THE MATTER OF:

Sri. K Ravindran

... Applicant

Versus

State of Telangana

... Respondents

INDEX

Sl.No.	Particulars	Page No.
1	Report filed by the Commissioner, Greater Hyderabad Municipal Corporation	1-3
2	Annexure R1- Copy of Photographs of the fencing erected at Tippu khan Bridge.	4-6

Place: Hyderabad

Date: 07.11.2022

(10)

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPLE BENCH, NEW DELHI
O.A. NO. 220 of 2022**

IN THE MATTER OF:

Sri. K Ravindran

... Applicant

Versus

State of Telangana

... Respondents


**REPORT FILED ON BEHALF OF THE COMMISSIONER, GREATER
HYDERABAD MUNICIPAL CORPORATION**

I, D.S. Lokesh Kumar, S/o. Sri. Somaraju, aged about 44 years,
Occ: Commissioner, Greater Hyderabad Municipal Corporation (GHMC),
R/o. Hyderabad, do hereby solemnly swear and state on oath as follows:

It is respectfully submitted that,

1. I am working as Commissioner of Greater Hyderabad Municipal Corporation (GHMC), Hyderabad. As such, I am well acquainted with the facts of the case.
2. Further, I am deposing this report in view of the orders dated: 05.09.2022 passed by this Hon'ble National Green Tribunal, New Delhi in OA No. 220 of 2022.
3. Greater Hyderabad Municipal Corporation has taken the following measures to prevent probable dumping of Human Excreta/ Municipal Solid Waste (MSW) into Musi River at Tippu Khan Bridge:
 - i. Green chain link was erected by GHMC on either side of Tippu Khan bridge to a height of about (08) feet in the month of July'2022 itself (photographs enclosed as Annexure I).
 - ii. The height of the fencing shall be raised to 10-12 feet on either side of the bridge as per the recommendation of the Joint Committee formed by the Hon'ble Tribunal, which is under process and will be completed soon.




Commissioner,
Greater Hyderabad Municipal Corporation

(1)

(2)

- iii. MSW from Households and Commercial establishments is being lifted through (02) no's of Swachh Auto Tippers daily.
- iv. Daily sweeping is done through Sweeping staff and mechanical sweeping machines in and around Tippu Khan bridge and the sweeping waste is collected in black covers and transported to MSW transfer station on the same day.

Submission & Prayer

That in light of the above facts and circumstances, it is humbly prayed that this Hon'ble Tribunal may be pleased to:

- a. Consider the efforts of GHMC to prevent dumping of Human Excreta and Municipal Solid Waste into the Musi River at Tippu Khan Bridge.
- b. Permit the Respondent to file additional report, if this Hon'ble Tribunal deems necessary for any further information regarding present matter.


For the aforesaid facts and circumstances, it is therefore prayed that this Hon'ble Tribunal may be pleased to Close/ Dismiss OA No. 220 of 2022 and pass such other order or orders as this Hon'ble Tribunal deems fit and proper in the circumstances of the case and interest of Justice.

Sworn and signed on this the
07th Day of November, 2022 at Hyderabad



DEPONENT
Commissioner,
Greater Hyderabad Municipal Corporation

Before me



Attested
ATTESTED

P. ANIL KUMAR
B.Sc., B.L.,
ADVOCATE & NOTARY
Regd. No: 5766
Appointed by Govt. of India
1-7-181, BAKARAM, MUSHEERABAD,
HYDERABAD, TELANGANA.

Entered in Notarial Register on
Page No. 5766 Serial No. 1012



(12) 45

③



VERIFICATION


I, D.S. Lokesh Kumar, S/o. Sri. Somaraju, aged about 44 years, Occ: Commissioner, Greater Hyderabad Municipal Corporation (GHMC), R/o. Hyderabad, do hereby declare that the contents made in the above paragraphs are true and correct to the best of my knowledge and based on records available with Respondent Corporation and I believe the same to be true and correct. Hence verified on this day of 07th November, 2022.


DEPONENT
Commissioner,
Greater Hyderabad Municipal Corporation

(13)

4







(16)

ANNEXURE-IV
ANNEXURE-V

M.Dana Kishore, IAS,
Managing Director



www.hyderabadwater.gov.in
Metro Customer Care Tel: 155313

**Hyderabad Metropolitan Water
Supply and Sewerage Board**

1st Floor, "Administrative Building"
Khairatabad, Hyderabad-500 004, Telangana, INDIA.
Tel: Off:+91-40-23442844/66512000
Fax +91-40-23442855

Lr.No:HMWSSB/MD/NGT OA No.220 of 2022/2022-23/ 337

dt: 11-11-2022

To

The Member Secretary,
Telangana State Pollution Control Board,
Sanath nagar, Hyderabad

Madam,

Sub: HMWSSB - STP Circle-I - Hon'ble NGT, New Delhi – Original Application No.220 of 2022 –Based on complaint by e-mail, K.Ravindran, Bandlaguda Jagir, Gandipet Mandal, RR District – Order dated:05.09.2022 (Uploaded on 12.09.2022) – Report Submitted – Requested – Reg.

Ref: 1. Hon'ble NGT Order in OA.No.220 of 2022 Dated: 05.09.2022
2. Lr.No.6/NGT-New Delhi/TSPCB/Legal/2022-74, Dated:21.09.2022
-0o0-

With reference to the subject cited, a Joint Committee was constituted vide Hon'ble NGT Order dt:25.04.2022 in O.A.No.220 of 2022 filed by Sri. K.Ravindran R/o Bandlaguda Jagir, Gandipet Mandal, RR District regarding dumping of human excreta through Septic Tank cleaning vehicles which ultimately joining Musi River at Tippu Khan Village Bridge.

The recommendations made by the Joint Committee after inspection, pertaining to HMWSSB is to ensure that the septic tankers shall have permission and also GPS tracking system to the tankers for collection and disposal of human excreta transported to Fecal Sludge Treatment Plants(FSTPs)/STPs (Sewage Treatment Plants) maintained and operated by HMWSSB. The Hon'ble NGT has directed to take appropriate action in accordance with the recommendations made by the Joint Committee and posted to 19.12.2022 for further consideration.

In view of the above, it is to inform that, HMWSSB has empanelled the 62 Nos of Septic Tank cleaning vehicles through M/s ASCI, Hyderabad, for collection of septage and conveying to nearest FSTP/STP for co-treatment, treating septage along with sewage at existing STPs. These vehicles are also fitted with GPS tracking system and are being monitored by M/s ASCI. HMWSSB reviews the progress/ working in this regard every month.

It is further to inform that, the septic tank operators are provided with training in safety operations and are also provided with PPE kits and also provided with medical insurance facility through M/s ASCI.

Submitted for favour of information and for further process.



Yours faithfully,


Managing Director
H.M.W.S. & S.B.

(17)

ANNEXURE - VI

**OFFICE OF THE BANDLAGUDA JAGIR MUNICIPAL CORPORATION
RANGA REDDY DISTRICT.**

From
Sri G. Venugopal Reddy,
Municipal Commissioner,
Bandlaguda Jagir Municipal Corporation

To
The Member Secretary,
Telangana State Pollution
Control Board,
Hyderabad.

Lr.No.C1/1484/2022, Dated: 04.11.2022

Sir/madam,

Sub: Bandlaguda Jagir Municipal Corporation - Orders of the Hon'ble NGT, New Delhi - Original Application No. 220 of 2022 based on complaint e - mail by K. Ravindran, Bandlaguda Jagir, Gandipet Mandal, Ranga Reddy District - Installed CCTV Camera's - Report Submitted - Reg.

Ref: Orders of the Hon'ble National Green Tribunal Dt: 05.09.2022

With reference to the subject cited, it is to inform you that based on letter petition made by Sri. K. Ravindran, R/o. Bandlaguda Jagir, Gandipet Mandal, RR Dist. registered before the Hon'ble NGT, New Delhi, regarding the human excreta collected from the septic tanks of residence in and around the area of Bandlaguda Jagir Municipal Corporation and other surrounding gram panchayats is being dumped into the Musi River at Tippu Khan Bridge.

As per the joint committee recommendations Municipal Commissioner, Bandlaguda Jagir Municipal Corporation to install CCTV cameras across the Tippu Khan Bridge

In this regard as per the orders of Hon'ble National Green Tribunal on our part we have installed CCTV Cameras with the support of Madhu Park Apartment and further the surroundings areas of Tippu Khan Bridge kept clean.

(18)

In addition, this office issued a paper notification regarding unauthorised usage of Septic Tanks and in this connection we have given registrations to existing septic tanks and also installing GPS.

This office has made all efforts to bring septic tankers under supervision to avoid any unauthorised dumping or cleaning of septic tankers into rivers and water storms.

Therefore I am herewith submitting the compliance report for further necessary action.

Thanking you sir/madam.

Your's faithfully


Commissioner,
Bandlaguda Jagir
Municipal Corporation

Enclosing:

1. Proofs of Paper notification and Photos of Septic Tankers
2. CC Camera's

Copy Submitted to

1. The District Collector, Ranga Reddy district for favor of kind information
2. The Additional Collector, Local bodies Ranga Reddy district for favor of kind information


(19)

The status of the compliance/action taken on the issues mentioned in the application and recommendations of the Joint Committee are submitted below.

Sl No	Issue raised in complaint	Compliance status
1.	The human excreta is collected from the septic tanks from the surroundings residences in and around Bandlaguda Jagir Municipal Corporation and other surroundings gram panchayats and the same is being dumped into the Musi River at Tippu Khan Bridge.	100% contained made 100 feet impermeable fence on both sides.
2.	The huge quantity of the human excreta can be seen floating on the river	Major cleanliness drive conducted
3.	The filthy stench emanating from the musu river bed	No Smell

The compliance status with the recommendations of the Joint Committee is submitted below:

Sl No.	Recommendation of Joint Committee	Compliance status
1.	The GHMC / Musi River Front Development Corporation Limited (MRFDCL) shall erect fencing across both sides of Tippu Khan Bridge to a minimum height of 10 to 12 feet, so that human excreta/municipal solid waste cannot be dumped into river Musi.	Completed
2.	The HMWS&SB/CDMA shall ensure that the septic tankers shall have permission and also GPS tracking system to the tankers for collection and disposal of human excreta transported to Fecal Sludge Treatment plants (FSTPs)/STPs (sewage treatments plants) maintained and operated by HMWS&SB.	Compiled, CDMA has sanctioned FSTP plant in kothwalguda for processing of sewerage waste.
3.	The GHMC/Bandlaguda Jagir municipality shall ensure that there is no authorized septic tanker movement in their jurisdiction.	Measures taken up licenses issued for existing tankers.
4.	The GHMC /Bandlaguda Jagir municipality shall install CCTV cameras across the Tippu Khan Bridge so as to prevent unauthorized dumping of Human excreta / Municipal solid waste in to Musi river."	Installed CCTV Camera's


Commissioner
Bandlaguda Jagir Municipal Corporation
Ranga Reddy District

(20)

నమస్తే తెలంగాణ



తెలంగాణ ప్రభుత్వము
బండగూడ జాగీర్ నగరపాలక సంస్థ, రంగారెడ్డి జిల్లా

ULB కోడ్: 900521/F1/136/2021

ప్రకటన

తేది: 30-10-2022

బండగూడ జాగీర్ నగరపాలక సంస్థ పరిధిలోని ప్రజలకు తెలియజేయునది ఏమనగా! సపాయి మిత్ర సురక్షిత షెహర్ లో భాగంగా సెప్టిక్ ట్యాంక్ మరియు కాలువలను బుద్ధత ప్రమాదాలు పొందించుకొని కుత్రం చేయడం చట్టరీత్యా నేరం, కావున మీ యొక్క సెప్టిక్ ట్యాంక్ క్లీనింగ్ కొరకు మమ్మల్ని 14420 సంబర్ డ్వారా సంప్రదించి రూ. 3,000/- ట్యాంకు చొప్పున చెల్లించి పై సేవలను పొందగలరు. సెప్టిక్ ట్యాంక్ క్లీనింగ్ కోసం ట్రైసిన్స్ పొందిన డిస్కర్డింగ్ కుర్రెటర్లను మాత్రమే సంప్రదించవలెను. సెప్టిక్ వ్యర్థాలను అనధికారికంగా బహిరంగ ప్రదేశాలలో పారవేస్తే రూ.5,000/- జరిమానా విధించబడును మరియు చట్టరీత్యా తగు చర్యలు తీసుకొనబడును.


DIPR R.O. No. 9382-PP/CL/Adv/1/2022-23, Dt: 31-10-2022 సం/- కమిషనర్, బండగూడ జాగీర్ నగరపాలక సంస్థ

1/11/2022 Pg 06


(21)



(22)



(23)



(24)

