

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

ORIGINAL APPLICATION NO: 329/2021

Devanshu Bose

.... Applicant

Versus

Agra Development Authority & Others

...Respondent(s)

INDEX


S. No.	PARTICULARS	Pg. No.
1.	Action Taken Report	1
2.	Annexure – 1- Order dated 01.12.2021 passed by the Hon'ble National Green Tribunal, New Delhi in connection with resolution of sewage problem in Nalanda Town Colony	5
3.	Annexure – 2- Joint Committee Report dated 10.12.2021 constituted in compliance of the aforesaid order.	7
4.	Annexure – 3- Directions issued by Agra Development Authority on 27.12.2021 for the establishment of Sewage Treatment Plant (S.T.P.)	9
5.	Annexure – 4- Directions received for when estimated amount of expenditure exceeds Internal Development Charges of Rs 52,80,800.00 deposited before the ADA To be realised from the residents of the Nalanda Town Colony.	12
6.	Annexure – 5- Order dated 24.3.2022 passed by the Hon'ble National Green Tribunal.	15-29
7.	Annexure – 6- Letter no- 405/D/EE-2/22 dated 30.3.2020.	30
8.	Annexure – 7- Minutes of the meeting called on 30.3.2022 under the chairmanship of the Vice Chairman. Where directions were issued to take action in	31


	compliance of order passed by the Hon'ble N.G.T.	
9.	Annexure – 8- An e-contract was invited on priority basis but only one bid was received. As per rules, single bid cannot be accepted. After taking permission of cancellation of this bid and re-invitation of contract, process of second invitation of contract has begun	33
10.	Annexure – 9 – A committee constituted by the Hon'ble N.G.T., A.D.A. has started to dispose off the sewage mixed water deposited in drains and on vacant plots outside the gate of the Nalanda Town Colony from tankers.	34
11.	Annexure – 10- Letter no 445/D/EE-2/22 dated 26.04.2022.	35
12.	Annexure – 11- letter no 472/D/EE-2/22-23 dated 10.05.2022. (Site photograph and letter of Entrusted Agency- Annexure-11).	36
13.	Annexure – 12- Declaration letter for completion of STP Work (excluding civil work)	37
14.	Annexure 13 - Purchase order for construction of STP vide letter dated 24.05.2022	46-50


Action taken report in the matter of O.A. No. 329 of 2021 Devanshu Bose Vs. Agra development Authority & Ors. filled by ADA Authority.

Present status report of the action taken by Agra Development Authority in compliance of the order dated 01.12.2021 and 24.03.2022 passed by the Hon'ble National Green Tribunal, New Delhi: -

1. Order dated 01.12.2021 passed by the Hon'ble National Green Tribunal, New Delhi in connection with resolution of sewage problem in Nalanda Town Colony located at Shamshabad Road, Agra developed by private developers (Annexure-1)
2. After site inspection by the Joint Committee on 10.12.2021 constituted in compliance of the aforesaid order, direction has been issued on 27.12.2021 that Agra Development Authority, Agra shall initiate action to make sure for the establishment of a Sewage Treatment Plant (S.T.P.) for disposal of sewage originated from the Nalanda Town Colony. (Annexure-2)
3. In compliance with the order of Joint Committee constituted by the Hon'ble National Green Tribunal, New Delhi dated 01.12.2021, the Joint Committee has taken further decision on 24.01.2022 for preparation of an estimated cost to be incurred on establishment of S.T.P. for permanent solution of the sewage problem


 परमानन्द किशोर
 अवर अभियन्ता


 अशोक कुमार सिंह
 सहायक अभियन्ता
 आगरा विकास प्राधिकरण



 देवेन्द्र सिंह
 अधिशासी अभियन्ता

and disposal of sewage water deposited on plots outside the gate of the Nalanda Town Colony from tankers by Agra Development Authority. It has been also directed that in case estimated cost on account of establishment of S.T.P. and disposal of sewage exceeds the Internal Development Charges of Rs 52,80,800.00 deposited before the Agra Development Authority, the said deviated amount shall be compensated from the residents of the Nalanda Town Colony. (Annexure-3 and Annexure 4)

4. In compliance with the order of the Joint Committee constituted by the Hon'ble National Green Tribunal, Engineering Division-2, Agra Development Authority has calculated an estimated cost at Rs. 95,39,620.00 for the establishment of S.T.P. and Rs.1,17,160.00 for disposal of sewage mixed water deposited on plots and in drains, outside the gate of the Nalanda Town Colony. But due to the implementation of Model Code of Conduct in the State from 08.01.2022 to 12.04.2022, the procedure of inviting tenders etc in this regard could not be possible.

5. Order dated 24.03.2022 passed by the Hon'ble National Green Tribunal. (Annexure-5).

6. Due to enforcement of Model Code of Conduct in the State at that time, letter seeking special permission to invite tender for establishment of S.T.P. was sought



 A.E. देवेन्द्र
 परमानन्द किशोर अशोक कुमार सिंह
 जवर अभियन्ता सहायक निरन्तर
 आगरा विकास प्राधिकरण

by the Vice Chairman, Agra Development Authority from the U.P. Election Commission vide its letter no- 405/D/EE-2/22 dated 30.03.2020. (Annexure-6).

7. In compliance of the order dated 24.03.2022 passed by the Hon'ble National Green Tribunal, a meeting was called on 30.03.2022 under the chairmanship of the Vice Chairman, Agra Development Authority. In the said meeting, directions were issued to take action in compliance of order passed by the Hon'ble National Green Tribunal (Annexure-7)

8. As soon as the model code of conduct got over, taking immediate action on the cost estimate for the construction of S.T.P., approval was given by the Vice Chairman, Agra Development Authority, Agra on 25.04.2022 and the e-tender of the said work dated 04.05.2022 was invited on priority but only one tender was received. Single tender could not be accepted as per rules, after getting permission to cancel and re-inviting tender, the process of inviting second tender has been initiated. (Annexure-8).

9. In compliance with the order dated 24.01.2022 of the Committee constituted by the Hon'ble National Green Tribunal, Agra Development Authority has started to dispose off the sewage mixed water deposited in the drains and empty plots outside the gate of the Nalanda Town Colony through tankers on 22.04.2022. as soon as the Model Code of Conduct ended. (Annexure-9)


 परमानन्द किशोर अग्रवाल
 अवर अभियन्ता सहायक, निगम
 अग्रवाल विकास प्राधिकरण
 देवेन्द्र सिंह भदौरिया
 अधिशासी अभियन्ता

10. Notice of progress of action taken as mentioned in Para 9 has been sent to the residents of the Nalanda Town Colony and to the Regional Officer, Pollution Control Board, Agra vide letter no 445/D/EE-2/22 dated 26.04.2022. (Annexure-10)

11. The sewage mixed water deposited in drains and empty plots outside the gate of the Nalanda Town Colony has been completely disposed off from tankers by the Agra Development Authority by 10.05.2022, information of which has been sent vide letter no 472/D/EE-2/22-23 dated 10.05.2022. (Photograph of the site and letter of the executing agency- Annexure-11).

12. That Agra Development Authority had invited tender for establishment of STP vide tender dated 02.06.2022, but ADA received only one tender due to which the same has been forwarded to Chief Engineer for further consideration.

13. That in compliance of order dated 24.03.2022 passed by Hon'ble NGT, notice has been sent to the similarly situated developers who haven't constructed STP.

14. In the mean time after so many meetings with the developers of the Nalanda Town colony, The Developer has informed that he has issued the work order dated 02.05.22 to M/s. Riyasa Water Technology Pvt. Ltd., Shakarpur Delhi for the establishment of STP and in this concern he has paid Rs. 10.00 Lacs as advance payment with the work order to the company (Cheque No. 251475, Punjab National Bank, Sanjay Place, Agra). He also informed that cleaning of the sewage storage tank which is already built at site has started. After cleaning of the Tank STP will be installed after some alternation. As per information by builder the complete of work STP establishment after cleaning and the completion of the civil work will be done with in 15 days.

Present status report of the Agra Development Authority for action taken in compliance of the order dated 01.12.2021 and 24.03.2022 passed by the Hon'ble N.G.T. is placed before your good self for perusal and further action.

परमानन्द किशोर
अवर अभियन्ता
A.E.
देवेन्द्र सिंह भदौरिया
अधिशाली अभियन्ता
आगरा विकास प्राधिकरण

उपाध्यक्ष
आगरा विकास प्राधिकरण

Item No. 04

(Court No. 1)

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 329/2021

Devanshu Bose

Applicant

Versus

Agra Development Authority & Ors.

Respondent(s)

Date of hearing: 01.12.2021

**CORAM: HON'BLE MR. JUSTICE ADARSH KUMAR GOEL CHAIRPERSON
HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE DR. NAGIN NANDA, EXPERT MEMBER**


Applicant:


Mr. Devanshu Bose, Applicant in Person


ORDER

1. Grievance in this application is against discharge of sewage quantity 1.45 Lakh Litres per day generated by Nalanda Town, Shamshabad Road area of Agra, Police Station Tajganj Ekta Chowki, Agra, Uttar Pradesh on open land. Agra Development Authority is required to manage the said sewage.

2. Having regard to the averments in the application, we find it necessary to ascertain the factual position from a joint Committee of Agra Development Authority, District Magistrate, Agra and UPPCB. UPPCB will be the Nodal Agency for coordination and compliance. The joint Committee may meet within two weeks, undertake visit to the site, interact with the stakeholders and ascertain the status of compliance. Based on the


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिकासी अभियन्ता

observations, the statutory authorities may take further remedial action, following due process of law.

3. A factual and action taken report in the matter may be furnished to this Tribunal within two months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

4. It is made clear that if budget is not available, the authorities may collect necessary charges from the inhabitants but ensure that no sewage is discharged in open in view of Constitutional mandate of providing clean environment and provisions of the Water (Prevention and Control of Pollution) Act, 1974. This is necessary in the interest of public health and for protection of environment.

List for further consideration on 03.03.2022.

A copy of this order be forwarded to Agra Development Authority, District Magistrate, Agra and UPPCB by e-mail for compliance.

The applicant may serve a set of papers on Agra Development Authority, District Magistrate, Agra and UPPCB and file affidavit of service within one week.


Adarsh Kumar Goel, CP

Sudhir Agarwal, JM

Dr. Nagin Nanda, EM

December 01, 2021
Original Application No. 329/2021
SN


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आवास विभाग प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 संख्या-329/2021 देवाशु बोंस बनाम आगरा विकास प्राधिकरण एवं अन्य में दिनांक 01.12.2021 को पारित आदेश का अनुपालन सुनिश्चित कराये जाने के सम्बन्ध में दिनांक 10.12.2021 को संयुक्त समिति द्वारा नालन्दा टाउन कालोनी के निरीक्षण के सम्बन्ध में आख्या:-

मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 संख्या-329/2021 देवाशु बोंस बनाम आगरा विकास प्राधिकरण एवं अन्य में दिनांक 01.12.2021 को निम्नलिखित आदेश पारित किये गये हैं:-

2. Having regard to the averments in the application, we find it necessary to ascertain the factual position from a joint Committee of Agra Development Authority, District Magistrate, Agra and UPPCB. UPPCB will be the Nodal Agency for coordination and compliance. The joint Committee may meet within two weeks, undertake visit to the site, interact with the stakeholders and ascertain the status of compliance. Based on the 2 observations, the statutory authorities may take further remedial action, following due process of law.
3. A factual and action taken report in the matter may be furnished to this Tribunal within two months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF."

उपरोक्त पारित आदेशों के क्रम में जिलाधिकारी, आगरा द्वारा सिटी मजिस्ट्रेट, आगरा व उपाध्यक्ष, आगरा विकास प्राधिकरण, आगरा द्वारा मुख्य नगर नियोजक, आगरा विकास प्राधिकरण, आगरा को संयुक्त समिति द्वारा फैक्टुयल पोजिशन पता लगाने एवं प्रकरण में एक्शन टेकन रिपोर्ट प्रेषित किये जाने के क्रम में सदस्य नामित किया गया है।
तत्काल में संयुक्त समिति द्वारा दिनांक 10.12.2021 के अपरान्ह में नालन्दा टाउन कालोनी, शमसाबाद रोड आगरा का स्थलीय निरीक्षण किया गया। निरीक्षण के समय एप्लीकेन्ट श्री देवाशु बोंस एवं अन्य कालोनी वासी उपस्थित थे। उनके द्वारा अवगत कराया गया कि वर्तमान में नालन्दा टाउन में लगभग 300 परिवार निवास कर रहे हैं। कालोनी से जनित घरेलु सीवेज के डिस्पोजल हेतु सीवर लाईन नहीं है तथा कालोनी से जनित सीवेज को पाईप लाईन के द्वारा कालोनी के अन्दर बने अण्डर ग्राउण्ड टैंक में एकत्रित कर पंपिंग सेट के द्वारा नालन्दा टाउन गेट नं0-2 के बाहर सड़क किनारे जमीन पर डिस्चार्ज किया जाता है। जिससे आस-पास के क्षेत्र एवं कालोनी में दुर्गन्ध गढ़ समस्या बनी रहती है।


संयुक्त समिति द्वारा नालन्दा टाउन एवं आस-पास के क्षेत्र का स्थलीय निरीक्षण किया गया। निरीक्षण के समय नालन्दा टाउन कालोनी से जनित डोमेस्टिक सीवेज नालन्दा टाउन गेट नं0-2 के पास रोड साइड भारी मात्रा में भरा पाया गया। जिस पर संयुक्त समिति द्वारा आपत्ति व्यक्त की गई।

मौके पर उपस्थित मुख्य नगर नियोजक, आगरा विकास प्राधिकरण, आगरा द्वारा अवगत कराया गया कि नालन्दा टाउन शमसाबाद रोड, आगरा के विकासकर्ता द्वारा आगरा विकास प्राधिकरण, आगरा में नालन्दा टाउन के आंतरिक विकास शुल्क के मद में रु0-52,80,800/- व बाह्य विकास शुल्क के मद में रु0-77,68,683/- जमा किये गये हैं। जिससे नालन्दा टाउन कालोनी जनित सीवेज के निस्तारण हेतु कालोनी परिसर में सीवेज शुद्धिकरण संयंत्र स्थापित किया जा सकता है। नालन्दा टाउन के अंदर एस0टी0पी0 व नालन्दा टाउन के बाहर नाले के निर्माण कार्य मुख्य अभियन्ता, आगरा विकास प्राधिकरण द्वारा कराया जाना है।

कृ०प०उ०

Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
अवर अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिशाली अभियन्ता

क्षेत्रीय अधिकारी(प्र०), उ०प्र० प्रदूषण नियंत्रण बोर्ड द्वारा अवगत कराया गया कि जल (प्रदूषण निवारण तथा नियन्त्रण) अधिनियम, 1974 संशोधित अधिनियम, 1988 की धारा -26 के अन्तर्गत निम्नानुसार उल्लिखित है कि-

26. PROVISION REGARDING EXISTING DISCHARGE OF SEWAGE OR TRADE EFFLUENT Where immediately before the commencement of this Act any person was discharging any sewage or trade effluent into a [stream or well or sewer or on land], the provisions of section 25 shall, so far as may be, apply in relation to such person as they apply in relation to the person referred to in that section subject to the modification that the application for consent to be made under sub-section (2) of that section 9 [shall be made on or before such date as may be specified by the State Government by notification in this behalf in the Official Gazette.

जल (प्रदूषण निवारण तथा नियन्त्रण) अधिनियम, 1974 संशोधित अधिनियम, 1988 की धारा -24 के अन्तर्गत निम्नानुसार उल्लिखित है कि-

24. PROHIBITION ON USE OF STREAM OR WELL FOR DISPOSAL OF POLLUTING MATTER, ETC.


(1) Subject to the provisions of this section --


(a) no person shall knowingly cause or permit any poisonous, noxious or polluting matter determined in accordance with such standards as may be laid down by the State Board to enter (whether directly or indirectly) into any ⁵[stream or well or sewer or on land]; or


(b) no person shall knowingly cause or permit to enter into any stream any other matter which may tend, either directly or in combination with similar matters, to impede the proper flow of the water of the stream in a manner leading or likely to lead to a substantial aggravation of pollution due to other causes or of its consequences.

मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा भी विभिन्न दादों यथा ओ०ए० संख्या-447/2018 में आदेश पारित दिनांक 01.08.2019 द्वारा भी प्रदेश में सीवेज निस्तारण के सम्बन्ध में कार्यवाही सुनिश्चित किये जाने के आदेश पारित किये गये हैं।

उपरोक्त के क्रम में संयुक्त समिति द्वारा निर्णय लिया गया कि आगरा विकास प्राधिकरण, आगरा द्वारा तत्काल कार्यवाही कर नालन्दा टाउन कालोनी से जनित सीवेज उत्प्रवाह के disposal हेतु सीवेज शुद्धिकरण सयंत्र की स्थापना सुनिश्चित कराई जाये।



(क्षेत्रीय अधिकारी, प्रमारी),
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
आगरा।


(मुख्य नगर नियोजक),
आगरा विकास प्राधिकरण,
आगरा।


(नगर मजिस्ट्रेट),
आगरा।

Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता



आगरा विकास प्राधिकरण, आगरा।

पत्रांक: 290/डी/सी010/2021,

दिनांक: 09/01/2022

प्रेषक,

मुख्य अभियन्ता,
आगरा विकास प्राधिकरण,
आगरा।

सेवा में,

क्षेत्रीय अधिकारी (प्र०),
क्षेत्रीय कार्यालय, उ०प्र० प्रदूषण नियंत्रण बोर्ड,
भवन संख्या-14, सेक्टर 3वीं,
आवास विकास सिकन्दरा योजना, आगरा।

विषय: मा० राष्ट्रीय हरित अधिकरण द्वारा ओ.ए. संख्या-329/2021, देवाशु
बोस बनाम आगरा विकास प्राधिकरण एवं अन्य में दिनांक 01.12.2021
को पारित आदेश का अनुपालन सुनिश्चित कराये जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक स्वकीय पत्रांक-1163/ओजी-673-2021, दिनांक
28.12.21 के साथ संलग्न निरीक्षण आख्या का सन्दर्भ ग्रहण करने का कष्ट करें। तत्क्रम
में अधोहस्ताक्षरी द्वारा दिनांक 30.12.2021 को नालन्दा टाउन कॉलोनी एवं इसके
आस-पास के क्षेत्र का स्थल निरीक्षण कर फोटोग्राफ सहित विस्तृत आख्या उपाध्यक्ष
महोदय के समक्ष प्रेषित की गयी। जिस पर उपाध्यक्ष महोदय द्वारा बैठक कर अवगत
कराने के निर्देश दिये हैं।

अतः उपरोक्तानुसार उपाध्यक्ष महोदय के आदेश की प्रति इस आशय से
प्रेषित है कि कृपया आदेशानुसार अग्रिम कार्यवाही कराकर उपाध्यक्ष महोदय को अवगत
कराने का कष्ट करें।

संलग्नक-उपरोक्तानुसार।

भवदीय

(पूरन कुमार)
मुख्य अभियन्ता

प्रतिलिपि :- उपाध्यक्ष महोदय को सादर अवलोकनार्थ।

Nasir
04-01-22

मुख्य अभियन्ता

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

आगरा विकास प्राधिकरण, आगरा

निर्माण व आवेदन

उपाध्यक्ष महोदय,


कृपया अवगत कराना है कि माननीय राष्ट्रीय स्तर पर अधिकरण द्वारा ओ०ए० संख्या-329/2021, देनाशु बोरा बनाम आगरा विकास प्राधिकरण एवं अन्य में दिनांक 01.12.2021 को पारित आदेश का अनुपालन सुनिश्चित कराया जाने के सम्बन्ध में दिनांक 10.12.2021 को संयुक्त समिति द्वारा नालन्दा टाउन कॉलोनी का निरीक्षण किया गया। जिसकी निरीक्षण आख्या क्षेत्रीय अधिकांश (प्र०), उ०प्र० प्रदूषण नियंत्रण बोर्ड, आगरा के पत्रांक-1163/ओजी-673-2021, दिनांक 28.12.2021 के माध्यम से उपलब्ध करायी गयी है। जिसमें मुख्य नगर नियोजक, आगरा विकास प्राधिकरण द्वारा अवगत कराया गया है कि नालन्दा टाउन शमशाबाद रोड, आगरा के विकासकर्ता द्वारा आगरा विकास प्राधिकरण, आगरा में नालन्दा टाउन के आंतरिक विकास शुल्क के मद में रु. 52,80,800/- व बाह्य विकास शुल्क के मद में रु. 77,68,683/- जमा किये गये हैं। जिससे नालन्दा टाउन कॉलोनी जनित सीवेज के निस्तारण हेतु कॉलोनी परिसर में सीवेज शुद्धिकरण संयंत्र स्थापित किया जा सकता है। नालन्दा टाउन के अंदर सीवेज ट्रीटमेंट प्लांट व नालन्दा टाउन के बाहर नाले के निर्माण कार्य मुख्य अभियंता, आगरा विकास प्राधिकरण द्वारा कराया जाना है।

उपरोक्त समिति की आख्या के क्रम में अधोहस्ताक्षरी द्वारा दिनांक 30.12.2021 को नालन्दा टाउन कॉलोनी एवं इसके आस-पास के क्षेत्र का स्थल निरीक्षण किया गया और नालन्दा टाउन कॉलोनी के गेट नम्बर-2 के पास डोमेस्टिक सीवेज का पानी एकत्रित पाया गया। नालन्दा टाउन कॉलोनी के निवासियों एवं बाहर के निवासियों से अधोहस्ताक्षरी द्वारा सम्पर्क कर विस्तृत वार्ता की गयी। स्थानीय निवासियों द्वारा समस्या के सम्बन्ध में मुख्य बातें जो अवगत करायी गयी, वो निम्नवत है :-

1. उक्त क्षेत्र से भोले बाबा डेरी शमशाबाद रोड होते हुये गायत्री धाम वाटिका व पुष्पांजलि आर्विड, विमल सिटी, नालन्दा आशियाना तथा अन्य कॉलोनीयों भी विकसित हैं। सूच्य है कि इस पूरे क्षेत्र में पानी की निकासी की कोई व्यवस्था अभी तक नहीं है। उक्त स्थल पर कोई नाला भी पूर्ण रूप से निर्मित नहीं है और जहाँ कहीं थोड़ा बहुत है भी वह जगह-जगह से टूटा हुआ है या बन्द किया जा चुका है और नाले के पानी की निकासी भी नहीं है। पूरे क्षेत्र में ढाल सही न होने के कारण जलभराव भी होता है और उक्त क्षेत्र में सड़क की स्थिति भी काफी जर्जर है। जिसके फोटोग्राफ भी अवलोकनार्थ संलग्न हैं।
2. अतः नालन्दा टाउन कॉलोनी में जनित डोमेस्टिक सीवेज के पानी हेतु सीवेज ट्रीटमेंट प्लांट स्थापित भी किया जाता है तो सीवेज ट्रीटमेंट प्लांट से निकलने वाले ट्रीटेड वाटर की भी निकासी आवश्यक होगी, अन्यथा समस्या बनी रहेगी। स्थानीय जनता द्वारा भी शिकायत की जाती रहेगी। यद्यपि नालन्दा टाउन कॉलोनी के सीवेज ट्रीटमेंट हेतु सीवेज ट्रीटमेंट प्लांट लगाये जाने की कार्यवाही आगरा विकास प्राधिकरण द्वारा

Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

की जा रही है। फिर भी यदि सीवरेज ट्रीटमेंट प्लांट से निकलने वाले पानी की निकासी एवं अल्टीमेट डिस्पोजल का निर्धारण नहीं किया जायेगा तो आने वाले दिनों में अन्य स्थानीय कॉलोनियों में ^{समस्या} बनी रहेगी।

3. उल्लेखनीय है कि वित्तीय वर्ष 2019-20 में आगरा विकास प्राधिकरण द्वारा शमशाबाद रोड़, रजरई रोड़ पर स्थापित विभिन्न कॉलोनियों में सीवरेज डिस्पोजल के समाधान हेतु डिटेल प्रोजेक्ट रिपोर्ट कन्स्ट्रक्सन एण्ड डिजायन यूनिट उ0प्र0 जल निगम, आगरा द्वारा सीवरेज कार्यों हेतु तैयार करायी गयी थी। जिसके अनुसार आर0सी0सी0 ड्रेन का निर्माण पम्पिंग स्टेशन का निर्माण और पचगाँई खेड़ा, देवरी रोड़ नाले तक राइजिंग मेन के निर्माण का आगणन प्रस्तुत किया गया था। जिसकी लागत लगभग ₹0 5930.50 लाख तत्समय थी। उपरोक्तानुसार उक्त आगणन धनाभाव के कारण स्वीकृत नहीं हो सका।

उक्त क्षेत्र में सीवरेज डिस्पोजल के स्थायी समाधान हेतु इस प्रोजेक्ट रिपोर्ट के डी0पी0आर0 की स्वीकृति आवश्यक होगी। तभी नालन्दा टाउन के सीवरेज डिस्पोजल की समस्या का स्थायी समाधान अन्य कॉलोनियों के साथ-साथ सम्भव हो सकेगा। अतएव अनुरोध है कि इस समस्या के स्थायी समाधान हेतु माननीय राष्ट्रीय हरित अधिकरण द्वारा निर्देशित समिति के सदस्यों यथा-क्षेत्रीय अधिकारी उ0प्र0 प्रदूषण नियंत्रण बोर्ड, मुख्य नगर नियोजक, आगरा विकास प्राधिकरण, नगर मजिस्ट्रेट, आगरा के साथ-साथ उ0प्र0 जल निगम के श्री टी0पी0 शर्मा, परियोजना प्रबन्धक के साथ बैठक आहूत कर ली जाये। जिससे इस प्रकरण का माननीय न्यायालय के निर्देशों के अन्तर्गत स्थायी समाधान का विकल्प निर्धारित किया जा सके।

D
30/12/21
मुख्य अभियन्ता
आगरा विकास प्राधिकरण
आगरा
CTO/RO केम. एंड. एच.
21/12/21
30/12/21
आगरा विकास प्राधिकरण

Scanned by Scanner Go

K
परमानन्द किशोर
अवर अभियन्ता

Ashok Kumar Singh
अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

Devendra Singh Bhatnagar
देवेन्द्र सिंह भट्टारिया
अधिसासी अभियन्ता



आगरा विकास प्राधिकरण, आगरा

पत्रांक :- 329/D/EF-2/21-22

दिनांक :- 24/01/22

नालंदा टाउन कॉलोनी की सीवेज की समस्या के निस्तारण के सम्बन्ध में माओ राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओओएओ संख्या-329/2021 देवांशु बोस बनाम आगरा विकास प्राधिकरण एवं अन्य में दिनांक 01.12.2021 को पारित आदेशों के क्रम में गठित समिति द्वारा दिनांक 10.12.2021 को हुए समिति के निर्णय के परिपेक्ष्य में समिति के सदस्यों एवं अभियन्त्रण खण्ड-2 के अभियन्ताओं के साथ मुख्य अभियन्ता महोदय के कक्ष में दिनांक 24.01.2022 (सोमवार) को प्रातः 11:00 बजे बैठक आयोजित हुई, जिसमें निम्न अधिकारी उपस्थित रहे।

1. श्री चक्रेश जैन, मुख्य अभियन्ता, आगरा विकास प्राधिकरण, आगरा।
2. श्री आर.के. सिंह, मुख्य नगर नियोजक, आगरा विकास प्राधिकरण, आगरा।
3. श्री डॉ. विश्वनाथ शर्मा, क्षेत्रीय अधिकारी (प्रभारी), उओप्रओ प्रदूषण नियंत्रण बोर्ड, आगरा।
4. श्री सुधान्तु शर्मा, अधिशासी अभियन्ता, आगरा विकास प्राधिकरण, आगरा।

बैठक में निम्नलिखित निर्णय लिए गये:-

1. माओ राष्ट्रीय हरित अधिकरण द्वारा ओओएओ संख्या-329/2021 देवांशु बोस बनाम आगरा विकास प्राधिकरण एवं अन्य में दिनांक 01.12.2021 को पारित आदेशों के अन्तर्गत सीवेज से सम्बन्धित समस्या स्थायी समाधान हेतु नालंदा टाउन कॉलोनी के अन्दर एस.टी.पी. (सीवेज ट्रीटमेन्ट प्लांट) की स्थापना व ट्रीटेड वेस्ट वाटर का कॉलोनी के अन्दर स्थित पार्क में हॉर्टीकल्चर हेतु प्रयोग में लाए जाने की व्यवस्था हेतु व्ययानुमान तैयार कर कार्य कराया जाए। यह कार्य प्राधिकरण में आन्तरिक विकास शुल्क के मद में उपलब्ध धनराशि से कराया जाए।
2. समिति द्वारा माओ राष्ट्रीय हरित अधिकरण दिनांक 01.12.2021 द्वारा दिये गये आदेशों के क्रम में यह निर्णय लिया गया कि एस.टी.पी. की स्थापना, ट्रीटेड वेस्ट वाटर को हॉर्टीकल्चर आदि की सिंचाई हेतु किये जाने वाले कार्य के लिए होने वाले प्रस्तावित व्यय व गेट के बाहर के सीवेज भराव को टैंकरों के द्वारा एक बार स्थल से पूर्ण रूप से हटाने के कार्य हेतु व्यय आगरा विकास प्राधिकरण द्वारा प्राधिकरण में जमा आन्तरिक विकास शुल्क से किया जाएगा। यदि उपरोक्त दोनों बिन्दुओं में उल्लिखित कार्यों का व्ययानुमान आन्तरिक विकास शुल्क के मद में जमा धनराशि रु 52,80,800.00 से अधिक होती है, उस स्थिति में दोनों के अन्तर के धनराशि की प्रतिपूर्ति नालंदा टाउन कॉलोनी के निवासियों से की जाएगी। इसके उपरान्त एस.टी.पी. पूर्ण होने तक सीवेज को कॉलोनी के निवासियों (आरओडब्ल्यूओ) द्वारा स्वयं के व्यय से हटवाया जाए। यदि भविष्य में सीवेज का पुनः जल भराव होता है तो टैंकर द्वारा उसके निस्तारण का उत्तरदायित्व नालंदा टाउन कॉलोनी की आरओडब्ल्यूओ का होगा।
3. एस.टी.पी. का निर्माण कार्य पूर्ण होने के उपरान्त एस.टी.पी. का अनुरक्षण एवं संचालन नालंदा टाउन कॉलोनी के आरओडब्ल्यूओ द्वारा किया जाएगा।

(सुधान्तु शर्मा)

अधिशासी अभियन्ता, खण्ड-2
आओविओप्राओ, आगरा

(आर.के. सिंह)

मुख्य नगर नियोजक
आओविओप्राओ, आगरा

(डॉ. विश्वनाथ शर्मा)

क्षेत्रीय अधिकारी (प्रओ)
उओप्रओ प्रदूषण नियंत्रण बोर्ड, आगरा।

(चक्रेश जैन)

मुख्य अभियन्ता
आओविओप्राओ, आगरा

Scanned by Scanner Go

परमानन्द सिंह
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिशासी अभियन्ता

आदिवासी

आगरा विकास प्राधिकरण, आगरा

पत्रांक :- 33310/EP-2/01-22

दिनांक :- 02/02/22

प्रेषक,

अधिकासी अभियन्ता-02
आगरा विकास प्राधिकरण,
आगरा।

सेवा में,

डा० विश्वनाथ शर्मा,
क्षेत्रीय अधिकारी (प्र०)
उ०प्र० प्रदूषण नियन्त्रण बोर्ड,
आगरा।भारतीय डाक
India Post
EUI22330580IN IVR:6985122330580
SP: BHOGIPURA SO (282010)
Counter No: 1.05/02/2022.14:46
To: DR. VISHWANATHSHARMA..
PIN: 282007, SIKANDRA SO
From: E E ADW..
dt: 02/02/2022
Amt: 17.70 (Cash) Tax: 2.70
Track on www.indiapost.gov.inEUI:
Coun:
Amt:
Fro:
Fro:
To:

विषय:- नालंदा टाउन कालोनी की सीवेज की समस्या के निस्तारण के सम्बन्ध में।

महोदय,

कृपया नालंदा टाउन कालोनी की सीवेज की समस्या के निस्तारण के सम्बन्ध में मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० सख्या-329/2021 देवांशु बोस बनाम आगरा विकास प्राधिकरण एवं अन्य में दिनांक 01.12.2021 को पारित आदेशों के क्रम में गठित समिति द्वारा दिनांक 10.12.2021 के निर्णय जिसमें आप सदस्य थे, के परिप्रेक्ष्य में पुनः आगरा विकास प्राधिकरण के अधिकारियों के साथ दिनांक 24.01.2022 को प्रातः 11:00 बजे आपके साथ पुनः बैठक आयोजित हुई। उपरोक्त बैठक का कार्यवृत्त पत्र के साथ संलग्न कर अधिकार कार्यवाही हेतु प्रेषित है।


दिनांक 24.01.2022 की बैठक के निर्णय के परिप्रेक्ष्य में आगरा विकास प्राधिकरण द्वारा नालंदा टाउन कालोनी के एस.टी.पी. (सीवेज ट्रीटमेंट प्लांट) का आगमन प्राधिकरण द्वारा तैयार किया जा रहा है। चूंकि वर्तमान में आदर्श आचार संहिता लागू है, अतः उपरोक्त की निविदा दिनांक 10.03.2022 के उपरान्त कराते हुए कार्य को करवा जाएगा।

नालंदा टाउन कालोनी के निवासियों द्वारा खुले स्थान में डाले गये सीवेज को दिनांक 24.01.2022 की बैठक में हुए निर्णय के क्रम में अवगत कराना है कि आदर्श आचार संहिता के दृष्टिगत यथा निर्धारित समय पर निविदा आमंत्रित कर कार्यवाही पूर्ण करते हुए कराया जा सकेगा। प्राधिकरण द्वारा गेट के बाहर के सीवेज भराव को टैंकों के द्वारा एक बार स्थल से पूर्ण रूप से हटाने का कार्य आन्तरिक विकास शुल्क की धनराशि से कराया जाएगा। इसके उपरान्त एस.टी.पी. का कार्य पूर्ण होने तक सीवेज को कालोनी के निवासियों (आर०डब्ल्यू०ए०) द्वारा स्वयं के व्यय से हटवाया जाएगा। यदि भविष्य में सीवेज का पुनः जल भराव होता है तो टैंकर द्वारा उसका निस्तारण का उत्तरदायित्व नालंदा टाउन कालोनी की (आर०डब्ल्यू०ए०) का होगा।

कृपया उपरोक्त से अवगत होने का कष्ट करें एवं श्री देवांशु बोस को भी दिनांक 24.01.2022 की बैठक के निर्णय से अवगत कराने का कष्ट करें कि अगर एस.टी.पी. का आगमन ₹52,80,800.00 से अधिक होता है तो उस रिपोर्ट में दोनों के अन्तर की धनराशि की प्रतिपूर्ति नालंदा टाउन के निवासियों से होने के उपरान्त ही करेगा।

New Version (1) / General Letter Page (25)

Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिकासी अभियन्ता

कराया जा सकेगा। यहाँ यह भी उल्लेखनीय है कि प्राधिकरण के पास आन्तरिक विकास शुल्क के रूप में रु0 52,80,800.00 ही सीमित है, जिसमें कालोनी निवासियों द्वारा यदि किसी अन्य विकास कार्य की मांग की जाती है तो उस कार्य की धनराशि समायोजित करने के उपरान्त ही उक्त धनराशि की प्रतिपूर्ति नालंदा टाउन के निवासियों को करनी होगी। साथ ही एस.टी.पी. निर्माण के स्थान को भी आर0डब्ल्यू0ए0 द्वारा अपनी जनरल बॉडी मीटिंग में पारित कराना होगा, जिससे तदनुसार सीवर के ट्रीटेड पानी की निकासी का आगणन गठित कर कार्यवाही कराई जा सकेगी।

संलग्नक:-दिनांक 24.01.2022 की बैठक का कार्यवृत्त।

02/2/22
(सुधांशु शर्मा)

अधिसासी अभियन्ता-02

प्रतिलिपि:-

1. श्री देवांशु बोस, नालंदा टाउन कालोनी, शमशाबाद रोड, आगरा को उपरोक्तानुसार आवश्यक कार्यवाही एवं विवरण उपलब्ध कराये जाने हेतु प्रेषित।

Dial 18002666868 <Wear Mask, Stay Safe>
भारतीय डाक
EU122330576IN IVR:69851223305
SP BHOGIPURA SD <282010>
Counter No:1.05/02/2022,14:46
To:DEVANSHUBOSE..
PIN:282001, Agra NG
From:E ADA..
Wt:40gms
Amt:17.70(Cash)Tax:2.70
<Track on www.indiapost.gov.in>

02/2/22
अधिसासी अभियन्ता-02

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

Item No. 01

(Court No. 1)

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 329/2021
(I.A. No. 52/2022, I.A. No. 53/2022 & I.A. No. 54/2022)

(With report dated 22.02.2022)

Devanshu Bose

Applicant

Versus

Agra Development Authority & Ors.

Respondent(s)

Date of hearing: 24.03.2022

**CORAM: HON'BLE MR. JUSTICE ADARSH KUMAR GOEL, CHAIRPERSON
HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER
HON'BLE DR. VIJAY KULKARNI, EXPERT MEMBER
HON'BLE DR. AFROZ AHMAD, EXPERT MEMBER**

Applicant: Mr. Devanshu Bose, Applicant in Person

Respondent(s): Mr. Pradeep Misra & Mr. Daleep Dhyani, Advocates for UPPCB.


ORDER

1. Grievance in this application is against discharge of sewage quantity of 1.45 Lakh Litres per day generated by 'Nalanda Town', a housing colony developed by a Builder at Shamshabad Road area of Agra, Police Station Tajganj Ekta Chowki, Agra, Uttar Pradesh, on open land. This is breach of statutory obligation of the Agra Development Authority (ADA) to manage the said sewage for which accountability needs to be fixed and remedial action taken.

2. Vide order dated 01.12.2021, the Tribunal sought a factual report in the matter from a joint Committee of ADA, District Magistrate, Agra and

1


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

UPPCB. It was also directed that if budget was not available, necessary funds be raised by collecting charges from inhabitants for protection of environment and public health as per mandate of law under the Constitution and the Water (Prevention and Control of Pollution) Act, 1974.


3. In pursuance of above, a report has been filed by the joint Committee on 22.02.2022, acknowledging that the sewage is not being disposed of, as per norms. The same is being disposed of on land which meets a drain. There is no sewer line. Though the developer of 'Nalanda Town' has deposited internal and external development charges amounting to Rs. 1.3 crores approximately, the ADA has failed to perform its duty. Vice Chairman, ADA has been asked to take necessary measures. Explanation of the ADA is that there is a code of conduct at present due to elections and work will commence after 10.03.2022. Relevant extract from the report is reproduced below:-


"Field Observation

At the time of inspection, applicant Shri Devanshu Bose and other residents of Nalanda Town were present on the site. Applicant told that approx. 300 families are residing in the said Nalanda Town area. The domestic sewage generated from the Nalanda Town is not being disposed as per the norms. During the visit joint committee found that the sewage generated from Nalanda Town is being collected in underground tank and through pumping set is being disposed on land near gate no-2 of the Nalanda Town. The sewage is collected on land which ultimately meets into a drain. It is also found that no sewer line has been laid in the surrounding area for the disposal of domestic sewage and the drain is not connected with any terminal Sewage treatment plant. During visit Chief Town Planner, ADA inform that the developer of Nalanda Town has deposited Rs.-52,80,800/- in the head of internal development charges and Rs.-77,68,683/- in the head of outer development charges. By which Sewage treatment plant can be installed in Nalanda Town. Installation of STP inside Nalanda Town and construction of drain out side the Nalanda Town has to be done by Chief Engineer, ADA, Agra.

The Joint inspection report has been sent to Vice Chairman; Agra Development Authority vide letter dated 28-12-2021 for establishing the sewage treatment plant in the Nalanda Town. (Annexure-3).*


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

Again, letter dated 07-01-2022 has been sent to Vice Chairman, Agra Development Authority to provide action taken report as per the direction of Hon'ble National Green Tribunal dated 01-12-2021. (Annexure-4).

In the continuation of the above letter, again letter dated 17-01-2022 has been sent to Vice Chairman, Agra Development Authority and requested to make temporary arrangement/provisional arrangement till the permanent arrangement of the domestic sewage generated from Nalanda Town colony and to get the domestic sewage collected by tankers which is accumulated on land near the colony so that the action taken report may be sent to be Hon'ble National Green Tribunal in a time bound manner. (Annexure-5).


Meeting has been organized by Chief Engineer, Agra Development Authority on dated 24.01.2022 regarding Nalanda Town matter. Chief Town Planner, ADA, Mr. Sudhanshu Sharma, Executive Engineer and Regional Officer, UPPCB, Agra were present in the meeting. As per the Hon'ble National Green Tribunal order dated 01.12.2021 it has been decided in the meeting that the proposed expenditure for the work to be done for establishment of STP, work to be done for irrigation/horticulture with treated waste water and the expenditure for the one-time complete removal of the sewage accumulated on land out side the colony will be done by the expenditure of internal development charges deposited in Agra Development Authority by the developer. If the estimate of the expenditure of the work mentioned above is exceeds Rs.-52,80,800/- towards internal development charges, in that case the difference will be submitted by the residence of Nalanda Town colony. Till completion of the STP the sewage should be removed by the residence (RWA) of the colony at their own expenses. (Annexure-6).

In continuation of the decision taken in the meeting dated 24.01.2022, letter dated 02.02.2022 has been received by Executive Engineer, ADA informing that the estimate of sewage treatment plant for Nalanda Town is being prepared by Agra Development Authority, but in view of the model code of conduct is in force at present in Uttar Pradesh. The work will be executed after 10.03.2022. (Annexure-7). Which is forwarded to the complainant by the letter dated 08.02.2022 (Annexure-8).

It is pertinent to mention that in the Writ-C No. -58986 of 2016 (Property Buyer Interests Welfare Association and Another Vs State of U.P. And 2 Others). Hon'ble High Court, Allahabad passed an order dated 15-12-2016 which is annexed. (Annexure-9). The relevant part of the order is as follows: -

"Petitioners' claim to be in association of protecting the interest of property buyers and their submission before this Court is that for proceeding under Section 33 of the UP Urban Planning and Development Act, 1973 they have already approached the Agra Development Authority, Agra and cognizance has also been taken and orders have also been passed on the same but the said proceeding in question has not at all come to its logical end and in view this interest of builder and immediate attention is required.


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिशासी अभियन्ता


Consequently, in the facts of the case, as we find from the record that the Agra Development Authority, Agra has already taken cognizance on the matter, accordingly, we proceed to pass an order asking the authority concerned to finalize the proceeding in question in accordance with law, preferably within next four months from the date of receipt of a certified copy of this order but certainly after hearing the point of view of the builder also."

Suggestion:-

Installation of Sewage Treatment Plant is utmost important for the proper disposal of domestic sewage generate from Nalanda Town Colony. Till completion of the STP sewage should be collected and dispose of in the nearest operational STP either by Agra Development Authority or by inhabitants of the colony."

4. The applicant has filed objections to the report to submit that failure to manage sewage is adversely affecting the environment and public health. One D.L. Yadav has filed I.A. No. 52 to 54/2022. IA 52/2022 is to support the case of the applicant. I.A. No. 53/2022 seeks directions that the builder be made responsible for the cost involved. I.A. No. 54/2022 seeks further direction to remedy the situation including action against the erring officers. The applicant has also filed written submissions pointing out failure of the Agra Development Authority and erroneous approach in its working.
5. We have heard applicant in person and learned Counsel for the State PCB and considered the matter in the light of record. Undisputed facts show that sewage is being discharged on open land meeting a drain in violation of the Water Act and Judgment of the Hon'ble Supreme Court in *Paryavaran Suraksha Samiti Vs. Union of India, (2017) 5 SCC 326*, followed by orders of this Tribunal. The timeline fixed by the Hon'ble Supreme Court for installing appropriate pollution control devices is 31.03.2018 after which accountability of the erring officers is required to be fixed. In these circumstances, plea that there is a code of conduct due to elections of 2022 is irrelevant. The failure is continuing from earlier. The Water Act is of the year 1974. The stand of the ADA is not only against facts but also


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिशाली अभियन्ता

irresponsible to the detriment of environment and public health for which its accountability needs to be fixed. Pending further action against the Vice Chairman, ADA for prosecution and personal accountability, we require ADA to deposit a sum of Rs. 25 lakhs towards interim compensation with the District Magistrate, Agra for being used for restoration of damage to the environment. ADA is free to recover the same from its erring officers, as per law.

6. In this regard we may refer to earlier orders of Hon'ble Supreme Court and this Tribunal on the subject:

Extracts from order of this Tribunal Order dated 16.09.2021 in OA 544/2019:

"1 to 8.....XXX.....XXX... XXX

9. Contamination of water sources is a punishable offence under the Water (Prevention and Control of Pollution) Act, 1974 for the last 47 years. Under Section 25 of the Act, untreated discharge of sewage in drain is prohibited and is in fact a criminal offence under Sections 42(2) and 44. Section 48 of the Act makes the Head of the Department liable for being punished for such offence. As per directions of the Hon'ble Supreme Court in Suraksha case¹ an outer limit of 31.03.2018 is fixed for completing the work of all STPs in the Country for laying down the sources of budget and direction is to initiate prosecution for continued failure. This Tribunal has been directed to monitor compliance. We may refer to the specific directions of the Hon'ble Supreme Court and this Tribunal on the subject:

Extracts from the judgement of the Hon'ble Supreme Court in Paryavaran Suraksha Samiti Vs. Union of India, supra

"7. Having effectuated the directions recorded in the foregoing paragraphs, the next step would be, to set up common effluent treatment plants. We are informed, that for the aforesaid purpose, the financial contribution of the Central Government is to the extent of 50%, that of the State Government concerned (including the Union Territory concerned) is 25%. The balance 25%, is to be

¹ (2017) 5 SCC 326


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिकासी अभियन्ता


arranged by way of loans from banks. The above loans, are to be repaid, by the industrial areas, and/or industrial clusters. We are also informed that the setting up of a common effluent treatment plant, would ordinarily take approximately two years (in cases where the process has yet to be commenced). The reason for the above prolonged period, for setting up "common effluent treatment plants", according to the learned counsel, is not only financial, but also, the requirement of land acquisition, for the same.

X.....X.....X.....

10. Given the responsibility vested in municipalities under Article 243-W of the Constitution, as also, in Item 6 of Schedule XII, wherein the aforesaid obligation, pointedly extends to "public health, sanitation conservancy and solid waste management", we are of the view that the onus to operate the existing common effluent treatment plants, rests on municipalities (and/or local bodies). Given the aforesaid responsibility, the municipalities (and/or local bodies) concerned, cannot be permitted to shy away from discharging this onerous duty. In case there are further financial constraints, the remedy lies in Articles 243-X and 243-Y of the Constitution. It will be open to the municipalities (and/or local bodies) concerned, to evolve norms to recover funds, for the purpose of generating finances to install and run all the "common effluent treatment plants", within the purview of the provisions referred to hereinabove. Needless to mention that such norms as may be evolved for generating financial resources, may include all or any of the commercial, industrial and domestic beneficiaries, of the facility. The process of evolving the above norms, shall be supervised by the State Government (Union Territory) concerned, through the Secretaries, Urban Development and Local Bodies, respectively (depending on the location of the respective common effluent treatment plant). The norms for generating funds for setting up and/or operating the "common effluent treatment plant" shall be finalised, on or before 31-3-2017, so as to be implemented with effect from the next financial year. In case, such norms are not in place, before the commencement of the next financial year, the State Governments (or the Union Territories) concerned, shall cater to the financial requirements, of running the "common effluent treatment plants", which are presently dysfunctional, from their own financial resources.


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिकासी अभियन्ता

11. Just in the manner suggested hereinabove, for the purpose of setting up of "common effluent treatment plants", the State Governments concerned (including, the Union Territories concerned) will prioritise such cities, towns and villages, which discharge **industrial pollutants and sewer, directly into rivers and water bodies.**
12. We are of the view that in the manner suggested above, **the malady of sewer treatment, should also be dealt with simultaneously.** We, therefore, hereby direct that "sewage treatment plants" shall also be set up and made functional, within the timelines and the format, expressed hereinabove.
13. **We are of the view that mere directions are inconsequential, unless a rigid implementation mechanism is laid down.** We, therefore, hereby provide that the directions pertaining to continuation of industrial activity only when there is in place a functional "primary effluent treatment plants", and the setting up of functional "common effluent treatment plants" within the timelines, expressed above, shall be of the Member Secretaries of the Pollution Control Boards concerned. **The Secretary of the Department of Environment, of the State Government concerned (and the Union Territory concerned), shall be answerable in case of default. The Secretaries to the Government concerned shall be responsible for monitoring the progress and issuing necessary directions to the Pollution Control Board concerned, as may be required, for the implementation of the above directions.** They shall be also responsible for collecting and maintaining records of data, in respect of the directions contained in this order. The said data shall be furnished to the Central Ground Water Authority, which shall evaluate the data and shall furnish the same to the Bench of the jurisdictional **National Green Tribunal.**
14. To supervise complaints of non-implementation of the instant directions, the Benches concerned of the National Green Tribunal, will maintain running and numbered case files, by dividing the jurisdictional area into units. The abovementioned case files will be listed periodically. **The Pollution Control Board concerned is also hereby directed to initiate such civil or criminal action, as may be permissible in law, against all or any of the defaulters.**
- X.....X.....X.....
16. It however needs to be clarified, that the instant directions and time lines, shall not in any way dilute any time lines and directions issued by Courts or Benches of the National Green Tribunal, hitherto before, wherein the postulated time lines would expire before the ones


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

expressed through the directions recorded above. It is clarified, that the time lines, expressed hereinabove will be relevant, only in situations where there are no prevalent time line(s), and also, where a longer period, has been provided for."

(emphasis supplied)

**Extracts from orders of this Tribunal in OA 593/2017 :
Order dated 21.05.2020**

26. Summary of directions:

- i. All States/UTs through their concerned departments such as Urban/Rural Development, Irrigation & Public Health, Local Bodies, Environment, etc. may ensure formulation and execution of plans for sewage treatment and utilization of treated sewage effluent with respect to each city, town and village, adhering to the timeline as directed by Hon'ble Supreme Court. STPs must meet the prescribed standards, including faecal coliform.

CPCB may further continue efforts on compilation of River Basin-wise data. Action plans be firmed up with Budgets/Financial tie up. Such plans be overseen by Chief Secretary and forwarded to CPCB before 30.6.2020. CPCB may consolidate all action plans and file a report accordingly.


Ministry of Jal Shakti and Ministry of Housing and Urban Affairs may facilitate States/UTs for ensuring that water quality of rivers, lakes, water bodies and ground water is maintained.

As observed in para 13 above, 100% treatment of sewage/effluent must be ensured and strict coercive action taken for any violation to enforce rule of law. Any party is free to move the Hon'ble Supreme Court for continued violation of its order after the deadline of 31.3.2018. This order is without prejudice to the said remedy as direction of the Hon'ble Supreme Court cannot be diluted or relaxed by this Tribunal in the course of execution. PCBs/PCCs are free to realise compensation for violations but from 1.7.2020, such compensation must be realised as per direction of this Tribunal failing which the erring State PCBs/PCCs will be accountable."

Order dated 21.09.2020

"11. The Tribunal has already issued directions vide orders dated 28.08.2019 and 21.05.2020 for ensuring that no untreated sewage/effluent is discharged into any water body and for any violation compensation is to be assessed and recovered by the CPCB so that the same can be utilized for


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

restoration of the environment, complying with the principle of 'Polluter Pays' which has been held to be part of 'Sustainable Development' and part of right to life. Control of such pollution is crucial for environment, aquatic life, food safety and also human health. ..."

From OA 673/2018

Order dated 6.12.19:

6. The Hon'ble Supreme Court noticed the level of degradation of rivers in India and apathy of the authorities as follows:

"58. Rivers in India are drying up, groundwater is being rapidly depleted, and canals are polluted. Yamuna in Delhi looks like a black drain. Several perennial rivers like Ganga and Brahmaputra are rapidly becoming seasonal. Rivers are dying or declining, and aquifers are getting over pumped. Industries, hotels, etc. are pumping out groundwater at an alarming rate, causing sharp decline in the groundwater levels. Farmers are having a hard time finding groundwater for their crops e.g. in Punjab. In many places there are serpentine queues of exhausted housewives waiting for hours to fill their buckets of water. In this connection John Briscoe has authored a detailed World Bank Report, in which he has mentioned that despite this alarming situation there is widespread complacency on the part of the authorities in India.²

"4. We see Yamuna river virtually turned into a sullage. We take judicial notice of this situation. Similar is the position with Ganges. As it proceeds, industrial effluents are being poured in rivers. Sewage is also being directly put in rivers contributing to the river water pollution. We direct the Pollution Control Boards of the various States as well as the Central Pollution Control Board and various Governments to place before us the data and material with respect to various rivers in the concerned States, and what steps they are taking to curb the pollution in such rivers and to management as to industrial effluents, sewage, garbage, waste and air pollution, including the water management. We club the ending case of water management with this matter.³


XXX.....XXX.....XXX

11. In spite of above, in flagrant violation of law of the land, polluted water in the form of sewage, industrial effluents or otherwise has continued to be discharged in the water bodies including the rivers or the canals meeting the rivers. Violation of law is not only by private citizens but also statutory bodies

² State of Orissa v. Govt. of India, (2009) 5 SCC 492

³ M.C. Mehta Vs Union of India- W.P. (Civil) No. 13029/1985 dated 25.11.2019


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

including the local bodies and also failure of the regulatory authorities in taking adequate steps. There is no corresponding coercive action posing danger to rule of law when large scale violation of law is not being remedied. This leads to lawlessness.

12. It will be appropriate to note the crisis situation in the country on the subject of availability of potable water. The matter has been considered in the report of Niti Aayog on Composite Water Management Index (CWMI).⁴ Following further information also needs to be noted:

- (i) India is suffering from the worst water crisis in its history and millions of lives and livelihoods are under threat. Currently, 600 million Indians face high to extreme water stress and about two lakh people die every year due to inadequate access to safe water⁵. The crisis is only going to get worse. By 2030, the country's water demand is projected to be twice the available supply, implying severe water scarcity for hundreds of millions of people and an eventual ~6% loss in the country's GDP⁶. As per the report of National Commission for Integrated Water Resource Development of MoWR, the water requirement by 2050 in high use scenario is likely to be a milder 1,180 BCM, whereas the present-day availability is 695BCM. The total availability of water possible in country is still lower than this projected demand, at 1,137BCM. Thus, there is an imminent need to deepen our understanding of our water resources and usage and put in place interventions that make our water use efficient and sustainable.
- (ii) India is undergoing the worst water crisis in its history. Already, more than 600 million people⁷ are facing acute water shortages. Critical groundwater resources – which account for 40% of our water supply – are being depleted at unsustainable rates.⁸
- (iii) Most states have achieved less than 50% of the total score in the augmentation of groundwater resources, highlighting the growing national crisis—54% of India's groundwater wells are declining, and 21 major cities are expected to run out of groundwater as soon as 2020, affecting ~100 million people⁹.
- (iv) With nearly 70% of water being contaminated, India is placed at 120th amongst 122 countries in the water quality index.

13. As per statistics mentioned before the Lok Sabha on April 6, 2018, waterborne diseases such as cholera, acute diarrhoeal diseases, typhoid and viral hepatitis continue to be prevalent in India and have caused 10,738 deaths, over the last five years since

⁴ Niti Ayog on "Composite Water Management Index", June 2018, https://niti.gov.in/writereaddata/files/document_publication/2018-05-18-Water-Index-Report_vS8-compressed.pdf.

⁵Source: WRI Aqueduct; WHO Global Health Observatory

⁶Source: McKinsey & WRG, 'Charting our water future', 2009; World Bank; Times of India

⁷ Source: World Resource Institute

⁸ Source: World Resource Institute

⁹ Source: UN Water, 'Managing water under uncertainty and risk', 2010; World Bank (Hindustan Times, The Hindu).


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह
अधिसासी अभियन्ता

2017. Of this, acute diarrhoeal diseases caused maximum deaths followed by viral hepatitis, typhoid and cholera.¹⁰

14. As per 'National Health Profile' published by Central Bureau of Health Investigation, Directorate General of Health Services, Ministry of Health and Family Welfare, Government of India, a total of 1535 Deaths due to Acute Diarrhoeal Diseases was reported during the year 2013.¹¹

Main Causes of Pollution of Rivers

15. As already noted, well known causes of pollution of rivers are dumping of untreated sewage and industrial waste, garbage, plastic waste, e-waste, bio-medical waste, municipal solid waste, diversion of river waters for various purposes affecting e-flow, encroachment of catchment areas and floodplains, over drawl of groundwater, river bank erosion on account of illegal sand mining. In spite of directions to install Effluent Treatment Plants (ETPs), Common Effluent Treatment Plants (CETPs), Sewage Treatment Plants (STPs), and adopting other anti-pollution measures, satisfactory situation has not been achieved. As per CPCB's report 2016¹², it has been estimated that 61,948 million liters per day (mld) sewage is generated from the urban areas of which treatment capacity of 23,277 mld is currently existent in India. Thereby the deficit in capacity of waste treatment is of 62%. There is no data available with regard to generation of sewage in the rural areas.

XXX.....XXX.....XXX

33. We may note the observations of the Hon'ble Supreme Court:


"26. Enactment of a law, but tolerating its infringement, is worse than not enacting a law at all. The continued infringement of law, over a period of time, is made possible by adoption of such means which are best known to the violators of law. Continued tolerance of such violations of law not only renders legal provisions nugatory but such tolerance by the enforcement authorities encourages lawlessness and adoption of means which cannot, or ought not to, be tolerated in any civilized society. Law should not only be meant for the law-abiding but is meant to be obeyed by all for whom it has been enacted. A law is usually enacted because the legislature feels that it is necessary. It is with a view to protect and preserve the environment and save it for the future generations and to ensure good quality of life that Parliament enacted the anti-pollution laws, namely, the Water Act, Air Act and the Environment (Protection) Act, 1986. These Acts and Rules framed and notification issued thereunder contain provisions which prohibit and/or regulate certain activities with a view to protect and preserve the environment. When a law is enacted containing some provisions which prohibit certain types of

¹⁰ <https://www.indiaspend.com/diarrhoea-took-more-lives-than-any-other-water-borne-disease-in-india-58143/>

¹¹ <http://pib.nic.in/newsite/PrintRelease.aspx?relid=106612>

¹² http://www.sulabhenvi.nic.in/Database/STST_wastewater_2090.aspx July 16, updated on December 6, 2016


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

activities, then, it is of utmost importance that such legal provisions are effectively enforced. If a law is enacted but is not being voluntarily obeyed, then, it has to be enforced. Otherwise, infringement of law, which is actively or passively condoned for personal gain, will be encouraged which will in turn lead to a lawless society. Violation of anti-pollution laws not only adversely affects the existing quality of life but the non-enforcement of the legal provisions often results in ecological imbalance and degradation of environment, the adverse effect of which will have to be borne by the future generations.¹³

XXX.....XXX.....XXX

"61. If the laws are not enforced and the orders of the courts to enforce and implement the laws are ignored, the result can only be total lawlessness. It is, therefore, necessary to also identify and take appropriate action against officers responsible for this state of affairs. Such blatant misuse of properties at large-scale cannot take place without connivance of the officers concerned. It is also a source of corruption. Therefore, action is also necessary to check corruption, nepotism and total apathy towards the rights of the citizens."¹⁴

XXX.....XXX.....XXX

35. Vide order dated 22.08.2019 in Original Application 200/2014, dealing with the pollution of river Ganga, the Tribunal issued directions and laid down coercive measures to be taken for discharge of untreated sewage in river Ganga:-


"16. XXX.....XXX.....XXX

17. Wherever the work has not commenced, it is necessary that no untreated sewage is discharged into the River Ganga. Bioremediation and/or phytoremediation or any other remediation measures may start as an interim measure positively from 01.11.2019, failing which the State may be liable to pay compensation of Rs. 5 Lakhs per month per drain to be deposited with the CPCB. This however, is not to be taken as an excuse to delay the installation of STPs. For delay of the work, the Chief Secretary must identify the officers responsible and assign specific responsibilities. Wherever there are violations, adverse entries in the ACRs must be made in respect of such identified officers. For delay in setting up of STPs and sewerage network beyond prescribed timelines, State may be liable to pay Rs. 10 Lakhs per month per STP and its network. It will be open to the State to recover the said amount from the erring officers/contractors.

¹³ INDIAN COUNCIL FOR ENVIRO-LEGAL ACTION Vs. UNION OF INDIA AND OTHERS (1996) 5 SCC 281

¹⁴ M.C. Mehta v. Union of India, (2006) 3 SCC 399 – Public functionaries


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

36. *Vide order dated 28.08.2019, the Tribunal held:-*

"15. xxx.....xxx.....xxx"

"16. xxx.....xxx.....xxx"


17. As already noted, prevention of pollution of water is directly linked to access to potable water as well as food safety. Restoration of pristine glory of rivers is also of cultural and ecological significance. This necessitates effective steps to ensure that no pollution is discharged in water bodies. Doing so is a criminal offence under the Water Act and is harmful to the environment and public health. 'Precautionary' principle of environmental law is to be enforced. Thus, the mandate of law is that there must be 100% treatment of sewage as well as trade effluents. This Tribunal has already directed in the case of river Ganga that timelines laid down therein be adhered to for setting up of STPs and till then, interim measures be taken for treatment of sewage. There is no reason why this direction be not followed, so as to control pollution of all the river stretches in the country. The issue of ETPs/CETPs is being dealt with by an appropriate action against polluting industries. Setting up of STPs and MSW facilities is the responsibility of Local Bodies and in case of their default, of the States. Their failure on the subject has to be adequately monitored. Recovery of compensation on 'Polluter Pays' principle is a part of enforcement strategy but not a substitute for compliance. It is thus necessary to issue directions to all the States/UTs to enforce the compensation regime, latest with effect from 01.04.2020. We may not be taken to be condoning any past violations. The States/UTs have to enforce recovery of compensation from 01.04.2020 from the defaulting local bodies. On failure of the States/UTs, the States/UTs themselves have to pay the requisite amount of compensation to be deposited with the CPCB for restoration of environment. The Chief Secretaries of all the States may furnish their respective compliance reports as per directions already issued in O.A. No. 606/2018."

7. From the above, it is seen that township in question appears to have been developed without requisite infrastructure particularly sewerage system which should not have been permitted.

8. In view of above, further remedial action be now taken to ensure that proper sewerage system is in place connected to an appropriate STP. No untreated sewage is discharged in open. This may be ensured by the Vice


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

Chairman, ADA and overseen by the Additional Chief Secretary, Urban Development, UP and State PCB. This order is without prejudice to the coercive measures which may be taken by the State PCB, in accordance with law. The Additional Chief Secretary, Urban Development may sort out any unresolved issue with regard to financial liability or any other issue.

9. Let an action taken report be filed by the Additional Chief Secretary, Urban Development, Vice Chairman, ADA and UPPCB within two months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF. They may also apprise the Tribunal about remedial action with regard to similar situations at other locations in Agra and other cities in the State of UP.

10. The Additional Chief Secretary, Urban Development, UP and Vice Chairman, ADA may remain present in person by way of Video Conferencing on the next date.

List for further consideration on 06.07.2022.

A copy of this order be forwarded to Additional Chief Secretary, Urban Development, Vice Chairman, ADA and UPPCB by e-mail for compliance.

All pending I.A.s will stand disposed of.

Adarsh Kumar Goel, CP

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

14


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा नगर निगम, अधिकार


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

Dr. Vijay Kulkarni, EM

Dr. Afroz Ahmad, EM

March 24, 2022


Original Application No. 329/2021

(I.A. No. 52/2022, I.A. No. 53/2022 & I.A. No. 54/2022)

SN

15


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा निवास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता

आगरा विकास प्राधिकरण, आगरा

पत्रांक:- 405/D/EE-2/2122

दिनांक :- 20/3/2022

प्रेषक,

उपाध्यक्ष,
आगरा विकास प्राधिकरण,
आगरा।

सेवा में,

प्रमुख सचिव,
आवास एवं शहरी नियोजन विभाग,
उ०प्र० शासन, लखनऊ

781561 44711 IVR:4473517410
 67 RAJSHANKI (232032)
 Counter No:231/07/2022,13
 In:PRANUR SACHI, MO:8 34V
 PIN:22001 (Lucknow C/O
 From:PRANU SACHA & N PRANU,
 11/15/2022
 to: 447.20(Cash):1:17.20
 (Track on www.indiapost.gov.in)



विषय:- मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश दिनांक 24.03.22 के अनुपालन में निविदायें आमन्त्रित करने की अनुमति के सम्बन्ध में।

महोदय,

कृपया मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओरिजनल आई.ए. नम्बर-329/2021, आई.ए. नम्बर-52/2022, आई.ए. नम्बर-53/2022 एवं आई.ए. नम्बर-54/2022 में पारित आदेश दिनांक 24.03.22 के अनुपालन में नालन्दा टाउन कालोनी के निवासियों द्वारा आन्तरिक विकास शुल्क के मद में जमा धनराशि से सीवरेज स्लज मिश्रित जल के निस्तारण हेतु 200किली० क्षमता के एस.टी.पी. का निर्माण व अन्य आवश्यक कार्य अतिशीघ्र कराये जाने हेतु निविदायें आमन्त्रित की जानी हैं। स्थानीय प्राधिकारी निर्वाचन कार्य प्रचलन में है, जिसके कारण आदर्श आचार संहिता लागू है।

अतः मा० राष्ट्र हरित अधिकरण द्वारा पारित आदेश के क्रम में नालन्दा टाउन कालोनी में एस.टी.पी. व अन्य आवश्यक कार्य कराये जाने हेतु निविदा आमन्त्रित किये जाने की अनुमति आवश्यक है। कृपया निविदायें आमन्त्रण की अनुमति के लिए प्रकरण माननीय मुख्य निर्वाचन अधिकारी, उत्तर प्रदेश को संदर्भित करने का कष्ट करें।

भवदीय

(डॉ. राजेन्द्र पैसिया)
उपाध्यक्ष

उपाध्यक्ष

Scanned by Scanner Go

परमानन्द किशोर
ज्वर अभियन्ता

अशोक कुमार सिंह
सहायक सचिव
आचार्य विद्या प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिकासी अभियन्ता



94

आगरा विकास प्राधिकरण, आगरा

पत्रांक :- 407/51EE-2/21-22

दिनांक :- 30/03/2022

कार्यवृत्त

नालन्दा टाउन कालोनी, शमशाबाद रोड, आगरा के अन्तर्गत सीवेज की समस्या के निस्तारण के सम्बन्ध में मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओरिजनल आई.ए. नम्बर-329/2021 देवांशु बोस बनाम आ0वि0प्रा0 व अन्य में दिनांक 24.03.22 को पारित आदेश के अनुपालन में उपाध्यक्ष, आ0वि0प्रा0, आगरा की अध्यक्षता में आज दिनांक 30.03.22 को मुख्य नगर नियोजक, प्र0 मुख्य अभियन्ता, अधीक्षण अभियन्ता (भवन), नगर नियोजक, क्षेत्रीय अधिकारी-उ0प्र0प्रदूषण नियन्त्रण बोर्ड, अधिशासी अभियन्ता-2, सहायक अभियन्ता (भवन), सहायक अभियन्ता (खण्ड-2), अवर अभियन्ता (खण्ड-2) एवं नालन्दा टाउन कालोनी विकासकर्ता श्री राधे श्याम शर्मा, नालन्दा टाउन कालोनी के आवंटी श्री इन्द्रपाल, श्री डी.एल. यादव एवं अन्य निवासीगण बैठक में उपस्थित हुये। बैठक में निम्नलिखित बिन्दुओं पर विचार विमर्श कर निम्न निर्णय लिये गये :-

1. कालोनी के विकासकर्ता मै0 नालन्दा टाउन एण्ड डवलपर्स को एस.टी.पी. की स्थापना एवं अन्य अवशेष कार्य हेतु नोटिस दिया जाए (कार्यवाही-मानचित्र अनुभाग)।
2. दिनांक 06.04.2022 तक विकासकर्ता द्वारा कालोनी के आवंटियों की आर.डब्लू.ए. बनाने के सम्बन्ध में पंजीकरण कराया जाए एवं विकासकर्ता 20.04.22 तक कालोनी की सर्विसेज को आर.डब्लू.ए. को हैण्ड ओवर करना सुनिश्चित करें (कार्यवाही-मानचित्र अनुभाग)।
3. नालन्दा टाउन कालोनी के विकासकर्ता द्वारा दिनांक 13.04.22 तक पूर्णता प्रमाण पत्र प्राप्त किया जाए (कार्यवाही-मानचित्र अनुभाग)।
4. इस क्षेत्र में स्थित समस्त कालोनियों का सर्वे कराकर बाह्य विकास शुल्क, आन्तरिक विकास शुल्क का विस्तृत विवरण एक सप्ताह में तैयार किया जाए (कार्यवाही-मानचित्र अनुभाग)।
5. अवशेष कार्य पूर्ण न करने एवं योजना का पूर्णता प्रमाण पत्र प्राप्त न करने के विरुद्ध विकासकर्ता के खिलाफ एफ.आई.आर. दर्ज करायी जाए एवं पर्यावरण विभाग से एन.ओ.सी. न लेने के सम्बन्ध में भी नोटिस निर्गत किया जाए (कार्यवाही-मानचित्र अनुभाग)।
6. नालन्दा टाउन कालोनी के गेट के बाहर एकत्रित स्लज मिश्रित सीवेज के पानी को आचार संहिता समाप्त होते ही सात दिन के अन्दर टैंकरों के माध्यम से स्थल से हटा दिया जाए, इसके पश्चात् एस.टी.पी. का निर्माण होने तक सीवेज निस्तारण टैंकरों के माध्यम से कराने के लिए आर.डब्लू.ए. को नोटिस दिया जाए (कार्यवाही-अभियन्त्रण खण्ड-2)।
7. विकासकर्ता मै0 नालन्दा टाउन एण्ड डवलपर्स प्रा0 लि0 द्वारा प्राधिकरण सीमा के अन्तर्गत निर्मित/निर्माणाधीन समस्त कालोनियों के सम्बन्ध में जांच कर आख्या प्रस्तुत की जाए (कार्यवाही-मानचित्र अनुभाग/नियोजन अनुभाग/सम्बन्धित अभि. खण्ड)।

EL

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिशासी अभियन्ता

(93)

8. विन्दु-7 के अन्तर्गत जांच हेतु सचिव, अधीक्षण अभियन्ता (भवन), नगर नियोजक, अधिशासी अभियन्ता-2 सहित संयुक्त समिति का गठन किया जाए (कार्यवाही-मुख्य अभियन्ता)।
9. विकासकर्ता द्वारा नालन्दा टाउन कालोनी में एस.टी.पी. की स्थापना का कार्य दिनांक 27.04.22 तक अवश्य पूर्ण कर दिया जाए (कार्यवाही-मानचित्र अनुभाग/अभि. खण्ड-2)।
10. विकासकर्ता मै0 नालन्दा टाउन एण्ड डवलपर्स प्रा0 लि0 द्वारा निर्मित शास्त्रीपुरम स्थित कालोनी नालन्दा टाउन का निरीक्षण दिनांक 05.04.22 को प्रातः 10:00 बजे कराया जाए (कार्यवाही-मुख्य अभियन्ता)।
11. नालन्दा टाउन कालोनी की समस्याओं के निस्तारण के सम्बन्ध में प्रत्येक बुधवार को 12:00 बजे बैठक की जाए (कार्यवाही-मुख्य अभियन्ता/मुख्य नगर नियोजक/अधीक्षण अभियन्ता (भवन))।
12. प्राधिकरण के विभिन्न अधिकारियों की टीम द्वारा नालन्दा टाउन कालोनी का भ्रमण किया गया। जैसाकि विकासकर्ता श्री राधेश्याम शर्मा द्वारा बैठक में बताया गया कि उक्त कालोनी में एस.टी.पी. बना है। किसी अधिकारी द्वारा भ्रमण में उक्त कालोनी में एस.टी.पी. निर्मित नहीं पाया गया। केवल सेप्टिक टैंक बना है और पम्प द्वारा डिस्चार्ज खुले में डाला जा रहा है।
13. विकासकर्ता द्वारा एस.टी.पी. स्थापना से पूर्व संयंत्र का स्पेशीफिकेशन व विवरण प्राधिकरण को तत्काल अनुमोदन कराया जाए।
14. संदर्भित क्षेत्र में विकसित अन्य कालोनियों में भी यही समस्या बताई गई। निर्देश दिये गये कि जल निगम द्वारा तैयार की गयी पानी की निकासी/ड्रेनेज की डी.पी.आर. वित्त पोषण एवं स्वीकृति हेतु उ0प्र0 शासन को प्रेषित की जाए। (कार्यवाही-अभियन्त्रण खण्ड-2)।
15. स्थलीय निरीक्षण के दौरान देखा कि स्वीकृत महायोजना अनुसार सड़कों की चौड़ाई निर्धारित मानक के अनुरूप नहीं है। अतः इस पर संयुक्त रूप से निर्णय नियोजन अनुभाग व भू-अर्जन अनुभाग द्वारा लिया जाना है। (कार्यवाही-मुख्य नगर नियोजक एवं प्र0 भू-अर्जन)

(डॉ. राजेन्द्र पैसिया)
उपाध्यक्ष

प्रतिलिपि :-

बैठक में उपस्थित सभी अधिकारी/कर्मचारीगण को अनुपालनार्थ।

राजेश भट्ट
01/04/22

उपाध्यक्ष

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिशासी अभियन्ता

आगरा विकास प्राधिकरण, आगरा

पत्रांक :- 405/1/EE-2/21-22

दिनांक :- 20/3/2022

प्रेषक,

उपाध्यक्ष,
आगरा विकास प्राधिकरण,
आगरा।

सेवा में,

प्रमुख सचिव,
आवास एवं शहरी नियोजन विभाग,
उ०प्र० शासन, लखनऊ

EM/19615/21N IVR:0985619515
 33 RAJMAHADI (2020J2)
 Counter No:2,31/03/2022, 17-18
 10:00AM-01:00PM, 17-18/03/2022
 20/03/2022 Lucknow 570
 From: RAJMAHADI & P. P. P. P. P.
 To: 19/03/22
 As: 17/20 (Cash) 17/20
 Track on www.indiapost.gov.in



विषय:- मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश दिनांक 24.03.22 के अनुपालन में निविदायें आमन्त्रित करने की अनुमति के सम्बन्ध में।

महोदय,

कृपया मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओरिजनल आई.ए. नम्बर-329/2021, आई.ए. नम्बर-52/2022, आई.ए. नम्बर-53/2022 एवं आई.ए. नम्बर-54/2022 में पारित आदेश दिनांक 24.03.22 के अनुपालन में नालन्दा टाउन कालोनी के निवासियों द्वारा आन्तरिक विकास शुल्क के मद में जमा धनराशि से सीवरेज स्लज मिश्रित जल के निस्तारण हेतु 200किली० क्षमता के एस.टी.पी. का निर्माण व अन्य आवश्यक कार्य अतिशीघ्र कराये जाने हेतु निविदायें आमन्त्रित की जानी है। स्थानीय प्राधिकारी निर्वाचन कार्य प्रचलन में है, जिसके कारण आदर्श आचार संहिता लागू है।

अतः मा० राष्ट्र हरित अधिकरण द्वारा पारित आदेश के क्रम में नालन्दा टाउन कालोनी में एस.टी.पी. व अन्य आवश्यक कार्य कराये जाने हेतु निविदा आमन्त्रित किये जाने की अनुमति आवश्यक है। कृपया निविदायें आमन्त्रण की अनुमति के लिए प्रकरण माननीय मुख्य निर्वाचन अधिकारी, उत्तर प्रदेश को संदर्भित करने का कष्ट करें।


भवदीय

(डॉ. राजेंद्र पैंसिया)
उपाध्यक्ष

30.03.22

Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता



106

2 मेल 2 मा. 18/11/21

R.O. Agra (30/11/21)

October-2019 (Letter Head) (541)

आगरा विकास प्राधिकरण, आगरा

पत्रांक : 434/01/ए-2/22

दिनांक :- 22/4/2022

प्रेषक,

अधिसासी अभियन्ता-2,
आगरा विकास प्राधिकरण,
आगरा।

सेवा में,

1. श्री देवांशु बोस
नालन्दा टाउन,
शमशाबाद रोड, आगरा-2820012. श्री डी.एल. यादव,
नि0-277ए नालन्दा टाउन,
शमशाबाद रोड, आगरा-282001

विषय :- नालन्दा टाउन कालोनी में सीवेज के निस्तारण के सम्बन्ध में।

महोदय,

कृपया नालन्दा टाउन कालोनी के सीवेज के निस्तारण के सम्बन्ध में मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली द्वारा ओ.ए. सं.-329/2021 देवांशु बोस बनाम आ0वि0प्रा0 एवं अन्य में दिनांक 01.12.21 को पारित आदेशों के अनुपालन में गठित समिति द्वारा दिनांक 10.12.2021 के स्थल निरीक्षण के उपरान्त मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली के आदेश के अनुपालन के क्रम में दिनांक 24.01.22 को बैठक में हुये निर्णय के सम्बन्ध में आपको पत्र सं0-333/डी/ईई-2/21-22 दिनांक 02.02.22 के माध्यम से अवगत कराया गया था। पत्र में आपसे यह अनुरोध किया गया था कि एस.टी.पी. के निर्माण स्थल को सुनिश्चित करने हेतु आर.डब्ल्यू.ए. की जनरल बॉडी मीटिंग से प्रस्ताव पारित कराकर प्राधिकरण को अवगत कराये, परन्तु अभी तक एस.टी.पी. के निर्माण स्थल के सम्बन्ध में कोई अधिकारिक सूचना प्राधिकरण को उपलब्ध नहीं करायी गयी है। इस कारण मा0 राष्ट्रीय हरित अधिकरण के आदेशों का अनुपालन कराये जाने में विलम्ब हो रहा है। दिनांक 28.03.22 को उपाध्यक्ष, आ0वि0प्रा0 की अध्यक्षता में हुई बैठक में लिये गये निर्णयों का अनुपालन सुनिश्चित नहीं किया गया है। मा0 राष्ट्रीय हरित अधिकरण के निर्णय के अनुसार सीवर का बहाव खुले में न करके टैंकरों के माध्यम से किया जाये जिससे कि पर्यावरण का बचाव किया जा सके एवं मा0 राष्ट्रीय हरित अधिकरण के निर्णयों का अनुपालन कराया जा सके। मा0 राष्ट्रीय हरित अधिकरण के आदेश दिनांक 01.12.2021 के पैरा-4 एवं अन्य बिन्दुओं के अनुसार ही कार्य किया जाना जनहित में आवश्यक है (आदेश की छायाप्रति संलग्न)।

उपरोक्त के क्रम में यह भी अवगत कराना है कि नालन्दा टाउन कालोनी के निवासियों एवं योजना को विकसित करने वाले विकासकर्ताओं द्वारा कोई जिम्मेदारी नहीं ली गयी है जो अन्यन्त ही चिन्तनीय है।

आ0वि0प्रा0 द्वारा नालन्दा टाउन कालोनी के गेट के बाहर सड़क व रिक्त भूखण्डों पर एकत्रित स्लज मिश्रित सीवेज जल को हटाया जाना प्रारम्भ कर दिया गया है, परन्तु नालन्दा टाउन कालोनी के निवासियों द्वारा सीवेज मिश्रित पानी को पम्प से फेंकना बन्द नहीं किया जा रहा है जो कि मा0 राष्ट्रीय हरित अधिकरण के आदेशों का उल्लंघन है एवं निस्तारण करने में बाधा उत्पन्न हो रही है।

अतः नालन्दा टाउन कालोनी में पम्प के माध्यम से सड़क पर बहाये जा रहे सीवेज के पानी को टैंकरों से निस्तारण सुनिश्चित कराये तथा स्थल पर लगाये गये पम्पिंग सैट को स्थल से तत्काल हटाया जाना सुनिश्चित करें।

भवदीय

प्रतिलिपि :-

अधिसासी अभियन्ता-2

1. उपाध्यक्ष महोदय को सादर अवलोकनार्थ प्रेषित।
2. क्षेत्रीय अधिकारी, उ0प्रा0 प्रदूषण नियन्त्रण बोर्ड, आगरा को सूचनार्थ व आवश्यक कार्यवाही हेतु प्रेषित।
3. श्री राधेश्याम शर्मा, निदेशक नालन्दा इन्फ्रा डवलपर्स प्रा. लि., नि0-105, फ्रेण्ड्स विहार पैराडाइज, खन्दारी, आगरा को मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश दिनांक 01.12.21 का अनुपालन सुनिश्चित कराने हेतु।
4. मैनेजर, टोरेन्ट पावर लि0, एम.जी. रोड, आगरा को इस आशय से प्रेषित कि स्थल पर पम्पिंग स्थल पर लगे विद्युत कनेक्शन को विच्छेदित करने हेतु आवश्यक कार्यवाही करें।

Scanned by Scanner Go

अधिसासी अभियन्ता-2

परमानन्द किशोर
अवर अभियन्ताअशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरणदेवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता



119

आगरा विकास प्राधिकरण, आगरा

पत्रांक :- 445/12/EE-2/22-23

दिनांक:- 26/04/2022

प्रेषक,

अधिशाली अभियन्ता-2
आगरा विकास प्राधिकरण,
आगरा।

सेवा में,

- 1- श्री डी0एल0 यादव,
फ्लैट नं0-297, नालान्दा टाउन कालोनी,
शमशाबाद रोड, आगरा।
- 2- श्री देवान्शु बोस,
नालान्दा टाउन कालोनी,
शमशाबाद रोड, आगरा।

WhatsApp नमूना है

Email से नमूना है

विषय: नालान्दा टाउन कालोनी में सीवेज मिश्रित पानी सड़क पर बहाने के सम्बन्ध में।

महोदय,

कृपया आज दि0 26.04.2022 को नालान्दा टाउन कालोनी के निरीक्षण के दौरान पाया गया कि स्थल पर पार्क नं0-4 में निर्मित सैप्टिक टैंक ओवर फ्लो हो रहा है जोकि नालियों के द्वारा सड़क पर गढ़ने में भर रहा है। प्राधिकरण द्वारा गेट के बाहर एकत्रित सीवेज को टैंकों के द्वारा स्थल से हटवाया जा रहा है किन्तु कालोनी के अन्दर का सीवेज जोकि ओवर फ्लो कर रहा है को आपके द्वारा टैंकों से नहीं हटाया जा रहा है जोकि माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली के आदेश दि0 01.12.2021 का उल्लंघन हो रहा है। इस सम्बन्ध में पूर्व में भी आपको पत्रांक 431/D/EE-2/22-23 दिनांक 22/4/2022 द्वारा सीवेज को टैंकों द्वारा निस्तारित करने के लिए सूचित किया जा चुका है।

कृपया माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली के आदेश दि0 01.12.2021 का अनुपालन सुनिश्चित करें।

भवदीय

26/4/22
✓ अधिशाली अभियन्ता

प्रतिलिपि:-

Nasir
27-04-22

- 1- उपाध्यक्ष महोदय को सादर अवलोकनार्थ।
- 2- श्री विश्वनाथ शर्मा, क्षेत्रीय अधिकारी, प्रदूषण नियन्त्रण बोर्ड को आ0का0 हेतु।

Email से नमूना है

26/4/22
✓ अधिशाली अभियन्ता

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिशाली अभियन्ता

October 2019 (Letter Head) (552)



183

आगरा विकास प्राधिकरण, आगरा

पत्रांक :- 472/ME&2/22-23

दिनांक :- 10/5/22

प्रेषक,

अधिशाली अभियन्ता-2,
आगरा विकास प्राधिकरण,
आगरा।

सेवा में,

1. श्री देवांशु बोस
नालन्दा टाउन,
शमशाबाद रोड, आगरा-282001

2. श्री डी.एल. यादव, (WhatsApp नं. 7124434343)
नि0-277ए नालन्दा टाउन,
शमशाबाद रोड, आगरा-282001

विषय :- नालन्दा टाउन कालोनी में सीवेज मिश्रित पानी को सड़क पर बहाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक कार्यालय पत्रांक 434/डी/ईई-2/22-23 दिनांक 22.04.22 एवं 445/डी/ईई-2/22-23 दिनांक 26.04.22 का संदर्भ ग्रहण करने का कष्ट करें, जिसके क्रम में आपको सूचित करना है कि मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली के आदेश दिनांक 01.12.2021 के अनुपालन में आ0वि0प्रा0 द्वारा नालन्दा टाउन कालोनी के गेट के बाहर नाली व खाली प्लॉटों में भरे हुये सीवेज के पानी को पूर्ण रूप से स्थल से टैंकरों के माध्यम से हटवाकर खाली कर दिया गया है। मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली द्वारा गठित समिति के निर्णय दिनांक 24.01.22 के पैरा-2 में भी स्पष्ट निर्देश है कि प्राधिकरण द्वारा नालन्दा टाउन कालोनी के बाहर एकत्रित सीवेज को एक बार पूर्ण रूप से हटाने के पश्चात् यदि पुनः सीवेज का जल भराव होता है तो टैंकरों द्वारा उसके निस्तारण का उत्तरदायित्व नालन्दा टाउन कालोनी के आर.डब्ल्यू.ए. का होगा। किन्तु स्थल निरीक्षण के दौरान ज्ञात हुआ है कि कालोनी का सीवेज मिश्रित पानी नालियों के द्वारा गेट के बाहर सड़क के गड्ढे में बहाया जा रहा है, जो कि मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली के आदेश एवं गठित समिति द्वारा दिये गये निर्णयों का सीधा उल्लंघन किया जा रहा है एवं पर्यावरण को भी प्रदूषित किया जा रहा है। आ0वि0प्रा0 द्वारा एस.टी.पी. के निर्माण के सम्बन्ध में आवश्यक कार्यवाही सुनिश्चित की जा रही है।

पूर्व पत्रों में आपसे अनुरोध किया गया था कि नालन्दा टाउन कालोनी के समुचित विकास हेतु आर.डब्ल्यू.ए. का गठन करें, किन्तु अभी तक इस में कोई कार्यवाही नहीं की गयी एवं प्राधिकरण को सूचना भी नहीं दी गयी।

अतः मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली के निर्णय के अनुपालन में नालन्दा टाउन कालोनी के गेट के बाहर सीवेज के पानी का निस्तारण टैंकरों के माध्यम से कराना सुनिश्चित करें।

भवदीय

प्रतिलिपि :-

1. उपस्थित महोदय को सादर अवलोकनार्थ प्रेषित।

2. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियन्त्रण बोर्ड, आगरा को सूचनार्थ व आवश्यक कार्यवाही हेतु प्रेषित।

अधिशाली अभियन्ता-2

अधिशाली अभियन्ता-2

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह
अधिशाली अभियन्ता

ANNEXURE 12

-192-

M/S VED Builders**Govt. Contractor And Suppliers**

सेवा में,

अधिकासी अभियन्ता-2,
आगरा विकास प्राधिकरण,
आगरा

26, VIII, Patti Panchgai

P.O - Kakua, Agra,

UP - 282001

Mob. - 9634268617

Date - 11/05/2022

विषय :- रजरई रोड के पास स्थित नालन्दा टाउन कालोनी से निकलने वाले
सीवरेज स्लज मिश्रित जल के निस्तारण का कार्य।

महोदय,

उपरोक्त कार्य अनुबन्ध सं0-8/डी/योजनामद/ईई-2/सीई/22 दिनांक 02.05.22 के अन्तर्गत हमारी फर्म द्वारा कराया गया है। उक्त कार्य कार्यादेश के अनुसार दिनांक 23.04.22 से दिनांक 22.05.2022 तक पूर्ण कराया जाना था। तत्कम में उक्त कार्य मेरे द्वारा उच्चाधिकारियों द्वारा दिये गये निर्देशों के कम में पूर्ण करा दिया गया है। उक्त कराये गये कार्य के फोटोग्राफ एवं विडियोग्राफी (सी.डी.) में संलग्न कर दिये गये हैं।

अतः उपरोक्तानुसार कराये गये कार्य का बिल भुगतान किये जाने हेतु सम्बन्धित को निर्देशित करने का कष्ट करें।

भवदीय

शर्म
मै0 वेद बिल्डर्स


e-mail - sharmabn123@gmail.com


Scanned by Scanner Gपरमनन्द किशोर
अवर अभियन्ताअशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरणदेवेन्द्र सिंह
अधिकासी अभियन्ता



Scanned by Scanner Q


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भट्टनागर
अधिसासी अभियन्ता

188



Scanned by Scanner Q

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता



Scanned by Scanner G

परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह
अधिसासी अभियन्ता



Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता



अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिशासी अभियन्ता



Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण



देवेन्द्र
अधिशासी अभियन्ता



Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिशासी अभियन्ता



Scanned by Scanner Go



परमानन्द किशोर
अवर अभियन्ता



अशोक कुमार सिंह
सहायक अभियन्ता
आमरा विभाग, प्राधिकरण



देवेन्द्र सिंह भस्मा
अधिसासी अभियन्ता



Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिकासी अभियन्ता



आगरा विकास प्राधिकरण, आगरा

पत्रांक:- 900/डी/भवन/2022

दिनांक:- 24/05/2022

अधिशायी अभियन्ता(खण्ड-2)

कृपया अपने पत्रांक-494/डी/ईई-2/22-23 दिनांक 20.05.22 का सदर्थ ग्रहण करने का कष्ट करें। उपरोक्त सम्बन्ध में अवगत कराना है कि मा0राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0-239/2021 आई0ए0 नं0-52, 53, 54/2021 देवाशु बोस बनाम उ0प्र0राज्य व अन्य में मा0अधिकरण द्वारा पारित आदेशों के अनुपालन के क्रम में उपाध्यक्ष महोदय द्वारा आहुत बैठक में दिये गये निर्देशों के क्रम में अवगत कराना है कि नालन्दा टाउन कालोनी, शमशाबाद रोड, आगरा में 200 के0एल0डी0पी0 एस0टी0पी0 की स्थापना हेतु विकासकर्ता द्वारा मै0रियासा वाटर टेक्नोलोजीज प्रा0लि0, शकरपुर, दिल्ली को दिनांक 02.05.2022 को रू0 10.00 लाख अग्रिम भुगतान का डी0डी0 के साथ कार्यादेश दिये जाने की सूचना प्रस्तुत की है, जिसकी छायाप्रति संलग्न कर प्रेषित की जा रही है।

कृपया प्रकरण में अग्रेतर कार्यवाही करने का कष्ट करें।

संलग्नक:- उपरोक्तानुसार।

अधीक्षण अभियन्ता(भवन)

पत्र (वार्डन)
कतिपय
27/5/2022

660R/EE 2/22
95/05/22

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह
अधिशायी



47

NALANDA**BUILDERS AND DEVELOPERS (I) LTD.**

1st Floor, Shanti Mall, Church Road, Ram Nagar, Agra

Ph.: 2522590

CIN : U45201UP2005PLC030688

Web : www.nalandabuilders.com

Date

Ref. No.



कार्यालय-उपाध्यक्ष
रजिस्टर ब्रमांक 926
प्राप्ति का दिनांक 28/04/22

सेवा में,

उपाध्यक्ष महोदय,

आगरा विकास प्राधिकरण,

आगरा।

विषय- नालंदा टाउन शमशाबाद रोड आगरा में एस0टी0पी0 बनाने के संबंध में।

SE/TP/EE-2 AGS/Deshray
उपाध्यक्ष
आगरा विकास प्राधिकरण
29.4.22
T.P.

महोदय,

कृपया आकषे पत्रांक सं0- 45/BFT/04/04-05 के संबंध में निवेदन है हमने उक्त कॉलोनी में एस0टी0पी0 निर्माण करने के लिये वर्क ऑर्डर जारी कर दिया है जो कि M/s Riasa Water Technologies Pvt. Ltd. Shakarpur New Delhi का दिया गया है साइट पर हमें केवल Foundation Work करना है शेष पूरा एस0टी0पी0 उक्त कम्पनी द्वारा अपनी फैक्ट्री में बनाकर साइट पर Install करना है आज से 45 दिन के अन्दर एस0टी0पी0 को पूर्ण रूप से संचालित कर दिया जायेगा।

धन्यवाद

अंकुर दुबे
निदेशक
OR NALANDA BUILDERS & DEVELOPERS (I) LTD.
DIRECTOR
संलग्न- 6/5/22

वर्क ऑर्डर की प्रति

अग्रिम धनराशि के चैक की प्रति।

E-mail : info@nalandabuilders.com Fax No.: 0562-2522590

Scanned with CamScanner

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता



NALAND

BUILDERS AND DEVELOPERS (I) LTI

1st Floor, Shanti Mall, Church Road, Ram Nagar, Ag
Ph.: 2522590
CIN : U45201UP2006PLC030688
Web : www.nalandabuilders.com Date

Ref. No.

WORK ORDER

Project Name : Supply, Installation, Testing & Commissioning of Sewage Treatment Plant at Nalanda Town Agra.		Dept.:	CIVIL			
Work Order No.: 128/2022		Nature of work	Supply & Installation for STP without civil work			
Reference : Work Order		Value of Work :	Rs. 46,50,000			
NAME & ADDRESS OF CONTRACTOR		Date of Start :	28.04.2022			
M/S Riya Water Technologies Pvt. Ltd.		Date of Completion:	Within 30 days			
Address :- 494A, First Floor, Ganesh Nagar, Shakarpur, Delhi-110092		Account Details: A/C No. 0170102000023135 Bank Name : IDBI Bank, Preet Vihar Delhi-92 IFSC Code IBKL0000170				
MOBILE NUMBER: 9899306437						
Contact person : Mr. Pramod Kumar						
PAN No. AAICR3153N						
GST No. 07AAICR3153N1Z0						
Sl.No.	BOQ Item No.	Description	Approx Qty	Unit	Rate	Total Amount
1.	Misc.	Supply, Installation, Testing, Commissioning of sewage Treatment Plant of capacity 200 KLD at Nalanda Town, Agra As per Attached proposal	1	Job	46,50,000	46,50,000
Total						Rs. 46,50,000

Special terms & Conditions :-

1. Work shall be completed within 30 days after completion of civil work i.e. work order date
2. The scope of work includes the completion of STP.
3. Rs. 1000000/- on issue of work order, RS, 500000/- within 7 days of WO, Rs. 2000000/- before dispatch after inspection, Rs. 500000/- on Installation, Rs. 650000/- after completion.
4. GST Extra applicable
5. Freight Extra as per actual

Prepared By

Checked By

Accepted By Sub Contractor

for NALANDA Builders & Developers (I) Ltd.

Authorized Signatory

Authorized Signatory

E-mail : info@nalandabuilders.com Fax No.: 0562-2522590

Scanned with CamScanner

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता



पंजाब नैशनल बैंक
punjabnational bank

आगरा-संजय प्लेस (आगरा) उत्तर प्रदेश (084210)
AGRA-SANJAY PLACE (Agra) Uttar Pradesh-220001
RTGS/NEFT IFS Code : PUNB0084210

सभी शाखाओं पर देय PAYABLE AT ALL BRANCHES

28 04 2022
D D M M Y Y Y Y

PAY Riasa water Technologies Pvt. Ltd. या धारक को OR BEARER

रुपये RUPEES Ten Lacs only

अदा करें ₹ 10,00,000/-

खाता सं.
A/c No. 08421131006952

चालू खाता
CURRENT A/c

WKE

DIRECTOR

PLEASE SIGN ABOVE
DIRECTOR

"251475" 2820240321

29

Scanned with CamScanner

Scanned by Scanner Go

परमानन्द किशोर
अवर अभियन्ता

अशोक कुमार सिंह
सहायक अभियन्ता
आगरा विकास प्राधिकरण

देवेन्द्र सिंह भदौरिया
अधिकासी अभियन्ता



50
Riasa Water Technologies Pvt. Ltd.

Registered Add: 494A, First Floor, Ganesh Nagar,
Shakarpur, Delhi-110092

Contact No. 09899306436, 09899451330

Email: info@riasawater.com, riasawater@gmail.com

Website: www.riasawater.com

CIN: U41000DL2017PTC318104

GST No. : 07AAICR3153N1Z0

Date: - 11-05-2022

To,

Mr. Ankur Dubey -Director,

M/s Nalanda Builders and Developers (I) Ltd

1st Floor, Shanti Mall, Church Road, Ram Nagar,

Agra, Uttar Pradesh-2522590

Subject: - Declaration Letter for Completion of STP Work (Excluding civil work).

Dear Sir,

As per received work order for work supply, Installation, testing & commissioning of Sewage treatment plant of Capacity 200 KLD excluding civil work at Nalanda Town, Shamshabad Road, Agra work order reference No. 128/2022 dated 02nd May 2022.

We declare that we will completed the above said work as per our proposal within 30 days after completion of civil work as per drawing & also as per received payments from your side.

We will not responsible for delay in completion of work due to civil work and delay of payments at your end.

Thanking You,

M/s Riasa Water Technologies Pvt Ltd




Pramod Kumar
Director

Scanned with CamScanner

Scanned by Scanner Go


परमानन्द किशोर
अवर अभियन्ता


अशोक कुमार सिंह
सहायक अभियन्ता
आगरा निगम प्राधिकरण


देवेन्द्र सिंह भदौरिया
अधिसासी अभियन्ता