

**Letter No.: NGT-181 /81-7-2023**

**From,**

**Devendra Singh Chauhan,**  
Under Secretary,  
Environment, Forest & Climate Change,  
Government of Uttar Pradesh

**To,**

**The Registrar,**  
Hon'ble National Green Tribunal,  
Copernicus Marg, New Delhi.

**Environment, Forest & Climate  
Change Section-7**

**Lucknow : Dated : 01 May, 2023**

**Sub: Response on behalf of State of Uttar Pradesh in Compliance to order dated 28.02.2023 passed by the Hon'ble National Green Tribunal, New Delhi in Original Application No. 510/2022 Ramnaresh Vs State of Uttar Pradesh & Ors.**

**Sir,**

In compliance of order dated 28.02.2023 passed by this Hon'ble Tribunal in OA 510/2022 in the matter of Ramnaresh Vs State of Uttar Pradesh & Ors. response on behalf of State of Uttar Pradesh is enclosed.

It is requested that the said response may be presented before the Hon'ble Tribunal for kind consideration.

**Encl: As above**

**Your's Sincerely,**



**( Devendra Singh Chauhan )**  
Under Secretary.

**Response on behalf of State of Uttar Pradesh in Compliance to order dated 28.02.2023 passed by the Hon'ble National Green Tribunal, New Delhi in Original Application No. 510/2022 Ramnaresh Vs State of U.P. & Ors.**

That in the captioned matter Hon'ble National Green Tribunal, New Delhi has passed directions vide its order dated 28.02.2023. The operative part of the direction is as follows:-

*".....4. In view of the averments in the application and observations in the report of the Joint Committee, we consider it appropriate to have response of (1) the State of Uttar Pradesh through Chief Secretary, Government of Uttar Pradesh, (2) Executive Officer, Nagar Palika Parishad, Tundla (3) State PCB and (4) District Magistrate, Tundla who stand impleaded as respondents no. 1 to 4. The Registry is directed to prepare and attach memo of parties to the application.*

*5. Respondent no. 3 is already appearing before this Tribunal through counsel. Notices alongwith the copies of the application and report of the Joint Committee be issued to respondents no. 1, 2 and 4 requiring them to file their reply/response.*

*6. Reply/response by the respondents no 1, 2 and 4 be filed within two months by email at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.*

*7. List for further consideration on 29.05.2023."*

The grievance in the application is regarding discharge of untreated sewage in Pamari drain which is adding to pollution of River Yamuna. The Hon'ble National Green Tribunal, New Delhi Vide order dated 30.08.2022 has constituted a Joint Committee comprising representative of State PCB and District Magistrate Firozabad with the direction to submit the factual and action taken report. The Joint Committee visited the site and submitted the report to the Hon'ble National Green Tribunal, New Delhi vide letter dated 19.01.2023. The copy of the Joint Committee report as submitted in the Hon'ble NGT is enclosed as **Annexure-I**

2. As per the report of Nagar Palika Tundla, they have constructed permanent roof top slab over the Pamari drain and Toilets has been constructed over it for which septic tank & soak pit provided. During inspection by the committee it was noticed that the domestic sewage is discharged in Pamari drain, which travels around 12 kms. & on the way of sewage mixed waste water of the drain is used by local farmers for irrigation purpose.

The drain passes through Village-Chulawali, Nagla Teja, Nagla Gadhiya (Rasulabad) & Nagla Chhar at approx 7 kms having Lat. 27.156423<sup>0</sup> & Long. 78.241558<sup>0</sup>. The drain ends near Village Nagla Chhar. The drain water is temporarily stopped by local farmers. After that there is no waste water/sewage was flowing in the drain and the drain was found in dry condition (Photograph of the drain is attached in the Joint Committee report as Annexure-C). Hence at present there is no direct discharge in River Yamuna. Only during rainy season it may meets River Yamuna. No other encroachment was found over the drain other than toilets during the inspection.

The effluent samples were also collected during inspection of the Joint Committee and analysis reports were submitted by the Joint Committee as Annexure-D in its report. It is submitted that the grievance contained in the captioned O.A. was with respect to discharge of untreated sewage in Pamari drain which was adding to pollution of river Yamuna.

3. The Executive Officer, Nagar Palika Parishad, Tundla and Irrigation Department, Hathras jointly demolished the illegal Sauchalaya through JCB machine on dt. 17.01.2023 and removed the whole civil structure from Pamari drain and as per the Joint Committee report there is no sewage discharge from illegal Sauchalaya into Pamari drain. The compliance report was submitted by Executive Engineer, Irrigation Department, Hathras vide his letter dt. 18.01.2023 with the Joint Committee report.

4. It is also submitted that in the Joint Committee Report records in Para- 4 that there is no direct discharge of water from the Pamari drain into the River Yamuna and that the same may only occur during the monsoon season if the water from the drain meets the River Yamuna on account of rains.

5. It is submitted, in view of the above facts and developments that the sole structure through which sewage waste water was discharged into the Pamari drain was the toilet constructed over the drain in Tundla and it has been entirely demolished as verified by the Joint Committee in its report. That now the water in the Pamari drain is no longer contaminated by sewage waste. Further, there is no direct flow of water into the River Yamuna from the Pamari drain or from the pond in which the Pamari drain meets.


Accordingly, it is submitted that all efforts have been made by the State of Uttar Pradesh and compliance has been ensured with regard to the issue of stopping discharge of untreated sewage waste from the Pamari drain into the River Yamuna, which formed the subject matter of the captioned OA.

That it is further submitted that Government of Uttar Pradesh is committed, towards ensuring compliance of the orders of the Hon'ble Tribunal.

The above response report is being placed for consideration of this Hon'ble Tribunal.

**LUCKNOW**

**DATED: 01.05.2023**

  
( **Devendra Singh Chauhan** )  
Under Secretary,  
Government of Uttar Pradesh.



क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, फिरोजाबाद  
Regional Office, Uttar Pradesh Pollution Control Board, Firozabad

www.uppcb.com  
✉ rofirozabad@uppcb.in  
@PCBFirozabad

संदर्भ संख्या:- 530 / सा.प्र. - 198 / 2023

दिनांक:- 19 / 01 / 2023

To,  
The Registrar,  
National Green Tribunal,  
Principal Bench,  
New Delhi.  
E-mail : judicial-ngt@gov.in

Sub.: Joint Committee Report in compliance of the orders dated 30.08.2022 and 20.12.2022 passed by the Hon'ble National Green Tribunal, New Delhi in Original Application No. 510/2022, Ramnaresh Versus State of UP & ors.

Sir,

That in compliance of the orders dated 30.08.2022 and 20.12.2022 passed by the Hon'ble National Green Tribunal, New Delhi in Original Application No. 510/2022, Ramnaresh Versus State of UP & ors., the Report of the Joint Committee is annexed herewith and forwarded to you with the request that the same may place before the Hon'ble Tribunal for perusal.

Therefore, the Report of the Joint Committee is attached herewith for kind perusal and consideration of the Hon'ble Tribunal.

Yours Sincerely,

*Wse*  
19/01/23  
(V. K. Dubey)  
Regional Officer  
UPPCB, Firozabad

Copy to:

1. Member Secretary, U. P. Pollution Control Board, Lucknow for information.
2. Shri Arvind Kumar, Advocate, Hon'ble Supreme Court/NGT, New Delhi for perusal and necessary action please.
3. Chief Environmental Officer, Circle-4, U. P. Pollution Control Board, Lucknow for information.
4. Law Officer-I, U. P. Pollution Control Board, Lucknow for information.

(V. K. Dubey)

**REPORT**  
**PLACED BEFORE HON'BLE NATIONAL GREEN TRIBUNAL**  
**(NGT), NEW DELHI**  
**O.A. No. 510 of 2022**

**IN THE MATTER OF**  
**RAMNARESH** **APPLICANT**  
**VERSUS**  
**STATE OF UTTAR PRADESH AND OTHERS** **RESPONDENT**

**INDEX**

<b>S.N.</b>	<b>PARTICULARS</b>	<b>PAGE NO.</b>
1.	REPORT OF JOINT COMMITTEE CONSTITUTED IN THE MATTER OF O.A. NO. 510/2022 RAMNARESH VERSUS STATE OF UTTAR PRADESH AND OTHERS IN COMPLIANCE OF HON'BLE NGT, ORDER DATED: 30.08.2022.	
2.	ANNEXURE-A: HON'BLE NGT ORDER DATED:30.08.2022	

**Report**

In compliance of  
Hon'ble NGT, Principal Bench, New Delhi's order dated 30.08.2022  
In the matter of Original Application No.510/2022  
(Ramnaresh Versus State of Uttar Pradesh and others)

Joint Committee as per order  
UPPCB & District Magistrate, Firozabad, U.P.  
(Additional Committee members, S.D.M., Tundla,  
Ex-En Irrigation Department, Hathras,  
E.O. Nagar Palika, Tundla)

**Contents**

S.N.	Description	Page No.
1	Background	4
2	Inspection and Monitoring of Joint Committee	4
3	Introduction	5
4	Inspection of Pameri Drain.	5
5	Details of Sampling Points.	6
6	Details of Analysed Samples Report	7
7	Action Taken Report	8
	ANNEXUR 11 :- Photo Gallery	

**1.0. Background**

In compliance of the Hon'ble NGT order dated 30.08.2022 in the matter of O.A. No. 510 of 2022 Ramnaresh Versus State of Uttar Pradesh and others regarding verification of factual position of complaint about discharge of untreated sewage in Pameri drain which is adding to pollution of River Yamuna. The relevant part of the order is as follow:

*".....Accordingly, we constitute a joint committee comprising representative of State PCB and District Magistrate, Firozabad and direct the same to meet within two weeks, undertake visits to the site, look into the grievances of the applicant, associate the applicant and representative of the concerned project proponents, verify the factual position, take appropriate remedial action by following due process of law and submit its Factual and Action Taken Report within two months by e-mail at [judicial-ngt@gov.in](mailto:judicial-ngt@gov.in) The State PCB will be the nodal agency for coordination and compliance."*

In compliance to said order, following committee was constituted.

**Nominated Members**

1. Sh. Satyendra Kumar, SDM, Tundla
2. Sh. Baljeet Singh, Executive Engineer, Irrigation deptt., Hathras.
3. Sh. Surendra Pratap, Executive Officer, Nagar Palika Parishad, Tundla.
4. Sh. V.K. Dubey, Regional Officer, U.P.P.C.B., Firozabad .

**2.0. Inspection and Monitoring of Joint Committee:**

Committee carried out the inspection of the Pameri Drain on dt. 09.01.2023. During the inspection S.D.M., Tundla & representative of Pameri Drain (Ex-En irrigation department, Hathras and Executive officer, Nagar Palika Parishad, Tundla.) were present. The applicant was informed through telephonically and text by UPPCB to associate with joint inspection committee but applicant did not associate with the joint committee. Pameri Drain salient observation and recommendations of inspection team are given below.



### 3.0. Introduction:

Complainant stated in his complain that Discharge of untreated sewage in Pameri drain which is adding to pollution of River Yamuna. To verify the factual status, The Inspection of Pameri drain was carried out on 09.01.2023. Toilets have been constructed over the drain in the mid of Tundla town. The mix sewage Waste water from the toilet/Sauchalaya was going into the drain. As per the irrigation department's letter dt. 01.03.2017, they had given conditional NOC letter only for the constructions of drain (Annexure-A).

Executive Officer, Nagar Palika Parishad, Tundla has also reported to Additional District Magistrate (F/R), Firozabad vide letter dt. 20.12.2022. That they have constructed Sauchalaya over the drain (Annexure-B).

### 4.0. Inspection of Pameri Drain:

District Magistrate, Firozabad has constituted the inspection team of S.D.M., Tundla, Ex. Engineer, Irrigation deptt., Hathras, E.O. Tundla & R.O., UPPCB, Firozabad. Regarding complaint inspection the committee/representative visited the Pamari drain start point at Village-Pamari, Tehsil-Tundla, District-Firozabad and sample collection were carried out on dt. 09.01.23 of Pamari Village/Pamari drain having Lat. - 27.265867°, Long. - 78.23402°.

Pamari drain which starts from Villgae- Pamari and meets a big pond near Village-Mohammadabad (Tundla) having area of around 2.0 Hectare as per Nagar Palika discussion. A culvert under passing National Highway which carries ponds water & rain water including the discharge of Mohammadabad village but presently no flow was noticed during inspection.

As per the report of Nagar Palika, Tundla. They have constructed permanent roof top slab over the Pamari drain and Toilets has been constructed over it for which septic tank & soak pit provided. During inspection it is noticed that the domestic sewage is discharged in Pamari drain. Which travels around 12 kms. & on the way of Sewage mixed waste water of the drain is used by local farmers for Irrigation purpose by providing Diesel Engine also as per their requirements. The drain passes through Village-Chulawali, Nagla Teja, Nagla Gadhiya (Rasulabad) & Nagla Chhar at approx 7 Kms having Lat. 27.156423° & Long. 78.241558°. The drain ends nearby Village Nagla Chhar. The whole drain water is temporarily stopped by local farmers. After that there is no waste water/ sewage was flowing in the drain and the drain found in dry condition (Photograph of the drain is attached as Annexure-C). Hence at present there is no direct discharge in River Yamuna. Only during rainy season it may be meets River Yamuna. No other encroachment were found over the drain other than toilets during the inspection. Effluent samples was collected during inspection from the following sampling points.

**5.0. Detail of Sampling points are given below.**

S.No.	Date of Sample Collection	Sampling Points	Lat. & Long.
1	09.01.2023	Pamari (Panwari) Village (Drain) (Starting Point)	Lat. – 27.265867° Long. – 78.23402°
2	09.01.2023	Mohammadabad Village at Tundla, Pamari (Panwari) drain before meeting the big pond	Lat. – 27.232182° Long. – 78.236272°
3	09.01.2023	Mohammadabad Village pond after meeting Pamari (Panwari) drain	Lat. – 27.231778° Long. – 78.236378°

4	09.01.2023	Christ the king inter college, Mohammadabad, Tundla Road populated area Tundla.	Lat. – 27.228212° Long. – 78.237052°
5	09.01.2023	Kothi No. 1, Tundla (R.P.F. Barack) after illegal Shauchalaya (Before meeting River Yamuna)	Lat. – 27.209576° Long. – 78.24508°

The effluents sample deposited to the Regional Office Laboratory, UPPCB, Agra for Analysis purposes. As per the sample Analysis report received from R.O., UPPCB, Agra Office. The quality of mixed Domestic effluents is not meeting the standards (Annexure-D).

**6.0. Details of Analysis report are given below.**


S.No.	Sampling Points	Parameter as per water testing report	Standard
1	Pamari (Panwari) Village (Drain)	p <sup>H</sup> - 7.9, TSS-687 mg/l, B.O.D.-194 mg/l, COD- 416 mg/l, TDS- 1718 mg/l	p <sup>H</sup> - 5.5 to 9.0 TSS - 100 mg/ltr BOD - 30 mg/ltr COD - 250 mg/ltr TDS- No Standard
2	Mohammadabad Village at Tundla, Pamari (Panwari) drain before meeting the pond -1	p <sup>H</sup> - 8.1, TSS-109 mg/l, B.O.D.-28 mg/l, COD- 104 mg/l, TDS- 537 mg/l	
3	Mohammadabad Village pond-2 after meeting Pamari (Panwari) drain	p <sup>H</sup> - 7.7, TSS-164 mg/l, B.O.D.-58 mg/l, COD- 168 mg/l, TDS- 1511 mg/l	


4	Christ the king inter college, Mohammadabad, Tundla Road populated area Tundla.	P <sup>H</sup> - 8.4, TSS-235 mg/l, B.O.D.-116 mg/l, COD- 384 mg/l, TDS- 2216 mg/l	
5	Kothi No. 1, Tundla (R.P.F. Barack) after illegal Shauchalaya	P <sup>H</sup> - 8.1, TSS-128 mg/l, B.O.D.-114 mg/l, COD- 368 mg/l, TDS- 1841 mg/l	

#### 7.0. Action Taken Report (ATR)

1. Asstt. Engineer (III), Irrigation deptt., Hathras has given letter Dt. 13.01.2023 to Executive Officer, Nagar Palika Parishad, Tundla that illegal Sauchalaya constructed over the Pamari drain should be removed within 03 days ( Letter Copy enclosed).
2. A notice has been issued to Executive Officer, Tundla dt. 10.01.13 regarding sewage discharge in Pamari drain by U.P.P.C.B. (S.P.C.B.) (Copy enclosed).
3. Executive Officer, Nagar Palika Parishad, Tundla and Irrigation deptt., Hathras jointly demolished the illegal Sauchalaya through JCB machine on dt. 17.01.2023 & damaged the whole civil structure form Pamari drain and now sewage discharge in Pamari drain is stopped which was going through Sauchalaya. Compliance report of Executive Engineer, Irrigation deptt., Hathras in this regard dt. 18.01.2023 submitted.

  
(Surendra Pratap)  
Executive Officer  
Nagar Palika,  
Tundla

  
(Baljeet Singh)  
Executive Engineer  
Irrigation Deptt.  
Hathras

  
(V.K. Dubey)  
Regional Officer  
U.P.P.C.B.  
Firozabad

  
(Surendra Singh)  
Sub.Divisional Magistrate  
Tundla

  
(Ravi Ranjan)  
District Magistrate

शिर्गाई खण्ड लाशरवा

अधिरासी अधिकारी नगरपालिका, वरिष्ठ पुष्पला, जनपद, तिरुजवादा

इस संवत्स में मुख्य अभियंता (पत्र) सितार विभाग तम्रपुर मेरठ के पत्र संख्या 190/226/मुआ/संयुक्त/गण्डल/विभाक-15.02.2017 एवं आदेश अभियंता सितार कां. गण्डल संस्था के पत्र संख्या-901/सितार/संयुक्त/विभाक-20.02.17 के अनुरार दिष्ट मुं निर्देशों के कार में विभिन्न प्रतिगणनों के अनुसार जले पर कार्य करने की अनुमति प्रिप्त की जाती है-वि

इसलिए पर आपके पास कार्य करने का निर्माण करने वाले के एक समूह से विभिन्न मानकों (मिड, लेगल, मीड विशिष्ट, वीडियो, साफ्ट स्कोप, एवं फल इत्यादि) के अनुसार पूर्ण करवाये जाये, यदि मूल योजना में विहित मानकों के अनुसार कार्य कराया जाता नहीं पाया जाता है तो निर्माण कार्य एवं सुरक्षा कार्य करा दिया जायेगा तथा आपके विरुद्ध आवश्यक विधिक कार्यवाही की जायेगी तथा आपके अन्दरिष्ठ के आदेश अनुसार में इसी धीरे की मानक से धीरे पूर्ण एवं अंतिम कर आपके निर्माण से प्रभाव की जायेगी।

3-नाहिले पर कक्षा में बसते समय गाते की प्रतिस्पर्धी अनुभाग को बनाया रहने हेतु आवेदनका फिट्टी नकल से ही सीस की जालियाँ गले की पट्टी इत्यादि से नहीं ली जायगी।

१-नाले व. भिकारी गदी स्तर इत्यादि जट्ट भट्टरियल को आले की गटरी से नाला करते-  
नाले की डिपोजर करने होगा।

6- निम्नां अंश-साध्यः शोधः निदेशितान् उपायान् कृत्वा अभावस्थानकालेन से-एसी स्थाने, प्रत्येक-प्रादेशिक-जिल्ला-स्तरमा अग्रस्तुम् ।।

6-वर्ष की आयु अनुसार निर्धारित समय को अर्पित की जायेगा जाये जिससे अनावश्यक अनावश्यक समय बच सके।

7-कर्म करणों में उपर्युक्त बातें प्रदर्शित होनी चाहिये। अतः सार्वजनिक रूप से प्रकाशित करने के लिये प्रस्तावित है।

उपरोक्त प्रतिबंधों के अनुसार कार्य न कराने की दशा में विभाग द्वारा प्रदान की गयी अनुमति स्वतः निरस्त होगी जायेगी तथा अनुमति के खिलाफ विधानानुसार विभागीय कार्यवाही अगल में चाली जायेगी।

उपरोक्तानुसार कार्य कराने हेतु प्रदान की जा रही अनुमति मात्र इसी बार के लिये प्रदान की जा रही है कार्य कराने के उपरान्त उक्त नाले पर भविष्य में आपके विभाग का कोई आधिपत्य नहीं रहेगा अर्थात् भविष्य में उक्त नाले पर आपके विभाग द्वारा कोई कार्य नहीं कराया जायेगा।

अधिसूचना अधिसूचना

सिचाई खण्ड हथरस

पत्रांक / तदिनांक- 03.2016

प्रतिलिपि निम्न लिखित को सूचना एवं आवश्यक कार्यवाही हेतु प्रेषित है।

1- मुख्य अधिसूचना सिचाई एवं अन्य संसाधन विभाग से 03.02.2017 को उनके पत्र संख्या

नो 226/सूअ/ग/मधुरा/खण्ड/सिचाई-15.02.2017 के कार्य में सूचनाएं प्रेषित।

2- अधीक्षण अधिसूचना सिचाई कार्य संख्या मधुरा उनके पत्र संख्या-901/सिचाई/सूअ/सूअ

/दिनांक-20.02.17 के।

3- जिलाधिकारी जनपद फिरोजाबाद।

4- सहायक अधिसूचना-तृतीय, सहायक अधिसूचना एवं जिलादार तृतीय सिचाई खण्ड

हथरस को इस निर्देश के साथ प्रेषित है कि उपरोक्तानुसार कार्य की निरीक्षण कर तथा

उपरोक्त प्रतिबंधों के साथ कार्य न कराने की स्थिति में कार्य का गन्दे कागज निम्न

कार्यवाही करना सुनिश्चित करे तथा आवश्यकतानुसार को भी अवगत कराये।

अधिसूचना अधिसूचना

सिचाई खण्ड हथरस

ANNEX-13

प्रिय,

अभिजाती अधिकारी  
नगर पालिका परिषद दूधडा  
नगर, पनौरीबाद।

सेवा में,

अभिजाती अधिकारी (पिओ/गो)  
नगर पालिका

पत्रांक 1243 /नगरपालिका/दूधडा/2022-23

दिनांक- 20.12.2022

विषय:- सिफाई विभाग के ड्रेन के ऊपर शौचालय एवं गन्दे पानी को बिना सीवरज ट्रीटमेंट प्लांट के पमारी ड्रेन में डालने के सम्बन्ध में शिकायती प्रार्थना पत्र।

महोदय,


उत्तम निपटक शिकायतकर्ता श्री रामनरेश पुत्र सरो श्री सन्तोषी निवासी- आनन्द नगर, दूधडा निवासी के द्वारा सिफाई विभाग के ड्रेन के ऊपर पत्रिका द्वारा निर्मित शौचालय के गन्दे पानी को बिना सीवरज ट्रीटमेंट प्लांट के पमारी ड्रेन में डाल दिने के सम्बन्ध में शिकायत की गयी है।

नगर पालिका के कम में सादर अवगत कराया है कि नगर पालिका परिषद दूधडा द्वारा भरा नदी पर बनाई गये शौचालय का सेप्टिक टैंक (स्पोरेड टैंक) अलग बना हुआ है। एम. एम. शौचालय के गन्दे पानी को सेप्टिक बना हुआ है। नगर दूधडा में भरा जाने द्वारा पानी यमुना की तट पहुँचने की लगभग 15 मीटर है। इसलिए वर्षा ऋतु का पानी भी यमुना नदी तक पहुँचता है। शौच समय के पानी को नदी में सिफाई के रूप में सदुपयोग किया जाता है।


आपका आपकी सेवा में सादर प्रस्तुत है।

संसन्धक- स्थानीय फोटो।

अभिजाती अधिकारी  
नगर पालिका परिषद दूधडा।



NA CO P.L. / नगरपालिका/दूधडा/2022-23







GPS Map Camera



Google

Guarinagla Singhi, Uttar Pradesh, India

Unnamed Road, Guarinagla Singhi, Uttar Pradesh


283204, India

Lat 27.118386°

Long 78.238967°

10/01/23 04:21 PM GMT +05:30

ANUP-11 - DRY DRAIN



ANNEX-C-DRY-DRAIN

ANNEX-D



REGIONAL OFFICE  
U.P. POLLUTION CONTROL BOARD  
H. No. 14, SECTOR-3B, AWAS VIKAS SIKANDRA YOJANA, BODLA, AGRA-282007

**ANALYSIS REPORT OF DRAIN / POND WATER SAMPLES SUBMITTED BY REGIONAL OFFICE FIROZABAD IN THE MONTH OF - JANUARY 2023**

S.No	Name of Drain	Date of Sample collection	Sample Collected By	Colour	Odour	pH	TSS	TDS	BOD	COD
1	Drain Panwari at Village Panwari	09.01.2023	Shri M.M Gautam S.A	Slightly Blackish	Unpleasant	7.9	687	1718	194	416
2	Panwari Drain Village Mohammadabad (Pond-1)	09.01.2023	Shri M.M Gautam S.A	Slightly Yellowish	Unpleasant	8.1	109	537	28	104
3	Pond-2 Village Mohammadabad, Tundla, Firozabad	09.01.2023	Shri M.M Gautam S.A	Slightly Greenish	Unpleasant	7.7	164	1511	58	168
4	Drain Christ The King Inter Collage, Mohammadabad, Firozabad	09.01.2023	Shri M.M Gautam S.A	Greyish	Unpleasant	8.4	235	2216	116	384
5	Drain at Kothi no-1 (RPF Barrack) Tundla, Firozabad	09.01.2023	Shri M.M Gautam S.A	Slightly Yellowish	Unpleasant	8.1	128	1847	114	368

Note- All the parameters are expressed in mg/L except pH and stated otherwise.

Remark- pH, Colour & Odour Parameters analysed and reported by Regional Office, Firozabad.

13.1.23  
SCIENTIFIC ASSISTANT

12/1/23  
ASST. SCIENTIFIC OFFICER

12/1/23  
REGIONAL OFFICER

Gherdt-13.01.23

सहायक अभियन्ता तृतीय

कार्यालय सहायक अभियन्ता तृतीय  
सिंचाई खण्ड, हाथरस

पत्रांक : सहा0अभि0तृतीय/भरं पमाडी नाला/ दिनांक : 01/2023  
विषय : पमाडी ड्रेन पर किये गये अवैध तरीके से शौचालय का निर्माण एवं उक्त ड्रेन में गन्दा पानी डाला जाने के सम्बन्ध में।

सदस्य अधिशासी अभियन्ता को पत्रांक 3675/सिखहा/दिनांक: 21/12/2022

अधिशासी अधिकारी, नगर पालिका परिषद दुण्डला, जिला-फिरोजाबाद।

उपरोक्त विषयक के सम्बन्ध में अवगत कराना है कि आपके द्वारा पमाडी ड्रेन के ऊपर अवैध तरीके से शौचालय का निर्माण किया गया है एवं उक्त ड्रेन में गन्दा पानी को बिना सीवेज ट्रीटमेन्ट प्लान्ट के ही डालने का कार्य किया जा रहा है। उक्त अधिक्रमण करने की कोई अनुमति विभाग द्वारा प्रदान नहीं की गयी थी। जिसके कारण आपके विरुद्ध विधिक विमर्गण कार्यवाही करते हुये कौनल एक्ट-1873 की धाराओं अन्तर्गत नोटिस दिया गया है। साथ ही उक्त प्रकरण मा0 ग्रीन ट्रीबुनल न्यायालय में विचाराधीन है।

अतः आपको सूचित किया जाता है कि उक्त अवैध तरीके से निर्माण किये गये शौचालय/अतिक्रमण को तीन दिवस के अन्दर हटवाना सुनिश्चित करें। अन्यथा सिंचाई विभाग द्वारा उक्त अतिक्रमण को हटा/तोड़ दिया जायेगा एवं अतिक्रमण को हटाने/तोड़ने में हुआ पूर्ण खर्चा आपसे बसूल किया जायेगा। जिसका पूर्ण उत्तरदायित्व आपका होगा।

सहायक अभियन्ता तृतीय  
सिंचाई खण्ड, हाथरस

पत्रांक : 18 /सहा0अभि0तृतीय/ दिनांक: 13 /01/2023

प्रतिलिपि: निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

1. जिलाधिकारी महोदय, फिरोजाबाद।

2. अपर जिलाधिकारी (रा0/वि0), फिरोजाबाद।

3. अधिशासी अभियन्ता, सिंचाई खण्ड, हाथरस को उनके पत्रांक 3675/सिखहा/ दिनांक: 21/12/2022 के अनुपालन में।

सहायक अभियन्ता तृतीय  
सिंचाई खण्ड, हाथरस



क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
Regional Office, Uttar Pradesh Pollution Control Board  
भवन सं०-3/5 बी, सेक्टर-3, सुहाग नगर, फिरोजाबाद।

दूरभाष नं० : (05612)230830  
e-mail:- roffirozabad@uppcb.com

Letter of UPPCB

संदर्भ संख्या: 518/सी०-198/2023

दिनांक: 10/01/2023

सेवा में,

अधिकांसी अधिकारी,  
नगर पालिका परिषद,  
दूण्डला, जनपद-फिरोजाबाद।

मा० एन०जी०टी० प्रकरण  
महत्वपूर्ण/अतिआवश्यक

विषय- मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या-510/2022 (राम नरेश बनाम स्टेट ऑफ यू०पी०) में पारित आदेश दिनांक 30.08.2022 के अनुपालन के सम्बन्ध में।

सन्दर्भ- पामेरी ड्रेन में दूण्डला टाउनशिप के Untreated मिक्स सीवेज निस्तारण के सम्बन्ध में।

महोदय,

कृपया शिकायतकर्ता श्री रामनरेश, निवासी- आनन्द नगर, दूण्डला, जनपद-फिरोजाबाद द्वारा मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या-510/2022 (राम नरेश बनाम स्टेट ऑफ यू०पी०) में पारित आदेश दिनांक 30.08.2022 का सन्दर्भ ग्रहण करने का कष्ट करें। शिकायतकर्ता द्वारा मा० राष्ट्रीय हरित अधिकरण के माध्यम से शिकायत की गई है कि आप द्वारा पामेरी ड्रेन के माध्यम से अशुद्धिकृत (Untreated) सीवेज उत्प्रवाह को बिना किसी शुद्धिकरण के सीधे यमुना नदी में निस्तारित किया जा रहा है जिससे यमुना नदी में पर्यावरणीय जल प्रदूषण हो रहा है। तत्क्रम में मा० राष्ट्रीय हरित अधिकरण के आदेश दिनांक 30.08.2022 के अनुपालन में स्थलीय निरीक्षण, जिलाधिकारी महोदय, फिरोजाबाद द्वारा गठित समिति द्वारा दिनांक 09.01.23 को किया गया तथा पामेरी ड्रेन के निरीक्षण में पाया गया कि आप द्वारा ड्रेन के ऊपर पक्का स्थाई स्लैब डालकर शहर के अन्दर शौचालय का निर्माण किया गया है तथा दूण्डला शहर का सीवेज भी ड्रेन के माध्यम से ही वर्तमान में निस्तारित किया जा रहा है। उक्त मिक्स सीवेज के शुद्धिकरण हेतु आप द्वारा सीवेज ट्रीटमेण्ट प्लाण्ट (एस०टी०पी०) की स्थापना नहीं की गई है तथा पर्यावरण को क्षति पहुंचाई जा रही है।

तत्क्रम में आपको निर्देशित किया जाता है कि एक माह के अन्दर सीवेज ट्रीटमेण्ट प्लाण्ट स्थापना के सम्बन्ध में प्रस्ताव, डिजाइन डिटेल्स तथा 'समयबद्ध कार्यक्रम' इस कार्यालय में प्रस्तुत करना सुनिश्चित करें एवं तात्कालिक रूप से अविलम्ब ड्रेन को बायो रिमेडियेशन के माध्यम से शुद्धिकृत किया जाये। अन्यथा की दशा में जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 (यथासंशोधित) के अन्तर्गत विधिक कार्यवाही करते हुये आपके विभाग के ऊपर पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने की संस्तुति बोर्ड मुख्यालय प्रेषित कर दी जायेगी। जिसका सम्पूर्ण उत्तरादित्व आपके स्वयं का होगा।

भवदीय

WSE 10/01/23  
(पी० के० दूरे)

क्षेत्रीय अधिकारी

प्रतिलिपि- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु सादर प्रेषित।

1. जिलाधिकारी महोदय, फिरोजाबाद को सादर सूचनार्थ।
2. उपजिलाधिकारी महोदय, दूण्डला, फिरोजाबाद को सादर सूचनार्थ।
3. मुख्य पर्यावरण अधिकारी (पुस्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को अग्रिम आवश्यक कार्यवाही हेतु प्रेषित।
4. विधि अधिकारी-प्रथम, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. अधिकांसी अभियन्ता, सिंचाई खण्ड, हाथरस को इस अनुरोध के साथ प्रेषित कि अधिकांसी अधिकारी, दूण्डला को आपके विभाग द्वारा प्रदान की गई सशर्त अनुमति दिनांक 01.03.2017 के क्रम में आवश्यक कार्यवाही करने का कष्ट करें।

WSE 10/01/23  
क्षेत्रीय अधिकारी

Compliance Report  
With Photographs

उत्तर प्रदेश सरकार  
सिंचाई एवं जल संसाधन विभाग

कार्यालय अधिशासी अभियन्ता  
Office of The Executive Engineer  
सिंचाई खण्ड हाथरस  
Irrigation Division, Hathras



नहर पोपिया कोठी, हाथरस  
Nahar Popiya Kothi, Hathras  
Phone No. 05722- 272306  
E-Mail ID- ceidhathras@gmail.com

पत्रांक:- 154 /सिंचाई/ दिनांक:- 18/01/2023  
विषय:- रामनरेश पुत्र स्व० श्री सन्तवीर, निवासी- आनन्द नगर, दूण्डला द्वारा पमाडी ड्रेन की शिकायत के सम्बन्ध में।

जिलाधिकारी, जनपद- फिरोजाबाद।

उपरोक्त विषयक के सम्बन्ध में अवगत कराना है कि श्री रामनरेश पुत्र स्व० श्री सन्तवीर, निवासी- आनन्द नगर, दूण्डला द्वारा पमाडी ड्रेन की जो शिकायत मा० नेशनल ग्रीन ट्रिब्यूनल को की गयी है, उसके क्रम में दिनांक:- 17.01.2023 को जिलाधिकारी, जनपद- फिरोजाबाद एवं अधिशासी अधिकारी, नगर पालिका दूण्डला, जनपद- फिरोजाबाद के सहयोग से पमाडी ड्रेन पर बने शौचालयों एवं अतिक्रमण को ध्वस्त करा कर उक्त अतिक्रमण हटवा दिया गया है। सूचनार्थ सेवामें प्रेषित है।

*[Signature]*  
अधिशासी अभियन्ता  
सिंचाई खण्ड हाथरस

पत्रांक: 154 /सिंचाई/ तददिनांक: 18/01/2023

प्रतिनिधि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

1. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियन्त्रण बोर्ड, सुहाग नगर, फिरोजाबाद।
2. अधिशासी अधिकारी, नगर पालिका दूण्डला, जनपद- फिरोजाबाद।

*[Signature]*  
अधिशासी अभियन्ता  
सिंचाई खण्ड हाथरस

उत्तरप्रदेश प्रकाशन दिनांक - 18.01.2023

# नाले पर बने पिक शौचालय को ढहाया

## एनजीटी में हुई शिकायत पर हुई कार्रवाई, चार साल पहले पालिका ने बनाया था

संवाद न्यूज एजेंसी

दुहला। नगर पालिका द्वारा स्टेशन रोड स्थित भरा नाला पर बनवाए गए पिक शौचालय को जिलाधिकारी रवि रंजन के आदेश पर क्षेत्रीय प्रदूषण नियंत्रण विभाग ने ध्वस्त करा दिया। यह कार्रवाई नाले के ऊपर बनाए गए शौचालय की एनजीटी में शिकायत के बाद हुई।

नगर पालिका प्रशासन द्वारा करीब चार वर्ष पूर्व स्वच्छ भारत मिशन योजना के तहत भरा नाला के ऊपर पिक शौचालय का निर्माण कार्य कराया गया था। इस शौचालय में दुहली व गिहार बस्ती की महिलाएं शौच के लिए जाती थीं। शौचालय को नाले के ऊपर बनाए जाने एवं नाले में गंदगी जाने और



शौचालय के ध्वस्तीकरण को देखते विभाग के अधिकारी। संवाद

यह गंदगी यमुना तक जाने की शिकायत रामनरेश नामक व्यक्ति ने एनजीटी नई दिल्ली में शिकायत की थी। एनजीटी (राष्ट्रीय हरित अधिकरण) ने डीएम व क्षेत्रीय प्रदूषण नियंत्रण बोर्ड से जांच रिपोर्ट

मांगी थी। नौ जनवरी को एसडीएम सत्येंद्र सिंह, ईओ सुरेंद्र प्रताप, पर्यावरण क्षेत्रीय अधिकारी वीके दुवे व सिंचाई विभाग ने अपनी रिपोर्ट भेजी थी। रिपोर्ट के आधार पर डीएम रवि रंजन मंगलवार सायं

डीएम के आदेश पर अतिक्रमण को हटा दिया गया है। यमुना में नाले का गंदा पानी नहीं जा रहा। आगे नाले की पानी का प्रयोग किसान सिंचाई में प्रयोग कर रहे हैं।

- वीके दुवे, क्षेत्रीय अधिकारी क्षेत्रीय प्रदूषण नियंत्रण विभाग

पर्यावरण अधिकारी दीपक कुमार और नगर पालिका टीम जेसीबी लेकर पहुंची।

टीम ने पिक शौचालय को ध्वस्त करा दिया। शौचालय में रह रही महिला कुसमा देवी ने बताया कि वह जब से शौचालय बना है तभी से यहां रहकर साफ सफाई करते हुए रह रही थी। टीम ने उसके सामान को बाहर फेंकते हुए जेसीबी लगाकर शौचालय को ध्वस्त करा दिया।

