

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
AT PRINCIPAL BENCH, NEW DELHI**

**ORIGINAL APPLICATION NO. 141 OF 2022**

**IN THE MATTER OF:**

Manish Jain	... Applicant
-Versus-	
Union of India & Ors.	... Respondents

**I N D E X**

Sl. No.	Particulars	Pages
1.	Additional Reply on behalf of the respondent No.5 (The Upper Doab Sugar Mills) and respondent No. 6 (Sir Shadi Lal Enterprises Ltd.) as directed vide order dt. 04.11.2022 with affidavit.	1 – 12
2.	<b><u>Annexure R-5/4:</u></b> Copy of the relevant portion of the Gazette Notification dt. 09.09.1950	13
3.	<b><u>Annexure R-5/5 (Colly):</u></b> Copy of the Khatauni of the land and chart showing old and new Khasra numbers of the land alongwith relevant documents	14 – 42
4.	<b><u>Annexure R-5/6:</u></b> Copy of the letter dt. 20.06.2022 received from the Joint Committee constituted by the UPPCB.	43 - 44
5.	<b><u>Annexure R-5/7:</u></b> Copy of the contract dt. 19.10.2022.	45 – 48
6.	<b><u>Annexure R-5/8:</u></b> Copy of the said contract dt. 27.10.2022.	49 – 50
7.	<b><u>Annexure R-5/9:</u></b> Photographs of the covered trollies.	51 – 52
8.	<b><u>Annexure R-5/10:</u></b> Photographs of the water sprinkler on fly ash.	53
9.	<b><u>Annexure R-5/11 (Colly):</u></b> Some of applications submitted by farmers.	54 – 55
10.	<b><u>Annexure R-5/12:</u></b> Copy of lay out of slope fire boiler.	56 - 57 Contd..2/..

	:2:		
11.	<b><u>Annexure R-5/13:</u></b> Copy of the Sale Order dt. 29.06.2022 between M/s. Ganpati Enterprises and Unit of Respondent No.6 - Shamli Distillery & Chemical Works (which is valid till 30.06.2023).		58
12.	<b><u>Annexure R-5/14 (Colly):</u></b> Copies of purchase invoices of trees/ plants and expenses alongwith list of different species of trees/ plants and expenses incurred on planting and other relevant documents.		59 – 63
13.	<b><u>Annexure R-5/15 (Colly):</u></b> Photographs indicating the green belt where the different species of trees/ plants are planted.		64 - 69
14.	<b><u>Annexure R-5/16:</u></b> Copy of the Noise Monitoring Report which carried out by M/s. Newcon Consultants & Laboratories, Ghaziabad, NABA Approved Lab.		70 – 72
15.	<b><u>Annexure R-5/17:</u></b> Copy of the purchase order dt. 27.07.2022.		73 -79
16.	<b><u>Annexure R-5/18:</u></b> Photographs of the Sewage Treatment Plant.		80
17.	<b><u>Annexure R-5/19:</u></b> Copy of Membership Certificate issued by M/s. Bharat Oil and Waste Management Ltd.		81
18.	<b><u>Annexure R-5/20:</u></b> Copy of the said Air Consent Order dt. 30.01.2022.		82 – 86
19.	<b><u>Annexure R-5/21 (Colly):</u></b> Copies of the Certificates obtained from Labor Department, U.P., which are valid upto 11.10.2023.		87 - 91
20.	<b><u>Annexure R-5/22:</u></b> Copy of Lay-out of all the Boilers of Respondent No. 5.		92
21.	<b><u>Annexure R-5/23:</u></b> Copy of the Certificate dt. 01.10.2022 between U.P. Boiler Inspection Deptt. and a Unit of Respondent No.6 - Shamli Distillery & Chemical Works.		93
			Contd..3/..



	:3:	
22.	<b><u>Annexure R-5/24:</u></b> Copy of Effluent Treatment Plant flow chart.	94
23.	<b><u>Annexure R-5/25:</u></b> Photographs indicating the storage alongwith burning process and CPU flow chart.	95 – 96
24.	<b><u>Annexure R-5/26:</u></b> Copy of Compliance Report dt. 27.10.2022 of the Water Consent of Respondent No. 5.	97 – 121
25.	<b><u>Annexure R-5/27:</u></b> Copy of Compliance Report dt. 27.10.2022 of the Water Consent of a Unit of Respondent No. 6.	122 – 142
26.	<b><u>Annexure R-5/28:</u></b> Copy of the Press-Mud Agreement dt. 10.01.2022 entered into between the respondent No.6 and M/s. Ajayab Singh Contractor Biomass Briquettes, Pilibhit, U.P.	143 – 146
27.	<b><u>Annexure R-5/29:</u></b> Copy of the Press-Mud Agreement dt. 17.03.1983 between Respondent No. 6 and Lower Khand, Eastern Yamuna Canal, Shamli.	147 – 169

*Sinha* *Pallak*

P. SINHA & PALLAK BHAGAT  
Advocates for the respondent Nos. 5 & 6  
Lawyers' Chamber No.5  
Supreme Court Compound  
New Delhi – 110001  
Mob: 9810055169  
Email ID: office@associatelawyers.in

Dated: 01.12.2022

1

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
AT PRINCIPAL BENCH, NEW DELHI**

**ORIGINAL APPLICATION NO. 141 OF 2022**

**IN THE MATTER OF:**

Manish Jain

... Applicant

-Versus-

Union of India & Ors.

... Respondents

**ADDITIONAL REPLY ON BEHALF OF THE RESPONDENT  
NO.5 (THE UPPER DOAB SUGAR MILLS) AND  
RESPONDENT NO. 6 (SIR SHADI LAL ENTERPRISES  
LTD.) AS DIRECTED VIDE ORDER DT. 04.11.2022**

**MOST RESPECTFULLY SHOWETH:**

1. That the Sugar Unit named Upper Doab Sugar Mills, Shamli a unit of the company "The Upper Doab Sugar Mills Shamli Limited"/ Respondent No. 5 was established in the year 1933 in the Village Shamli, which was located away from the residential area. That the Company "The Upper Doab Sugar Mills Ltd." installed a Distillery Unit named "Shamli Distillery & Chemical works within the premises of sugar Unit of the Company in the year 1945. It is stated that at the time of establishment of the industry in the year 1933, there were no residential homes around and/or near the Company units and all the surrounding

areas were used for agricultural purposes. It is also stated that at the time of establishment of both the units, the area was declared as Industrial Area. The State Govt. (State of U.P.), Deptt. of Excise & Industries, acquired the land for Industries effluent purpose in the name of the Company "The Upper Doab Sugar Mills, Shamli"/ Respondent No. 5 for its unit Shamli Distillery & Chemical Works. Copy of the relevant portion of the Gazette Notification dt. 09.09.1950 is annexed as **Annexure R-5/4.**

{Pg. 13 }

2. That the lands in the name of the Respondent No. 6 were strictly used for the Industrial purposes. Copy of the Khatauni of the land and chart showing old and new Khasra numbers of the land alongwith relevant documents is annexed as **Annexure R-5/5 (Colly).**

{Pg. 14-42}

3. That in the year 1982, the name of the Respondent No. 6 was changed from "The Upper Doab Sugar Mills" to "Sir Shadi Lal Enterprises Limited".
4. With regard to height, it is submitted that:
  - 4.1 the dumping yard of fly-ash is within the boundary wall having height about 12 ft., which is as per the

recommendations of committee deputed by Pollution Control Board as constituted under the directions of this Hon'ble Court. However, if the directions of the Joint Committee Report dt. 01.07.2022 for raising the height of the boundary wall by 3 meters are to be complied with, then after raising the height from 12 ft., it would be 21.10 ft. Copy of the letter dt. 20.06.2022 received from the Joint Committee constituted by the UPPCB is annexed as **Annexure – R-5/6**. {Pg. 43-44 }

- 4.2 the height of Chimney of the Distillery Unit is 72 m, which is as per the UPPCB and PCB requirements/ norms.
- 4.3 the height of the sugar boilers is 35 m, which height depends on the capacity of the boiler and is as per the UPPCB and PCB requirements/ norms..
5. That with regard to the dumping of the Fly ash, it is submitted that:
  - 5.1 the contracts for transportation of fly-ash providing directions for dumping of the fly-ash at dumping yard, for which Respondent No. 6 pays Rs. 1,21,000/- (Rupees one lakh twenty one thousand) per month and Rs. 75,000/- (Rupees seventy five thousand) per month to the Contractors respectively for taking

proper precautions. Copies of the said contracts dt. 19.10.2022 and 27.10.2022 are annexed as **Annexure R-5/7 & R-5/8**. {Pg. 45-48 & 49-50}

5.2 during transportation of the fly ash from industry to dumping yard, all the trollies are fully covered by alkathene sheet/Tarpaulin and as such, there is no possibility of it spreading during the transportation. Photographs of the covered trollies are annexed as **Annexure R-5/9**. {Pg. 51-52 }

5.3 after dumping the fly ash in the dumping yard, water is sprinkled where ash is dumped to avoid spreading in the air. Photographs of the water sprinkler on fly ash is annexed as **Annexure R-5/10**. {Pg. 53 }

5.4 with regard to final dumping of fly ash from the dumping yard, local farmers and other persons who require the ash for filling their uneven land(s), ditches for construction of road, etc. pick the fly ash from the dumping yard by submitting applications after complying with conditions and/ or directions provided by Respondent No. 6. Some of such applications submitted by farmers are annexed as **Annexure R-5/11 (Colly)**. {Pg. 54-55 }

6. With regard to generation and disposal of slop ash, it is submitted that:

- 6.1 a Unit of Respondent No.6 - Shamli Distillery & Chemical Works has installed slope fired boiler as per directions and norms of UPPCB & CPCB. It is submitted that there is no discharge from the slop fired boiler. The height of the Chimney of slop fired boiler is 72 meter as per parameter/ requirement of Pollution Board. Copy of lay out of slope fire boiler is annexed as **Annexure R-5/12**. {Pg. 56-57 }
- 6.2 the slop ash of incineration boiler is sold to the contractor - M/s. Ganpati Enterprises, Vishvakarma Nagar, Budhana Road, Shamli, who lift the same and whereafter, it is finally disposed off. Copy of the Sale Order dt. 29.06.2022 between M/s. Ganpati Enterprises and Unit of Respondent No.6 - Shamli Distillery & Chemical Works (which is valid till 30.06.2023) is annexed as **Annexure R-5/13**. {Pg. 58 }
7. With regard to minimum 33 percent coverage of land with plantation of suitable species, it is submitted that:
- 7.1 the Respondent Nos. 5 & 6 have planted number of trees/ plants of different species with the help of the State Govt., Forest Deptt. and have also purchased different species of trees/ plants for prevention and

protection of the Environment. Respondent Nos. 5 & 6 have also planted number of trees/ plants of different species in nearby villages for healthy environment. Copies of purchase invoices of trees/ plants and expenses alongwith list of different species of trees/ plants and expenses incurred on planting and other relevant documents are annexed as **Annexure R-5/14 (colly)**. {Pg. 59-63 }

7.2 the photographs indicating the green belt where the different species of trees/ plants are planted, which was done during the last rainy season under the project "MIYAWAKI" as per directions of the U.P. Pollution Control Board are annexed as **Annexure R-5/15 (colly)**. {Pg. 64-69 }

8. With regard to Noise Pollution, it is submitted that:

8.1 during the operation of the Respondent Nos. 5 & 6 units, there is no Noise Pollution as the management of the Respondent Nos. 5 & 6 take precaution in this regard for the welfare of residents.

8.2 the Respondent Nos. 5 & 6 has never stopped any Govt. Authorities to carry out Noise Pollution tests. In fact, the Respondent Nos. 5 & 6 carry out a Noise Pollution test from time to time by the Govt. Approved testing laboratories. Copy of the Noise

Monitoring Report which carried out by M/s. Newcon Consultants & Laboratories, Ghaziabad, NABA Approved Lab is annexed as **Annexure R-5/16**. {Pg. 70-72 }

9. With regard to Sewage Treatment Plant (STP), it is submitted that:
  - 9.1 as per direction(s) of the UPPCB & CPCB, the Respondent Nos. 5 & 6 have installed Sewage Treatment Plant (STP) in the premises, the Respondent No. 6 vide purchase order dt. 27.07.2022 purchased 100 KLD complete Sewage Treatment Plant. Copy of the purchase order dt. 27.07.2022 is annexed as **Annexure R-5/17**. {Pg. 73-79 }
  - 9.2 the said STP is presently in operation at the premises. Photographs of the Sewage Treatment Plant are annexed as **Annexure R-5/18**. {Pg. 80 }
  - 9.3 a Unit of Respondent No.6 - Shamli Distillery & Chemical Works is a member of M/s. Bharat Oil and Waste Management Ltd., who deals in Petroleum re-filling, hazardous waste management and incineration, refiners and manufacturer of Industrial lubricant oils, for controlling the hazardous waste. Copy of Membership Certificate issued by M/s. Bharat



Oil and Waste Management Ltd. is annexed as **Annexure R-5/ 19.** {Pg. 8/ }

10. With regard to Boilers, it is submitted that:

10.1 the Respondent No. 5 has air consent order dt. 30.01.2022 from the UPPCB for emission of air pollutants from the plant, which is valid up to 31.12.2023 alongwith specification of the Boiler. Copy of the said Air Consent Order dt. 30.01.2022 is annexed as **Annexure R-5/ 20.** {Pg. 82-86 }

10.2 the Respondent No. 5 has obtained certificates for use of boiler by the Labour Department, Uttar Pradesh. Copies of the said Certificates which are valid upto 11.10.2023 are annexed as **Annexure R-5/ 21 (colly).** {Pg. 87-91 }

10.3 the lay-out of all the Boilers of Respondent No. 5 is annexed as **Annexure R-5/ 22.** {Pg. 92 }

10.4 a Unit of Respondent No.6 - Shamli Distillery & Chemical Works has obtained certificate for use of boiler by the U.P. Boiler Inspection Deptt. Dy. Director of Boilers U.P. Kanpur. Copy of the said Certificate dt. 01.10.2022 between U.P. Boiler Inspection Deptt. and a Unit of Respondent No.6 -

Shamli Distillery & Chemical Works is annexed as **Annexure R-5/ 23.** {Pg. 93 }

11. With regard to the Treatment of Effluent, it is submitted that:

11.1 Effluent Treatment Plant for Respondent No. 5/ Sugar Unit, it is submitted that the same is functioning and the flow chart in respect thereof is annexed as **Annexure R-5/24.** {Pg. 94 }

11.2 with regard to the storage and burning of biogas generated by the Distillery Unit's anaerobic reactor in its Condensate Polishing Unit for Distillery Unit , it is submitted that the Respondent No. 6 has made arrangements to store and burn the biogas generated through flare system. Photographs indicating the storage alongwith burning process and CPU flow chart are annexed as **Annexure R-5/25.** {Pg. 95-96 }

12. With regard to compliance report of the Water Consent, it is submitted that:

12.1 the Compliance Report dt. 27.10.2022 of the Water Consent of Respondent No. 5 is annexed as **Annexure R-5/26.** {Pg. 97-121 }

- 12.2 the Compliance Report dt. 27.10.2022 of the Water Consent of a Unit of Respondent No. 6 - Shamli Distillery & Chemical works, Shamli, is annexed as **Annexure R-5/27**. {Pg. 122-142 }
13. With regard to Press-Mud, it is submitted that:
- 13.1 the Press-Mud coming out from the unit of Respondent No. 5 is disposed off through a contractor. Copy of the Press-Mud Agreement dt. 10.01.2022 entered into between the respondent No.6 and M/s. Ajayab Singh Contractor Biomass Briquettes, Pilibhit, U.P. is annexed as **Annexure R-5/28**. {Pg. 143-146}
- 13.2 the Respondent No. 6 has entered in an Agreement with Lower Khand, Eastern Yamuna Canal, Shamli from 1982 for discharging the Industrial Effluent into Yamuna canal and the Respondent No. 6 pays fees as per terms and conditions of the said Agreement to the Executive Lower Khand, Eastern Yamuna Canal. Copy of the Press-Mud Agreement dt. 17.03.1983 is annexed as **Annexure R-5/29**. {Pg. 147-169 }
14. With regard to smell and emissions, it is submitted that there is no foul smell emitted from the units of the Respondent No. 6.



FILED BY:



P. SINHA & PALLAB BHAGAT  
Advocates for the respondent Nos. 5 & 6.

भारतीय गैर न्यायिक

दस  
रुपये  
रु.10



TEN  
RUPEES  
Rs.10

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

45AE 680687

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL**

**AT PRINCIPAL BENCH, NEW DELHI**

**ORIGINAL APPLICATION NO. 141 OF 2022**

**IN THE MATTER OF:**

NOTARY

Manish Jain

... Applicant

-Versus-

Union of India & Ors.

... Respondents

**AFFIDAVIT**

I, Vinay Kumar Sharma s/o Sh. A. C. Sharma, aged about 57 years, r/o Upper Doab Sugar Mills, Shamli, District Shamli, U.P., at present in New Delhi, do hereby solemnly affirm and state as under:-

NOTARY




Contd. P/2

Vinay Kumar

12

- 2 -

1. That I am working as Asst. General Manager – Environment, Health and Safety, with the respondent No.6, of which the respondent No. 5 is a Unit. As such, I am aware of the facts and circumstances of the case and compete to depose thereon. **NOTARY**



2. That the statements of facts in the accompanying reply are true to my knowledge and/or are true to the records of the case/ respondent No.6. Rest of the statements are in the nature of submissions to this Hon'ble Tribunal on the basis of advice received and believed to be correct. **NOTARY**

3. That the annexures to the accompanying reply are true copies of the respective originals. **NOTARY**

*Vinay Kumar*  
DEPONENT

### VERIFICATION:

I, the deponent abovenamed, do hereby verify that the contents of the foregoing affidavit are true to my knowledge and belief. No part of it is false and nothing material has been concealed therefrom. **NOTARY**

Verified at Shamli (U.P) on this the 18<sup>th</sup> day of December, 2022. **NOTARY**



**ATTESTED**  
*m* 01/12/22  
FARZANA NOTARY  
R.No:-13333/17.SHAMLI

*Vinay Kumar*  
DEPONENT  
RTI/LTI SIGNATURE OF DEPONENT

मे घोषणा करता हूँ कि, शपथ कती की  
जानता हूँ उसने इस शपथ पत्र पर  
मे सामने अपने

# ANNEXURE R-5/4

13

PART II

UTTAR PRADESH GAZETTE, SEPTEMBER 9, 1950

643

September 2, 1950

No. 3225-E/XIII-26-47.--The agreement printed below which has been entered into by Messrs. Shamli Distillery and Chemical Works Ltd., in accordance with the provisions of Part VII of the Land Acquisition Act, 1894 (I of 1894), as amended by the Land Acquisition (Amendment) Act, 1923 (XXXVIII of 1923) is hereby published for general information under section 42 of the said Act.

## Agreement

AN AGREEMENT made the twenty-first day of July, 1950, between the Governor of the Uttar Pradesh (hereinafter called "The Governor") of the one part and Messrs. Shamli Distillery and Chemical Works, Limited having the office at Shamli (hereinafter called "the firm" of the other part.

WHEREAS the firm has made an application to the Government of the Uttar Pradesh (hereinafter called "The State Government") to acquire for the purposes of the firm under the provision of the Land Acquisition Act, 1894, the land described in Schedule I hereto (and delineated on the plan\* hereto annexed).

AND WHEREAS the State Government is satisfied that the firm is a company within the meaning of section 3(e) of the said Land Acquisition Act.

AND WHEREAS the State Government, after making and holding such inquiry as is required and prescribed by law, is satisfied that the acquisition of the said land is needed for the construction of a work, viz., evaporation and passage of the distillery's effluent (described in detail in Schedule II hereto annexed) and that such work is likely to prove useful to the public.

AND WHEREAS under section 41 of the said Land Acquisition Act, it is necessary that the firm should enter into an agreement with the Governor regarding matters specified in the said section.

NOW that it is hereby agreed and declared as follows:

(1) That the firm will pay to the State Government or such person or persons as the State Government may appoint in this behalf all such sums of money as shall be awarded under the provisions of the Land Acquisition Act, 1894, as compensation to any person or persons who may be found on inquiry held under the provisions thereof to be interested in the said land.

(2) That the firm will pay to the State Government from its funds all such other charges as may be incidental to the acquisition of the said land under the provisions of the said Land Acquisition Act.

(3) That upon the firm having made all payments incidental to the acquisition of such land as mentioned in clauses (1) and (2) thereof, the Governor will forthwith, in consideration of the payment of such compensation money and cost of the acquisition convey and grant to the firm the said land described in Schedule I hereto to hold the same to the said firm for ever subject to the conditions hereinafter set forth, namely:

(a) that the firm, its successors and assignee will use the said land for the aforesaid purpose and for no other purpose without the previous sanction in writing of the State Government;

\* Not printed.

## Schedule I

Name of Mohal, Thana, Pargana, and district	Plot number	Area	Boundaries
Rampur, Kanpur	86/231	Acres 1 1/2	North--Hata Babu Bannalal sold to Messrs. Baldeo Prasad Ram Kishan-284'. South--Boundary wall of the Northern India Oil Industries, Limited, 314'. East--Hamirpur Road-261'8". West--Compound of the Northern India Oil Industries, Limited, 200'.

## Schedule II

- (1) Name and nature of the work .. Nil.
- (2) Plans and specifications .. Nil.
- (3) Minimum expenditure to be incurred in the construction of the work .. Nil.
- (4) Any other description .. Nil.

IN WITNESS WHEREOF the parties hereto have hereunto set their hand the day and the year first written.

Per Pro. The Northern India Oil Industries, Limited  
For Narain Das Lachman Das Limited.

(Sd.) NAVEEN SHARAN GARG,  
Managing Agents.

Witnesses--

(1) (Sd.) S. GANDOO.

Labour Officer,  
L. P.

(2) (Sd.) B. P. SINGH.

Add. District Magistrate.

Kanpur.

(Sd.) H. K. MATHUR,

Secretary to the Government of the  
United Provinces.

Witnesses--

(1) (Sd.) G. C. DEVA,

Assistant Superintendent, Industries  
Department, Secretariat, Lucknow.

(2) (Sd.) C. CLIVE,

Assistant, Industries Department,  
Secretariat, Lucknow.

True Copy





उत्तर प्रदेश  
Uttar Pradesh

**ANNEXURE: R-5/5 (Colly)**

14

**खाता विवरण (अप्रमाणित प्रति)**

ग्राम का नाम : शामली परगना : (शामली) तहसील : शामली जनपद : शामली फसली वर्ष : 1426-1431 (01 जुलाई, 2018 से 30 जून, 2024) भाग : 1 खाता संख्या : 00926

खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	खसरा संख्या	क्षेत्रफल (हे.)	आदेश	टिप्पणी
श्रेणी : 6-2 / अकृषिक भूमि - स्थल, सड़कें, रेलवे, भवन और ऐसी दूसरी भूमियां जो अकृषित उपयोगों के काम में लायी जाती हो।				
डिस्ट्रिली कैमिकल वक्रस शामली //	3030	1.0750		
	3053	0.4300		
	3064	2.0490		
	3060	0.1430		
	3076	0.1230		
	3077	0.0820		
	3137	2.3770		
	3138	0.7890		
	3150	0.0510		
	3151	0.0250		
	3152मि	0.0050		
योग	11	7.1490		

हस्ताक्षर करने वाले अधिकारी (ग्राम) के नाम प्रस्ताव/विवरण/प्रमाणित प्रति (अप्रमाणित प्रति) हेतु खसरा संख्या का सिलसिला करें

Disclaimer: यह आंकड़े मात्र अवलोकनार्थ हैं, उनके विवरण अमान्य हैं, तहसील अधिकार केन्द्र एम.पी.एस.सी. (सूचना) केन्द्र से ज़रूरत की प्रमाणित प्रति प्राप्त की जा सकती है।

Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.





**BHULEKH**  
Uttar Pradesh

15

## खाता विवरण (अप्रमाणित प्रति)

ग्राम का नाम : शामली परगना : (शामली) तहसील : शामली जनपद : शामली फसली वर्ष : 1426-1431 (01 जुलाई, 2018 से 30 जून, 2024) भाग : 1 खाता संख्या : 00926

खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	खसरा संख्या	क्षेत्रफल (हे.)	आदेश	टिप्पणी
श्रेणी : 6-2 / अकृषिक भूमि - स्थल, सड़कें, रेलवे, भवन और ऐसी दूसरी भूमियां जो अकृषित उपयोगों के काम में लायी जाती हो।				
डिस्ट्रिली कैमिकल वक्रस शामली //	3030	1.0750		
	3053	0.4300		
	3064	2.0490		
	3060	0.1430		
	3076	0.1230		
	3077	0.0820		
	3137	2.3770		
	3138	0.7890		
	3150	0.0510		
	3151	0.0250		
	3152मि	0.0050		
योग	11	7.1490		
<p>कृपया उक्त खाते की प्रतियोगिता (भाखंड (गांवा) के बाद प्रस्तुत/विद्यमान/भूतपूर्व/आगत/वर्तमान) हेतु खातेदार संस्था पर विचार करें</p> <p>Disclaimer: उक्त ऑनलाइन मात्र अवलोकनार्थ है, उक्त विवरण अप्रमाणित है, तहसील कार्यालय केन्द्र एम सी.एस.सी/लोकवाणी केन्द्र में उपरान्त की प्रमाणित प्रति प्राप्त की जा सकती है।</p> <p>Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.</p>				







UPBHULEKH  
Uttar Pradesh

16

## खाता विवरण (अप्रमाणित प्रति)

ग्राम का नाम : शामली परगना : (शामली) तहसील : शामली जनपद : शामली फसली वर्ष : 1426-1431 (01 जुलाई, 2018 से 30 जून, 2024) भाग : 1 खाता संख्या : 00782

खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	खसरा संख्या	क्षेत्रफल (हे.)	आदेश	टिप्पणी
श्रेणी : 1-क / भूमि जो संक्रमणीय भूमिधरो के अधिकार में हो।				
सरशादीलाल एण्टरप्राइजेज लि0 / शामली / शामली	3031 3052 3065 3075 3140	0.3590 0.0820 0.0510 0.0720 0.0200	आदेशानुसार श्रीमान परगनाधिकारी कैराना वाद सं02/ 88-89 धारा 143 के अन्तर्गत आदेश हुआ कि खाता सं0 251 के गाटासं0 3140/0-2-0, 3031/1-16-0, 3052/0-8-0, 3065/0-5-0, 3075/0-7-0 अकृषिक घोषित की जाती है। ह0ले020-2-90	
योग	5	0.5840		
<p>कृपया उक्त खसरे की प्रस्थिति (भूखंड (गादा) के वाद रास्ता/विक्रय/भू-कलश/परमाण्व बही) हेतु खसरा संख्या पर मिलिक करें</p> <p>Disclaimer: उक्त ऑफिके मात्र उपयोगकर्ता है, उक्त विवरण अद्यतन है। संदर्भित कंप्यूटर केन्द्र एम सी एस सी, सी.एस.सी.केन्द्र से दूरस्थ की प्रमाणित प्रति प्राप्त की जा सकती है।</p> <p>Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.</p>				





UPBHULEKH  
Uttar Pradesh

17

## खाता विवरण (अप्रमाणित प्रति)

ग्राम का नाम : शामली परगना : (शामली) तहसील : शामली जनपद : शामली फसली वर्ष : 1426-1431 (01 जुलाई, 2018 से 30 जून, 2024) भाग : 1 खाता संख्या : 00782

खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	खसरा संख्या	क्षेत्रफल (हे.)	आदेश	टिप्पणी
श्रेणी : 1-क / भूमि जो संक्रमणीय भूमिधरो के अधिकार में हो।				
सरशादीलाल एण्टरप्राइजेज लि0 / शामली / शामली	3031 3052 3065 3075 3140	0.3590 0.0820 0.0510 0.0720 0.0200	आदेशानुसार श्रीमान परगनाधिकारी कैराना वाद सं02/ 88-89 धारा 143 के अन्तर्गत आदेश हुआ कि खाता सं0 251 के गाटासं0 3140/0-2-0, 3031/1-16-0, 3052/0-8-0, 3065/0-5-0, 3075/0-7-0 अकृषिक घोषित की जाती है। ह0ले020-2-90	
योग	5	0.5840		

कृपया उक्त खसरे की प्रस्थिति (भूखंड (गाटा) के वाद प्रस्त / विक्रय / भू-नक्शा / न्यायांतरण बही ) हेतु खसरा संख्या पर क्लिक करें

Disclaimer: उक्त ऑनलाइन प्रमाणित प्रति, उक्त विवरण आधारित है, तहसील कम्प्यूटर केन्द्र एन.सी.आई.सी./लोकवाणी केन्द्र से तदनुसार की प्रमाणित प्रति प्राप्त की जा सकती है।

Software Powered By: National Informatics Center, Uttar Pradesh State Unli, Lucknow.





UPBHULEKH  
Uttar Pradesh

18

## खाता विवरण (अप्रमाणित प्रति)

ग्राम का नाम : शामली परगना : (शामली) तहसील : शामली जनपद : शामली फसली वर्ष : 1426-1431 (01 जुलाई, 2018 से 30 जून, 2024) भाग : 1 खाता संख्या : 00784

खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	खसरा संख्या	क्षेत्रफल (हे.)	आदेश	टिप्पणी
श्रेणी : 1-क / भूमि जो संक्रमणीय भूमिधरों के अधिकार में हो।				
सर शादीलाल एण्टरप्राइजेज लि0 शामली / द्वारा बिशम्बर दहजा डिप्टी मैनेजर / शामली	3203	0.0920		
	3204	0.2150		
योग	2	0.3070		
<p>कृपया उक्त खसरे की प्रस्थिति (भूखंड (गाटा) के बाह ग्रन्थ / विवरण / भू-मन्त्रालय / नामांतरण बही ) हेतु खसरा संख्या पर क्लिक करें</p> <p>Disclaimer: उक्त ऑनलाइन पात्र अवलोकनार्थ है, उक्त विवरण अद्यतन है, तहसील काम्प्यूटर केन्द्र एनम सी.एस.सी./भौतिकी केन्द्र से उद्घरण की प्रमाणित प्रति प्राप्त की जा सकती है।</p> <p>Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.</p>				





UPBHULEKH  
Uttar Pradesh

19

## खाता विवरण (अप्रमाणित प्रति)

ग्राम का नाम : शामली परगना : (शामली) तहसील : शामली जनपद : शामली फसली वर्ष : 1426-1431 (01 जुलाई, 2018 से 30 जून, 2024) भाग : 1 खाता संख्या : 00783

खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	खसरा संख्या	क्षेत्रफल (हे.)	आदेश	टिप्पणी
श्रेणी : 1-क / भूमि जो संक्रमणीय भूमिधरों के अधिकार में हो।				

कृपया उक्त खसरे की प्रस्थिति (भूखंड (गाटा) के बाद ग्रस्त/विक्रय/भू-चमशा/नामांतरण वही) हेतु खसरा संख्या पर क्लिक करें

Disclaimer: उक्त आँकड़े मात्र अवलोकनार्थ हैं, उक्त विवरण अद्यतन है, तहसील कम्प्यूटर केन्द्र एवम सी.एस.सी/लोकवाणी केन्द्र से सत्यापन की प्रमाणित प्रति प्राप्त की जा सकती है।

Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.



सर शादीलाल एण्टरप्राइजेज लि0 / शामली / शामली	2301	0.8500	आदेशानुसार श्रीमान परगनाधिकारी कैराना वाद सं0 03 /89-90 धारा 143 के अन्तर्गत आदेश हुआ कि खाता सं0 221 की कुल भूमि 17-12-0 को अकृषिक घोषित किया जाता है। ह0ले0 20-2-90
	3139	0.1330	
	3141	0.1020	
	3142	0.1640	
	3144	0.1640	
	3145	0.5330	
	3146	0.0410	
	3147	0.0510	
	3148	0.0820	
	3152म	0.1640	
	3153	0.1020	
	3154	0.0610	
	3155	0.0720	
	3156	0.3890	
	3157	0.1230	
	3158	0.1230	
	3159	0.2660	
	3160	0.1230	
	3161	0.1130	
योग	19	3.6560	
<p>कृपया उक्त खसरे की प्रस्थिति (भूखंड (गाटा) के बगल ग्राम/विक्रय/हस्तगत/परमोक्तग वही) हेतु खसरा सत्यापन कर लिखित करें।</p> <p>Disclaimer: उक्त आंकड़े मात्र अभ्युपेक्षार्थ हैं, उक्त विक्रय अद्यतन है, अंतिम कामगुजर केन्द्र एम सी एस सी/लेखकणी केन्द्र से उद्घरण की प्रमाणित की जा सकती है।</p> <p>Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.</p>			

20





Uttar Pradesh

21

## खाता विवरण (अप्रमाणित प्रति)

ग्राम का नाम : शामली परगना : (शामली) तहसील : शामली जनपद : शामली फसली वर्ष : 1426-1431 (01 जुलाई, 2018 से 30 जून, 2024) भाग : 1 खाता संख्या : 00945

खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	खसरा संख्या	क्षेत्रफल (हे.)	आदेश	टिप्पणी
श्रेणी : 6-2 / अकृषिक भूमि - स्थल, सड़कें, रेलवे, भवन और ऐसी दूसरी भूमियां जो अकृषित उपयोगों के काम में लायी जाती हो।				
सर शादीलाल इण्टरप्राइजेज लि0 // शामली //	2258	0.5330		
	2259	0.6970		
	2260	0.2970		
	2261	0.0200		
	2262	0.5840		
	2263	0.4510		
	2264	0.3590		
	2265	0.9220		
	2266	0.2250		
	3165	0.1330		
	3166	0.0610		
	3167	0.0820		
	3168	0.1020		
	3169	0.0310		
	3170	0.0310		
कृपया उक्त खसरे की प्रस्थिति (भूखंड (गाटा) के बाद ग्रस्त/विक्रय/भू-चक्रा/नामांतरण बही) हेतु खसरा संख्या पर क्लिक करें Disclaimer: उक्त आंकड़े मात्र अवलोकनार्थ हैं, उक्त विवरण अद्यतन है, तहसील कंप्यूटर केन्द्र एम.सी.एस.सी/लोकवाणी केन्द्र से उद्धरण की प्रमाणित प्रति प्राप्त की जा सकती है। Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.				 

22

3171	0.2150
3172	0.1230
3173	0.0920
3174	0.1020
3175	0.1540
3176	0.2250
3177	0.1950
3178	0.1950
3179	0.3070
3180	0.2560
3181	0.2150
3182	0.3590
3183	0.4300
3184	0.2870
3185	0.5630
3186	0.1020
3187	0.1020
3188	0.1230
3189	0.1740
3190	0.0310
3191	0.1640
3192	0.1230
3193	0.4000
3195	0.1840

कृपया उक्त खसरे की प्राप्ति (भूखंड (गाटा) के वादावस्त/विक्रय/भू-नक्शा/नामांतरण नहीं) हेतु खसरा संख्या पर विचार करें

Disclaimer: उक्त आँकड़े मात्र अवलोकनार्थ हैं, उक्त विवरण अद्यतन है, तहसील कम्प्यूटर केन्द्र एन सी एस सी/लोकवाणी केन्द्र से सत्यापन की प्रमाणित प्रति प्राप्त की जा सकती है।

Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.



23

	3194	0.1540
	3196	0.0410
	3197	0.5120
	3198	0.3590
	3199	0.1430
	3200	0.0920
	3201	0.4000
	3202	0.0820
	3205	0.0610
	3206	0.1640
	3207	0.1130
	3208	0.0510
योग	51	11.8210

कृपया उक्त खसरे की प्राथिकता (भूखंड (गाटा) के बाद ग्रस्त/विकृत/भूमिका/भासाकरण बड़ी) हेतु खसरा संख्या पर विचार करें

Disclaimer: उक्त आंकड़े मात्र अवलोकनार्थ हैं, उक्त विवरण अद्यतन है, तहसील कामगूढ़ केन्द्र एचएम सी.एस. सिलिकोनामी केन्द्र से उद्धरण की प्रमाणित प्रति प्राप्त की जा सकती है।

Software Powered By: National Informatics Center, Uttar Pradesh State Unit, Lucknow.





# OLD AND NEW KHASRA NUMBERS OF THE ACQUIRED LAND

पुराना खसरा नं० (old Khasra No.)	रकबा (Area )	नया खसरा नं० (New Khasra No.)	रकबा (Area)
3819	0-1-10	3151	0-2-10
3820	0-1-10	3152	0-0-10
3825	0-4-0	3150	0-5-0
3830	0-2-0	3140	0-2-0
3832	3-17-0	3138	3-17-0
3833	10-6-0	3064	10-0-0
		3065	0-5-0
3842	5-5-0	3030	5-5-0
3844	0-14-0	3060	0-14-0
3848	11-12-0	3137	11-12-0
3851	0-8-0	3077	0-8-0
3853	0-19-0	3075	0-7-0
		3076	0-12-0
3860	3-18-0	3053	2-2-0
		3031	1-16-0
3861	0-8-0	3052	0-8-0
Total	37-16-0	Total	37-16-0

239

6850 (210)

नाम जं. नं. आकार-पत्र ४९ / ए५५७०-

(नियम ६३)

25

250 to 2289

2111001


तुलनात्मक खसरा

( खसरी मुताबिकत )

तहसील कराना

पुस्तकी क्रमांक	क्षेत्रफल	पुरानी संख्या	क्षेत्रफल	नया खाता खतौती संख्या	पिछले बन्दोबस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) और सिंचाई का साधन
१	२	३	४	५		६
		१३६४	३२			
		१३६५	१११			
			३५१			
४२	५३	१४२८	५३	६७७	जंगल दायम तोड़	
४३	५४	१४२९	५४	६७७	जंगल दायम तोड़	
४४	५४	१४३२	५४	६७७	जंगल दायम तोड़	
४५	९४	१४३३	९४	४९७	—	
४६	५९	१४३३	५९	६७७	—	
४७	५४	१४३९	५४	६७७	जंगल दायम तोड़	
४८	५४	१४३०	५४	६७७	जंगल दायम तोड़	
४९	५२	१४३५	५२	७	—	ज०
५०	११५	३२०४	११५	७	—	ज०
५१	३२०३	५९	५९	७	—	ज०
५२		२१५				

ज० अवि दोज १०२ ज० अवि दोज



ज० आर्वि दत्त १०२

५१० वि. द. न.

खसरी संख्या	खसरा संख्या	खसरी संख्या	खसरी संख्या	खसरी संख्या	खसरी संख्या	खसरी संख्या	खसरी संख्या
१	२	३	४	५	६	७	८
		१३६४	३२				
		१३६५	११५९				
			३५९				
२२४२	५३	१४२०	५३	६००	जंगल दोमरा तोड़		आनादी
२२४३	५४	१४२६	५४	६००	जंगल दोमरा तोड़		आनादी
२२४४	५४	१४३२	५४	६००	जंगल दोमरा तोड़		आनादी
२२४५	५४	१४३३	५४	४९०			शा० जो० बाग आनादी
२२४६	५९	१४३३	५९	६००			आनादी
२२४७	५४	१४३९	५४	६००	जंगल दोमरा तोड़		आनादी
२२४८	५४	१४३०	५४	६००	जंगल दोमरा तोड़		आनादी
२२४९	५२	१४३५	५२	७			ज० अवि दोन सड़क
२२५०	११५	३४०४	११५	७			ज० अवि दोन सड़क
२२५१	५९	३४०३	५९	७			ज० अवि दोन सड़क
	३५२		२१५		ज० अवि दोन ११५३	ज० अवि दोन २५४	ज० अवि दोन २१५६



हस्ताक्षर के सुलनात्मक खसरा संख्या की कति के हस्ताक्षर अंगलास सहयोग चकवन्दी अधिकारी के हस्ताक्षर

विशेष सूचना-स्तम्भ ५ नई खसरी के तयार हो जाने पर भरा जायगा।

नाम: आमलीपरगना: आमलीतहसील: मेरठाजिला: मुजफ्फरनगर

27

गंव:

संख्या	खसरा	पुर्वी संख्या	खसरा	नया खाता खतीबी संख्या	पिछले बन्दोबस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) और सिंचाई का साधन	विशेष विवरण	बंद संख्या
१	२	३	४	५	६	७		८
2242	02113	3628	02113	६०	-	-	ज० आनि दोन सडकरला	2249
2243	1152	3626	1152	६०६	-	-	आनादा महा	2242
2246	158	3693	158	०	-	-	ज० आनि दोन सडकरला	2243
2247	901159	3698	901159	६०६	-	-	महु - मंगर ६५४ १०२	2248
				६५४	-	-	रास्ता	2247
2245	352	3690	352	६०६	-	-	ज० आनि दोन सडकरला	2246
2246	159	3690	159	६	-	-	आनादा	2240
2248	21152	3698	915	६०८	जंगल अन्वला	-	आनादा	2247
		3620	912		जंगल अन्वला ताड़	-		2248
			21152			-		2200
2248	3153	3622	3153	६०८	जंगल अन्वला ताड़	-	आनादा	2209
2240	9158	3680	9158	६०८	जंगल अन्वला ताड़	-	आनादा	2202
	६८५३		६८५३		ज० आनि दोन ७६५३	ज० आनि दोन २२३	अन्वला २२३	
						क्रषिक - शा० जो०	अन्वला २२३ ज० जो० २२३ नजा ३२१ आनादा ६५९ रास्ता ३५३ महा ६५४	



खसरा के हस्ताक्षर आमली सहायक सहायकी अधिकारी के हस्ताक्षर  
विशेष सूचना-स्तम्भ ५ में खसरा की संख्या दी जाने पर ध्यान देना।

बन्दिर घेष्ट डिप्टिब, खसरा २, १२, ००० प्रतियां-मार्च १९५६

६५

लेखना

बाहिर

28

वर्ग संख्या	क्षेत्रफल	पुरानी संख्या	क्षेत्रफल	नया खाता खतौनी संख्या	फिदले बन्दोबस्त की भूमि श्रेणी (soil class)	संवेचित भूमि श्रेणी (soil class) थोर सिचाई का साधन	विशेष विवरण
१	२	३	४	५	६	७	८
२२६१	५२	३०४१	५२	६०८	जंगल अन्वला	-	आबदी
२२६२	२११५२	३०४४	२११५२	६०८	जंगल अन्वला तोड़	-	आबदी
२२६३	२५४	३०४३	२५४	६०८	जंगल अन्वला तोड़	-	आबदी
२२६४	१११५	३०४२	१११५	६०८	जंगल अन्वला तोड़	-	आबदी
२२६५	४११५	३०२९	४११५	६०८	जंगल अन्वला तोड़	-	आबदी
२२६६	१५२	३८२०	१५२	६०८	जंगल अन्वला तोड़	-	आबदी
२२६७	१५	३८२६	१५	६०७	जंगल अन्वला रवाक्री	-	आबदी
२२६८	१५४	३८२४	१५४	४४	जंगल अन्वला रवाक्री	-	शांजो आबदी
२२६९	११५	३८२४	११५	६०७	जंगल अन्वला रवाक्री	-	आबदी
२२७०	१११५४	३८२०	१११५४	६०७	जंगल अन्वला रवाक्री	-	आबदी
२२७१	३५	३८५३	३५	६०७	जंगल दामस तोड़ २११५३	दामस तोड़	आबदी
२२७२	११५३	३८५२	११५३	६०८	जंगल अन्वला तोड़	-	आबदी मन्डी
२०५९		२०५९		दुर्गमिक		अकूमिक २०५९	अकूमिक १८११५२
						शांजो १५४	आबदी १५४
							आबदी १५४
							आबदी मन्डी १२१५
							आबदी मन्डी ११५३



लेखपाल के हस्ताक्षर रामलाल चक्रवर्ती कर्ता के हस्ताक्षर अनन्तराम सहायक चक्रवर्ती अधिकारी के हस्ताक्षर  
विशेष सूचना-स्लम ५ नई खतौनी के लैबाइ हो जाने पर भरा जायगा।  
वाहित-बन्धित प्रेष लिपिटेड, प्र खखक २,१२,००० प्रतिपा-माच १९५६

५०८

234  
जो० च० आकार-पत्र ४१  
(नियम ६३)  
तुलनात्मक खसरा (खसरा मुताबकत)  
तहसील कैराली


जिला मुंगेर

29

प्राथमिक

परगना आसली

संख्या	खेती	पुरानी संख्या	क्षेत्रफल	नया खाता खतीनी संख्या	पिछले बन्दोबस्त की भूमि श्रेणी (soil class)	संशोधित भूमि वर्ण (soil class) और सिंचाई का साधन	विशेष विवरण	नई संख्या
2263	१५१	३६५८	१५१	६७७	जंगल अन्वला तोड़	-	आनादी	2263
2264	५१	३६५७	५१	६७७	जंगल अन्वला तोड़	-	आनादी	2264
2265	५२	३६५४	५२	६८६	-	-	आनादी मन्डी	2265
2266	११५१	३६५५	११५१	६८६	जंगल दोगम तोड़	-	आनादी मन्डी	2266
2267	१५३	३६६०	१५३	५	जंगल अन्वला तोड़	-	ज० अविदोश आनादी पुलिस	2267
2268	१५३	३६५६	१५३	६७७	जंगल अन्वला रमली	-	आनादी	2268
2269	१५३	३६५६	१५३	५	जंगल अन्वला तोड़	-	ज० अविदोश आनादी पुलिस	2269
2270	११५१	३६६१	११५१	५	जंगल अन्वला तोड़	-	ज० अविदोश आनादी पुलिस	2270
2271	११५२	३६२८	५१	५	जंगल अन्वला रमली	-	ज० अविदोश आनादी पुलिस	2271
		३६५१	१५		जंगल अन्वला तोड़	-		2272
		३६५२	१५१		जंगल अन्वला तोड़	-		2273
2272	११५१	३६२८	११५१	६८६	जंगल अन्वला रमली	-	आनादी मन्डी	2272
2273	११५२	३६२६	११५२	६७७	जंगल अन्वला तोड़	-	आनादी	2273
					ज० अविदोश २११५४		ज० अविदोश ६१५१	
							अन्विलान ६१५१	
							अ० ज० ६१५१	
							आनादी २११५२	
							आनादी मन्डी ११५४	



लेखपाल के हस्ताक्षर... ज० अविदोश २११५४... ज० अविदोश ६१५१... अ० ज० ६१५१... आनादी २११५२... आनादी मन्डी ११५४

६०६

जिला मुख्यालय

श्री २१॥

परमना २१॥ नमो

सहसील... मेराना

[illegible]

राज्य प्रहसनियाँ

राजस्व अभिलेखपाल, राजस्व सुरक्षालय

कलौष्टेय, मुजफ्फरनगर

प्रतिलिपि द्वारा प्रार्थना पत्र संख्या 6850 (370)

9/5/20

जो. च. आकार-पत्र ४१, (नियम ६३)

खेती - 2030-70 385/

सुलनासक खसरा (खसरा मुताबकत)

मां. प्रमोला

परगना प्रमोला

तहसील केराना

जिला मु. जा.

31

संख्या	क्षेत्रफल	पुरानी संख्या	क्षेत्रफल	नया खाता खतौनी संख्या	पिछले बन्दोबस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) गौर सिचाई का साधन	विशेष विवरण
१.	२	३	४	५		७	८
३०२८	11152	४९३८	1115९	२९९	जाल अचल	सोयम आवा	भू३
		४९३८	५९		जाल अचल	भू३	
			1115२				
३०३०	५15	३८४२	५15	६२२			असर
३०३१	१1115९	३८६०	१1115९	६२८		भू३	
३०३२	२५४	४०८३	२५४	९३४	जाल रवावर	रवावर अरल	
					रवावर	सोयम आवा	
३०३३	115३	४९२०	15४	९३४	जाल अचल	सोयम आवा	
		४९२८	५४		जाल अचल	सोयम आवा	
			115३				
३०३४	115३	४०८६	115३	३६	जाल अचल	रवावर अरल	
					जाल अचल	रवावर अरल	
३०३५	15३	४०८४	15३	३६	जाल अचल	रवावर अरल	
३०३६	15४	४०८५	15४	३६ अ	जाल अचल	रवावर अरल	
		३६		३६			
	१२15		१२15		कृषक	अकृषक ५15	श्री. जो.
						अ. जो. ५15	
						असर ५15	



ति के हस्ताक्षर

लेखपाल के हस्ताक्षर श्री. प्रमोला कर्ता के हस्ताक्षर सहायक ब्रह्मन्दी अधिकारी के हस्ताक्षर विशेष सूचना-सर्व ५ नई खतौनी के तैयार हो जाने पर भरा जायगा।

५०२



३१२ जी० च० आकार-पत्र ४१

(नियम ६३)

पुलनात्मक खसरा (खसरा मुताबकत)

गांव-शामला

परगना-शामला

तहसील-करना

जिला-पंजाब

32

गांव-शामला

बंद संख्या	क्षेत्रफल	पुरानी संख्या	क्षेत्रफल	नया खाता खतोनी संख्या	पिछले बन्दोबस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) और सिंचाई का साधन	विशेष विवरण
१	२	३	४	५	६	७	८
३०३७	११५९	४०८५	११५९	३०३	जााल अन्वलय लोड	रमादर अरख	
३०३८	११५४	४०८२	११५४	१३४	जााल अन्वलय लोड	रमादर अरख	
३०३९	१५३	४०८९	१५३	१३४	जााल अन्वलय लोड		
३०४०	१५२	४०६५	१५२	१३४	जााल अन्वलय लोड	रमादर अरख	
३०४१	११५९	४०६६	११५९	१३४	जााल अन्वलय लोड	रमादर अरख	
३०४२	११५४	४०६२	११५४	१३४	जााल अन्वलय लोड	रमादर अरख	
३०४३	११५९	३८६४	११५९	१३४	जााल अन्वलय लोड		
३०४४	५२	३८६६	५२	४८३	जााल अन्वलय लोड		
३०४५	५९	३८६७	५९	४८३	जााल दोयम	जााल दोयम आवा (कूप से)	
३०४६	१५२	३८५२	१५२	१३४ ३५ ४८३ ५२	जााल दोयम लोड		
३०४७	१५४	३८६५	१५४	१३४	जााल अन्वलय रमाका	जााल दोयम आवा (कूप से)	
३०४८	११५९	३८६३	११५९	१३४	जााल अन्वलय रमाका	जााल अन्वलय आवा (कूप से)	
४५९		४५९					



बंद संख्या	क्षेत्रफल
१	२
३०४९	१५
३०५०	१५३
३०५१	११५
३०५२	१५३
३०५३	३०१
३०५४	११५
३०५५	५३
३०५६	५४
३०५७	१५३
३०५८	११५
३०५९	३
३०६०	११५
३०६१	११५
३	

सहायक सचिव की अधिकारी के हस्ताक्षर  
विशेष सूचना-स्तम्भ ५ नई खतोनी के तैयार हो जाने पर भरा जायगा।  
साहित्य-मन्दिर प्रेस लिमिटेड, लखनऊ २१५,००० प्रतिमां-माच १९५६

५०३

33

दा अमर दा आवा शाहीमन  
लि. मि.

211.511

विभाग के हस्ताक्षर ज्योतिष साधुजी कर्ता के हस्ताक्षर अन्नालक्ष्मीयक जलवादी अधिकारी के हस्ताक्षर विशेष सचिव-स्तम्भ ५ नई खसौली के तयार हो जाने पर जारी जायगा

साहित्य-मन्दिर प्रेस लिमिटेड, ल कलक २१५,००० प्रतियां—मार्च १९५६

704



नियंत्रित द्वारा प्रार्थना पत्र संख्या... 6850 (आप) 320  
 नम्र (नियम 8.3) जो. च. प्राकार-पत्र 42, खे. ले. 60 - 3136 + 3210

35

सर्वेक्षण (समस्त सतत) गाँव शामिल शामिल सहस्र लक्षणा

पत्र संख्या	क्षेत्रफल	पुरानी संख्या	क्षेत्रफल	नया खाता संख्या	निकटवर्ती भूमि वर्ग (soil class)	संशोधित भूमि वर्ग (soil class) और मिश्रण का सावधान	प्रमाण संख्या
3130	115/8	3002	115/8	222	जंगलदायम	जंगलदायम तोड़	3181
3131	115/2-40	3022	115/2-40	222	जंगलदायम तोड़	जंगलदायम तोड़	3182
		3000	115/2				3183
			115/2-40				3184
3132	115/2	3076	115/2	222	जंगलदायम तोड़	जंगलदायम तोड़	3185
3133	115/2-40	3022	115/2-40	222	जंगलदायम तोड़	जंगलदायम तोड़	3186
3138	115/2	3028	115/2	222	जंगलदायम तोड़	जंगलदायम तोड़	3187
3134	115/2	3023	115/2	222	जंगल अक्ल	जंगल अक्ल तोड़	3188
3135	115/2	3094	115/2	222	जंगल अक्ल	जंगल सोयम अक्ल	3189
3139	115/2	3080	115/2	222	जंगल अक्ल तोड़	जंगल अक्ल तोड़	3190
3130	115/2	3032	115/2	222	जंगल अक्ल तोड़	जंगल अक्ल तोड़	3191
3130	115/2	3039	115/2	222	जंगल अक्ल तोड़	जंगल अक्ल तोड़	3192
3140	115/2	3030	115/2	222	जंगल अक्ल तोड़	जंगल अक्ल तोड़	3193



कुल 1018 अक्षर 9652  
 अक्षर 9652 शा. जो.  
 रास्ता 115/2  
 बंजर 115/2

लेखा के हिसाब से... विशेष सूचना-संख्या 5 नई खातों के तयार हो जाने पर भरा जायगा।



जो० न० प्रकार-पत्र ४१

(नियम ६३)

तुलनात्मक खसरा (खसरा मतावकत)

36

गाँव : रामतला परगना : रामतला तहसील : कराना

जिला : मुंबई

संख्या	क्षेत्रफल	सुपरी संख्या	क्षेत्रफल	नया खाता खसरी संख्या	मिछले बन्दोबस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) भौतिक विचारों का साधन	विशेष विवरण
२१४१	॥५	३८३०	॥५	२२५	जंगल अन्वला	ताड़	
२	॥५	३८९०	॥५	२२५	जंगल अन्वला	ताड़	
२१४३	१॥२	३८००	१॥२	६५३	जंगल दोमम	ताड़	
२१४४	॥५	३८०८	॥५	२२५	जंगल दोमम	ताड़	
२१४५	२॥५	३८०७	२॥५	२२५	जंगल अन्वला	ताड़	
२१४६	५४	३८९२	५४	२२५	जंगल अन्वला	ताड़	
२१४७	५	३८९९	५	२२५	जंगल अन्वला	ताड़	
२१४८	५	३८२०	५	२२५	जंगल अन्वला	ताड़	
२१४९	॥५	३८२५	॥५	१३८	जंगल अन्वला	ताड़	
२१५०	५	३८२५	५	६०६	जंगल अन्वला	ताड़	नाली
२१	२९०	३८९८	१-९०	६०६	जंगल अन्वला	ताड़	दी० अ० दु० शू० नाली
		३८२०	५		जंगल दोमम	ताड़	
		३८९८	॥५	२२५	जंगल अन्वला	ताड़	
		३८२०	५		जंगल दोमम	ताड़	
२१५२	॥५	३८९८	॥५	२२५	जंगल अन्वला	ताड़	
		३८२०	५		जंगल दोमम	ताड़	
		३८९८	॥५		जंगल अन्वला	ताड़	
	८॥४		८॥४		कृषि = ५११ अनापन = ५२२९०	अनापन = ५२२९०	शान्ति



रास्ता

बंजर

बंजर

दी० अ० दु० शू० नाली

५१ शान्ति  
५२  
५४

लेखपाल के हस्ताक्षर : ज्योति प्रहलदजी कर्ना के हस्ताक्षर : अ० न० तुलनात्मक खसरा की समीक्षा के हस्ताक्षर : विशेष सुचना-समय ५ नई खसरी का तैयार हो जाने पर भरा जायगा।

५०३

322

बो० च० आकार-पत्र ४१

( नियम ६३ )

तुलनात्मक खसरा ( खसरा मुताबकत )


गाँव-राभरिया

परगना-२११भरिया सहरीज-भरिया

जिला-मुक्तगढ़

37

बई संख्या	क्षेत्रफल	पुचारी संख्या	क्षेत्रफल	नया खाला खतीरी संख्या	बिछले बन्दोबरस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) और सिचाई का साधन	विशेष विवरण
३१५३	११५	३८२६	११५	२२५	जंगल अन्वला तोड		
३१५४	१५	३८३०	१५	२२५	जंगल अन्वला तोड		
३१५५	१५	३८२८	१५	२२५	जंगल अन्वला तोड		
३१५६	११५	३८१८	११५	२२५	जंगल अन्वला तोड		
३१५७	१५	३८१३	१५	२२५	जंगल अन्वला तोड		
३१५८	११५	३८१४	११५	२२५	जंगल अन्वला तोड		
३१५९	१५	३८१७	१५	२२५	जंगल अन्वला तोड		
३१६०	११५	३८१५	११५	२२५	जंगल अन्वला तोड		
३१६१	१५	३८१६	१५	२२५	जंगल अन्वला तोड		
३१६२	१५	३८०९	१५	१८३	जंगल अन्वला तोड		
३१६३	११५	३८००	११५	१८३	जंगल अन्वला तोड		
		३८१७	१५		जंगल अन्वला तोड		
			११५				



बई संख्या	क्षेत्रफल
३१६४	११५
३१६५	११५
३१६६	११५
३१६७	१३३
३१६८	११५
३१६९	५३
३१७०	५३
३१७१	१५१
३१७२	११५
३१७३	१५०
३१७४	११५
३१७५	११५
३१७६	१३२
२१५	

लेखपाल के हस्ताक्षर यो दिनांक ११/११/१९५५ को हस्ताक्षर ३१७५ के हस्ताक्षर सहित नया खसरा की प्रतिकापी हस्ताक्षर  
विशेष धुंधला-स्तरम ५ मई खतीरी के लेखार हो जाने पर भरा जायगा।

य-पत्रिक में खिपटे, अक्षर २१५,००० प्रतिशत-मार्च, १९५५

३०५

लेखपाल के ह  
साहित्य-मन्दिर प्र



३२३

जो० च० आकार-पत्र ४१

(नियम ६३)

तुलनात्मक खसरा (खसरा सुतावकत)

परगना प्रमेलो

तहसील कैतावा

जिला प्रमेलो

38

वई संख्या	क्षेत्रफल	पुरानी संख्या	क्षेत्रफल	नया खाता खती की संख्या	पिछले इन्दावस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) और सिंचाई का साधन	विशेष विवरण
१	२	३	४	५	६	७	
३१६६	१११५	३८२१	१११५	१	—	—	जो आब क्षेत्र
३१६५	११५३	३९९०	११५३	६९८	गोमाले दोधम तोड़	—	राउक
३१६६	१५१	३९९३	१५१	६९८	गोमाले अन्धाल तोड़	—	राउक
३१६०	१५३	३९९८	१५३	६९८	गोमाले अन्धाल तोड़	—	राउक
३१६८	११५	३९६०	११५	६९८	गोमाले अन्धाल तोड़	—	राउक
३१६८	५३	३९६२	५३	६९८	—	—	राउक
३९९०	५३	३९६३	५३	६९८	—	—	राउक
३९९१	९५१	३९६१	९५१	६९८	गोमाले अन्धाल तोड़	—	राउक
३९९२	११५२	३९५८	११५२	६९८	गोमाले अन्धाल तोड़	—	राउक
३९९३	१५६	३९५८	१५६	६९८	—	—	राउक
३९९४	११५	३९५५	११५	६९८	गोमाले अन्धाल तोड़	—	राउक
३९९५	११५५	३९५६	११५५	६९८	गोमाले अन्धाल तोड़	—	राउक
३९९६	९५२	३९५७	९५२	६९८	गोमाले अन्धाल तोड़	—	राउक
२१५२		२१५२			जो आब क्षेत्र १११५	जो आब क्षेत्र ६१५२	अंशुपका ६१५२
					क्राफक	श्री. जो. अ. जो.	आवादी ६१५२



लेखपाल के हस्ताक्षर जो आब क्षेत्र १११५ के हस्ताक्षर मतलब ६१५२ सहयोग प्रकल्प की प्रतिकृति है।  
 प्रकाश सूचना-स्तम्भ ५ नई खती की संख्या १११५ पर मरा जायगा।  
 साहित्य-मन्दिर प्रेस लिमिटेड, लखनऊ २१५,००० प्रतिमा—माच १९५६

५९६





40

तुलनात्मक खसरा (खसरा मुताबकत)

परमेश्वर शानला

तहसील: केराना

जिला द. नाट...



## लेखपाल के हस्ताक्षर

1990-1991

THE UNIVERSITY OF CHICAGO

SECRET

U.S. AIR FORCE - WASHINGTON, D.C.

100-443887-100

100

100

साहित्य-मन्दिर प्रेस लिमिटेड, लखनऊ २.१५,००० प्रतियाँ—मार्च १९५६

27

जो० च० प्रकार-पत्र ४१

(नियम ६३)

तुलनात्मक खसरा (खसरा मुताबकत)

गाँव

परगना

तहसील

जिला

41

संख्या	क्षेत्रफल	पुरानी संख्या	क्षेत्रफल	नया खाता नम्बरी संख्या	पिछले बन्दोबस्त की भूमि श्रेणी (soil class)	संशोधित भूमि श्रेणी (soil class) और सिंचाई का साधन	विशेष विवरण
१	२	३	४	५			
३२०३	१५४	३११२	१५४	१२३	जाली अन्वयन तोड़		३२१०
३२०४	१५९	३११२	१५९	१२३	जाली अन्वयन तोड़		३२११
३२०५	१५९	३१२३	१५९	६०२	जाली दोयम तोड़		३२१८
३२०६	११५९	३१२९	११५९	६०२	जाली अन्वयन तोड़		३२१९
३२०७	११५९	३१२२	११५९	६१२	जाली दोयम तोड़		३२२०
३२०८	१५	३१२४	१५	६१२	जाली दोयम तोड़		३२२१
३२०९	११५३	३१२९	११५३	२१६	जाली दोयम तोड़		३२२२
३२१०	५३	३१२९	५३	२१६	जाली दोयम तोड़		३२२३
३२११	५४	३१२९	५४	२१६	जाली दोयम तोड़		३२२४
३२१२	११५९	३१२६	११५९	२१६	जाली दोयम तोड़		३२२५
३२१३	११५३	३१२६	११५३	२१६	जाली दोयम तोड़		३२२६
३२१४	११५९	३१०२	११५९	२१६	जाली दोयम तोड़		३२२७
३२१५	११५२	३१०९	५९	२०	जाली अन्वयन तोड़		३२२८
		३१०६	११५९	६३५	जाली दोयम तोड़		३२२९
			११५२				३२३०



नकलकर्ता.....

तुलनाकर्ता/जयकर्ता.....

जारी कर्ता.....

राजस्व.....

मो वन का दिनांक.....

राजस्व का दिनांक.....

राजस्व का दिनांक.....

जो. ओ. ए. सी. ११५३

सड़क

जो. ओ. ए. सी. ६१५२

सड़क

जो. ओ. ए. सी. ११५३

सड़क

जो. ओ. ए. सी. ११५३

सड़क

जो. ओ. ए. सी. ११५३

सड़क

जो. ओ. ए. सी. ११५३

सड़क

जो. ओ. ए. सी. ११५३

सड़क

राजस्व अधिकारी के हस्ताक्षर

राजस्व अधिकारी के हस्ताक्षर

राजस्व अधिकारी के हस्ताक्षर

राजस्व अधिकारी के हस्ताक्षर

राजस्व अधिकारी के हस्ताक्षर

राजस्व अधिकारी के हस्ताक्षर

राजस्व अधिकारी के हस्ताक्षर

नकल

(नियम ६३)

पत्र सं०-३१०७

सुलभात्मक खसरा (खसरा मुताबकत)

✓ नाम-शामला

✓ पुराना-शामला

तहसील-कैथन

जिला-मुजफ्फरनगर

42

पान-शामला

क्र.सं.	खसरा	पुराना संख्या	नया संख्या	नया खाता संख्या	फिल्टर नम्बर/को भूमि थैली (Soil class)	संशोधित भूमि श्रेणी (Soil class) और सिंचाई का साधन	विशेष विवरण	पट्टा संख्या	क्षेत्रफल
3906	152	2442	152	320	जंगल अक्वल	जंगल अक्वल तोड़		3909	15
3907	11158	2444	153	320	जंगल अक्वल	जंगल दोयम तोड़		3910	15
		2446	159		जंगल अक्वल	जंगल दोयम तोड़		3911	15
			11158			जंगल दोयम तोड़		3912	15
3908	159	2912	159	320	-	-		3913	15
3909	158	2443	153	320	जंगल अक्वल	-	बजर	3914	15
		2448	159		जंगल अक्वल	-		3915	15
			158		जंगल दोयम तोड़	-		3916	15
3910	153	3913	153	320	जंगल दोयम तोड़	-		3917	15
3911	154	3914	154	320	जंगल दोयम तोड़	-		3918	15
3912	159	3915	159	320	जंगल अक्वल	जंगल दोयम तोड़		3919	15
3913	155	3916	155	320	जंगल अक्वल	जंगल दोयम (कूपसे)		3920	15
3914	11115	3917	11115	320	जंगल दोयम तोड़	-		3921	15
3915	158	3918	158	320	जंगल अक्वल	जंगल दोयम (कूपसे)		3922	15
3916	11115	3919	11115	320	जंगल अक्वल	जंगल दोयम तोड़		3923	15
					खान्ना	-		3924	15
					जंगल अक्वल	जंगल दोयम (कूपसे)		3925	15
					खान्ना	-		3926	15
					जंगल अक्वल	जंगल दोयम तोड़		3927	15
					खान्ना	-		3928	15
				कुल १०५ अकृषक १५४					
नगरपालिका...				अनाज जोत १५४ शांति					
सुलभाकर्ता/जांचकर्ता...				बजर १५४					
जांचकर्ता...				सत्य प्रतिलिपि					
पत्र का दिनांक...									
पत्र का दिनांक...									
पत्र का दिनांक...									
पत्र का दिनांक...									



True Copy





उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
UTTAR PRADESH POLLUTION CONTROL BOARD

ANNEXURE-R-5/6

43

तदर्थ प्रस्ताव

सी-3/...../2022

दिनांक: 20/06/2022

सेवा में

मै0 अपर दोआब शुगर मिल,  
शामली।

पंजीकृत

Received  
on dt 24.06.2022

विषय-वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1981 यथासंशोधित की धारा 31 ए के अन्तर्गत निर्देश।  
महोदय,

कृपया उपरोक्त विषय का संदर्भ ग्रहण करने का कष्ट करे। उक्त संबंध में अवगत कराना है कि आपके उद्योग के विरुद्ध उद्योग संचालन से उत्सर्जित फ्लाई एश (छाई) गिरने से हो रहे वायु प्रदूषण के सम्बन्ध में श्री अनुज बंसल, जिलाध्यक्ष सहकार भारती, रेलवे रोड, शामली द्वारा ई-मेल के माध्यम से शिकायत के क्रम में बोर्ड मुख्यालय के पत्रांक एच 76640/सी-3/वायु-247/2022 दिनांक 03.06.2022 द्वारा उद्योग के निरीक्षण हेतु समिति गठित की गयी। संयुक्त समिति द्वारा उद्योग का निरीक्षण दिनांक 13.06.2022 को किया गया। संयुक्त समिति द्वारा उद्योग में पाई गई कमियों के क्रम में समस्या के निराकरण हेतु वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1981 यथासंशोधित की धारा 31ए के अन्तर्गत सक्षम अधिकारी के अनुमोदनोपरान्त निम्नलिखित निर्देश जारी किये जाते हैं-

1. उद्योग में स्थापित 05 ब्वायलर्स पर वायु प्रदूषण नियंत्रण व्यवस्था के रूप में वैट स्क़बर्स स्थापित हैं। उद्योग द्वारा आगामी क्रशिंग सीजन से पूर्व वायु प्रदूषण नियंत्रण व्यवस्था का समुचित मेन्टीनेन्स सुनिश्चित करने तथा उसकी आख्या Timebound Action Plan के साथ प्रेषित करते हुए सभी चिमनियों पर स्थापित OCEMS के विगत तीन माह के डाटा भी प्रेषित किया जाना सुनिश्चित किया जाए।
2. उद्योग द्वारा आगामी क्रशिंग सीजन से पूर्व उद्योग में प्रस्तावित 90 टीपीएच क्षमता का ब्वायलर की स्थापना होने तक उद्योग में वर्तमान में स्थापित सभी वैट स्क़बर पर वर्तमान वायु प्रदूषण नियंत्रण व्यवस्था के साथ अतिरिक्त Scrubber (Double Stage) स्थापित किया जाना सुनिश्चित किया जाए।
3. उद्योग में ब्वायलर्स से जनित फ्लाई एश को उद्योग परिसर के बाहर रिक्त भूमि पर निस्तारित किया जाता है। उक्त स्थल पर वायु प्रदूषण की रोकथाम हेतु उचित ऊंचाई की बाउण्ड्री वॉल/हरित पट्टिका एवं Sprinklers स्थापित नहीं हैं। अतः उद्योग द्वारा आगामी क्रशिंग सीजन से पूर्व उक्त यार्ड के चारों ओर उचित ऊंचाई (लगभग 12 फिट) की बाउण्ड्री वॉल, हरित पट्टिका एवं पर्याप्त Water Sprinklers स्थापित किया जाना सुनिश्चित किया जाए।
4. उद्योग से जनित बैगास/फ्लाई एश का परिवहन पूर्णतः कवर्ड करके ही किया जाये एवं उसका प्रतिदिन का रिकार्ड भी तैयार किया जाना सुनिश्चित करे।
5. जिन प्रक्रियाओं/बिन्दुओं से फ्लाई एश का उत्सर्जन अपेक्षित है, उन बिन्दुओं का नियमित अनुश्रवण चीनी मिल के मध्यम/उच्च स्तर के कार्मिकों द्वारा स्वयं नियमित रूप से किया जाए एवं इस हेतु एक ड्यूटी रोस्टर भी बनाया जाना सुनिश्चित करे।
6. Boiler Section में स्थापित सभी Pipelines को निर्धारित कोड के अनुसार कलर किया जाना सुनिश्चित किया जाए।

टी.सी. - 12 वी, विभूति खण्ड, गोमती नगर,

लखनऊ - 226 010

फ़ोन : 0522-2720828, 2720831

ई-मेल : info@uppcb.com

वेबसाइट : www.uppcb.com

T.C.-12 V, Vibhuti Khand, Gomti Nagar,

Lucknow - 226 010

Phone : 0522-2720828, 2720831

E-mail : info@uppcb.com

Website : www.uppcb.com

उपरोक्त निर्देशों की अनुपालन आख्या 15 दिन के अन्दर कृत कार्यवाही करते हुए अधोहस्ताक्षरी को किया जाना सुनिश्चित करें अन्यथा आपके उद्योग के विरुद्ध वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 यथासंशोधित की धारा 31ए के प्राविधानों के अन्तर्गत कार्यवाही प्रारंभ कर दी जायेगी जिसका उत्तरदायित्व स्वयं उद्योग का होगा।

सक्षम अधिकारी द्वारा पत्र निर्गतन हेतु अधि

*Ru-yangji*

मुख्य पर्यावरण अधिकारी (वृत्त-3)

प्रतिलिपि:-

1. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, को सूचनार्थ प्रेषित।
2. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ कि उक्त निर्देश अनुपालन सुनिश्चित कराकर अनुपालन आख्या प्रेषित करें एवं निर्देशों का क्रियान्वयन सुनिश्चित करें।

मुख्य पर्यावरण अधिकारी (वृत्त-3)

*Singh*  
*True Copy*

(6)

45

W.C. Policy No.....

Valid upto.....

**ANNEXURE: R-5/7****SIR SHADI LAL ENTERPRISES LTD., SHAMLI**

( Unit : Upper Doab Sugar Mills, Shamli - 247 776 (U.P. )

Regd. Office : 4A, Hansalaya, 4th Floor, 15, Barakhamba Road, New Delhi-110001

Dated.....19/10/2022

THIS AGREEMENT made this.....19<sup>th</sup>.....day of.....Oct.....two thousand

Twenty Two

District SHAMLI, U. P. ) (unit : Upper Doab Sugar Mills, Shamli,) incorporated under the Indian Companies Act. 1913 and having its registered office at Delhi (hereinafter referred to as 1st Party)

and

Jitendra Malik

S/o

Rohtash Singh

Vill Kudana, Shamli

(hereinafter referred to as IInd Party) which terms shall include their success assignee.

WHERE AS

II-The undernoted works, required to be done for which the material shall be provided by the 1st Party's

Sub: Removal of Boiler Ash coming out from Air Pollution Control Device ( Ash Handling System) installed outside Boiler Gate Towards Railway line side)

Removal of Boiler Ash coming out from Air Pollution Control Devices (Ash Handling System) installed outside Boiler Gate ( Towards Railway Line side) and to dump the same on the factory land as per direction of the Management, starting from start of crushing season 2022-23. and as per directions of Engineering Department & up to date of closing of Boilers or as per directions of Engg. Department by applying own tractor trollies, labour cost as per **Annexure-1** in covered trollies.

PS: That all the equipments like spade, shovels, buckets etc. required for execution of the work under the Contract and personal protective equipments like shoes, hand gloves, goggles etc. will be provided by the contractor.

II- The IInd Party is willing to undertake the said work at rates hereinafter mentioned.

NOW this Agreement witnesseth and it is hereby agreed and declared by and between the parties

hereto as follows:

1. That the IInd party will arrange performance of the work as hereinabove mentioned.
2. That the 1st party shall pay to the IInd party service charges at the rates mentioned below.

Rs 1,21,000/- ( Rs One Lakh Twenty One Thousand only) per month.

3. That the IInd party shall deposit a cash security of Rs.....with the 1st party. This security is liable to be forfeited wholly or party if the IInd party or fails or fulfil any term of this agreement.
4. That during the continuance of this agreement if the IInd party fails to get the works done as per the above agreement, the 1st party would be at liberty to get such work done by any other Agency and the cost there of would be charged from the IInd party.
5. That the IInd Party shall be responsible for observation of all provisions of Laws and rules relating to persons engaged by him and shall also maintain proper paysheets in their respects and observe the provisions of payment of Wages Act. 1936 as amended from time to time if required he will make available the records of attendance of the workmen employed by him from time to time to the 1st party.
6. That the IInd party shall prior to engagement of any person, take a declaration on the prescribed form whether or not the said persons was the member of the Provident Fund in any other undertaking and send the same to the 1st party. The IInd party will deposit with the Company latest by the 10th of every month Employers's contribution and employees contribution under the Provident Fund Act 1952 in respect of the persons engaged by him and who would be eligible for the membership of the Provident Fund scheme 1952.
7. That in case an industrial Dispute is raised by any of the person engaged by him under U.P. Industrial Dispute Act. 1947, as amended from time to time on which account the 1st party has to suffer any kind of loss, the IInd party will reimburse the 1st party for such losses.
8. That the IInd Party would be responsible for provisions of any other amenities to its labour force to which it may be entitled under any law G.O. Which may be losses.
9. The IInd party before undertaking the agreed job, take an Insurance Policy under workmen's Compensation Act. and produce a copy of the same to the 1st party.
10. That the 1st party would be entitled to recover any compensation under workmen's Compensation Act. 1923 which it may have to apply to any person or family of the person engaged by the IInd party on account of any accident met by him during and in course of his employment with the IInd party.
11. That you and your employees shall take all safety precautions and use all safety equipments while doing the work inside the factory. If any time it is found that work is being undertaken without observation of safety precautions or without use of safety equipments, penalty of Rs 1000/- shall be levied by the 1st Party.
12. That the IInd party shall engage such labour skilled or otherwise as have the requisite skill and experience to perform satisfactory the jobs for the completion of which the IInd party has contracted under this Agreement. The IInd party shall be responsible for any mishap either to the employees of the IInd party or of the 1st party to any other person of damage to the 1st party's Property on account of non employment of labour of requisite skill and experience and the 1st party shall not be responsible for its consequences whatsoever under any circumstances the IInd party is also responsible for the maintenance and care of the tools and tackles under his charge.
13. That the question of disputes of difference whatsoever may at any arise between the parties with regard to the Agreement touching the agreement or the special matter thereby arising out of or in relation there of and whether as to construction otherwise shall be referred to the Managing Director of the Company whose decision shall be final and binding on both the parties.
14. That the 1st party will be entitled to terminate the contract either wholly or party if the IInd party fails to fulfil the terms of the Agreement to the satisfaction of the 1st party.
15. The IInd party will have to complete the job within.....failing which penalty as may be decided by the 1st party shall be charged.

IN WITNESS WHERE OF the parties have herein set their hands the day and year first above mentioned.

Signature of Dept. / Head

Signed by 1st party.....

Signed by IInd party.....

Address.....

Witness.....

Witness.....

Annexure No.1

- 1 The work is being entrusted from date of start of crushing season 2022-23 or as per directions of Engg. Department during crushing season 2022-23 up to the end of the said crushing season i.e. up to the closing the boilers after completion of work there on as per directions of Engg. Department
- 2 The Second party will have to engage tractor trollies with tractor and manpower as per requirement & would have to ensure that tractor trollies & man power should always be kept at the point where ash is falling from the Ash handling system in all the three shifts. In case the Management finds discrepancy in the work, it would be got done by the Management itself and the incurring expenses over it would be realized from your bill.
- 3 The Second party will have to keep complete cleanliness at the place from where the wet ashes will be lifted from the site i.e. out-side Boiler Gate towards Railway line and Boiler Furnace Ash and would have to ensure that the ash may not fall out of the trollies.
- 4 The Second Party will have to dump the ash on the factory land as per direction of the Management in covered trollies. The Second Party will also be responsible to take all necessary steps, if any inconvenience is caused to the Public or to the farmers.
- 5 That the Second Party will be responsible if any of his persons is found involved in theft of the Company and of any employees of the factory property and in consequence inter-alia others your contact may come to an end.
- 6 That in case during your performing the work, it has been found by the Ist party that you are not doing the entire satisfaction of the Management, it may terminate the contract immediately without explaining any reason.
- 7 That the Second Party will be responsible for the work as above & the First party would have no supervisory control over it.
- 8 That the Second Party will be responsible for the persons deployed by it in case, any of the persons engaged by the Second Party meet with any mishap, accident or otherwise, the Second Party will be responsible for any expenses and the Ist party will not be responsible in any case for this.
- 9 That during performing the job as above in case any of the persons engaged by the Second Party is found drunk, necessary action shall be initiated against the Second Party which includes termination this arrangement.
- 10 This arrangement may be terminated at any time without assigning any reason at the discretion of the Ist party.

Signature of Contractor

A.V.P. (Unit Head)



48

## ENGLISH TRANSLATON

### AGREEMENT

At start of crushing season 2022-23 and up to the end of crushing season 2022-23 or as per the directions of the Management, to perform the following work on contract :-

The work would be started after one hour for start of shift which includes Extinguish the ash coming out from the Boiler Furances & Chambers and to collect all the ashes in the Gallary coming out from the Boiler Furances, Chambers & drains of surrounding areas. To lift the entire extinguished ashes which is converted in the form of Malba by his own means i.e. Vehiches at about 6.00 a.m. every day and to dump the same in mud ground or at the place told by the Management, in a way that it may not cause any harm/ nuisance to the public in general while transporting the same or dumping the same. Lifting of Boiler ash from the Boilers, every day, is absolutely necessary, in absence of it the pressure problem would arise in the boilers. You have to ensure that half burnt bales or unextinguished ashes should not be sent out of the factory.

*Scinda*  
**True City**

W.C. Policy No.....

Valid upto.....

**ANNEXURE R-5/8**

**SIR SHADI LAL ENTERPRISES LTD., SHAMLI**

(Unit : Upper Doab Sugar Mills, Shamli - 247 776 (U.P.))

Regd. Office : 4A, Hansalaya, 4th Floor, 15, Barakhamba Road, New Delhi-110001 27/10/2022

27<sup>th</sup>

October

THIS AGREEMENT made this..... day of..... two thousand  
Twenty Two

District SHAMLI, U. P. ) (unit : Upper Doab Sugar Mills, Shamli) incorporated under the Indian  
Companies Act, 1913, and having its registered office at Delhi (hereinafter referred to as 1st Party)  
and Yusuf 5/0 Sh. Mahmood  
Vill. Lilon and Shamli

(hereinafter referred to as IInd Party) which terms shall include their success assignees  
WHERE AS:

II- The undernoted works, required to be done for which the material shall be provided by the 1st  
Party's

पेराई सत्र 2022-23 के आरम्भ से पेराई सत्र 2022-23 की समाप्ति तक या प्रबन्धन के आवश्यकतानुसार  
निम्न लिखित ठेका कार्यों का सम्पादन करना :-

प्रत्येक शिफ्ट शुरू होने के एक घंटे बाद से प्रारम्भ करके बायलरों के फरनेश एवं चम्बरों से व उसके आस पास  
के क्षेत्र की सभी नालियां व सम्पूर्ण बायलर क्षेत्र से निकाली गई राखी को पानी डालकर उड़ा करना तथा उड़ी  
की हुई राखी एवं बायलर क्षेत्र के आस पास के अन्य राखी जो मलबे के रूप में परिवर्तित हो जाती है उस सभी  
राखी, मलबा को तुरन्त उठाकर पास की गैलरी में अथवा सीधे ही अपने साधन से प्रतिदिन लगभग सुबह 6 बजे  
से मड़ ग्राउन्ड अथवा प्रबन्धन के बताये हुए अन्य स्थान पर डालने का कार्य सम्पादन करना है तथा विशेषतौर पर  
राखी निस्तारण के दौरान किसी भी जनमानस को कोई नुकसान न हो तथा प्रतिदिन समय से पूर्व बायलरों के  
आगे से राखी का उठाना नितान्त आवश्यक है। इसके अभाव में बायलर में प्रेसर में बाधा उत्पन्न हो जाती है।  
तथा यह भी सुनिश्चित करें कि कभी भी अधजली गांठे व गरम राखी बाहर न जाये।

II- The IInd Party is willing to undertake the said work at rates hereinafter mentioned.

NOW this Agreement witnesseth and it is hereby agreed and declared by and between the parties

hereto as follows:

1. That the IInd party will arrange performance of the work as hereinabove mentioned.
2. That the 1st party shall pay to the IInd party service charges at the rates mentioned below.

**Rs 75000/- ( Rs Seventy Five Thousand only) per month**

50

**Annexure No.1**

- 1 The work is being entrusted from date of start of crushing season 2022-23 or as per directions of Engg. Department during crushing season 2022-23 up to the end of the said crushing season i.e. up to the closing the boilers after completion of work there on as per directions of Engg. Department
- 2 The Second party will have to engage tractor trollies with tractor and man-power as per requirement & would have to ensure that tractor trollies & man power should always be kept at the point where ash is falling from the Ash handling system in all the three shifts. In case the Management finds discrepancy in the work, it would be got done by the Management itself and the incurring expenses over it would be realized from your bill.
- 3 The Second party will have to keep complete cleanliness at the place from where the wet ashes will be lifted from the site i.e. out-side Boiler Gate towards Railway line and Boiler Furnace Ash and would have to ensure that the ash may not fall out of the trollies.
- 4 The Second Party will have to dump the ash on the factory land as per direction of the Management in covered trollies. The Second Party will also be responsible to take all necessary steps, If any Inconvenience is caused to the Public or to the farmers.
- 5 That the Second Party will be responsible if any of his persons is found involved in theft of the Company and of any employees of the factory property and in consequence inter-alia others your contact may come to an end.
- 6 That in case during your performing the work, it has been found by the Ist party that you are not doing the entire satisfaction of the Management, it may terminate the contract immediately without explaining any reason.
- 7 That the Second Party will be responsible for the work as above & the First party would have no supervisory control over it.
- 8 That the Second Party will be responsible for the persons deployed by it in case, any of the persons engaged by the Second Party meet with any mishap, accident or otherwise, the Second Party will be responsible for any expenses and the Ist party will not be responsible in any case for this.
- 9 That during performing the job as above in case any of the persons engaged by the Second Party is found drunk, necessary action shall be initiated against the Second Party which includes termination this arrangement.
- 10 This arrangement may be terminated at any time without assigning any reason at the discretion of the Ist party.



Signature of Contractor




A.V.P. (Unit Head)

True Copy




# ANNEXURE: R-5/9

51






52





ANNEAURE: R-5/10

53



Sinda  
True Copy

ANNEXURE: R-5/11  
(Colly)

ENGLISH TRANSLATON

54

Sh. Sandeep Chauhan  
Vill. - Pawati Kalan  
Distt. Shamli  
Mob. No. 7960602672

With reference to your application dated 17.06.2022 for lifting Rakhi from the Dumping Yard of the factory, the permission is granted for lifting Rakhi, on the following terms and conditions:-

- 1 That you would lift dried Rakhi from the Dumping Yard of the factory by his own means i.e. vehicle and expenses for which the company will not pay you any amount.
  - 2 That you would lift the Rakhi from the Dumping Yard in the night and take it away to your destination in the night itself.
  - 3 That for filling the Rakhi in the trollies you have to arrange your own labour or other means for which no amount will be paid by the Company
  - 4 That after lifting Rakhi from the dumping Yard you would not accumulate or amass it at any Public or general place.
  - 5 That while filling and taking Rakhi from the Dumping Yard in tractor-trollies or in other vehicles, you would make such arrangement that Rakhi did not spread on the way or fly in the air.
  - 6 That you would sprinkl water on the Rakhi while lifting Rakhi from the Dumping Yard so that there would be no pollution.
- If you are agreed to the above terms and conditions, please sign on the duplicate copy of this letter and start lifting Rakhi from 17.6.2022.

Sd/-  
Sr. Manager (HR)

Copy to: Sr. Manager (Security)

ENGLISH TRANSLATON

Sh. Joni S/o Sh. Sito  
Vill. - Kheri Karmoo  
Distt. Shamli  
Mob. No. 7978574788

With reference to your application dated 03.08.2022 for lifting Rakhi from the Dumping Yard of the factory, the permission is granted for lifting Rakhi, on the following terms and conditions:-

- 1 That you would lift dried Rakhi from the Dumping Yard of the factory by his own means i.e. vehicle and expenses for which the company will not pay you any amount.
  - 2 That you would lift the Rakhi from the Dumping Yard in the night and take it away to your destination in the night itself.
  - 3 That for filling the Rakhi in the trollies you have to arrange your own labour or other means for which no amount will be paid by the Company
  - 4 That after lifting Rakhi from the dumping Yard you would not accumulate or amass it at any Public or general place.
  - 5 That while filling and taking Rakhi from the Dumping Yard in tractor-trollies or in other vehicles, you would make such arrangement that Rakhi did not spread on the way or fly in the air.
  - 6 That you would sprinkl water on the Rakhi while lifting Rakhi from the Dumping Yard so that there would be no pollution.
- If you are agreed to the above terms and conditions, please sign on the duplicate copy of this letter and start lifting Rakhi from 17.8.2022.

Sd/-  
Sr. Manager (HR)

Copy to: Sr. Manager (Security)

True Copy



ANNEXURE: R-5/12

SB




Stop Boiler  
SHAMLI DISTILLERY

(Dry Filter)



57

57



Slap Boiler

Bag Filter

SHAMLI DISTILLERY

6/9  
**ANNEXURE: R-5/13**  
EHS



# SHAMLI DISTILLERY & CHEMICAL WORKS

(A Unit of Sir Shadi Lal Enterprises Limited)

SHAMLI-247776, Distt. Shamli (U.P.); TEL: (01398) 250100, 252097  
E-mail : sdew-shamli@sirshadilal.com C.I.No. : L51909UP1933PLC146675

REF.NO.SD/13/2022.

DATED:-29/06/2022

TO,  
M/S GANPATI ENTERPRISES,  
VISHWKARMA NAGAR, BHUDANA ROAD,  
SHAMLI-247776 (U.P.)  
GSTIN. 09ABGPT7392H1ZZ.  
PAN NO. ABGPT7392H.  
Mobile No.9458292004.

## SALE ORDER

Dear Sir,

With reference your offer of dated 21.06.2022 and discussion on dated 27.06.2022.  
We are please to sell the Slop Ash of Incineration Boiler (Slop Fired Boiler Ash) on  
the following term & conditions as mentioned below.

S.No.	Particulars	Rate/MT.
1.	Slop Ash of Incineration Boiler	Rs.1450.00

### Other Terms & Conditions:-

1. GST@5% Applicable.
2. Lifting of entire production quantity will be done by your vehicle and kept in your place.
3. You will provide us a photocopy of your GST Certificate & PAN Card in advance.
4. You will have to deposit in **advance payment** by RTGS before lifting of material.
5. No sorting will be allowed during lifting.
6. In case, we find any mischievous conduct on your part, your contract will be terminated entire amount deposited by you, will be forfeited by us.
7. You will deposit Rs.1,50,000-00 as security to us.
8. This sale order is valid form **01/07/2022 to 30/06/2023.**


Thanking you,

Yours faithfully,

**For SHAMLI DISTILLERY & CHEMICAL WORKS:**

  
**AUTHORIZED SIGNATORY.**

C.C. To : Store  
Accounts  
Manager (IA & MIS)

  
**True Copy**

# ANNEXURE: R-5/14 (Colly)

UPPER DOAB SUGAR MILLS SHAMLI

12.8.2021

G.M.(Fin. & A/cs)

As per Govt's guideline through UPPCB vide Notification No. 71/55-2-2018/09(writ)/2016 dated 26.2.2018, all the Industrial establishments and others, have been directed for plantation in nearby villages. In this connection, UPPCB has given us a target of 30,000 Plants for UDSM & SDCW.

In compliance thereof, we have lifted plants from Sarkari Nursery Shamli and sent in ten nearby villages through his own tractor trollies with his labour & also planted in our Fly ash dumping yard & School Building area.

This work was done by Sh. Veerpal Singh during the month of July 2021 and he has submitted his bill as under:-

On different village -	
- Lifting charges 14 trips @ 1000/- per trip	= Rs 14000.00
- Loading & unloading labour charges 4(labour) @ 250 x 3(days)	= Rs 3000.00

On School Building	
2 trips @ 1000/- per trip	=Rs 2000.00
2 trips @ 300/- per trip	
(School Building to Ash-Yard)	= Rs 600.00

Digging & Planting labour charges 44(labour) @ 250/- per labour	= Rs 11000.00
---	---------------

Total	= Rs 30600.00
(+) 5% Sup. Charges	1530.00

Grand Total	= Rs 32130.00
-------------	---------------

(Rs Thirty Two Thousand One Hundred Thirty only)

You are requested to please pay the above amount to Sh. Veerpal Singh. The sanction of Chief Operating Officer is enclosed herewith in original.

A.G.M.(HR & Admin.)

Encl: As above

checked for Rs. 30,000/-

Sh. Sharan Singh  
12/08/21

Pl. check & do the needful

12/08/21

60

## ENGLISH TRANSLATON

## Bill

Work done under Govt. Plantation Scheem

Particulars	No. Of Plants	Rate Per Plant	Amount (Rs)
Levelling, digging pits, Javik manure, mixture of sugar zone and detensu, putting the same in digs, planting the tree	1300	Rs 20/-	26000/-

(Rs Twenty Six Thousand only)

Sd/-  
Dr. Rajeev Kumar  
Sr. Manager,  
Shamli Distillery & Chemical Works,  
Shamli

## ENGLISH TRANSLATON

## AGREEMENT

Between

UTTAR PRADESH POLLUTION CONTROL BOARD, THROUGH REGIONAL OFFICER, UTTAR PRADESH POLLUTION CONTROL BOARD, MUZAFFARNAGAR

And

M/S UPPER DOAB SUGAR MILLS, SHAMLI

Ministry of Environment, Forest & Climate Change of Govt. of India has taken number of decisions for deciding protection of environment in development and Industrial Enterprenures and through the Environment Protection Guideline to protect the Industries and Construction Plannings, plantation has been made necessary.

Govt. of Uttar Pradesh vide Notification No. 2/2019/881/81-5-2019-03/ 2019 dated 21.11.2019 in order to increase greenry through Mass Movement (JAN ANDOLAN) and to promote plantation of tree, has settled aim for planting 25.00 Crore plants dividing into Departments in which plantation would necessarily be done through Environment Department.

Environment Department, Govt. of Uttar Pradesh -vide Notification No. 71/55-2-2018/09(Writ)/2016 dated 26.02.2018 has casted the responsibility on Industrial Units & Construction Agencies to develop green belt on Industrial lands, land of Community Centre, deserted/ Banjar land, sanitary land field site and for continuous monitoring, safety, protection, free from encroachment and to provide financial aid. Vide enclosure, for development of Green belt, attached with the above Notification, according to the protocol, it has been made necessary for every Industrial Unit and Construction Agency to plant green belt in its Unit/ construction area, 33% of its total area.

Thus in view of above legal propositions to protect enviornment and grow plantaton to give pure environment to the public and for success of impressive or ambitious planting Policy of Govt. of U.P. & to comply Govt. Notification dated 21.11.2019 & 26.2.2018 and the legal necessity for plantation, U.P. Pollution Control Board through Regional Officer, U.P. Pollution Control Board, Muzaffarnagar hereinafter will be called **FIRST PARTY** and M/s Upper Doab Sugar Mills, Shamli hereinafter will be called **SECOND PARTY** , agreed on the following terms:-



1 That as per Notification No. 71/55—2018/09(Writ)/ 2016 dated 26.2.2018 of Environmental Department Govt. of U.P. In 33% of the total area (including residential area) of the Second Party ..... plants will be planted. If the land is not available with the Second Party, then it will select suitable land elsewhere and would plant three thereon as per specified area in protocol.

2 That it shall be the responsibility of the Second Party after Jio-tagging of the plants, to look-after continuously, to safeguard, to protect and to keep them safe from encroachment and to grow the plants after arrangement of money.

3 That the target fixed for the Second Party for planting the trees, will invariably be completed up to the 2<sup>nd</sup> week of July 2021.

4 That the First Party will arrange inspection of the planted trees self or through any Agency from time to time.

5 That the technical help will be provided by the First Party to the Second Party for planting the trees.

Thus for successful implementation of the impressive or ambitious tree planting Policy of the Govt. of U.P. , both the parties with their consent, have appended their signatures today i.e. On 18.6.2021 on this Agreement.

FIRST PARTY  
U.P. Pollution Control Board  
through Regional Officer Sh. Ankit Singh

SECOND PARTY  
M/s Upper Doab Sugar Mills  
Through Authorised Signatory  
Sh. R.K. Mishra  
General Manager (EHS & Q)

Sl.No.	Name of Industry	Target fixed by the Board for Plantation (No. Of Plants)	Kind of Plants		Name of Gram Panchayat/ Nagar Panchayat	Name of Tehsil	Name of Vikas Khand	Area (in Hec.)	Present status (Khasra, Khatauni/ Gata No.)	G.P.S. Reading (Longitude-Latitude)	Name of Node Office & Mob. No. For tree plantation
1	Upper Doab Sugar Mills Shamli	5000	Sheesham	150	Simbhalka	Shamli	Shamli	4.8780	4484	77.7058268	
			Jamun	150					485	29.4756164	
			Arjun	150					486		
			Neem	150							
2	Shamli Distillery & Chemical Works, Shamli		Sheesham	300	Balwa	Shamli	Shamli	10.9700	1123	77.7258340	
			Jamun	300					1124	29.3547325	
			Arjun	300					1125		
			Neem	300					1126		
			Sheesham	250	Barlajat	Shamli	Shamli	6.8400	372	77.7306885	
			Jamun	250					373	29.6539987	
			Arjun	250					375		
			Neem	250					374		
			'khle	300	Bhainswal	Shamli	Shamli	8.2762	595	77.0145893	
			tkewu	300					597	29.0001829	
			vtqZu	300					616		
			uhe	300							
			Sheesham	250	Goharni	Shamli	Shamli	2.3540	806	77.7058268	
			Jamun	250					609	29.4756164	
			Arjun	250					611		
			Neem	250							

*Shamli*  
True



ANNEXURE R-5/15 (Colly)

64







65



















68A











# ANNEXURE R-5/16

## Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)  
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

### TEST REPORT

70

#### NOISE MONITORING REPORT

TEST REPORT NO : NCL/UDSM/1210/4/110802/28	DATE OF REPORT : 16-08-2022
Name And Address Of Customer	UPPER DOAB SUGAR MILLS SHAMLI , SHAMLI, UTTAR PRADESH, INDIA

#### SAMPLING DETAILS

Analysis Start Date	10-08-2022	Analysis End Date	10-08-2022
Date of Monitoring	10-08-2022	Monitoring Done By	NCL
Equipment Used	SL-4010		
Monitoring Duration	10 Minutes		
Place Of Monitoring	NEAR BOILER AREA		
Time Of Monitoring	11:00		
Category Of Area	INDUSTRIAL AREA		
Sampling Protocol	CPCB method - PCLS/06/2000-01		

#### OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Reading dB(A)	68.7	71.3	70.3	72.3	71.9	73.4	71.8	73.7	72.4	71.9

#### TEST RESULT

S.No.	Description Noise Level dB(A)	Result	Ambient Noise Standards/ Specification (CPCB/Factories Act) Leq dB(A)
1	Average	71.8	
2	Maximum	73.7	
3	Minimum	68.7	
4	Leq dB(A)	72.0	75 Max.

\*\*\*\* End Of Report\*\*\*\*

FOR NEWCON CONSULTANTS & LABORATORIES

CHECKED BY

PREPARED BY

AUTHORIZED SIGNATORY

Format no NCL/QSP-26/TC-NOI/FMT-03 Rev.No.01 Date 18.07.2011





# Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory  
NABL ISO/IEC 17025 : 2017 (Testing, Cert. No. TC-5526) Accredited Laboratory  
Recognised by MOEFCC



Website : www.newconlab.in

71

## TEST REPORT

### NOISE MONITORING REPORT

TEST REPORT NO : NCL/UDSM/1606/8/220202/44

DATE OF REPORT : 26-02-2022

Name And Address Of Customer

UPPER DOAB SUGAR MILLS  
SHAMLI , ,SHAMLI,UTTAR PRADESH, INDIA

#### SAMPLING DETAILS

Analysis Start Date 21-02-2022

Analysis End Date 21-02-2022

Date of Monitoring 21-02-2022

Monitoring Done By NCL

Equipment Used SL-4010

Monitoring Duration 10 Minutes

Place Of Monitoring NEAR BOILER AREA

Time Of Monitoring 12:20

Category Of Area INDUSTRIAL AREA

Sampling Protocol CPCB method - PCLS/06/2000-01

#### OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Reading dB(A)	70.8	71.6	72.4	70.9	73.8	72.6	72.9	73.4	72.1	71.9

#### TEST RESULT

S.No.	Description Noise Level dB(A)	Result	Ambient Noise Standards/ Specification (CPCB/Factories Act) Leq dB(A)
1	Average	72.2	
2	Maximum	73.8	
3	Minimum	70.8	
4	Leq dB(A)	72.4	75 Max.

\*\*\*\* End Of Report\*\*\*\*

FOR NEWCON CONSULTANTS & LABORATORIES

Mohini  
Sr. Analyst

CHECKED BY

PREPARED BY

AUTHORIZED SIGNATORY

Format no NCL/QSP-26/TC-NOI/FMT-03 Rev.No.01 Date 18.07.2011



NOTE : 1. The Results reported above pertains to the Tested parameters only. Endorsement of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoiced value only.


Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

# Newcon Consultants & Laboratories

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory  
NABL ISO/IEC 17025 : 2017 (Testing, Cert. No. TC-5526) Accredited Laboratory  
Recognised by MOEFCC



Website : www.newconlab.in

72

## TEST REPORT

### NOISE MONITORING REPORT

TEST REPORT NO : NCL/UDSM/1606/8/220202/45	DATE OF REPORT : 26-02-2022
Name And Address Of Customer	UPPER DOAB SUGAR MILLS SHAMLI , ,SHAMLI,UTTAR PRADESH, INDIA

#### SAMPLING DETAILS

Analysis Start Date	21-02-2022	Analysis End Date	21-02-2022
Date of Monitoring	21-02-2022	Monitoring Done By	NCL
Equipment Used	SL-4010		
Monitoring Duration	10 Minutes		
Place Of Monitoring	NEAR BUDHANA GATE ROAD SIDE ONE EACH		
Time Of Monitoring	12:00		
Category Of Area	INDUSTRIAL AREA		
Sampling Protocol	CPCB method - PCLS/06/2000-01		

#### OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Reading dB(A)	70.8	72.3	71.4	73.1	72.8	71.3	70.6	71.9	72.3	72.4

#### TEST RESULT

S.No.	Description Noise Level dB(A)	Result	Ambient Noise Standards/ Specification (CPCB/Factories Act) Leq dB(A)
1	Average	71.9	
2	Maximum	73.1	
3	Minimum	70.6	
4	Leq dB(A)	72.1	75 Max.

\*\*\*\* End Of Report\*\*\*\*

FOR NEWCON CONSULTANTS & LABORATORIES

CHECKED BY

PREPARED BY

AUTHORIZED SIGNATORY

Format no NCL/QSP-26/TC-NOI/FMT-03 Rev.No.01 Date 18.07.2011



True Copy

NOTE : 1. The Results reported above pertains to the Tested parameters only. Endorsement of the same is neither inferred nor implied. 2. All disputes subject to GHAZIABAD JURISDICTION. 3. The Report shall not be reproduced except in full without the permission of MANAGING PARTNER. 4. Our liability is limited to invoiced value only.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

ANNEXURE R-5/17

73

PURCHASE ORDER

GSTIN : 09AAECS3636D1ZG

STATE : 09-UTTAR PRADESH

PAN NO : AAEC3636D

BV0009

VIKAS PUMPS & PROJECTS

D-7, INDUSTRIAL ESTATE,  
DELHI ROAD,

SAHARANPUR-247001 (SAHARANPUR)

GSTIN: 09ACDPG4285E3ZN

P.O. No. :

Date :

Indent No

Date

Quotation No

Date

State

UDSM/83134

27-07-2022

7060708

25-07-2022

BY EMAIL

10-07-2022

09-UTTAR PRADESH

Remark :

Dear Sirs,

With reference to your above quotation we are pleased to place an order with you for the supply of the undernoted materials as per instructions specified below subject to general terms and conditions.

SNo	Item Code	Description	HSN/SAC	Qty/UOM	Basic	Discount%	C/S	GST %	IGST%	P&F%	Others.	AmL
1	GN49040193	SEWAGE TREATMENT PLANT DESIGN SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF SEWAGE TREATMENT PLANT (STP) OF 100 KLD AS SPECIFIED IN OUR TECHNICAL SPECIFICATIONS. SPECIFICATIONS : 1. M.S. STRUCTURE WITH BOTH SIDE APOXY AND PAINT, PLATE THICKNESS BOTTOM 8 MM AND SIDE 6 MM. 2. PIPE LINE OUTER G.I., INNER UPVC OR EQUIVALENT I.e. CPVC. 3. VALVES MAKE KARTARI ZOLOTO. 4. PUMPS KIRLOSKAR VIKAS, MOTOR KIRLOSKAR 6. FINE BUBBLE DEFFUSER 30 NOS 24" WITH GOOD QUALITY EPDM RUBBER 6. BLOWER 180-200 CU.MTR/HR CAPACITY, PRESSURE 0.60 KG/SQ.CM 7. PANNEL L AND T MAKE PARTS. 8. BAG FILTER FOR SLUDGE REMOVAL, STRUCTURE MAKE- SS 304, CAP. 6 CU.MTR/HR 9. DOSING PUMPS 2 NOS ETC.	8436	1.000 NOS	1775000.00	0.00	9.00	0.00	0.00	0.00	0.00	2094500.00

Estimated Value : 2094500.00

Rupees Twenty Lac Ninety Four Thousand Five Hundred only

Price Basis : F.O.R. OUR MILLS

Form 38 : E WAY BILL, IF APPLICABLE

Transporter : BY ROAD TRANSPORT

Delivery Period : WITHIN 45 DAYS INCLUDING COMMISSIONING

Other Terms & Conditions :

1. PAYMENT :

A) 20% ADVANCE ALONGWITH ORDER.

B) 60% ADVANCE AGAINST DELIVERY OF MATERIALS.

C) 10% AFTER COMMISSIONING.

D) 10% AFTER 12 MONTHS ON THE BASIS OF PERFORMANCE OF STP.

INTRA-STATE SUPPLY

TAX INVOICE



# VIKAS PUMPS & PROJECTS

Add: D-7, Industrial Estate, Delhi Road, Saharanpur - 247 001 (U.P.) INDIA  
 Ph: +91-9219669518, 7055111503, E-mail: info@vikaspumps.com, vpplsre@rediffmail.com

PAN: ACDPG4285E

OUR GSTIN No.: 09ACDPG4285E3ZN

BILL TO:

M/s. SIR SHADI LAL ENTERPRISES LTD.  
 Unit-Upper Doab Sugar Mills  
 Shamli-247776 (U.P.)

INVOICE NO. VPP/2022-23/455

INVOICE DATE 01.11.2022

PO. NO. UDSM/83134

DATED 27.07.2022

Mode of Transport By Truck

GSTIN NO. 09AAECS3636D1ZG

STATE CODE

09

SHIPPED TO:

M/s. SIR SHADI LAL ENTERPRISES LTD.  
 Unit-Upper Doab Sugar Mills  
 Shamli-247776 (U.P.)

LR/GR NO. Attached

VEHICLE NO. UP-11BT/8030

No. of Packages As Per Packing list

Despatched To Factory Site

GSTIN NO. 09AAECS3636D1ZG

STATE CODE

09

Sr. No.	HSN CODE	ITEMS DESCRIPTION	QTY.	UNIT	Price of Each	AMOUNT
1	842121	100KLD STP (Sewage Treatment Plant) , complete in all respect	1	Set	1300000	1300000
1			1			

## OUR BANK DETAILS:

BANK NAME YES BANK LTD.  
 Address Mission Compound, Saharanpur-247001 (U.P.)  
 Account No. 018184600000625  
 IFSC/RTGS No. YESB0000181

Total Rs.  
 Less: Discount 0%

1300000  
 0

Total Rs.  
 Packing & Forwarding  
 Add Freight paid by us  
 Insurance  
 Any other

1300000  
 0  
 0  
 0  
 0

In Words:

Rupees Fifteen Lakh ThirtyFour Thousand Only

Net Assessable Value Rs.

1300000

SGST 9% 117000

CGST 9% 117000

IGST 0% 0

NET RECEIVABLE AMOUNT Rs. 1534000

## Declaration:

Certified that the Particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow additional consideration directly or indirectly from the buyer.

## TERMS OF SALE:

- 1) Goods once sold will not be taken back or exchanged.
- 2) Seller is not responsible for any loss or damage of goods in transit.
- 3) Buyer undertakes to submit prescribed GST declaration to sender on damaged goods.
- 4) Disputes if any will be subject to seller Court jurisdiction.

VIKAS PUMPS &amp; PROJECTS

PROP. / AUTH. SIG.

# VIKAS PUMPS & PROJECTS.

(An ISO 9001:2008 Certified Company)

D-7, INDUSTRIAL ESTATE, DELHI ROAD, SAHARANPUR - 247 001 (UP) INDIA

Phones : 91-0551115003, Mob: 9412231648, 9210669518

Email: [enquiry@vikaspumps.com](mailto:enquiry@vikaspumps.com), [info@vikaspumps.com](mailto:info@vikaspumps.com), Visit us at [www.vikaspumps.com](http://www.vikaspumps.com).

Ref. No. VPP/2022-23/645

Dated: 01.08.2022

To,


M/s. SIR SHADI LAL ENTERPRISES LIMITED  
UNIT UPPER DOAB SUGAR MILLS,  
Distt - SHAMLI (U.P.)  
Mob: 9412350433, 9897974549  
E-mail: [purchase@sirshadilal.com](mailto:purchase@sirshadilal.com)

We have received the order from M/S. SIR SHADI LAL ENTERPRISES LIMITED for the 100KLD Sewage Treatment plant (STP), order no. UDSM/83134 dated 27.07.2022 and we have received the advance payment against this order.

We have taken the STP in to the manufacturing process and we will deliver the system within 45 days as per the terms of the order.

Regards

For VIKAS PUMPS & PROJECTS



76

**punjab national bank**  
 RTGS/NEFT/IFSC Code : PUNB0042400  
 Palika Bazar, SHAMLI (UP) - 247776  
 शाहजी बाजार, शामली (उ.प्र.)  
**VIKAS PUMPS & PROJECTS**  
 PAY

राष्ट्रीय शाखाओं पर भुगतान PAVABLE AT ALL BRANCHES  
 D D M M Y Y Y Y  
**05-08-2022**  
 या धारक को OR BEARER

रुपये RUPEES Three Lakh Fifty Five Thousand only

अदा करें ₹ 355,000.00

खाता सं०  
A/c. No. 04240087000009617

बाण्ड खाता  
CURRENT A/c

04240087000009617

For SIR SHADI LAL ENTERPRISES LTD. UNIT UPPER DOAB SUGAR MILLS

2FGABI

IAI

Manager (Accounts)

Joint Managing Director  
 Authorised Signatory(ies)  
 Please sign above

1189433200 2470243021

29



# VIKAS PUMPS & PROJECTS.

(An ISO 9001:2008 Certified Company)

D-7, INDUSTRIAL ESTATE, DELHI ROAD, SAHARANPUR - 247 001 (UP) INDIA

Phones: +91-7055111503, Mob: 9412231640, 9219669518

Email: vpp@rediffmail.com, info@vikaspumps.com, Visit us at [www.vikaspumps.com](http://www.vikaspumps.com)

77

Ref. No. VPP/2022-23/

Dated: 01.11.2022

To,

M/s. SIR SHADI LAL ENTERPRISES LTD.  
Unit - Upper Doab Sugar Mills  
Shamli-247776 (U.P.)  
Mob: 9650604421

Dear Sir,

Due to various festivals coming in the month of October, 2022 the STP could not be delivered for about 20 days

However it has already been delivered at site

It will take 3/4 days in Commissioning

This is for your information

Thanking you,

Your faithfully,

For VIKAS PUMPS & PROJECTS





# UPPER DOAB SUGAR MILLS

(A UNIT OF SIR SHADI LAL ENTERPRISES LIMITED)

SHAMLI-247776, DISTT SHAMLI (U.P.) TEL : (01398) 250064, 250082, FAX : 01398-250032  
E-mail : udsm\_shamli@sirshadilal.com GRAM : "SUGARMILL" CIN : L51909UP1933PLC146675

12-11-2022

78

UDSM/MP/460/2022

सेवा में,  
श्रीमान मुख्य पर्यावरण अधिकारी (वृत्त -3) /  
उ०प्र० प्रदूषण नियंत्रण बोर्ड, टी०सी०-12 बी, विभूति खण्ड,  
गोमती नगर, लखनऊ - 226010 (उ०प्र०)

विषय: एस०टी०पी० लगाने के सम्बन्ध में

महोदय,

आपके द्वारा भेजे गये पत्र संख्या H83587/सी-3/जल /262/2022 दिनांक 1-11-2022 जो कि हमें दिनांक 5-11-2022 को प्राप्त हुआ है, के संदर्भ में प्रबन्धन द्वारा अपना स्पष्टीकरण आख्या प्रेषित है :-

1 एन०जी०टी० के आदेश का पालन करने के लिए अपर दोआब शुगर मिल ने दिनांक 25-7-2022 को मै० विकास पम्पस एण्ड प्रोजेक्ट्स, सहारनपुर को घरेलू प्रयोजनों से जनित उत्प्रवाह के शुद्धिकरण हेतु 100 किलो लीटर प्रतिदिन की क्षमता वाले एस०टी०पी० बनाकर उद्योग में लगाने हेतु दिनांक 27-7-2022 को प्रचेज आर्डर संख्या UDSM/83134 दिनांक 27-7-2022 को दे दिया गया, फोटो कोपी संख्या (1) संलग्न है तथा मै० विकास पम्प एण्ड प्रोजेक्ट ने उद्योग को यह आश्वासन दिया था कि वह 45 दिन के अन्दर सीवरेज ट्रीटमेंट प्लांट उद्योग में स्थापित कर देगा। इस बाबत विकास पम्प एण्ड प्रोजेक्ट्स के द्वारा दिनांक 1-8-2022 का पत्र द्वारा सूचित किया गया था फोटो कोपी संख्या (2) संलग्न है। इस बाबत उद्योग ने अग्रिम भुगतान हेतु रू० 3,55,000/- का भुगतान चैक द्वारा दे दिया था, फोटो कोपी संख्या (3) संलग्न है।

सीवरेज ट्रीटमेंट प्लांट लगाने हेतु प्रचेज आर्डर देने के पश्चात उद्योग के प्रतिनिधि ने विकास पम्प एण्ड प्रोजेक्ट, सहारनपुर की फ़ैक्ट्री में सीवरेज ट्रीटमेंट प्लांट की निर्माण की प्रगति आख्या के लिए दो बार विकास पम्प एण्ड प्रोजेक्ट की फ़ैक्ट्री का निरीक्षण किया। निरीक्षण के दौरान विकास पम्प एण्ड प्रोजेक्ट के प्रतिनिधि श्री बब्लू कुमार ने उद्योग प्रतिनिधि को सीवरेज ट्रीटमेंट प्लांट का निर्माण कार्य में देरी अक्टूबर माह में पड़ रहे प्रमुख त्र्यौहार दशहरा, दीपावली तथा छठ पर्व होने के कारण सीवरेज ट्रीटमेंट प्लांट में विलम्ब हो रहा है परन्तु समय से प्लांट तैयार करने का आश्वासन दिया। इस बाबत विकास पम्प प्रोजेक्ट ने दिनांक 1-11-2022 को सीवरेज ट्रीटमेंट प्लांट की उद्योग को डिलीवरी के समय लिखित पत्र प्रेषित किया संलग्नक फोटो कोपी संख्या 5 हैं। परन्तु सीवरेज ट्रीटमेंट प्लांट की डिलीवरी विकास पम्प एण्ड प्रोजेक्ट्स के द्वारा दिनांक 1-11-2022 को दी गई जिसका बिल तथा उद्योग की प्राप्ति संलग्न है फोटो कोपी संख्या (4)।

दिनांक 1-11-2022 को सीवरेज ट्रीटमेंट प्लांट की प्राप्ति के पश्चात उसे उद्योग में लगा लिया गया है। अतः महोदय आपसे विनम्र निवेदन है कि उद्योग एन०जी०टी०, उ०प्र० प्रदूषण नियन्त्रण बोर्ड के आदेशों के अनुरूप सीवरेज ट्रीटमेंट प्लांट लगाकर आपके आदेशों का अक्षरसः पालन किया गया है।

उपरोक्त स्पष्टीकरण के आधार पर विभाग द्वारा जारी जल निर्गत सहमति को ना निलम्बित किया जाये, न ही अन्य किसी आधार पर उद्योग की बन्दी बिजली पानी की कटौती न की जाये। यदि कारखाने की सहमति, बन्दी, बिजली पानी की कटौती की जाती है तो क्षेत्र के 25000 कृषकों के हितों का भारी नुकसान होगा अन्यथा कारखाने के हितों की अपार हानि व हकतल्फी होगी जिसकी क्षति पूर्ति किया जाना असम्भव होगा।

अन्त में उद्योग आपको यह आश्वासन कराता है कि उद्योग ने हमेशा एन०जी०टी०, उ०प्र० प्रदूषण नियन्त्रण बोर्ड तथा सी०पी०सी०बी० के आदेशों का हमेशा अनुपालन किया है तथा आगे भी करते रहेंगे।

आशा है आप हमारे जवाब से सन्तुष्ट होंगे।

धन्यवाद,

भवदीय,

कृते अपर दोआब शुगर मिल्स, शामली

Vinay Kumar

असिस्टेंट जनरल मैनेजर (ई०एच०एस०)

प्रतिलिपि श्रीमान क्षेत्रीय अधिकारी, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, 6-बी, नई मण्डी, मुजफ्फरनगर -251001 (उ०प्र०)

True copy

## TAX INVOICE

Original for Recipient

## VIKAS PUMPS &amp; PROJECTS

Add: D-7, Industrial Estate, Delhi Road, Saharanpur - 247 001 (U.P.) INDIA  
 Ph: +91-9219669518, 7055111503, E-mail: info@vikaspumps.com, vpplsre@rediffmail.com

79

OUR GSTIN No.: 09ACDPG4285E3ZN

PAN: ACDPG4285E

## BILL TO:

M/s. SIR SHADI LAL ENTERPRISES LTD.  
 Unit-Upper Doab Sugar Mills  
 Shamli-247776 (U.P.)

INVOICE NO. VPP/2022-23/465

INVOICE DATE 07.11.2022

PO. NO. UDSM/83134

DATED 27.07.2022

Mode of Transport By Truck

GSTIN NO. 09AAECS3636D1ZG

STATE CODE 09

## SHIPPED TO:

M/s. SIR SHADI LAL ENTERPRISES LTD.  
 Unit-Upper Doab Sugar Mills  
 Shamli-247776 (U.P.)

LR/GR NO. Attached

VEHICLE NO. UP-17D/6078

No. of Packages As Per Packing list

Despatched To Factory Site

GSTIN NO. 09AAECS3636D1ZG

STATE CODE 09

Sr. No. HSN CODE

## ITEMS DESCRIPTION

QTY. UNIT Price of Each AMOUNT

1 842121 100KLD STP (Sewage Treatment Plant)  
 complete in all respect

1 Set 375000 375000

## OUR BANK DETAILS:

BANK NAME YES BANK LTD.  
 Address Mission Compound, Saharanpur-247001 (U.P.)  
 Account No. 018184600000625  
 IFSC/RTGS No. YESB0000181

Total Rs. 375000  
 Less: Discount 0%

Total Rs. 375000  
 Packing & Forwarding 0  
 Add Freight paid by us 0  
 Insurance 0  
 Any other 0

In Words:  
 Rupees Four Lakh FourtyTwo Thousand Five Hundred Only

Net Assessable Value Rs. 375000  
 SGST 9% 33750  
 CGST 9% 33750  
 IGST 0% 0

NET RECEIVABLE AMOUNT Rs. 442500

## Declaration:

Certified that the Particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow additional consideration directly or indirectly from the buyer.

## TERMS OF SALE:


- 1) Goods once sold will not be taken back or exchanged.
- 2) Seller is not responsible for any loss or damage of goods in transit.
- 3) Buyer undertakes to submit prescribed GST declaration to sender on damaged goods.
- 4) Disputes if any will be subject to seller Court jurisdiction.

VIKAS PUMPS &amp; PROJECTS

PROP. / AUTH. SIG.

True Copy

ANNEXURE: R-5/18  
80



Scots  
True Cops



**Bharat Oil & Waste Management Ltd.**

Petroleum Refining, Hazardous Waste Management & Incineration  
Refiners & Manufacturers of Industrial Lubricating Oils

Since 1978

ISO 9001-2000



Quality Certified Company

**ANNEXURE R-5/19**

81

## MEMBERSHIP CERTIFICATE

**M / s. Shamli Distillery and Chemical Works (A Unit of Sir Shadilal Enterprises Ltd.)**

**Shamli, Dist. Shamli Shamli-247776, UP**

is a registered member of our facility



BOWML/K/4594/22

**Gata No. 672, Vill. Kumbhi, Akbarpur Road, NH - 2 Kanpur-Dehat-209101, UP**

for safe, legal & scientific Disposal of Hazardous Waste

**Member # : BOWML/K/4594/22**

**Expiry Date : January 13, 2023**



Scan & Verify

One may verify 'active' membership by calling

Bharat Oil & Waste Management Ltd. at

011-4100 0710, 2981 6466 or Email: [sales@bharatoil.com](mailto:sales@bharatoil.com)

For Bharat Oil & Waste Management Ltd.

Pragati Rohtagi Sales Coordinator <a href="mailto:sales@bharatoil.com">sales@bharatoil.com</a>	Digitally Signed By: Pragati Rohtagi Date: 2022-01-22 16:18:59 IP: 122.160.48.54 ID: k9BsYXKeFE4QKdAd+P1vQ== Click here to E-verify
--	---

Authorized Signatory

For Bharat Oil & Waste Management Ltd.

Sunder K Kukreja GM (Admin & Fin.) <a href="mailto:sales@bharatoil.com">sales@bharatoil.com</a>	Digitally Signed By: Sunder K Kukreja Date: 2022-01-22 16:37:54 IP: 122.160.48.54 ID: 4j78wWAwdJfgh69DJBLZvw== Click here to E-verify
---	---

Authorized Signatory



### Sales Office :

11, Community Centre, LGF, East of Kailash  
New Delhi - 110 065, India

### Regd. Office :

11 LGF, Community Center, East of Kailash, New Delhi-110065, India  
Ph : 41000710, 26210205    Telefax : 26216466

Email : [sales@bharatoil.com](mailto:sales@bharatoil.com)

[www.bharatoil.com](http://www.bharatoil.com)

### Facilities :

- E - 18, Sahibabad Industrial Area, Site 4 Ghaziabad - 201 010 (UP) India
- Gata No. 672, Vill. Kumbhi, NH - 2 Ramabai Nagar - 209 101 (U.P.)
- Mauza Mukimpur Roorkee-Laksar Road Roorkee - 247664 (UK)
- SIDCUL - Haridwar (UK)



**ANNEXURE R-5/20**  
**82**

**UTTAR PRADESH POLLUTION CONTROL BOARD**  
**Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010**

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

**CONSENT ORDER**

**Ref No. - 139450/UPPCB/Circle3(UPPCBHO)/CTO/air/SHAMLI/2021**

**Dated : 30/01/2022**

**To ,**

Shri G K SHARMA  
M/s UPPER DOAB SUGAR MILLS SHAMLI  
UPPER DOAB SUGAR MILLS, SHAMLI,SHAMLI,247776  
SHAMLI

**Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. UPPER DOAB SUGAR MILLS SHAMLI**

Reference Application No. 13782483

**Dated : 30/01/2022**

1. With reference to the application for consent for emission of air pollutants from the plant of M/s UPPER DOAB SUGAR MILLS SHAMLI. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
  2. This consent is valid for the period from 01/01/2022 to 31/12/2023 .
  3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority .

**For and on behalf of U.P. Pollution Control Board**

**NISHI KUMAR CHAUHAN**

Digitally signed by NISHI KUMAR  
CHAUHAN  
Date: 2022.01.30 14:29:33 +05'30'

**Chief Environmental Officer (Circle 3)**

**Enclosed : As above  
(condition of consent):**

Copy to: Regional Officer, U.P. Pollution Control Board, MuzaffarNagar to ensure the compliance of the conditions imposed in the certificate.

**NISHI KUMAR CHAUHAN**

Digitally signed by NISHI KUMAR  
CHAUHAN  
Date: 2022.01.30 14:29:54 +05'30'

**Chief Environmental Officer (Circle 3)**

Dated : 30/01/2022

**CONDITIONS OF CONSENT**

1. This consent is valid for the approved production capacity of cane crushing SUGAR FROM SUGAR CANE CRUSHING CAPACITY-6250 TCD. .
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) . Air Pollution Source Details.

<b>Air Pollution Source Details</b>					
<b>S.No</b>	<b>Air Pollution Source</b>	<b>Type of Fuel</b>	<b>Stack No.</b>	<b>Parameters</b>	<b>Height</b>
1	2 X 25 TPH BOILER	BAGASSE	1	Particulate Matter	35 METER FROM GROUND LEVEL
2	1 x 25 TPH	BAGASSE	1	Particulate Matter	35 METER FROM GROUND LEVEL
3	1 x 25 TPH	BAGASSE	1	Particulate Matter	35 METER FROM GROUND LEVEL
4	1 x 38 TPH	BAGASSE	1	Particulate Matter	35 METER FROM GROUND LEVEL

- 3(c) . The emissions by various stacks into the environment should be as per the norms of the Board .

<b>Emission Quality Details Detail</b>			
<b>S.No</b>	<b>Stack No</b>	<b>Parameter</b>	<b>Standard</b>
1	1	Particulate Matter	AS PER E(P) RULES, 1986
2	1	Particulate Matter	AS PER E(P) RULES, 1986
3	1	Particulate Matter	AS PER E(P) RULES, 1986
4	1	Particulate Matter	AS PER E(P) RULES, 1986

4. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner .
5. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board .
6. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.
7. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986 .



8. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time .
9. Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986 .
10. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB .
12. The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
13. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order .
14. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability .
15. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
16. Minimum 33% of the land on which industry is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL [http://www. uppcb. com /pdf/Green-Belt-Guidle\\_160218.pdf](http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf) .
17. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order .
18. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time .

**The Unit will file the renewal application at least 2 months prior to the expiry of this Order.**

**Specific Conditions:**



1. This CTO is valid for production SUGAR FROM SUGAR CANE CRUSHING CAPACITY-6250 TCD.
2. The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in eco friendly manner.
3. Unit shall abide by directions given by Commission for Air Quality Management in National Capital Region and Adjoining Areas.
4. This CTO shall be subject to the order to be passed in OA No. 301/2021 Satyapal Malik Vs U.P. Government by Hon'ble NGT.
5. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).
6. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.
7. The industry should follow the directions issued by the Ministry of Environment Forest and Climate Change, Delhi vide Notification no. GSR 35(E) dated 14/01/2016.
8. The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission conforms with the standards prescribed under the E.P Act 1986 as amended.
9. The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.
10. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
11. The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
12. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended and all other applicable rules notified under E.P. Act 1986.
13. The unit shall submit the point wise compliance report of the previous CTO issued by the Board and the audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
14. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.
15. Industry shall submit emission monitoring reports of all stacks and ambient air quality from MOEF&CC/UPPCB accredited Laboratory on quarterly basis to the Board.
16. The unit shall submit the audited balance sheet for the current year and the details of fees deposited during last three years within a month.
17. This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on revoking of Closure order, the Consent order shall become valid.
18. In compliance with the Hon'ble Supreme Court order passed in W.P. (civil) No. 13029/1985 M.C. Mehta Vs. Union of India and ors. the use of Pet coke and furnace oil is prohibited.
19. Unit shall ensure the installation and connectivity of Online Emission Monitoring System at the stack of air polluting sources and ensure the connectivity with the servers of CPCB and UPPCB.
20. Unit shall use Bio-briquette as co-fuel with main fuel in the ratio of minimum 20 percent in boiler

86

subject to its availability.

21. Fly ash shall be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with storm water. Direct exposure of workers to fly ash & dust shall be avoided.

22. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended, Air (Prevention and Control of Pollution) Act 1981 as Amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.

23. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL [http://www.uppcb.com/pdf/Green-Belt-Guidle\\_160218.pdf](http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf).

**Issued with the permission of competent authority .**

**For and on behalf of U.P. Pollution Control Board .**

**NISHI KUMAR CHAUHAN**

Digitally signed by NISHI KUMAR

CHAUHAN

Date: 2022.01.30 14:30:12 +05'30'

**Chief Environmental Officer (Circle 3)**

*True Copy*



## Labour Department, Uttar Pradesh

### Boiler Certificate

From:  
Asstt/Dy. DIRECTOR OF BOILER,  
U.P

To,  
**UPPER DOAB SUGAR MILLS SHAMLI**  
Boiler / Economiser Registry No. **UP-2924**

Boiler Permanent No-**UP-2924**  
M/s. **UPPER DOAB SUGAR MILLS SHAMLI**  
**UPPER DOAB SUGAR MILLS, SHAMLI**  
**(U.P.),SHAMLI,247776**

You are allowed to work the above Boiler / Economiser Registry No. **UP-2924** from to **11/10/2023** all the maximum working Pressure **13.8** kg / cm <sup>2</sup> Pending the receipt of Certificate from the office.

Inspection Date:

Remarks:

Place **Kanpur**

Asstt/Dy. DIRECTOR OF BOILER  
U.P.

\* This is a computer generated copy.



## Labour Department, Uttar Pradesh

### Boiler Certificate

From:  
Asstt/Dy. DIRECTOR OF BOILER,  
U.P

To,  
**UPPER DOAB SUGAR MILLS SHAMLI**  
Boiler / Economiser Registry No. **UP3468**

Boiler Permanent No-**UP3468**  
M/s. **UPPER DOAB SUGAR MILLS SHAMLI**  
**UPPER DOAB SUGAR MILLS, SHAMLI**  
**(U.P.),SHAMLI,247776**

You are allowed to work the above Boiler / Economiser Registry No. **UP3468** from to **11/10/2023** all the maximum working Pressure **21** kg / cm <sup>2</sup> Pending the receipt of Certificate from the office.

Inspection Date:

Remarks:

Place **Kanpur**

Asstt/Dy. DIRECTOR OF BOILER  
U.P.

\* This is a computer generated copy.



## Labour Department, Uttar Pradesh

### Boiler Certificate

From:  
Asstt/Dy. DIRECTOR OF BOILER,  
U.P

To,  
**UPPER DOAB SUGAR MILLS SHAMLI**  
Boiler / Economiser Registry No. **UP-2924**

Boiler Permanent No-**UP-2924**  
M/s. **UPPER DOAB SUGAR MILLS SHAMLI**  
**UPPER DOAB SUGAR MILLS, SHAMLI**  
**(U.P.),SHAMLI,247776**

You are allowed to work the above Boiler / Economiser Registry No. **UP-2924** from to **11/10/2023** all the maximum working Pressure **13.8** kg / cm <sup>2</sup> Pending the receipt of Certificate from the office.

Inspection Date:

Remarks:

Place **Kanpur**

Asstt/Dy. DIRECTOR OF BOILER  
U.P.

\* This is a computer generated copy.



## Labour Department, Uttar Pradesh

### Boiler Certificate

From:  
Asstt/Dy. DIRECTOR OF BOILER,  
U.P

To,  
**UPPER DOAB SUGAR MILLS SHAMLI**  
Boiler / Economiser Registry No. **UP6105**

Boiler Permanent No-**UP6105**  
M/s. **UPPER DOAB SUGAR MILLS SHAMLI**  
**UPPER DOAB SUGAR MILLS, SHAMLI**  
**(U.P.),SHAMLI,247776**

You are allowed to work the above Boiler / Economiser Registry No. **UP6105** from to **11/10/2023** all the maximum working Pressure **21** kg / cm <sup>2</sup> Pending the receipt of Certificate from the office.

Inspection Date:

Remarks:

Place **Kanpur**

Asstt/Dy. DIRECTOR OF BOILER  
U.P.

\* This is a computer generated copy.



91

**Labour Department, Uttar Pradesh****Boiler Certificate**

From:  
Asstt/Dy. DIRECTOR OF BOILER,  
U.P

To,  
**UPPER DOAB SUGAR MILLS SHAMLI**  
Boiler / Economiser Registry No. **UP6104**

Boiler Permanent No-**UP6104**  
M/s. **UPPER DOAB SUGAR MILLS SHAMLI**  
**UPPER DOAB SUGAR MILLS, SHAMLI**  
**(U.P.),SHAMLI,247776**

You are allowed to work the above Boiler / Economiser Registry No. **UP6104** from to **11/10/2023** all the maximum working Pressure **21** kg / cm <sup>2</sup> Pending the receipt of Certificate from the office.

Inspection Date:

Remarks:

Place **Kanpur**


Asstt/Dy. DIRECTOR OF BOILER  
U.P.

\* This is a computer generated copy.

*Signature*  
**True Copy**

92

[illegible]



ANNEXURE R-SP23

93

Uttar Pradesh Boiler Inspection Department  
Certificate for Use of Boiler  
(Regulation 389)

From:  
Deputy Director of Boilers,  
U.P. Kanpur

To,  
The Boiler Owner  
Registry No.: .....UP/8348  
M/s. Shamli Distillery  
.....A. Chemical Works  
.....Shamli.....

Date : .....01.10.22

You are allowed to work the above noted Boiler under the provisions of section 8 of THE BOILER ACT (V of 1923), at the maximum working pressure of .....5.8... \* Kg/cm<sup>2</sup> from .....01.10.22...to.....30-09-23

\* WP limited to 45 kg/cm<sup>2</sup> at sit O/L header

Remarks/Conditions:

1. Boiler to be worked by qualified Boiler Attendants/Boiler Operation Engineer only.

Dy Director of Boilers, U.P.  
Kanpur  
(See Reverse for Conditions)

Instructions to contain spread of COVID-19


1. Use of mask, gloves, helmet, shoes, goggles etc. is mandatory for boiler operation and maintenance staff.
2. Adequate arrangements shall be provided for temperature screening at Boiler premises.
3. Adequate facility for sanitizers/soap shall be made available at Boiler premises.
4. Social distancing to be ensured at boiler premises.
5. Use of AarogyaSetu App is mandatory for all staff working at Boiler premises.
6. Boiler premises shall be sanitized time to time.
7. There should be strict ban on chewing of gutka, tobacco etc. at Boiler premises, also spitting is strictly prohibited and punishable with fine as per government order.
8. Medical Insurance for all staff working at Boiler premises is mandatory.
9. All other instructions/advisories issued from time to time by Central/State Government to contain spread of COVID-19 shall be strictly followed.
10. Intensive communication and training on good hygiene practices shall be taken up.

Sink  
True Copy

# UPPER DOAB SUGAR MILL SHAMLI

## ETP FLOW CHART

94




### DEATILS OF ETP

ETP PLANT CAPACITTY	1600 CUBIC MTR/DAY
AIR COMPRESSOR CAPACITY (02 NOS.)	2125 CU.MTR/HR AT .7KG/SQ.CM PRESSURE (EACH)
TYPE OF AERATION	BY PVC PIPE

*Signature*  
Tmelop



ANNEXURE: R-5/25  
95




10

# SHAMLI DISTILLERY & CHEMICAL WORKS, SHAMLI

## CPU FLOW CHART

96



*Shamli*  
**True Copy**

# ANNEXURE: R-5/26

27.10.2022

97

UPSM/HP/384/2022

The Chief Environmental Officer,  
Circle-3  
U.P. Pollution Control Board,  
TC-12B, Vibhuti Khand, Gomti Nagar  
LUCKNOW

Sub: **Submission of compliance of Air & Water consent for the year 2021- 22 under Air ( Prevention & Control of Pollution ) Act.**  
=====

Dear Sir,

Please find enclosed herewith compliance of Air Consent U/s 21/22 of the **Air ( Prevention & Control of Pollution ) Act, 1981 (as amended)** & Water U/s 25/26 of the **Water ( Prevention & Control of Pollution ) Act, 1974 (as amended)** for the year 2021-22.

Thanking you,

Yours faithfully,  
For Upper Doab Sugar Mills,

Manager ( EHS )

Encl : As above

UPSM/HP/386/2022

CC: The Regional Officer, U.P. Pollution Control Board, 6-B, New Mandi, Muzaffarnagar

- Encl: 1. Air consent Compliance  
2. Water Consent compliance  
3. Air & water consent copy  
4. MIA work

S. Greenery

Environmental Statem

28-10-22

अधीन कार्यवाही  
७० नं. इंदुपथ निहालन बाय  
पुनर्वसन

98

UPSM/HA/446/2022

Date: 5.11.2022

To,  
The Director  
Ministry of Environment, Forest &  
Climate Change Kendriya Bhawan, 5<sup>th</sup>  
Floor, Sector "H" Aliganj Lucknow (Uttar  
Pradesh)

**Subject:** Six monthly compliance report of the conditions of Environmental Clearance for Expansion of Sugar Mill Cane crushing capacity from 6250 TCD to 8000 TCD along with 22.0 MW Co-gen Power Plant within existing premises at Shamli, Tehsil & District: Shamli (U.P.) by M/s Upper Doab Sugar Mills for the period of April, 2022 to September, 2022.

**Clearance Letter No.:** 122/Parya/SEIAA/5435-4752/2019, dated 09<sup>th</sup> June, 2020.

Sir,

Please find enclosed herewith the Compliance Report of the conditions of Environmental Clearance for Expansion of Sugar Mill Cane crushing capacity from 6250 TCD to 8000 TCD along with 22.0 MW Co-gen Power Plant within existing premises at Shamli, Tehsil & District: Shamli (U.P.) by M/s Upper Doab Sugar Mills for the period of April, 2022 to September, 2022.

We hope that the given data would be sufficient to meet the requirement.

Yours faithfully

for Upper Doab Sugar Mills, Shamli



Authorized Signatory

CC: 1. Member Secretary, Uttar Pradesh Pollution Control Board, Lucknow.

UPSM/HA/446/2022



# **UPPER DOAB SUGAR MILL WATER CONSENT COMPLIANCES 21-22**

99

Sr. No.	Compliance	Action
1	This consent is valid for the approved production capacity of SUGAR FROM SUGAR CANE CRUSHING CAPACITY-6250 TCD.	Noted
2	This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void	Noted
3	The quantity of maximum daily effluent discharge should not be more than the following: Domestic: 150 KLPD Treated through Septic tank , Noted and complied Industrial: 1500 KLPD Treated through ETP	Noted and complied..
4	<p>Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.</p> <p>4 (a)The domestic effluent should be treated in the treatment plant so that it should be in conformity with the norms of treated effluent as stipulated in E.P. Rules 1986 as amended.</p> <p>4 (b)The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the standard lay down under the notification issued by MOEF&amp;CC vide its GO no GSR 35 (E) dated 14/01/2016</p> <p>4 ( c ) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the standard lay down under the notification issued by MOEF&amp;CC vide its GO no GSR 35 (E) dated 14/01/2016.</p>	<p>UDSM has made arrangement separate drain for industrial and domestic effluent. Arrangement is made for measurement of effluent and for collecting its sample.</p> <p>UDSM will installed STP to treat domestic effluent by 31.10.2022. Treated domestic effluent will be utilized in irrigation and plantation.</p> <p>The industrial effluent is treated in ETP and treated effluent is used in cooling tower and irrigation.</p> <p>Noted &amp; complied The industrial effluent is treated in treatment plant and the treated effluent is in conformity with the standard lay down under the notification issued by MOEF&amp;CC vide its GO no GSR 35 (E) dated 14/01/2016.</p>

5	Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipment's etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Rules, 1986 or otherwise mandatory.	Noted and complied.  UDSM has installed ETP of adequate capacity to treat Industrial effluent. Treated effluent is used in cooling tower and irrigation. Treated effluent quality is as per norms of The Environment (Protection) Rules, 1986
6	The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under the Environment (Protection) Act, 1986.	Noted and complied.
7	The industry shall establish the cooling arrangement and polishing tank for recycling the excess condensate water to process or utilities or allied units.	Noted and agreed
8	Effluent Treatment Plant to be stabilized one month prior to the start of the crushing season and continue to operate one month after the crushing season.	Noted and complied.
9	During no demand period for irrigation, the treated effluent to be stored in a seepage proof lined pond having 15 days holding capacity only.	Noted and
10	The industry shall implement treated effluent flow distribution measurement for irrigation purposes completely in accordance with irrigation plan.	Noted and complied.
11	The impact of treated effluent application on land is to be included further in E.I.A. studies, involving ground water monitoring point identified in close proximity to the unit.	Noted
12	The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.	UDSM has been complying the complying the compliances of CGWA .

13	The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.	Noted and complied. Environment statement for the yr 2021-22 attached.
14	<p>The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.</p> <p>Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at <a href="http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf">http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf</a>.</p>	<p>Noted and complied.</p> <p>UDSM has maintained greenery more than 33 % of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board.</p>
15	The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB .	Noted and complied.
16	Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.	UDSM has installed certified flow meters as per direction of UPPCB.
17	If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.	Noted
18	Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.	Noted, Industry always abides by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.
19	The Unit will file the renewal application at least 2 months prior to the expiry of this Order.	Noted and agreed.

**Specific Conditions :**

1	This CTO is valid for production SUGAR FROM SUGAR CANE CRUSHING CAPACITY-6250 TCD.	Noted
2	The industry will submit the permission from the SGWA (State Ground Water Authority) within 03 month, failing which consent shall be deemed automatically cancelled.	Noted, UDSM has already submitted the the permission from the SGWA (State Ground Water Authority).
3	The industry shall establish Miyawaki forest inside the factory in sufficient area the treated effluent from the ETP shall be used for forestation.	Noted and complied. UDSM has established Miyawaki forest with more than sufficient area and treated effluent will be used in it.
4	Unit must install STP for treatment of domestic effluent and submit compliance in the Board within a Month.	UDSM will install STP for treatment of domestic effluent by 31.10.2022 and will submit compliance to the board.
5	Unit shall abide by directions given by Commission for Air Quality Management in National Capital Region and Adjoining Areas.	Noted and agreed.
6	This CTO shall be subject to the order to be passed in OA No. 301/2021 Satyapal Malik Vs U.P. Government by Hon'ble NGT.	Noted
7	The unit shall maintain strict supervision upon fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.	Noted and complied. UDSM has deployed qualified staff to operate ETP as per the direction of CPCB/UPPCB/MOEFcc.
8	The E.T.P. unit operation line up Strengthening is to be maintained.	Noted and complied.
9	The Unit shall install Piezometer for measurement of ground water level and the data generated from Piezometer will be provided to the SPCB on monthly basis.	Noted, UDSM has installed Piezometer for measurement of ground water level and the data generated from Piezometer is being sent to SPCB every month.



10	Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.	Noted and complied.
11	During no demand period for irrigation, the treated effluent to be stored in a seepage proof lined pond having 15 days holding capacity only	Noted and agreed.
12	The unit shall submit the audited balance sheet for the current year and the details of fees deposited during last three years within a month.	Noted
13	The industry shall implement treated effluent flow distribution measurement for irrigation purposes completely in accordance with irrigation plan.	Noted and complied.
14	Industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.	Noted and complied. Industry always abides by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
15	Industry shall comply with various provisions of Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.	Noted and complied. Industry always complies with various provisions of Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
16	If UPPCB or CPCB issues closure order against the industry, this consent shall remain suspended for the period till closure order is revoked, after which the consent will be effective again for the remaining period.	Noted
17	Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL <a href="http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf">http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf</a> .	UDSM has maintained greenery more than 33 % of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board.
18	The unit shall comply with the provisions of notification No. S.O. 3187(E) dated 07-10-2016 of Ministry of Water Resources, River Development and Ganga Conservation, GOI.	Noted and agreed.
19	The discharge norms must confirm as per the notification no G.S.R. 35 (E) dated: 15.01.2016 of MoEF&CC.	Noted and agreed.

20	Unit shall comply with the directions issued by Central Pollution Control Board, New Delhi vide letter-B-190198/WQM/II(RG)/CPCB/Sugar/12/2016-17/16662, dated 14/19.02.2019, and send the compliance report to Board on quarterly basis.	Noted and agreed.
21	Unit shall identify recipient drains/rivulets and their u/s & d/s location in consultation with UPPCB and shall carry out monthly monitoring of identified recipient drains at u/s & d/s location through lab recognized under Environment (Protection) Act, 1986 and shall submit the analysis report on monthly basis by 10th of every month to CPCB and UPPCB.	Noted.
22	Unit shall maintain pipe line from outlet of ETP and to the point of irrigation land. No treated effluent shall be discharge outside the factory premises.	Noted and complied.
23	Unit shall ensure the installation and connectivity of the installed online effluent monitoring system to the servers of CPCB and UPPCB.	Noted and complied.
24	Unit shall provide Pakka channel/ pipe line for irrigation and shall maintain the records of ground water extracted and treated effluent used for irrigation on land.	Noted and complied.
25	Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended, Air (Prevention and Control of Pollution) Act 1981 as Amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.	Unit always comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended, Air (Prevention and Control of Pollution) Act 1981 as Amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.
26	Unit shall submit treated effluent monitoring report of the ETP and ground water quality of premises as well as of the irrigated area done by MoEF & CC/UPPCB approved laboratory in every 3 months.	Noted and complied.
27	This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on Revoking of Closure order, the Consent order shall become valid.	Noted.
28	The industry shall also explore treated	Noted and agreed.

	effluent re-cycle mechanism in furtherance to the application of treated effluent on land as a significant alternative mode of re-cycle. This step shall in turn reduce hydraulic loading of effluent discharge as well as shall eliminate extraneous treated effluent discharge possibility elsewhere.	
29	The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.	Noted and complied. Environment statement attached.
30	This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process/fuel/ plant machinery failing which consent would be deemed void.	Noted and agreed.
31	Industry shall install at sufficient height from the ground level Open to Network HD PTZ rotation Camera at the Inlet, Aeration tank, Secondary Clarifier and outlet of Effluent treatment plants for On Line Monitoring and its URL and password shall be provided to the UPPCB control room.	Noted.

**Upper Doab Sugar Mills, Shamli****AIR CONSENT COMPLIANCES REPORT OF UDSM 2021-2022**

Sr. No.	Compliance	Action
1	This consent is valid for the approved production capacity of cane crushing SUGAR FROM SUGAR CANE CRUSHING CAPACITY-6250 TCD. .-	Noted
2	This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.-	Noted
3	(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.-  (b) Air Pollution Source Details  (c) The emissions by various stacks into the environment should be as per the norms of the Board	Noted
4	The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in ecofriendly manner.	The industry is operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in ecofriendly manner.
5	Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board .	Noted and agreed.
6	The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.	Noted and complied. Industry has installed on line stack monitoring system to confirm proper operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.
7	The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986 .	Noted and complied. Environmental statement attached.
8	The industry shall abide by orders /	



	directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.	Noted and complied. Industry has always abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
9	Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986 .	Noted and complied.
10	The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.	Noted and complied. Company has always complied with various provisions of Air (Prèvention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986
11	The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB .	Noted and complied. Web site ID and password: <a href="http://www.nevcodata.com">www.nevcodata.com</a> Pass word: Udsm10##sm9
12	The unit shall submit audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.	Noted and complied
13	The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order .	Noted and agreed. Since ours is sugar unit therefore self-made bagasse is used as a fuel.
14	The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon itsavailability.	Noted and complied.
15	The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).	Noted and agreed.
16	Minimum 33% of the land on which industry is established will be covered	

108

	and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL <a href="http://www.uppcb.com/pdf/Green-Belt-idle_160218.pdf">http://www.uppcb.com/pdf/Green-Belt-idle_160218.pdf</a> .	Noted and complied. UDSM has maintained greenery more than 33 % of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board.
17	If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order .	Noted
18	Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time .	Noted and agreed.

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.


#### Specific Conditions:

1	This CTO is valid for production SUGAR FROM SUGAR CANE CRUSHING CAPACITY-6250TCD.	Noted
2	The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in ecofriendly manner.	Noted the industry is operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in ecofriendly manner.
3	Unit shall abide by directions given by Commission for Air Quality Management in National Capital Region and Adjoining Areas.	Noted and complied.
4	This CTO shall be subject to the order to be passed in OA No. 301/2021 Satyapal Malik Vs U.P. Government by Hon'ble NGT.	Noted
5	The industry shall obtain prior consents in the event of any addition of new emission generation sources such as-Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).	Noted and agreed.

109

6	Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.	Noted and agreed.
7	The industry should follow the directions issued by the Ministry of Environment Forest and Climate Change; Delhi vide Notification no. GSR 35(E) dated 14/01/2016.	Noted and complied.
8	The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.	The industry will ensure the operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.
9	The industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P Rules 1986.	Noted and complied. Environmental statement attached.
10	This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.	Noted and agreed.
11	The industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.	Noted and agreed. Industry has always abided by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
12	The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended and all other applicable rules notified under E.P. Act 1986.	Noted and complied.
13	The unit shall submit the point wise compliance report of the previous CTO issued by the Board and the audited balance sheet for the current year and the details of fees deposited during last three	Noted and complied.

	years within a month failing which consent would be deemed void.	1/10
14	The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.	Noted and agreed.
15	Industry shall submit emission monitoring reports of all stacks and ambient air quality from MOEF&CC/UPPCB accredited Laboratory on quarterly basis to the Board.	Noted and complied.
16	The unit shall submit the audited balance sheet for the current year and the details of fees deposited during last three years within a month.	Noted and complied.
17	This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on revoking of Closure order, the Consent order shall become valid.	Noted
18	In compliance with the Hon'ble Supreme Court order passed in W.P. (civil) No. 13029/1985 M.C. Mehta Vs. Union of India and ors. the use of Pet coke and furnace oil is prohibited.	Noted
19	Unit shall ensure the installation and connectivity of Online Emission Monitoring System at the stack of air polluting sources and ensure the connectivity with the servers of CPCB and UPPCB.	Noted and complied. Unit has already installed online monitoring system and ensure its connectivity. Web site ID and password: <a href="http://www.nevcodata.com">www.nevcodata.com</a> Pass word: Udsm10##sm9
20	Unit shall use Bio-briquette as co-fuel with main fuel in the ratio of minimum 20 percent in boiler subject to its availability.	Noted and complied.
21	Fly ash shall be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with storm water. Direct exposure of workers to fly ash & dust shall be avoided.	Noted and complied. Fly ash is stored in a separate yard which is protected with boundary wall so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with storm water. Direct exposure of workers to fly ash & dust shall be avoided.

22	Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended, Air (Prevention and Control of Pollution) Act 1981 as Amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.	Noted and complied. 
23	Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02dt.16/02/2018. The copy of this guideline is available atURL <a href="http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf">http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf</a> .	Noted and complied. UDSM has maintained greenery more than 33 % of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board.



The Director  
Ministry of Environment, Forest & Climate Change  
Kendriya Bhawan, 5<sup>th</sup> Floor,  
Sector "H" Aliganj  
Lucknow (Uttar Pradesh)

112

**Subject:** Six monthly compliance report of the conditions of Environmental Clearance for Expansion of Sugar Mill Cane crushing capacity from 6250 TCD to 8000 TCD along with 22.0 MW Co-gen Power Plant within existing premises at Shamli, Tehsil & District: Shamli (U.P.) by M/s Upper Doab Sugar Mills for the period of April 2022 to September 2022,

**Ref. No.:** 122/Parya/SEIAA/5435-4752/2019, dated 09<sup>th</sup> June, 2020

S.No	Condition	Reply
<b>I</b>	<b>Statutory Compliance</b>	
i	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable as there is no forest land involved in existing project and no forest is situated within 10 km radius.
ii	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable.
iii	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/ Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area).	No schedule-I species is found in study area; hence this condition is not applicable.
iv	The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	The unit has obtained Consent to Establish and further Consent to Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the water (Prevention & Control of Pollution) Act, 1974 from Uttar Pradesh Pollution Control Board. <b>Copy of CTO (Air &amp; water) are enclosed as Enclosure-I.</b>
v	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	Unit has obtained authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time. Hazardous waste generated will be disposed as per the Hazardous Waste Management Rules 2016. Authorization enclosed as <b>Enclosure no. 2</b>
vi	The company shall strictly comply with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Point is noted and complied. Storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 are complied as amended time to time.
<b>II</b>	<b>Air Quality Monitoring and Preservation:</b>	

i	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connect to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	The unit has installed 24x7 continuous emission monitoring system at all four process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connect to SPCB and CPCB through Navco service provider. User ID : doabsugars Password: udsml0##sm9
ii	The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g., PM <sub>10</sub> and PM <sub>2.5</sub> in reference to PM emission, and SO <sub>2</sub> and NO <sub>x</sub> in reference to SO <sub>2</sub> and NO <sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (Case to case basis small plants: Manual; Large plants: Continuous).	Point is noted and Four locations for ambient air quality monitoring has been identified. Monitoring has been done at identified sites.
iii	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six monthly monitoring report.	Point is noted and same is being complied. Regular Environmental Monitoring report is being submitted to UPPCB and Six-monthly compliance along with environmental monitoring report to Regional Office of MoEF&CC. <b>Test reports Ambient and Stacks enclosed as Enclosure-3.</b>
iv	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	Wet scrubber has been installed with 03 Number of existing boilers of capacity 25 TPH (3NO.) and venturi scrubber at 38 TPH (01No) respectively.
v	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R No. 826(E) dated 16 <sup>th</sup> November, 2009 shall be complied with	<b>Noted and complied.</b>
vi	Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/ SPCB guidelines.	Existing boilers are bagasse fired boiler. Wet scrubber and venturi scrubber has been provided as per Air Pollution Control Equipment. The gaseous emissions are dispersed through stack of adequate height as per CPCB/SPCB guidelines.

vii	The D.G. sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.	DG set is equipped with suitable pollution control device and the adequate stack height so that the emission is in conformity with the extent regulation and the guidelines in this regard.
viii	Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and their other fugitive emissions.	This is Sugar Cane Crushing unit. No storage is required. Bagasse is being used as fuel and stored in Covered storage yard.
<b>III Water Quality Monitoring and Preservation</b>		
i	For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD) and connected to SPCB and CPCB online servers.	Continuous online monitoring system has been installed at final outlet of ETP with web camera and connected to SPCB and CPCB online server. Login ID :tpro.telesays.in Pss word: abc@12345
ii	Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving ZLD).	This is sugar unit; surplus treated water will be discharge as per the consent condition.
iii	Process effluent / any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	Separate storm water drain has been provided. Storm water from the premises shall be collected and discharged through a separate conveyance system.
iv	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/ Water Act, whichever is more stringent.	Point is noted and same is being complied. Generation of waste water and discharge of treated waste water is being discharged as per UPPCB and CPCB norms and discharge is connected with on line monitoring system to CPCB and SPCB server.
v	Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/ CGWA in this regard.	Current fresh water requirement is 1085 KLD which is being met through Ground Water. After expansion fresh water requirement will be 1372 KLD and same will be abstracted. <b>CGWA NOC and ground water sample reports are attached as Enclosure-4.</b>
vi	Industrial/ trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed through stripper followed by MEE and ATFD (Agitated Thin Film Drier). Low TDS effluent stream shall be treated in ETP and then passed through RO System.	This is sugar unit therefore, waste water generated is being treated in ETP which comprises of of Multi Bed Filter, Oil & Grease separator tank, Zig Zag Pit and Equalization, Aeration Tank with d i f f u s e d aeration system, Clarifier, MGF followed by ACF, Sludge Drying Bed.

vii	The company shall harvest rain water from the roof tops of the buildings and storm water drain to recharge the ground water and utilize the same for different industrial operations within the plant.	Industry already constructed rain water harvesting pit 02 number within premises for rain water harvesting. Photographs of rain water harvesting enclosed as <b>enclosure no. 5</b>
<b>IV Noise Monitoring and Preservation</b>		
i	Acoustic enclosure shall be provided to D.G. set for controlling the noise pollution.	Acoustic enclosure is provided with DG set for controlling the noise pollution.
ii	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.	Acoustic enclosure and silencer have been provided for plant and machinery to reduce noise level. Ambient Noise Monitoring has been done. <b>Enclosed as Encloser no. 6.</b>
iii	The amount noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Condition noted and complied. Enclosed as enclosure no. 6
<b>V Energy Conservation Measures</b>		
i	The energy sources for lighting purpose shall preferably be by LED based.	The unit prefers LED Lighting in the campus.
<b>VI Waste Management</b>		
i	Hazardous chemicals shall be stored in tanks, tanks farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	Hazardous chemical is being stored as per rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time.
ii	Process organic residue and spent carbon, if any shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	No Process organic residue is generated. ETP sludge is being provided to farmer which is being provided to farmer and being utilized as manure. Fly ash generated is being provided to brick manufacturer.
iii	The company shall undertake waste minimization measures as below:	-
a.	Metering and control of quantities of active ingredients to minimize waste.	The unit has metered all necessary flow points as per CPCB / UPPCB guidelines.
b.	Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.	Noted and complied.
c.	Use of automated filling to minimize spillage.	Condition noted and complied.
d.	Use of Close Feed system into batch reactors.	Not applicable.
e.	Venting equipment through vapour recovery system.	Not applicable.
f.	Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	Not applicable.

<b>VII</b>	<b>Green Belt</b>	
i	Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	33 % of total project land has been provided as Green Belt and Same is being maintained. <b>Enclosure as no.7.</b>
<b>VIII</b>	<b>Safety, Public Hearing and Human Health Issues</b>	
i	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Disaster management plan for project has been prepared and same is being implemented.
ii	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	Unit has provided Personal Protection Equipment (PPE) like Goggles, safety boots, safety helmets safety belts etc.
iii	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training is used to impart to all employees on safety and health aspects of chemicals handling. Pre employment and routine periodical medical examinations for all employees is being <b>u n d e r t a k e n</b> on regular basis. Training to all employees on handling of chemicals shall be imparted. Medical reports of <b>r o u t i n e p e r i o d i c e x a m i n a t i o n o f e m p l o y e e</b> , enclosed as en-closer no.8.
iv	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile	There is no construction labor in side factory premises.
	STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	drinking water, medical health care, creche etc has been provided to Construction labor.
v	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Condition noted and complied.
vi	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products. And no parking to be allowed outside on public places.	Sufficient parking space has been provided.
<b>IX</b>	<b>Corporate Environmental Responsibility</b>	
i	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1 <sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.	Point is noted and same will be complied.



ii	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	The company is having an environmental policy duly approve by the Board of Directors.
iii	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	The unit has organized an Environmental Cell to take care of all concerning s t i p u l a t e d conditions regarding environment.
iv	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/ Regional Office along with the Six Monthly Compliance Report.	Point is noted and complied. Unit has done expenses Rs 2811673 for the Environmental protection.
v	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Point is noted and will be complied.
<b>X</b>	<b>Miscellaneous</b>	
i	Directions. Suggestions given during public hearing and commitment made by the project proponent should be strictly complied.	Point is noted and complied.
ii	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Already complied.
iii	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayat and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	The copy of published information (in newspapers) regarding grant of <b>Environmental Clearance is enclosed here with as Enclosure no.9</b>
iv	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Condition noted and complied.

v	The project proponent shall monitor the criteria pollutants level namely; PM <sub>10</sub> , SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Noted and complied. Online Monitoring System has been provided at the outlet of ETP and Stacks.
vi	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Condition noted and complied.
vii	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Unit has submitted environmental statement in Form-V as per schedule.
viii	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Condition noted and complied.
ix	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Point is noted and complied.
x	The project proponent shall abide by all the commitments and recommendations made in the EI A/ EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Condition noted and complied.
xi	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MOEF&CC).	Point is noted and agreed.
xii	Concealing factual data or submission of false/ fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	No any Concealing of factual data has been provided.
xiii	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Condition noted and agreed.
xiv	The Ministry reserves the right to stipulate additional conditions if found necessary.	Condition noted and agreed.
xv	The Company in a time bound manner shall implement these conditions.	Condition noted and agreed.
xvi	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information/ monitoring reports.	Condition noted and agreed.

xvii	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.	Condition noted and agreed.
xviii	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Condition noted and agreed.

Sl. No.	Directions	Approx cost/expenses
a)	Flow meters shall be installed at	
i	Excess condensate generated	Rs 12.00 Lac (Twelve Lac)
ii	Fresh water addition in UGR	
iii	Fresh water used in colony	
iv	Boiler ake-up water.	
v	DM Plant inlet	
vi	Wet scrubber make up water	
vii	Power turbine cooling water	
viii	Mill bearing cooling water	
ix	Sulphur burner cooling water	
x	B Masecute cooling water	
xi	Process cooling tower make up	
xii	Process cooling tower overflow to ETP	
xiii	Effluent generated from Mills	
xiv	Effluent generated from boiling house.	
xv	Effluent from evaporators tube cleaning	
xvi	Treated effluent used for irrigation	We have already installed Flow meters . Calibration work of both the Flow meters will be completed soon. The calibration certificate would be submitted accordingly.
xvii	Treated effluent discharge in drain	
b	Boiler blow down shall be used for wet scrubber	Rs 4.00 Lac (Four Lac)
c	Collections pits for Fly ash	Rs 12.00 Lac (Twelve Lac)
d	All flow meters shall be calibrated by the factory	Rs 24, 000 (Twenty four thousand)

121

e		Lagoon for storage of treated effluent should be constructed	Rs 35.00 Lac (Thirty Five Lac)
f		Unit should maintain good house keeping by reducing leakages	N.A.
g		STP shall be installed for treatment of sewage from colony	Rs 18.00 Lac (Rs Eighteen Lac) for STP & Rs 15.00 Lac (Rs Fifteen Lac) for sewage transportation, Screen chamber, oil grease tank and equalization tank civil work.
h		Flow meters Log book shall be maintained properly	N.A.
i		Daily analysis of effluent should be carried out as per the CPCB charter	Rs 2.00 Lac (Rs Two Lac), glass-ware, instruments and chemical exp.
j		Cooling tower shall be installed for cooling water from power turbine and mills	Rs 20.00 Lac (Rs Twenty Lac)
k		To reduce sulfate, COD and BOD unit should installed anaerobic filter before aeration tank	Rs 12.00 Lac (Rs Twelve Lac )
l		Installed new Primary clarifier of adequate capacity	Rs 12.00 Lac ( Rs Twelve Lac ) inclusive of pipe from sugar to ETP, Flocculation drum and Flocculation flash mixture complete.
m		MGF and ACF shall be made adequate by increasing their capacities	Rs 1.00 Lac (Rs One Lac ) up grade of oil and grease trap, cleaning of MGF and ACF/ replacement of filter media.
n		Provide Mixing arrangement in equalization tank and proper defused aeration system in aeration tank	Rs 5.50 Lac ( Rs Five Lac Fifty Thousand)
p		Mill House water treatment with separation of oil and grease	Rs 15.00 Lac (Rs Fifteen Lac)
		Total	163.74 Lac

Note : : G.S.T. will be extra

*Sinha*  
*True Copy*



# ANNEXURE: R-5/27

27.10.2022

122

HP/397/2022

The Chief Environmental Officer,  
Circle-3  
U.P. Pollution Control Board,  
TC-12B, Vibhuti Khand, Gomti Nagar  
LUCKNOW

Sub: **Submission of compliance of Air & Water consent for the year 2021- 22 under Air ( Prevention & Control of Pollution ) Act.**

=====

Dear Sir,

Please find enclosed herewith compliance of Air Consent U/s 21/22 of the **Air ( Prevention & Control of Pollution ) Act, 1981 (as amended)** & Water U/s 25/26 of the **Water ( Prevention & Control of Pollution ) Act, 1974 (as amended)** for the year 2021-22.

Thanking you,

Yours faithfully,  
For Shamli Distillery & Chemical Works ,

Manager ( EHS )

Encl : As above

HP/398/2022

CC: The Regional Officer, U.P. Pollution Control Board, 6-B, New Mandi, Muzaffarnagar

- Encl: 1. Air Compliance report  
2. Water Compliance report  
3. Environmental Statement  
4. Hazardous waste Contract certificate  
5. Boiler ash sale order  
6. Authorization of hazardous waste  
7. Air & water consents  
8. Greasy & area

*[Signature]*  
28-10-2022  
[Stamp]

123

HP/448/2022

Date: 28.10.2022

To,

The Director  
Ministry of Environment, Forest & Climate Change  
Kendriya Bhawan, 5<sup>th</sup> Floor, Sector "H" Aliganj  
Lucknow (Uttar Pradesh)

**Subject:** Six Monthly Compliance Report for Expansion & Modification of existing distillery from 80 KLD to 100 KLD along with 5.0 MW Co-gen Power Plant at Village: Shamli, District: Shamli (Uttar Pradesh) - 247776, by **M/s Shamli Distillery & Chemical Works (A Unit of Sir Shadi Lal Enterprises Limited)** for the period of April, 2022 to September, 2022.

**EC Ref. No.:** 365/Parya/SEIAA/5356/2019, dated 05<sup>th</sup> October, 2020.


**Reg:** Submission of Six-Monthly Compliance Report for Period of April, 2022 to September, 2022.

Dear Sir,

This is in connection to above mentioned subject we are hereby submitting the six-monthly compliance report of the conditions of Environmental Clearance for Expansion & Modification of existing distillery from 80 KLD to 100 KLD along with 5.0 MW Co-gen Power Plant at Village: Shamli, District: Shamli (Uttar Pradesh) - 247776, by **M/s Shamli Distillery & Chemical Works (A Unit of Sir Shadi Lal Enterprises Limited)** along with required annexures.

Requesting you to accept the soft copy reports submitted for information please.

Thanking You,  
Yours sincerely



Authorized Signatory  
**M/s Shamli Distillery & Chemical Works**  
**(A Unit of Sir Shadi Lal Enterprises Limited)**

HP/448/2022

CC: MOEFCC, New Delhi

124

**SDCW WATER CONDITIONS OF CONSENT COMPLIANCES**

Sr. No.	Compliance	Action
1	This consent is valid only for the approved production capacity of Rectified Spirit/ENA/Ethanol- 100 KL/Day by using raw material C-Heavy Molasses-430 TPD OR Rectified Spirit/ENA/Ethanol- 100 KL/Day by using raw material B-Heavy Molasses-333 TPD OR Rectified Spirit/ENA/Ethanol- 100 KL/Day by using raw material Sugar Syrup-299 TPD and by Product FUSEL OIL 6.0 MT/ Month.	Noted
2	The quantity of maximum daily effluent discharge should not be more than the following:-----	Noted
3	Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. It should be ensured that domestic effluent should not be discharged in storm water drain.	SDCW has made an arrangement for collection of water used in process and domestic effluent is kept separately. Domestic effluent will be treated through STP.
4	The domestic effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms.	Noted & complied, SDCW has arranged STP to treat the domestic effluent and the treated effluent will be utilized in irrigation/plantation.
5	The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry.	Noted and complied.
6	The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under the Environment (Protection) Act, 1986.	The method for collecting industrial and domestic effluent and its analysis is as per legal Indian standards and its subsequent amendments/standards prescribed under the Environment (Protection) Act, 1986.
7	The industry shall not discharge any trade effluent outside the premises and Zero Liquid Discharge (ZLD) shall be maintained all the time.	SDCW is maintaining Zero liquid discharge.
8	Molasses shall not be stored in kachcha pits.	Molasses is always stored in MS fabricated tank, fabricated as per guidelines of excise department.
9	If UPPCB or CPCB issues closure order	Noted

	against the industry, this consent shall remain suspended for the period till closure order is revoked, after which the consent will be effective again for the remaining period.	
10	The unit should be operated in such a way so that there is no adverse impact on public and environment.	The unit operates in such a way so that there is no adverse impact on public and environment.
11	Unit must maintain on line connectivity of mass flow meters at the inlet and outlet of MEE and web cameras installed at the final outlet, MEE and Bio Compost yard and connected with server of CPCB and UPPCB.	Unit maintains on line connectivity of mass flow meters at the inlet and outlet of MEE and web cameras installed at the final outlet, connected with server of CPCB and UPPCB.
12	The unit shall ensure deployment of qualified staff for self-monitoring mechanism on 24 X7 hours basis.	Noted and complied. SDCW has deployed qualified staff to operate ETP as per the direction of CPCB/UPPCB/MOEFcc.
13	Volume of spent wash shall be reduced to 40 % minimum and solid concentration shall be maintained minimum 30% at the outlet of MEE.	Noted and complied. SDCW is maintaining more than 55 % solids at the outlet of MEE as we are using slope in incineration boiler.
14	Unit shall identify recipient drains/rivulets and their upstream & downstream locations in consultation with UPPCB and shall carry out monthly monitoring of identified recipient drains at upstream & downstream location through recognized lab under Environment (Protection) Act, 1986 and shall submit the analysis report on monthly basis by 10th of every month to CPCB and UPPCB.	Noted , SDCW has adopted ZLD system.
15	The storage facility provided for spent wash shall be properly lined and made impermeable and the storage capacity at any stage shall not exceed 07 days equivalent of production in case of incineration boiler and 30 days equivalent of production in case of bio composting.	The storage facility provided for spent wash is properly lined and made impermeable and the storage capacity at any stage not exceed 07 days equivalent of concentrated spent wash as we have incineration boiler,
16	Industry shall submit Environment Statement to this Board as per provision of Environment (Protection) amendment Rule, 1993 for the previous year ending 31st March on or before 30th September every year.	Noted and complied. Environmental statement is attached for the yr 2021-2022.
17	Industry shall ensure to send monthly reports regarding spent wash storage	Industry ensures to send monthly reports regarding spent wash storage and details

	and details of spent wash in each lagoon constructed in industry.	of spent wash in lagoon constructed in industry.
18	The Unit will file the renewal application at least 2 months prior to the expiry of this Order.	Noted.

**Specific Conditions :**

1	This consent is valid for the production capacity of Rectified Spirit/ENA/Ethanol-100 KL/Day by using raw material C-Heavy Molasses-430 TPD OR Rectified Spirit/ENA/Ethanol-100 KL/Day by using raw material B-Heavy Molasses-333 TPD OR Rectified Spirit/ENA/Ethanol-100 KL/Day by using raw material Sugar Syrup-299 TPD and by Product FUSEL OIL 6.0 MT/ Month.	Noted
2	The unit shall maintain strict supervision upon fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.	Noted and complied. SDCW has deployed qualified staff to operate ETP as per the direction of CPCB/UPPCB/MOEFcc.
3	Earlier Board has issued a CTO vide letter no-133890/UPPCB/Circle3(UPPCBHO)/CTO/water/SHAMLI/2021, dated-18.08.2021 is revoked.	Noted
4	The industry shall submit the permission from the State Ground Water Authority within 3 months failing which consent shall be deemed automatically cancelled.	Noted, SDCW has already submitted the the permission from the SGWA (State Ground Water Authority).
5	This CTO shall be subject to the order to be passed in O.A. No.- 301/2020 Satyapal Singh Versus State of U.P. by Hon'ble NGT.	Noted
6	Unit must install STP for treatment of domestic effluent and submit compliance to the Board within one month.	Unit shall install STP for treatment of domestic effluent BY 31.10.2022 and will submit compliance to the Board.
7	The industry shall establish Miyawaki forest inside the factory in sufficient area the treated effluent from the ETP shall be used for forestation.	Noted and complied. SDCW has established Miyawaki forest with more than sufficient area and Domestic treated effluent will be used in it.
8	The E.T.P. unit operation line up Strengthening is to be maintained.	Noted and complied. SDCW has deployed qualified staff to operate ETP as per the direction of CPCB/UPPCB/MOEFcc.
9	The Unit shall install Piezometer for measurement of ground water level and the data generated from Piezometer will be provided to the SPCB on monthly basis.	Noted, SDCW has installed Piezometer for measurement of ground water level and the data generated from Piezometer is being sent to SPCB every month.



10	No effluent is allowed to discharge outside factory premises.	Noted and complied. SDCW adopted ZLD .
11	Flow meter to be installed in all water abstraction points and usage of fresh water to be <del>minimised</del> .	Magnetic Flow meter is installed at water abstraction point.
12	The industry will submit the permission from the State Ground Water Authority within 03 month, failing which consent shall be deemed automatically cancelled.	Noted, SDCW has already submitted the the permission from the SGWA (State Ground Water Authority).
13	The unit shall submit the audited balance sheet for the current year and the details of fees deposited during last three years within a month.	Noted and complied.
14	Industry shall abide by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.	Industry always abides by orders / directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
15	Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.	Noted and complied. Industry always complies with various provisions of Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
16	If UPPCB or CPCB issues closure order against the industry, this consent shall remain suspended for the period till closure order is revoked, after which the consent will be effective again for the remaining period.	Noted
17	This consent is valid only for Zero Liquid Discharge (ZLD).	Noted
18	This consent is valid for 365 days operation of the industry of a year.	Noted
19	The Project Proponent shall submit the validation report for 100 KLD Rectified Spirit/ENA/Ethanol-100 KL/Day production from any reputed Institute such as NSI, Kanpur/VSI, Pune or any other competent institute within 03 months after starting B-Heavy molasses-based operation. If the validation report carried out by any reputed institute is same as claim made by the unit. The SPCB may further allowed to operate as per	SDCW has already submitted the validation report for 100 KLD Rectified Spirit/ENA/Ethanol-100 KL/Day production from reputed Institute starting B-Heavy molasses-based operation.

	proposal of the unit.	
20	The maximum storage capacity of the lagoons is for 7 days holding capacity of the concentrated spent wash. Excess Capacity of storage lagoon shall be dismantled within 3 months and progress submitted to the Board.	The maximum storage capacity of the lagoons is for 7 days holding capacity of the concentrated spent wash.
21	Bio composting shall not be allowed. Bio composting yard shall be dismantled within 06 months and progress submitted to the Board.  All generate Slope shall be used in the Boiler mixed with bagasse as fuel.	Bio Composting yard is dismantled and pollution board officials has inspected in this regard in June 2021.
22	Unit shall submit balance fee of Rs. 50,000/- within 15 days in the Board.	Complied
23	Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL <a href="http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf">http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf</a> .	Noted and complied. SDCW has maintained greenery more than 33 % of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board. Drawing attached.

**SDCW AIR CONSENT COMPLIANCE REPORT 2021-22**

Sr. No.	Compliance	Action
1	The details of Air pollution sources and stacks attached with Boiler	Noted
2	The emissions by various stacks into the environment should be as per the norms of the Board.	Noted
3	The equipment for air pollution control system and monitoring, as proposed by the industry and approved by the Board should be installed in their premises itself.	The equipment for air pollution control system and monitoring, as proposed by the industry and approved by the Board are installed in our premises itself.
4	Industry shall dispose the incineration boiler ash in such a manner so that there should not be any adverse impact on public health at large and on Soil, Water & Air environment.	Industry is used to dispose the incineration boiler ash in such a manner so that there should not be any adverse impact on public health at large and on Soil, Water & Air environment. Boiler ash is sold out as a organic manure. Sale agreement attached.
5	The modification or installation in the existing pollution control equipment shall be done only by prior approval of the Board.	Noted and agreed.
6	The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants shall be in accordance with the standards prescribed by the Board/MOEF& CC/or otherwise mandatory	Noted and complied.
7	Unit shall do provisions for control of fugitive emissions from process as per the norms of the Board/MOEF & CC/or otherwise mandatory.	Noted and complied.
8	The unit shall submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order. Further quarterly monitoring report analyzed by Board/NABL accredited laboratory shall be submitted.	The unit is used to submit the stack emissions monitoring report to UPPCB every month, analyzed by Board/NABL accredited laboratory.
9	In case of closure directions under section-5 of E (P) Act, 1986 issued by CPCB, this consent will be automatically suspended	Noted

	during the closure period, and will be automatically reinstated with specific conditions as per CPCB revocation orders.	
10	Industry shall develop and maintain green belt as per the guidelines issued by the Board vide office order dated 16/02/2018, which is available on Board's Website- www.uppcb.com.	Noted and complied. SDCW has maintained greenery more than 33 % of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board.
11	Industry shall submit Environment Statement to this Board as per provision of Environment (Protection) amendment Rule, 1993 for the previous year ending 31st March on or before 30th September every year.	Noted and complied. Environment statement for the yr 2021-22 attached.
12	Industry shall abide by orders / directions issued by Hon'ble Supreme court, Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.	Industry is abiding by orders / directions issued by Hon'ble Supreme court, Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
13	The Unit will file the renewal application at least 2 months prior to the expiry of this Order.	Noted

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

**Specific Conditions:**

1	This consent is valid for the production capacity of Rectified Spirit/ENA/Ethanol-100 KL/Day by using raw material C-Heavy Molasses-430 TPD OR Rectified Spirit/ENA/Ethanol-100 KL/Day by using raw material B-Heavy Molasses-333 TPD OR Rectified Spirit/ENA/Ethanol-100 KL/Day by using raw material Sugar Syrup-299 TPD and by Product FUSEL OIL 6.0 MT/ Month.	Noted
2	The industry should be operated in such a manner that it does not adversely affect the environment and the solid waste generated such as ash etc. is disposed in ecofriendly manner.	Noted the industry is operated in such a manner that it does not adversely affect the environment and waste generated such as ash etc. is sold out as a potash rich manure, there is no need to dump in factory premises.

3	The earlier Board has issued a CTO Air vide letter no 133975/UPPCB/Circle3(UPPCBH O)/CTO/air/SHAMLI/2021, dated-18.08.2021 is revoked.	Noted
4	This CTO shall be subject to the order to be passed in O.A. No.- 301/2020 Satyapal Singh Versus State of U.P. by Hon'ble NGT.	Noted
5	Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.	Noted
6	The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.	The industry ensures the operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.
7	Industry shall submit Environmental Statement in prescribed format as per rule no.14 as per E.P.Rules 1986.	Industry submitted Environmental Statement in prescribed format as per rule no.14 as per E.P. Rules 1986. Environmental statement attached.
8	This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.	Noted and agreed.
9	Industry shall abide by orders/ directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.	Industry always abides by orders/ directions issued by Hon'ble Supreme court Hon'ble High Court, Hon'ble National Green tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
10	Industry shall submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.	Industry is used to submit monthly monitoring reports of all stacks and ambient air quality from a certified / approved laboratory under E.P. Act 1986.
11	Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and	Noted, Industry always comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as



	Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.	amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
12	The unit shall submit the audited balance sheet for the current year and the details of fees deposited during last three years within a month.	Noted and complied
13	The unit shall obtain prior consents in the event of any addition of new emission generation sources such as-Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).	Noted and agreed.
14	This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B/ UPPCB and further on revoking of Closure order, the Consent order shall become valid.	Noted
15	The industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.	Noted and complied.
16	In compliance with the Hon'ble Supreme Court order passed in W.P. (civil) No. 13029/1985 M.C. Mehta Vs. Union of India and ors. the use of Pet coke and furnace oil is prohibited.	Noted.
17	The unit shall submit the point wise compliance report of the conditions imposed in the N.O.C issued by the Board for the expansion of the industry within a month.	Noted
18	The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order.	Noted and agreed.
19	The Project Proponent shall submit the validation report for Rectified Spirit/ENA/Ethanol-100 KL/Day production from any reputed Institute such as NSI, Kanpur/VSI, Pune or any other competent institute within 03 months after starting B-Heavy molasses-based operation. If the validation report carried out by any reputed institute is same as claim made by the unit. The SPCB may further allowed to operate as per	Noted .

	proposal of the unit.	
20	The maximum storage capacity of the lagoons is for 7 days holding capacity of the concentrated spent wash. Excess Capacity of storage lagoon shall be dismantled within 3 months and progress submitted to the Board.	Noted and agreed. Lagoon capacity to store concentrated spent wash is not more than 7 days .
21	Bio composting shall not be allowed. Bio composting yard shall be dismantled within 06 months and progress submitted to the Board.	Bio Compost yard is already dismantled , photographs for the same is attached.
22	This consent is valid only for Zero Liquid Discharge (ZLD).	Noted.
23	This consent is valid for 365 days operation of the industry of a year.	Noted.
24	Unit shall submit balance fee of Rs. 50,000/- within 15 days in the Board.	Submitted.
25	Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL <a href="http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf">http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf</a> .	Noted and complied. SDCW has maintained greenery more than 33 % of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board.

134

## COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

**Name of the Project:** Expansion & Modification of existing distillery from 80 KLD to 100 KLD along with 5.0 MW Co-gen Power Plant at Village: Shamli, District: Shamli (U.P.) - 247776 by M/s Shamli Distillery & Chemical Works (A Unit of Sir Shadi Lal Enterprises Limited).

**Clearance Letter No:** 365/|Parya/SEIAA/5356/2019, dated 05<sup>th</sup> October, 2020

**Period of Compliance Report:** (April 2022 to September 2022)

Sr. No	Condition	Compliance
<b>I - Statutory Compliance</b>		
1	45 days monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 60 days for a record.	Unit is submitting the monitoring reports w.r.t. air quality, water quality, Noise level on monthly basis in monthly report.
2	Due to unavoidable circumstance and covid-19 pandemic, the authority is unable to visit the site therefore, it is not possible to make available the latest certified compliance report. In view of this the committee decided that the certified compliance report should be submitted within 03 months.	Unit has already submitted compliance report for the period Oct.21 TO March.22., Letter enclosed <b>annexure no.1</b>
3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable, no any forest area is observed in study area, hence forest clearance not required.
4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable.
5	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six - monthly compliance report.	No schedule-I species is found in study area; hence this condition is not applicable.

	(In case of the presence of schedule-I species in the study area).	
6	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.	The unit has obtained Consent to Establish /Operate from Uttar Pradesh Pollution Control Board. (Copy of consent enclosed as <b>Annexure-2</b> ).
7	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	The unit has obtained authorization under the Hazards and other waste Management Rules 2016 as amended time to time. <b>Annexure no.3</b> .
8	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989	No hazardous chemical is being used.
<b>II - Air quality monitoring and preservation</b>		
1	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate this system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Unit has installed 24x7 continuous emission monitoring system at stack and it is connected to UPPCB / CPCB .
2	The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g., PM <sub>10</sub> and PM <sub>2.5</sub> in reference to PM emission, and SO <sub>2</sub> and NO <sub>2</sub> in reference to SO <sub>2</sub> and NO <sub>2</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (Case to case basis small plants: Manual; Large plants: Continuous).	As per the direction, unit has arranged for ambient air quality monitoring as per the instruction. Enclosed Ambient quality monitoring report as <b>Annexure No. 4</b> .
3	The project proponent shall submit monthly.	Test reports of ambient air quality are

	summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /Fugitive emissions to Regional Office of MOEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six- monthly monitoring report.	summary report of continuous stack emission and air quality monitoring and results of manual monitoring of air quality /fugitive emissions to Regional Office of MOEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six- monthly monitoring report. Reports of stack monitoring are enclosed as <b>Annexure no. 5</b> .
4	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	For Dust suppression water sprinkling is being done at site. The unit will comply with the stack emission norms as per CPCB standards.
5	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 <sup>th</sup> November, 2009 shall be complied with.	Noted and complied.
6	Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Unit is using slope and bagasse as a fuel. The gaseous emissions are dispersed through stack of adequate height as per CPCB/SPCB guidelines.
7	The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.	Condition noted and complied.
8	Storage of raw materials, coal etc. shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	The storage of molasses is being done in molasses storage tank; bagasse is stored in covered tarpaulined. Regular water sprinkling is done to avoid dust pollution and fugitive emissions.
<b>III - Water quality monitoring and preservation</b>		
2	Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).	In no any case no waste water /treated water is (or will be) discharged outside the premises as unit is based on Zero Liquid Discharge.



3	Process effluent /any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	Process effluent/ any wastewater is not mixing with storm water. The stormwater from the premises is collected and used with in premises.
4	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.	Unit is based on Zero Liquid Discharge strategy; no effluent is discharged outside premises
5	Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	Total fresh water requirement will not exceed the proposed quantity.  Unit has obtained necessary permission from UPGWD as per U.P. Ground Water (Management and Regulation) Act2019. Ground water permission enclosed. <b>Annexure no.6</b>
6	Industrial/trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed through stripper followed by MEE and ATFD (agitated thin film drier). Low TDS effluent stream shall be treated in ETP and then passed through RO system.	Industrial/trade effluent Is segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD Is passed through stripper followed by MEE and ATFD (agitated thin film drier). Low TDS effluent stream Is <del>not</del> in CPU and then passed through Ultra Filter followed by RO system.
7	The Company shall harvest rainwater from theroof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.	The Unit has installed Rain water harvesting from the <del>not</del> tops of the buildings to recharge the ground water. <b>Annexure no 7.</b>
<b>IV - Noise monitoring and prevention</b>		
1	Acoustic enclosure shall be provided to DG setfor controlling the noise pollution.	Acoustic enclosure is provided with DG set for controlling the noise pollution.
2	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.	The overall noise levels in and around the plant area is kept well within the standards as unit has provided noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
3	The ambient noise levels should conform to the	The ambient noise levels conform to

	standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.  Noise Test report enclosed as Annexure-8.
<b>V - Energy Conservation measures</b>		
1	The energy sources for lighting purposes shall preferably be LED based.	The unit has installed LED Lighting in the campus.
<b>VI - Waste Management</b>		
1	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	No Hazardous chemical is being used in unit.
2	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Ash shall be used, as rich manure due to high potash value (27%-35%) and sold out to suppliers. Agreement for the same is enclosed as Annexure no. 9.
3	The company shall undertake waste minimization measures as below: - i. Metering and control of quantities of active ingredients to minimize waste.	The unit has metered all necessary fw points.
	ii. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes	Unit is using concentration spent wash as fuel in boiler, treated water from CPU is 100% recycled within the process system.
	iii. Use of automated filling to minimize spillage	Condition noted.
	iv. Use of Close Feed system into batch reactors	Unit is using close feed system into batch reactors
	v. Venting equipment through vapor recovery system	Unit has installed venting equipment through vapor recovery system.
	vi. Use of high-pressure hoses for equipment <del>ding</del> to reduce wastewater generation	Unit has installed high pressure hoses for equipment clearing to reduce wastewater generation.
<b>VII - Green Belt</b>		
1	Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	Green belt is developed as per stipulated norms.
<b>VIII - Safety, Public Hearing and Human health issues</b>		

1	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Condition noted and complied.
2	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	The unit has provided Personal Protection Equipment (PPE) as per the norms of factory Act.
3	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training is imparted to all concerning employees on safety and health aspects of chemicals handling.
4	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Condition noted and complied.
5	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupation health surveillance of the workers is done on a regular basis and records maintained as per the Factories Act. Record sheet enclosed. <b>Annexure no. 10</b>
6	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	Unit has earmarked adequate space for parking of vehicles.

#### IX - Corporate Environment Responsibility

1	The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 1 <sup>st</sup> May, 2018, as applicable, regarding Corporate Environment Responsibility.	Condition noted and complied
2	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements /deviation/violation of the environmental / forest /wildlife norms /	The company is having an environmental policy duly approve by the Board of Directors.

	conditions. The company shall have defined system of reporting infringements / deviation/ violation of the environmental/ forest / wildlife norms I conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF & CC as a part of six-monthly report.	
3	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	The unit has organized a Environmental Cell to take care of all concerning stipulated conditions regarding environment.
4	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/ Regional Office along with the Six-Monthly Compliance Report.	Condition noted. Unit has made expenses Rs 7827356 Rs on environmental protection by the yr. March 31.08.2022.
5	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Condition noted for compliance.
<b>X - Miscellaneous</b>		
1	If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water source other than ground water or legally valid source and permission from the competent authority shall be obtained be to use it.	Condition Noted.
2	The project proponent shall ensure that the distillery shall be on ZLD basis with incineration of spent wash in slop boiler. As proposed treated waste water should be completely recycled / reused and ZLD should be achieved. Under no circumstances treated waste water and effluent shall be discharged to any drain / sewer line / inland surface water / nala etc.	Condition noted and complied
3	Directions/ suggestions given during public	Directions/ suggestions given during

	hearing and commitment made by the project proponent should be strictly complied.	public hearing and commitment made by the project proponent are complied.
4	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	The copy of published information (in 2 newspapers) regarding grant of environmental clearance already submitted.
5	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	The copy of published information (in 2 newspapers) regarding grant of environmental clearance is already submitted. The copies of the environment clearance letter are submitted to the Heads of local bodies Panchayat and Municipal bodies.
6	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Condition noted and complied.
7	The project proponent shall monitor the criteria pollutants level namely; PM <sub>10</sub> , SO <sub>2</sub> , NO <sub>2</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Unit is regularly monitoring the ambient air quality, stack emissions;
8	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Condition noted.
9	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Unit is submitting regularly environmental statement in Form v every month.



10	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Project is already completed and regular compliance reports as directed is being submitted time to time.
11	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	The unit strictly adheres to the stipulations made by the State Pollution Control Board and the State Government.
12	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	The unit abides by all the commitments and recommendations made in the EIA/EMP report.
13	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
14	Concealing factual data or submission of false /Fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	No any Concealing of factual data has been provided.
15	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Condition noted.
16	The Ministry reserves the right to stipulate additional conditions if found necessary.	Condition noted.
17	The Company in a time bound manner shall implement these conditions.	Condition noted.
18	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Condition noted.8
19	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, The Environment (Protection) Act, 1986,	Condition noted.

True Copy

ANNEXURE R-528



उत्तर प्रदेश UTTAR PRADESH

143

FV 812354

10 JAN 2022

### PRESS MUD AGREEMENT

THIS PRESS-MUD AGREEMENT entered into on the 10th day of January 2022 at Shamli, between:

M/S Sir Shadi Lal Enterprises Limited, a Company Incorporated under the Indian Companies Act 2013 and having its registered office at Upper Doab Sugar Mills, Shamli- 247776, Distt. Shamli, U.P., through its President Sh. V.C.Tyagi, hereinafter referred to as (1st Party,) which expression shall unless repugnant to the context mean and include its successors, representatives and permitted assignees on the one part

and

M/s Ajayab Singh Contractor Biomass Briquettes, Pilibhit, U.P. represented by Sh. Harsukh Pal Singh, hereinafter referred to as (2nd Party) which expression shall unless repugnant to the context mean and include its successors, representatives and permitted assignees on the other part.

- (1) The Company Sir Shadi Lal Enterprises Ltd. i.e. 1st Party having a Sugar Unit -Upper Doab Sugar Mills, at Shamli, Distt. Shamli, engaged in the manufacture of sugar by way of Vaccum Pan Process and the Press mud is generated during the process as a by-product.

Contd. p/2

- (2) The Second Party M/s Ajayab Singh Contractor Biomass Briquettes, Pilibhit, U.P. is in need of Press-mud for business-purposes and wants to purchase the Press-mud from the 1st Party.
- (3) That the 1st Party is ready to sell the Press-mud and the Second Party is agreed to purchase the Press-mud on the following conditions:
- a) That the 1st Party is agreed to sell 100% of the Press-mud so produced per day to the 2nd Party, as per Log Book.
  - b) That the 2nd Party will arrange its own vehicles in the Press mud area for lifting the Press-mud falling from the carrier i.e. belt conveyor/chute.
  - c) That the 2nd Party will make its own arrangement in a way that the Press-mud does not fall on the Press-mud area/ ground and will arrange its cleanliness always.
  - d) That the 2nd Party will arrange its own labour in lifting, shifting of Press-mud & cleaning thereof, if it falls on the ground in Press-mud area.
  - e) That the persons employed by the 2<sup>nd</sup> Party for the execution of the above work would always remain the employees of the 2<sup>nd</sup> Party and the 1st Party will not be liable for wages/ salary etc. in any way.
  - f) That the Press-mud vehicles before going out of the factory would be weighed at the factory's weighbridge for which a slip would be issued to the driver of the vehicle who has to give it to the watchman at the factory gate.
  - g) That the rate of the Press-mud would be Rs 1.00/- per quintal (ex-factory) and taxes extra for the crushing season 2021-22 with effect from 10<sup>th</sup> January 2022. The 2nd Party will have to deposit 10 days payment in advance being the cost Press-mud with the 1st Party before starting lifting of Press-mud.
  - h) That the billing of sold Press-mud will be done by the 1st Part to the 2nd Party after completion of 15 days.
  - i) That the 2nd Party will make the payment in advance.
  - j) That the above rate is for the crushing season 2021-22 only. In the season 2022-23 the rate will be Rs 2.00/- per quintal (ex-factory) and taxes extra and in season 2023-24 the rate will be Rs 3.50/- per quintal (ex-factory) and taxes extra.

- k) That the 2nd Party shall be required to deposit an amount of Rs. 2.00 Lakh (Rs. Two Lakh) as security money with the 1st Party which will be reimbursed to the 2nd Party after completion of the Agreement without interest.
  - l) That if the 2nd Party fails to fulfil the conditions of this agreement the Security money so deposited shall be liable to be forfeited wholly or partly at the sole discretion of the 1st Party.
  - m) That if on any day the 2nd Party fails to lift the Press-mud, the 1st Party would be at liberty to get such work done by any other agency and the cost thereof would be charged from the 2nd Party.
  - n) That the 2nd Party shall be responsible for observation of provisions of law and Rules relating to the engagement of persons as per applicable laws including insurance, safety etc.
  - o) That in case of any dispute arises in respect of the engaged persons and 1st Party suffer any kind of loss, the 2nd Party will have to reimburse the same to the 1st Party of such losses.
  - p) That the 1st Party reserves its right to terminate this Agreement either wholly or partly at any time if the 2nd Party fails to fulfil the terms of this Agreement to the satisfaction of the 1st Party. If any dispute arises between the Parties, then both the Parties of this Agreement will give six months prior notice to other Party of its intention.
- (4) That the period of this Agreement will be for three crushing season, starting from season 2021-22 to season 2023-24 only.
- (5) That if any dispute arises between the Parties both the parties will try to resolve the same by mutual consent after meeting of the Officials of the Parties.


146

(6) That if any dispute arises between the Parties the jurisdiction will be at Distt. Shamli (U.P.)


IN WITNESS WHEREOF the parties have herein set their hands on the day and year first above mentioned.

  
V.C. Tyagi


For Sir Shadi Lal Enterprises Limited  
Shamli, Distt. Shamli, U.P.

  
Sh. Harsukh Pal Singh

For M/s Ajayab Singh Contractor  
Biomass Briquettes, Pilibhit, U.P.

  
Witness

Witness

  
True Copy



ANNEXURE: R-5/29

147

ENGLISH TRANSLATON

OFFICE OF EXECUTIVE ENGINEER  
Lower Khand, Eastern Yamuna Canal, Shamli

Letter No. 3023/M-2/(Shamli Sugar Mill)/

Dated 9.5.22

Subject :- Regarding Certificate  
Ref :- Your letter No. Zero/ dated 29.4.2022

M/s Sir Shadi Lal Enterprises Ltd Shamli

Regarding the above referred subject cited letter, the desired certificate is as under:-

**CERTIFICATE**

This is certified that there is an Agreement between the Governor of Uttar Pradesh through Executive Engineer, Lower Khand, Eastern Yamuna Canal, Shamli and The Upper Doab Sugar Mills, Shamli which is registered at present as Sir Shadi Lal Enterprises Limited Shamli for discharging the Industrial effluent in the Shamli Drain, with effect from 13.11.1982. This Agreement is in force at present, the Government fees/ charges of the same are paid by the Company.

Sd/-  
Executive Engineer  
Lower Khand, Eastern Yamuna Canal,  
Shamli

148

LD/3/6/83

12.3.83

REGISTERED A.O.

The Executive Engineer  
Lower Division, Eastern Yamuna Canal,  
Muzaffar Nagar.

Sub:- Registration of Agreement and charges for  
discharging Effluents in Shamli drain.


Dear Sir,

We are sending herewith draft agreement for your approval in Duplicate. This is to bring to your kind notice that outfits for collection of Effluents from the State Health Institute Lucknow have not been received by us till now. We are requesting Joint Director State Health Institute Lucknow for sending the same at the earliest, a copy whereof was also addressed to you.

In the mean-time we are enclosing herewith a draft no. 780331 Dated 10.3.83 drawn on State Bank of India Muzaffarnagar for Rs. 4185/- (Rs. Four thousand one hundred & Eighty five only,) being maintenance charges of the drain for one year w.o.f. on 13.11.82.

Please acknowledge receipt.

Thanking you.

Yours faithfully,  
FOR UPPER DOAB SUGAR MILLS, SHAMLI  
  
FACTORY MANAGER

ENCL:AS ABOVE

From  
RECEIVED

19/3/83

3164

To,

149

Executive Engineer,  
Lower Division Eastern Yamuna Canal  
Muzaffarnagar.

The Factory Manager,  
The Upper Doab Sugar Mills Ltd.  
Shamli Distt. Muzaffarnagar.

No. 1415 /

Dated 17.3-1983.

Subject:- Registration of agreement for discharging Effluents  
into Shamli Drain.

Reference:- Your No. LD/316/83 dated 12.3.83

Dear Sir,

The agreement received with your letter under reference is being sent to Zileadar Pulkheri (Shamli) for registration in Tahsil Kairana duly signed. You may kindly depute your representative to go to Tahsil Karina with the Zileadar to get the agreement registered.

Your fathiffully,

(B.S.Saxena)

Executive Engineer,

Dt.

No.

Copy forwarded for information and necessary action to:-

1. Assistant Engineer Ist .
2. Zileadar I along with the agreement with the remark that he may contact the Factory Manager and got the agreement registred in Tahsil Kairana. The agreement duly registred may please be retirened to this office for record.

The agreement sent to him vide this Office No. 2237 dt. 10.5.82 is still awaited after registration and may please be returned that agreement also with out any further delay for record.

(B.S.Saxena)  
Executive Engineer.

150

AN AGREEMENT made this 18/6 day of June 83  
between the Governor of Uttar Pradesh( hereinafter  
called 'the Governor') of the one part and UPPER DOAB  
SUGAR MILLS, SHAMLI, through its Occupier & General  
Manager Sri K.B.Lal ( hereinafter called 'the Company')  
of the other part.

WHEREAS the Company requested the State  
Government to per them to discharge the water of  
effluent of their Sugar Factory & Distillery into the  
Shamli drain of the Lower Division Eastern Yamuna Canal  
(hereinafter called the said drain) and on the terms  
and conditions hereinafter contained. Now these present  
witness as follows:-

1. The Company hereby covenants with the  
Governor as follows:-

(a) That it shall discharge only sullage water  
from the factory unmixed with any sewage free from  
suspended matter into the said drain.

(b) That it shall pass the sullage water from the  
said factory through sedimentation tank, constructed  
according to the design approved by the Irrigation Branch,  
Public Works Department, Uttar Pradesh and shall so  
periodically clean these tanks as to ensure satisfactory  
working.

--contd-.....2.

*[Handwritten signature]*  
18/6/83

*[Handwritten signature]*

151

-: 2 :-

(c) That it shall be bound by the order contained in the Industries Department G.O. No.4156-XVIII-588 dated 20-4-1939, copy annexed hereto, and shall produce when required by the Executive Engineer, Lower Division Eastern Yamuna Canal Muzaffarnagar a Certificate from the Director of Public Health, Uttar Pradesh, to the effect that the effluents have adequately been diluted, deodorised and rendered harmless. For the current season if the effluent discharge into the drain is not of approved quality their company shall stand responsible for the bad quality of the effluents.

(d) That it shall pay a sum of Rs.4185/- (Rs. Four thousand one hundred eighty five only) per annum in the office of the Executive Engineer, Lower Division Eastern Yamuna Canal in advance on April 1 of each year to cover the additional cost of the Department in keeping the drain and its outfall clear of theks, sarwal grass, weeds, etc. That may form due to this discharge running from the factory into the said drain throughout the year and it shall not discharge effluent into the said drain before making this payment nor shall it be entitled to recover any portion out of this sum for any reason, whatsoever. However if the Executive Engineer decides to increase the maintenance charges at any

--contd-----3.

10-5534  
10/6/83

10-5534  
10/6/83

-: 3 :-

time the company agrees to pay the difference.

(e) That it shall deposit a sum of Rs.5000/- in the shape of N.S.Cs. as with the Executive Engineer Lower Division, Eastern Yamuna Canal as security for due fulfilment of these conditions and in case of breach of any other conditions by the Company herein contained, the Executive Engineer, Lower Division Eastern Yamuna Canal, may forfeit it in part or in full and may in addition to this by any order in writing stop the discharge of the effluent into the said drain and thereupon this agreement shall terminate.

(f) That it shall make alternative suitable arrangement for disposing off the effluents for a period of one month beginning from 10th of May every year so that clearance of the drain may be carried out by the Irrigation Branch. On diverting the effluents, it shall inform the Department of so doing on the same day.

2. The parties hereto mutually agree as follows:-

(i) This Agreement takes effect from 13-11-1982 and will remain in force for a period of one year after which it may be renewed if the Company agrees to make payment of such revised sums for clearance as are fixed by the Executive Engineer Lower Division Eastern Yamuna Canal MuzBarnagar, provided that ....4.

*Signature*  
12/6/83  
2




153

either party may by giving one month's notice in writing to the other party terminate this agreement without assigning any reason for such termination.

(11) The Company shall pay all the costs of the execution and registration of this Agreement, if any.

IN WITNESS WHEREOF The Executive Engineer,  
Lower Division Eastern Yamuna Canal, on behalf of  
and acting under the authority of the Governor and  
the Company have affixed signatures on this deed  
on the dates mentioned against the signatures of each  
and the Company has also affixed hereunder its  
Common Seal.

  
EXECUTIVE ENGINEER  
LOWER DIVISION  
EASTERN YAMUNA  
CANAL.

FOR UPPER DOAB SUGAR MILLS SHAMLI

( K.B.LAL )  
OCCUPIER & GENERAL MANAGER.

Date

Date

Witness

Witness

Date

Date

Witness

Witness

Date

Date

154  
Letter No.4156/XVIII-588 dated Lucknow, April 20, 1939 from  
Metta Esq., I.C.S. Secretary to Government United Provinces, to  
Secretary, Indian Sugarmills Association, 135, Canning Street,  
Calcutta.

Industries  
Deptt.

Sir,

With reference to your letter No.G/4/1583 dated July 29, 1938, I am directed to say that canal drains, maintained by the Provincial Government, do not carry impure sullage water. They are meant primarily for carrying surface rain water or ground seepage water with a view to prevent flooding and water-logging. Most of these drains pass close to village abadis and their water which is generally as pure as the water in the canals, is used by the villagers for domestic supply for themselves and for their cattle. Further, during the dry season which coincides with the crushing season, drains are repaired and cleaned and if effluents are allowed to be discharged in large quantities in the drains at that time, it will be difficult to carry out the annual repairs. Small quantities of sullage water flowing through will encourage a heavy growth of weeds, thereby involving heavy expenditure in cleaning the drains. I am to say that for these reasons, the Provincial Government have decided that sugar factories which produce certificates from the Director of Public Health, United Provinces, to the effect that their effluents have been adequately diluted and deodorized and rendered harmless, will be allowed by the local Executive Engineer to discharge their effluents into drain for such period as the standard of purity is maintained, provided that they pay the Executive Engineer concerned annually in advance a sum calculated to meet the increased cost of upkeep of the drain, which, in the absence of experience in each case, will be calculated at Rs.40/- per mile per annum until the Executive Engineer secures evidence that some other rate is desirable.

.....

FOR UPPER DOAB SUGAR MILLS SHAMLI

Executive Engineer,  
Lower Division,  
Eastern Yamuna Canal.

( K.B. LAL )  
OCCUPIER & GENERAL MANAGER.

Slamp of 1/3 302/50

155

AN AGREEMENT made this.....29<sup>th</sup>.....day of.....Oct-1984  
between the Governor of Uttar Pradesh (hereinafter called  
'the Governor') of the one part and ~~the~~ UPPER DOAB  
SUGAR MILLS ~~LIMITED~~, SHAMLI, through its Occupier &  
General Manager Sri K.B.Lal (hereinafter called 'the  
Company') of the other part.

WHEREAS the Company requested the State  
Government to permit them to discharge the water of  
Effluent of their Sugar Factory & Distillery into the  
Shamli drain of the Lower Division Eastern Yamuna Canal  
(hereinafter called the said drain) and on the terms and  
conditions hereinafter contained, Now these present  
witness as follows:-

1. The Company hereby covenant with the  
Governor as follows:-

(a) That it shall discharge only sullage water  
from the factory unmixed with any sewage free from  
suspended matter into the said drain.

(b) That it shall pass the sullage water from the  
said factory through sedimentation tank, constructed  
according to the design approved by the Irrigation Branch,  
public Works Department., Uttar Pradesh and shall so  
periodically clean these tanks as to ensure satisfactory  
working.


-contd-.....2

Approved by

for Govt

(C) That it shall be bound by the order contained in the Industries Department G.O.No. 4156-XVIII-588 dated 20-4-1939, copy annexed hereto, and shall produce when required by the Executive Engineer, Lower Division Eastern Yamuna Canal Muzaffarnagar, a Certificate from the Director of Public Health, Uttar Pradesh, to the effect that the effluents have adequately been diluted, deodorised and rendered harmless. For the current season if the effluent discharge into the drain is not approved quality their Company shall stand responsible for the bad quality of the effluents.

(D) That it shall pay a sum of Rs.4185/- (Rs. four thousand one hundred eighty five only) per annum in the office of the Executive Engineer, Lower Division Eastern Yamuna Canal in advance on April 1 of each year to cover the additional cost of the Department in keeping the drain and its outfall clear of theks, sarual grass, weeds etc. That may form due to this discharge running from the Factory into the said drain throughout the year and it shall not discharge effluent into the said drain before making this payment nor shall it be entitled to recover any portion<sup>out</sup> of this sum for any reason whatsoever. However if the Executive Engineer decides to increase the maintenance charges at any time the Company agrees to pay the difference.

  
उत्तर प्रदेश सरकार  
औद्योगिक विभाग  
मुजफ्फरनगर  
15/6

contd/-.....3/-

(E) That it shall deposit a sum of Rs.5000/- in the shape of N.S.Cs. as with the Executive Engineer Lower Division, Eastern Yamuna Canal security for due fulfilment of these conditions and in case of breach of any other conditions by the Company herein contained, the Executive Engineer, Lower Division Eastern Yamuna Canal, may forfeit it in part or in full and may in addition to this by any order in writing stop the discharge of the effluent into the said drain and thereupon this agreement shall terminate.

(F) That it shall make alternative suitable arrangement for disposing off the effluents for a period of one month beginning from 10th of May every year so that clearance of the drain may be carried out by the Irrigation Branch. On diverting the effluents, it shall inform the Department of so doing on the same day.

2. The parties hereto mutually agree as follows:-

(1) This Agreement takes effect from <sup>13-11-23</sup> ~~13-11-23~~ and will remain in force for a period of <sup>three</sup> ~~three~~ years after which it may be renewed if the Company agrees to make payment of such revised sums for clearance as are fixed by the Executive Engineer Lower Division Eastern Yamuna Canal Muzaffarnagar, provided that either party may by giving one month's notice in writing to the other party terminate this agreement without assigning any reason for such termination.

contd.....4 /-

*[Handwritten signatures and stamps]*

158

- 4 -

(11) The Company shall pay all the costs of the execution and registration of this Agreement, if any.

IN WITNESS WHEREOF The Executive Engineer, Lower Division Eastern Yamuna Canal, on behalf of and acting under the authority of the Governor and the Company have affixed signatures on this deed on the dates mentioned against the signature of each and the Company has also affixed hereunder its Common Seal.

EXECUTIVE ENGINEER  
LOWER DIVISION  
EASTERN YAMUNA  
CANAL.

अधिराज अमिता  
मोहन लाल गुप्त  
अधिराज अमिता  
15/7

Date

Witness

Date

Witness

Date

FOR THE UPPER DOAB SUGAR MILLS  
LTD: SHAMLI

Sd. K. B. Lal

( K.B.LAL )  
OCCUPIER & GENERAL MANAGER.

Date

Witness H. C. Lal

Date

Witness J. P. Rawat

Date

J. P. Rawat



159


Copy of letter No.4156/XVIII-588 dated Lucknow, April 20, 1939 from N.C.Mehta Esq., I.C.S. Secretary to Government United Province, to the Secretary, Indian Sugarmills Association, 135, Canning Street, Calcutta.

Industries  
Deptt.

Sir,

With reference to your letter No.G/4/1583 dated July 29, 1938, I am directed to say that canal drains, maintained by the Provincial government, do not carry impure sullage water. They are meant primarily for carrying surface rain water or ground seepage water with a view to prevent flooding and water-logging. Most of these drains pass close to village abadis and their water which is generally as pure as the water in the canals, is used by the villagers for domestic supply for themselves and for their cattles. Further, during the dry season which coincides with the crushing season, drains are repaired and cleaned and if effluents are allowed to be discharged in large quantities in the drains at that time, it will be difficult to carry out the annual repairs. ~~Small~~ quantities of sullage water flowing through will encourage a heavy growth of weeds, thereby involving heavy expenditure in cleaning the drains. I am to say that for these reasons, the Provincial Government have decided that sugar factories which produce certificates from the Director of Public Health, United Provinces, to the effect that their effluents have been adequately diluted and deodorized and rendered harmless, will be allowed by the local Executive Engineer to discharge their effluents into drain for such period as the standards of purity is maintained, provided that they pay the Executive Engineer concerned annually in advance a sum calculated to meet the increased cost of upkeep of the drain, which in the absence of experience in each case, will be calculated at Rs.40/- per mile per annum until the Executive Engineer secures evidence that some other rate is desirable.

For The Upper Doab Sugar Mills Ltd.,

  
Executive Engineer,  
Lower Division,  
Eastern Yamuna Canal.

( K.B.Lal )  
Officiating & General  
Manager.




सत्यमेव जयते

INDIA NON JUDICIAL


Government of Uttar Pradesh

160

e-Stamp



Certificate No.	: IN-UP79366690224296U
Certificate Issued Date	: 30-Apr-2022 02:11 PM
Account Reference	: NEWIMPACC (SV)/ up14137904/ MUZAFFARNAGAR/ UP-MJF
Unique Doc. Reference	: SUBIN-UPUP1413790449979694921901U
Purchased by	: SIR SHADI LAL ENTERPRISES LTD SHAMLI B DAHUJA
Description of Document	: Article 24 Copy or Extract
Property Description	: Not Applicable
Consideration Price (Rs.)	:
First Party	: SIR SHADI LAL ENTERPRISES LTD SHAMLI B DAHUJA
Second Party	: Not Applicable
Stamp Duty Paid By	: SIR SHADI LAL ENTERPRISES LTD SHAMLI B DAHUJA
Stamp Duty Amount(Rs.)	: 10 (Ten only)



Please write or type below this line

1899  
2022

(उपदेश शर्मा)

प्रभारी रिकार्ड कीया

संयोजक अभिलेखागार निबंधन

मुद्रांकन (30 प्र0)

**Statutory Alert:**

1. The authenticity of this Stamp certificate should be verified at [www.e-stamp.com](http://www.e-stamp.com) or using e-Stamp Mobile App of Stock Holding
2. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid
3. The onus of checking the legitimacy is on the users of the certificate
4. In case of any discrepancy please inform the Competent Authority

SIR SHADI LAL ENTERPRISES LTD SHAMLI B DAHUJA SIR SHADI LAL ENTERPRISES LTD SHAMLI B DAHUJA SIR SHADI LAL ENTERPRISES LTD SHAMLI B DAHUJA SIR SHADI LAL ENTERPRISES LTD SHAMLI B DAHUJA

मोका और ध्योरा उरें मायदाव का जिसका वर्णन दस्तावेज में है (ऐक्ट १६ वागन् सन् १९०८ ई० की बका २१)

जिले का नाम	तहसील और परगने का नाम	गांव का नाम	जिस मायदाव के दूसरे ओर ऐक्ट १६ वागन् सन् १९०८ ई० के अनुसार और तारीख तकमीश	मायले की किस्म और मालियत	रक
अमृतसर	अमृतसर	अमृतसर	माना drain १०/१०	१०/१० २-६/१० १५००/१०	१५००

दस्तावेज की नकल


1415-a

An agreement made this 22nd day of April 88 between the Governor of Uttar Pradesh (hereinafter called "the Governor") of the one part and Sir Shadi Lal Enterprises Ltd. should through its senior executive director Shri K. B. Lal (hereinafter called "the company") of the other part. Where as the company requested the state Government to permit them to discharge the water of effluent of their sugar factory into the shawli drain of the Lower Division eastern Yamuna canal (hereinafter called the said drain) and on the terms and conditions hereinafter contained, Now these present witness as follows. 1 The company hereby covenant with the Governor as follows: (a) That it shall discharge only sullage water from the factory mixed with any sewage free from suspended matter into the said drain (b) That it shall pass the sullage water from the said factory through sedimentation tank, constructed according to the design approved by the irrigation Branch Public works department Uttar Pradesh and shall so periodically clean these tanks as to ensure satisfactory working. (c) That it shall be bound by the order contained in the industries department G.O. No. 4156-XVIII-588 dated 20-4-1939, copy annexed hereto and shall produce when required by the executive engineer Lower Division eastern Yamuna canal, Meerut, a certificate from the Director of Public Health, Uttar Pradesh, to the effect that the effluents have adequately been diluted, deodorised and rendered harmless. If the effluent discharged into the drain is not of approved quality their company shall stand responsible for the bad quality of the effluents (d) That it shall pay a sum of Rs 15000 (Rupees fifteen thousand only) per annum in the office of the executive engineer, Lower Division eastern Yamuna canal total Rs 30000 (Rupees thirty thousand only) for two years to cover the additional cost of the department in keeping the drain and its outfall clear of thicks, sarwal grass, weeds etc. that may form due to this discharge running from the factory into the said drain throughout the year and it shall not discharge effluent into the said drain before making this payment nor shall it be entitled to recover any portion out of this sum for any reason, whatsoever. However if the executive engineer decides to increase the maintenance charges at any time the company agree to pay the difference. (e) That a sum of Rs 5000 in the shape of N.S.C. is already deposited with the executive engineer, Lower Division eastern Yamuna Canal as security for due fulfilment of these conditions and in case of breach of any other conditions by the company herein contained, the executive Engineer

सी. एन. नं. १०५ निरूपण-४-४-१-२३,२०० (माय) ।

(उपदेश शर्मा)

प्रभारी रिकार्ड कोपर



51

का नाम	पदस्थित की पदस्थित का नाम	पद का नाम	सब लागू के हरे हरे 16 नवंबर 1908 ई० की बचा 21 के अनुसार और जारी करनी	नाम के किन्हीं को मालिक	स्टाम्प के मालिक

[illegible]

प्रभारी रिक्काई कीपर  
मन्त्रीय अभिलेखागार निवर्तमान  
मुद्रणमन्त्रालय (30 प्र०)

मोका और ज्योरा उस आपवाह का जिसका अर्थन दस्तखेन में है (एक ११ काबत् १६०० ई० की कमा २१)

163

<p>मोका और ग्योरा उस जायदाद का जिसका वर्णन दस्तावेज में है (ऐक 16 बाबत सन् 1903 ई० की कफा 21)</p>			
<p>बिन्दे का नाम</p>	<p>तहसील और परगने का नाम</p>	<p>गाँव का नाम</p>	<p>उस जायदाद के दूतरे और ऐक 16 बाबत सन् 1903 ई० की कफा 21 के अनुसार और तारीख तकमीज</p>

### इस्तेमाल की जाय

[illegible]

6/25/2014

1945

*[Signature]*


॥ श्री गणेशाय ॥

~~SECRET~~ ~~SECRET~~


(उपदेश शर्मा)

प्रभारी रिकार्ड कीपर  
केन्द्रीय अभिलेखागार निदेश  
मुद्रांकन नगर (20 प्र०)

1999  
2022



164



Please print name and type below this line

(उपदेश शर्मा)

प्रभारी रिकार्ड कीपर

केन्द्रीय अभिलेखागार निबन्धन

मुजफ्फरनगर (30 प्र०)

2-5-22

**Statutory Alert:**

1. The authenticity of this Stamp certificate should be verified at 'www.shikhestamp.com' or using e-Stamp Mobile App of Stock Holding Corporation of India. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the genuineness is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

[illegible]



29

3264

D. 615786-5

इन्द्राक्ष की अकाल

[illegible]

प्रधारी रिकार्ड का  
केन्द्रीय अधिलेखागार निबंधन

तय आभलडा  
महाराष्ट्र (३० प्र०)

वस्तुविषय की नकल

पी० (स० य० पी०-००१ आई० आ० आर०-१६१३ राजस्वदान कार्य नं० १-य-२,००० किलावे (अर्ध) भाग

मज्झिमनिकाय (२० सू०)

167

31

वही नम्बर १—दस्तावेज का सिलसिले का नम्बर 3264 जादे

यहाँ पर ध्यान दें: इस दस्तावेज में है (एक्ट १९ वाकन सन १९०० ई० की क ३१)			
सिले का को	नदी का नाम	गाँव का नाम	उस जगह के बूझने केबट १६ वाकन सन १९०० ई० की क ३१ की धनदार और नदीय नकसील

दस्तावेज का नकल

the department of so doing on the same day. 2. The parties here to mutually agree as follows: (i) This Agreement takes effect from 13-11-1934, and will remain in force for a period of two years after which it may be renewed if the company agrees to make payment of such revised sums for clearance as are fixed by the Executive Engineer, Lower Division Eastern Yamuna Canal, Mussaffur nagar, provided that either party may be giving one month's notice in writing to the other party terminate this agreement without assigning any reason for such termination. (ii) The company shall pay all the costs of the execution and registration of this Agreement, if any.

IN WITNESS WHEREOF the Executive Engineer, Lower Division Eastern Yamuna Canal, on behalf of and acting under the authority of the Governor and the company have affixed signatures on this deed on the dates mentioned against the signature of each and the company has also affixed here under its common seal. FOR SIRSHADILAL ENTERPRISES LTD. SHAMLI ssk B. dal (K.B. dal) SENIOR EXECUTIVE DIRECTOR. ss. V.K. Bansal (सील) अदि शासी  
अभिपन्ना लेखक-३ पूर्व प्रमुना नर मुजफ्फर नगर EXECUTIVE ENGINEER LOWER DIVISION EASTERN YAMUNA CANAL

Date \_\_\_\_\_ date \_\_\_\_\_  
Witness गजपाल शर्मा वी० आहाराम लेलेदा उपम Witness S.P. Duly (Dhimpurasad Duly s/o lat. P.T. R.K. Duly Factory Manager)  
Date पुल लेडी शामली Date \_\_\_\_\_  
Witness \_\_\_\_\_ Witness Hori Choudh. Mittal s/o Kesho Ram Sugar Mills Chamli.  
Date \_\_\_\_\_ date \_\_\_\_\_

Note: on page 6th there is a cutting in the name of company. Copy of letter No 4156/XVIII-588 dated Lucknow, April 20, 1939 from N. C. Mehra Esq. I. C. S.

वी० वी० नु० वी०—११ भाई नो० अर०—(वि०, निजि०) कार्य न० १—१००० (कता०) (वि० न०) १/५२

(उपदेश शर्मा)

प्रभारी रिकार्ड कीप

कन्द्रीय अभिलेखागार निबंधन

मुजफ्फरनगर (उ० प्र०)

दशकुलकेसरी श्री नरकेश

१००५००-०५ अई. त. १००५०० १३३ (न-दुताम फार्म नं० १-४-२०००) दिनांक १०/११/२०००

दस्तावेज (30 ५३)

