

**Government of Jammu and Kashmir**  
**Housing and Urban Development Department**  
*Civil Secretariat, Jammu/Srinagar*  
\*\*\*\*\*

The Registrar Judicial,  
National Green Tribunal,  
New Delhi.

No. HUD/LITONGT/02/2022-162456


Dated- 23.01.2023

**Subject:-O.A No. 338/2021 titled Himanshu Sharma V/s Union  
Territory of J&K.**

Sir,

I am directed to enclose herewith Compliance report duly signed by the Principal Secretary to Government, Housing & Urban Development Department, UT of J&K on afore-tiled subject matter, in compliance to the directions of Hon'ble National Green Tribunal, direction dated 30.08.2022.

Yours faithfully,



**Senior Law Officer,  
Housing & Urban Dev. Department**

Encl:-12 page Compliance report  
+ Annexures R1 to R4

**BEFORE THE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH NEW DELHI**

Original Application No. 338/2021

Himanshu Sharma

Applicant

Versus

Union territory of J&K

Respondent

**In the matter of**

Compliance report, in terms of order dated 30.08.2022, on behalf of  
Housing and Urban Development Department, J&K.

**May it please your Honour**

The Answering respondent respectfully submits as under:-

1. That the Hon'ble NGT (Principal Bench, New Delhi) in OA No. 338/2021, while disposing of the petition on 30.08.2022 passed the directions with respect to prevention of pollution of Banganga River at Katra. The operative part of directions is as under:-

*"5. We are of the view that matter needs to be continuously monitored by the Committee already constituted headed by the Secretary, Housing and Urban Development Department. We note that notice has been issued to the*

*violating hotels but effective compliance has not been so far ensured. Similarly, stringent action is required for compliance by the scrap dealers.*

*6. Let further action be taken on continuous basis in a mission mode which may be monitored atleast once in a month by the Secretary, Housing and Urban Development Department with the assistance of other members of the Committee constituted by this Tribunal and proceedings placed on the website of State PCB.*


*7. If any grievance survives, it will be open to the aggrieved parties to take remedies in accordance with law.*

*8. A report of compliance status as on 31.12.2022 may be filed with the Registrar General of this Tribunal by 23.01.2023 by e-mail at [judicialngt@gov.in](mailto:judicialngt@gov.in) preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF. If found necessary, the R.G. may place the matter before the Bench for further direction.*

*Subject to the above, the application stands disposed of.*

*A copy of this order be forwarded to the Secretary, Housing and Urban Development Department, J&K by e-mail for compliance."*

2. That in compliance to the direction of Hon'ble NGT, meetings of Joint Committee was convened by the Principal Secretary to Govt. HUDD on 21.09.2022 , 21.10.2022, 22.11.2022 and 16.01.2023, apart from this follow up with the implementing agencies and further steps taken to prevent pollution of River

  
Principal Secretary to Government  
Housing & Urban Dev. Department  
J&K Government

Banganga Katra. The updated status from Executive Officer, Municipal Committee Katra, Chief Executive Officer SMVDSB, Katra, Chief Engineer UEED, J&K Pollution Control Committee and SDM Katra was obtained in this regard. **The Copies of the same are enclosed herewith as Annexure R-1, R-2, R-3, R-4 & R-5 respectively.**

3. That the point wise reply to the key activities observed by the Hon'ble NGT in para 4, of the Order is submitted hereunder:-

4. That in Para 4(i), the Hon'ble NGT has directed that "Execution of comprehensive plan already prepared for solid waste management for Katra Town at a cost of Rs. 8.49 crore which includes collection and transportation of waste and setting up of material recovery facility at village Kundrorian, Tantalab, Katra. The total waste generation in Katra Town being 38 TPD (19 TPD dry waste and 19 TPD wet waste), the processing facility needs to be so designed as to process 19 TPD of wet waste as well as 19 TPD of dry waste."

In this regard, it is respectfully submitted that the waste processing facilities are being designed to cater to the collection & transportation of waste of 38 TPD (19 TPD dry waste and 19 TPD wet waste) and its scientific disposal at Tan Talab. The Collection & Transportation of the waste is being done departmentally by Katra Municipal Committee by 5 number of vehicles (01 Mahindra 407 vehicle with dry and wet waste partition, 3 TATA Yodha


  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government



vehicle and 1 tractor trolley). In addition to this, 3 No. of Vehicles (Two 30 HP door to door vehicle with dry and wet partition and one e-rickshaw for door to door collection in narrow lanes and one 30 HP vehicle, 1 Jeep mounted vehicle and 1 compactor under the Comprehensive SWM Plan are also operational, each vehicle has dedicated route and timing assigned moreover each vehicle is fitted with loudspeaker, GPS etc. The manpower/vehicles are being utilized efficiently for collection and transportation of the waste generated.

Katra Municipal Committee is segregating and disposing off Municipal Waste in a scientific manner and has imposed ban on burning of the Solid Waste including polythene and protection of the environment. The dry waste is being segregated into different types of plastics, bailed in Bailer machine and scientifically disposed of by Indian Pollution Control Agency, New Delhi (IPCA) through collection of plastic waste and channelizing that waste to energy plant or to respective recycling units. At present, Municipal Committee Katra is segregating 200 Kg of dry waste from the Municipal waste per day which is going to increase in coming weeks to make Katra a 100% plastic free city.


The Municipal Committee Katra has made Phase Wise Waste Processing/Management Plan for Katra. In the first Phase, MRF facility at Tan Talab site (5000 Sqft), is under construction which will cater around 5-8 TPD, dry waste and is targeted to be made operational by 31<sup>st</sup> March 2023. MRF centre at KDA Land is under operation, where segregation work is going on and approx. 200 KG-

  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government

300 KG recyclables are being segregated and baled. The said Plant will cater to maximum about 1-2 MT of Dry Waste on daily basis at full operational level. For processing of wet waste 29 Compost pits are under construction at Tan Talab, which will cater to 1.5 MT of 2 MT of waste for composting on daily basis. Tendering for 21 (out of 29) Compost Pits is under process and the Compost Pits will be made operational by 31<sup>st</sup> March 2023.

In the Second Phase, an integrated Solid Waste Management facility is proposed to be set up at Tan Talab, by making a space for 260 more compost pits and establishment of 2 Nos of MRF centers of 5000 Sq ft. which will handle all the dry waste. Estimation of covered drain at Tan Talabis also under process to provide pathway for MRF center and passage for sewage water. The DPRs for construction are at advance stage of preparation & shall be completed by ending February, 2023. The R&B Department is the executing Agency, as per the timelines given R&B Department, the process shall take about 06 Months to complete.

5. That in Para 4(ii), the Hon'ble NGT has directed that "Setting up of alternative disposal facility and landfill site identified at Village Mand, District Udhampur to stop disposal of mixed waste at Tantalab has to be properly set up for processing the waste of Katra, the Shrine Board and other nearby areas without converting such site as legacy waste dump site."

  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government

In this regard, it is respectfully submitted that the Municipal Committee tried to dump the fresh waste of Udampur at Village Mand site but could not do so due to law and order issues. The said site is allotted and planned for Development of Scientific landfill which will only cater the reject waste ( i.e. 20% of total waste) from 6 ULBs. Currently fresh waste is being dumped at earmarked location in Tan Talab site in Katra due to non availability of other dumping site in vicinity. The land at Tan Talab is sufficient for development of an integrated Solid Waste Management Facility of 40 TPD capacity which is targeted to be covered in the Phase 2 of the waste management plan of Municipal Committee, Katra.

6. That in para 4(iii) the Hon'ble NGT has directed that "Remediation of legacy waste remains pending as the proposal involves cost of Rs. 485 lakhs under SBM. Tender proposes to take up remediation of only 65000 MT in the first phase, against the total legacy waste of 101757 cubic meters. The time taken for remediation of legacy waste is reported to be June 2023. This needs to be preponed in view of statutory timelines, binding orders and continuing adverse impact on environment and public health."

In this regard, it is respectfully submitted that in compliance to Hon'ble NGT directions timelines to complete the first phase of bio-remediation of 65000 MT of legacy waste has been pre-poned from 30.06.2023 to 31.03.2023 and the work is going on in full swing. In the second phase, RFP prepared and will be finalized and floated by February 2023, Preparatory activities i.e. Contour

  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government



Survey for estimation of pending waste is under process and bio-remediation of all the legacy waste is targeted to be completed by February, 2024.

7. That in para 4(iv), the Hon'ble Tribunal has directed that "Monitoring of removal of left over waste. It is stated that SMVDSB has removed 357.70 MT of garbage and 76.56 MT of garbage on trial basis. Remaining waste from bank of river Ban Ganga is to be removed."

In this regard, it is respectfully submitted that legacy waste dumped on the banks of Banganga rivulet has been removed completely and site is totally clean. The Shrine Board has removed about 1500 MTs of Waste dumped on the banks of River Banganga through 02 leading firms i.e. M/s Indian Pollution Control Association (IPCA) and M/s Nepra Resource Management Pvt. Ltd. **Photographs attached as Annexure R-6.**

8. That in para 4(v), the Hon'ble Tribunal has directed that "Further action on proposed DPR at a cost of Rs. 95.69 lakhs to set up two STPs having capacity of 1.2 MLD and 4.50 MLD to treat the entire sewage generated from the area of Katra and SMVDSB. It is stated that it has been submitted to NRCD for approval/financial concurrence and for sanction of MoJS. KMC and SMVDSB need to undertake execution without further delay as their responsibility does not end by just submitting proposals. They have to ensure that no waste water from the urinals/ septic tanks or from piggery/pony sheds goes into River Ban Ganga."



ORIGINAL

In this regard, it is respectfully submitted that the project is at an advanced stage of approval in the Ministry of Jal Shakti, Government of India, for consideration of funding under National River Conservation Plan (NRCP) is being pursued by the Department rigorously. Pending approval by MoJS, the Department and SMVDSB has taken interim measures i.e. engagement of PMC and acquisition of land for STPs/ IPS's, the scheme was included in Capex Budget of 2022-23 with an outlay of Rs 9.659 Cr. under Sewerage Sector. The Tenders for engagement of Project Management Consultants stand received. MoU for use of SMVDSB land for construction of 1.2 MLD STP stands signed. The land parcel of 12 kanals belonging to Katra Development Authority for the construction of 4.5 MLD STP has been identified and is available.

To ensure cleanliness of river Banganga, the Shrine Board has taken steps for channelizing rain water through drains constructed alongside the road, so that no rain water enters Chetak Bhawan through drains. Manpower deployment has been enhanced to ensure waste generated inside Chetak Bhawan is cleaned immediately.

Shrine Board conducted a survey from Gulshan Langer to Bathing Ghat 03 near Geeta Mandir and 900 mtrs stretch has been identified on tract along the rivulet which carries all the discharged waste coming out from the establishments in the Banganga area which enters the Banganga rivulet. The maximum discharge (60%)

  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government

of the contaminated water was entering in the stretch of 100 mtrs i.e RD0/500 to toilet Block of Bathing Ghat No. 1 .

In order to ensure cleanliness of River Banganga, the Shrine Board, in the first phase, has constructed a box culvert covering a total stretch of 100 mtrs connecting three Nallas and 06 drains, having maximum discharge capacity of 35 lac liters of water per day has been constructed at an estimated cost of Rs. 27.17 lacs approximately. As a result, there has been substantial cleanliness in the bathing ghat area at Banganga.

In the second phase, the work for construction of box Culvert covering a stretch of 250 mtrs i.e. bathing ghat no. 1 to Banganga Bridge, near Gulshan Langar having estimated cost of 101 lac approximately has been allotted and the work is under construction, which shall be connected with 02 toilet blocks. The maximum discharge capacity of the culvert shall be 55 lac liter of water per day and the work shall be completed by end of February 2023. Further a 550 mtrs. PCC open drain from RD 0/500 to RD 1/025 along the Banganga rivulets is being constructed at an estimated cost of 60 lac approximately which shall be connected with 06 drains having maximum discharge capacity of 08 lac liter of water per day. The work shall be completed by end of March, 2023.

As a result a dedicated 900 mtrs sewage network shall be constructed on the banks of Banganga Rivulet for channelizing 5.5 MLD waste water discharge per day from more than 500 private establishments situated along the track for subsequent treatment by STPs to be established by UEED.

  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government

9. That in para 4(vi), the Hon'ble Tribunal has directed that "Upgrading water quality. Data for the years 2019, 2020, 2021 and 2022 for river Ban Ganga at two locations shows that during 2019 and 2020 BOD has been crossing the value of 3.06 mg/l reaching upto 5.8 mg/l. The data for coliform also indicate that the water quality is not meeting the tolerance limits. This needs to be remedied."

In this regard, it is submitted that Water Quality of river Banganga Katra is being monitored by the J&K Pollution Control Committee on regular basis and the report for the year 2022 indicates that the water quality BOD is 1.7 mg/l at the Bathing Ghat, Katra and 2.1 mg/l below Reasi Bridge. The Shrine Board, JKPCC and Municipal Committee, Katra have taken substantive steps stop the discharge of untreated sewage into the river Banganga to improve its water quality. All the 4 Scrap Dealers have been closed down. 01 piggery unit established on the bank of Banganga after serving legal notice by JKPCC has adopted some remedial measures. Closure against 10 Hotels has been recommended and Environmental Compensation against 6 has been levied by JKPCC. A copy of the report with respect to water quality for the year 2021 is annexed herewith as **Annexure R-7**.

10. That in Para 5, the Hon'ble NGT has directed that "We are of the view that matter needs to be continuously monitored by the Committee already constituted headed by the Secretary, Housing and Urban Development Department. We note that notice has been

  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government



issued to the violating hotels but effective compliance has not been so far ensured. Similarly, stringent action is required for compliance by the scrap dealers.

In this regard it is submitted that the Committee headed by Principal Secretary to Government, H&UDD is continuously monitoring the execution of various works undertaken by the executing agencies.

So far as the cognizance against the violating hotels and scrap dealers is concerned, the same has been taken by the J&K Pollution Control Committee has categorized 2 hotels under red category and both have obtained consent from this committee and 90 hotels under orange category have obtained mandatory consent from the J&K PC and 14 hotels have complied with the directions of J&K PCC and installed required STPs in their respective hotels, besides closure proceedings are under process in case of 10 non-complying hotels. Furthermore, 06 cases of previously non-complying hotels, which have now fulfilled the deficiencies, have been recommended for levying of Environment compensations. Under Green Category 80 hotels have valid obtained consent and 11 hotels have replied to the legal notices and sought time period of 06 months for installation of required septic tanks. Out of 16 Bulk Waste Generating Hotels, 10 have installed Organic Waste Converters. 01 piggery unit established on the bank of Ban Ganga after serving legal notice has adopted some remedial measures.


SDM Katra, in pursuance to Closure orders issued by the J&K PCC in case of 04 scrap dealers, which were found operating

  
Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government



in violation of provisions of SWM Rules, 2016 has closed down these 04 Scrap dealers.

11. Hence the Compliance Report with respect to the Status on Subject as on 31.12.2022, in pursuance to Order dated 30.08.2022 is submitted.



**(Dheeraj Gupta)**

Principal Secretary to Government,  
Housing & Urban Development Department.

Email [slohudd@gmail.com](mailto:slohudd@gmail.com)

Principal Secretary to Govt.  
Housing & Urban Dev. Department  
J&K Government

Place: Jammu  
Dated: 23.01.2023

**Union Territory of Jammu & Kashmir**  
**OFFICE OF THE**  
**MUNICIPAL COMMITTEE KATRA**  
**Email- eokatra-jk@nic.in**

**Principal Secretary to Government**  
**Housing and Urban Development Department**

**Subject**-Original Application No. 338/2021 titled Himanshu Sharma Vs  
Union Territory of J&K

**Reference no. HUD/Lit0NGT/2/2022(E-162456) dated 04.01.2023**

Sir,

Apropos to the subject cited above, kindly find enclosed action taken report on the  
aforementioned subject for your kind reference and necessary perusal please.

No. - MC/K/2022-23/2401-03

Date:- 23.01.2023

  
**Executive Officer**  
**Municipal Committee**  
**Katra**

**Copy to-**

1. Director, Urban Local Bodies for kind information please
2. Senior Law Officer, Directorate of Urban Local Bodies, Jammu for kind information  
please
3. Office file

no	Components	Action taken Report
	<p>Execution of comprehensive plan already prepared for Solid Waste Management for Katra town at a cost of Rs. 8.49 Crore which includes collection and transportation of waste and setting up of material facility at village Kundorian ,Tantalab , Katra. The total waste generation in Katra town being 38tpd (19tpd dry waste and 19 TPD wet waste),the processing facility needs to be so designed as to process 19 TPD of wet waste as well as 19 TPD of dry waste</p>	<p>That the total waste generation in Katra town is 38 TPD (19 TPD dry waste and 19 TPD wet waste).</p> <p><b><u>Collection</u></b></p> <p>The Collection &amp; Transportation of the waste is being done departmentally by Katra Municipal Committee by 5 number of vehicles (01 Mahindra 407 vehicle with dry and wet waste partition, 3 TATA Yodha vehicle and 1 tractor trolly). In addition to this, 3 No. of Vehicles (Two 30 HP door to door vehicle with dry and wet partition and one e-rikshaw for door to door collection in narrow lanes and one 30 HP vehicle , 1 Jeep mounted vehicle and 1 compactor under the Comprehensive SWM Plan are also operational, each vehicle has dedicated route and timing assigned, moreover, each vehicle is fitted with loudspeaker, GPS etc.</p> <p><b><u>Disposal</u></b></p> <p>Katra Municipal Committee is segregating and disposing off Municipal Waste in a scientific manner in order to implement directions issued</p>

by Hon'ble National Green Tribunal to ensure ban on burning of the Solid Waste including polythene and protection of the environment. The dry waste is being segregated into different types of plastics, bailed in Bailer machine and scientifically disposed of by Indian Pollution Control Agency, New Delhi (IPCA) through collection of plastic waste and channelizing that waste to energy plant or to respective recycling units. At present, Municipal Committee Katra is segregating 200 Kg of dry waste from the Municipal waste per day which is going to increase in coming weeks to make it 100% plastic free city.

The Municipal Committee Katra has made Phase Wise Waste Processing/Management Plan for Katra.

In the first Phase, MRF facility at existing site of Tan Talab (5000 Sq ft), is under construction which will cater around 5-8 TPD, dry waste and is targeted to be made operational by 31<sup>st</sup>





March 2023. MRF centre at KDA Land is under operation, where segregation work is going on and approx. 200 KG-300 KG recyclables are being segregated and baled. The said Plant will cater to maximum about 1-2 MT of Dry Waste on daily basis at full operational level. For processing of wet waste 29 Compost pits are under construction at Tan Talab, which will cater to 1.5 MT of 2 MT of waste for composting on daily basis. Tendering for 21 (out of 29) Compost Pits is under process and the Compost Pits will be made operational by 31<sup>st</sup> March 2023.

In the Second Phase, an integrated Solid Waste Management facility is proposed to be set up at Tan Talab, by making a space for 260 more compost pits and establishment of 2 Nos of MRF centres of 5000 Sq ft. which will handle all the dry waste. Estimation of covered drain is also under process to provide pathway for MRF center and passage for sewage water. The DPRs



		<p>for construction are at advance stage of preparation &amp; shall be completed by ending February, 2023. The PWD(R&amp;B) Department is the executing Agency, as per the timelines given by the executing Department, the process shall take about 06 Months to complete.</p>
ii)	<p>Setting up of alternative disposal facility and landfill site identified at village Mand, district Udhampur to stop disposal of mixed waste at Tan talab has to be properly set up for processing the waste of katra , the shrine board and other nearby areas without converting such site as legacy waste dump site.</p>	<p>In this regard, it is respectfully submitted that the Municipal Committee tried to dump the fresh waste of Udhampur at Village Mand site but could not do so due to law and order issues. The said site is allotted and planned for Development of Scientific landfill which will only cater the reject waste ( i.e. 20% of total waste) from 6 ULBs. Currently fresh waste is being dumped at earmarked location in Tan Talab site in Katra due to non availability of other dumping site in vicinity. The land at Tan Talab is sufficient for development of an integrated Solid Waste Management Facility of 40 TPD capacity which is targeted to be</p>




		covered in the Phase 2 of the waste management plan of Municipal Committee, Katra.
iii)	Remediation of legacy waste remains pending as the proposal involves cost of Rs. 485 lakhs under SBM. tender proposed to take up remediation of only 65000 mt in the first phase, against the total legacy waste of 101757 cubic meters. The time taken for remediation of legacy waste is reported to be June 2023.This needs to be preponed in view of statutory timelines, binding orders and continuing adverse impact on environment and public health	<p>In this regard, it is respectfully submitted that timelines to complete the first phase of bio-remediation of 65000 MT of legacy waste has been preponed from 30.06.2023 to 31.03.2023, in compliance to Hon'ble NGT directions and the work is in full swing.</p> <p>In the second phase, ,RFP has been prepared and will be finalized and floated by February 2023, Preparatory activities i.e. Contour Survey for estimation of pending waste is under process and bioremediation of all the</p>





		legacy waste shall be completed by February, 2024
iv)	Monitoring of removal of left over waste. It is stated that SMVDSB has removed 357.70 mt of garbage and 76.56 mt of garbage on trial basis .remaining waste from bank of River Ban Ganga is to be removed.	Pertains to SMVDSB
v)	Further action on proposed DPR at the cost of Rs 95.69 lakhs to set up two steps having capacity of 1.2 Mld And 4.50 Mld to treat the entire sewage generated from the area of katra and SMVDSB.It is stated that it has been submitted to NRCD for approval/financial concurrence and for sanction of mojs.kmc and SMVDSB need to undertake execution without further delay as their responsibility does not end by just submitting proposals. They have to ensure that no waste water from the urinals/septic tanks or from piggery /pony sheds goes into River Ban Ganga	Pertains to CE, UEED
vi)	Upgrading water quality .data for the years 2019,2020,2021 and 2022 for River Ban Ganga at two locations shows that during 2019 and 2020 BOD has been crossing the value of 3.06 mg/l reaching upto 5.8 mg/l .The data for coli form also indicate that the water quality is not meeting the tolerance limits. This needs to be remedied.	Pertains to CE, UEED







**Office of the Chief Executive Officer**  
**Shri Mata Vaishno Devi Shrine Board, Katra**

**Senior Law Officer,  
Housing & Urban Development Department,  
J&K Govt., Civil Secretariat.**

**Subject: Original Application No. No. 338/2021 titled Himanshu Sharma V/s  
UT of J&K.**

Sir,

In pursuance to your office letter No. HUD/Lit0NGT/2/2022(e-162456) dated 04.01.2023 regarding subject cited above, kindly find enclosed herewith the present status of the works pertaining to the SMVDSB.

Yours faithfully,

  
**(Navneet Singh), IFS**  
**Addl. Chief Executive Officer**

**No.: CO/NGT-12/6160-61.**  
**Dated: 05/01/2023**

Copy to the:

- 1) Chief Executive Officer, SMVDSB, Katra for kind information.
- 2) Concerned file/Master file.

**Annexure**

Point No.	Particulars	Present Status
4 (iv)	Monitoring of removal of left over waste. It is stated that SMVDSB has removed 357.70 MT of garbage and 76.56 MT of garbage on trial basis. Remaining waste from bank of river Banganga is to be removed.	SMVDSB entered into MoU with 02 leading firms i.e. M/s Indian Pollution Control Association (IPCA) and M/s Nepra Resource Management Pvt. Ltd. for transportation and scientific disposal of garbage. About 1500 tonnes legacy waste dumped on the banks of Banganga rivulet has been removed and site is totally cleaned from all type of garbage ( <b>Pre and Post Pictures of the site is enclosed</b> ).
4 (v)	Further action on proposed DPR at a cost of Rs. 95.69 lakhs to set up two STPs having capacity of 1.2 MLD and 4.50 MLD to treat the entire sewage generated from the area of Katra and SMVDSB. It is stated that it has been submitted to NRCD for approval / financial concurrence and for sanction of MoJS. KMC and SMVDSB need to undertake execution without further delay as their responsibility does not end by just submitting proposals. They have to ensure that no waste water from the urinals / septic tanks or from piggery / pony sheds goes into River Banganga.	<p><b>The two STPs mentioned pertain to UEED / Katra Municipality.</b> However, Shrine Board is also taking measures to augment the Banganga River cleanliness efforts. In order to channelize the rain water runoff coming from road, side drains have been constructed to ensure no runoff water enters Chetak Bhawan.</p> <p>Manpower deployment has been enhanced to ensure waste generated inside Chetak Bhawan is cleaned immediately.</p> <p>To make the Banganga Rivulet clean, a survey was conducted from Gulshan Langar to Bathing Ghat 3 near Geeta Mandir and 900 mtr stretch identified on the track along the rivulet which carries all the discharged waste coming out from the establishments in the Banganga area and enters the Banganga Rivulet. The maximum discharge (60%) of the contaminated water was entering in the stretch of 100 mtrs i.e. from RD 0/500 to Toilet Block of Bathing Ghat No. 1 and accordingly, in the 1<sup>st</sup> phase, a box culvert covering a total stretch of 100 mtrs length connecting 03 nallahs and 06 drains having maximum discharge capacity of 35 lakh litre of water per day has been constructed at an estimated cost of Rs. 27.17 lacs approx. As a result of which there has been a substantial cleanliness in the Bathing Ghat area at Banganga.</p> <p>In 2<sup>nd</sup> phase, the work for construction of box culvert covering a stretch of 250 mtrs. i.e. from Bathing Ghat No. 1 to Banganga Bridge near Gulshan Langar having estimated cost of Rs. 101 Lakh approx. has been allotted and the work is under construction, which shall be connected with 02 Toilet Blocks. The maximum</p>




1809421/2023/O/o SrLO

discharge capacity of the culvert shall be 55 lakh litre of water per day and the work shall be completed by ending of February, 2023.

Further, a 550 mtrs PCC open drain from RD 0/500 to RD 1/025 along the Banganga Rivulet is being constructed at an estimate cost of Rs. 60 lacs approx. which shall be connected with 16 drains having maximum discharge capacity of 08 lakh litres of water per day. The work shall be completed by ending of March, 2023.

As a result, a dedicated 900 mtr Sewage network shall be constructed on the banks of Banganga rivulet for channelizing 5.5 MLD waste water discharge per day from more than 500 private establishments situated along the track for subsequent treatment by UEED, Govt. of J&K UT .

The SMVDSB has handed over possession of the land to UEED, Govt. of J&K UT through MoU dated 22.04.2022. The matter related to installation of packaged STPs relates to UEED Deptt.



(Navneet Singh), IFS  
Addl. Chief Executive Officer





UNION TERRITORY OF JAMMU & KASHMIR  
OFFICE OF THE CHIEF ENGINEER  
URBAN ENVIRONMENTAL ENGINEERING DEPARTMENT (J&K)  
Main Office Suliman Shopping Complex, Srinagar-190001, Kashmir (J&K)  
Camp Office (Nov-April) Transport Nagar, Narwal, Jammu-180006  
e-mail: [cejkueed8@gmail.com](mailto:cejkueed8@gmail.com)

Principal Secretary to Govt:  
Housing & Urban Development Department  
Civil Secretariat, Jammu


No: CE/UEED/Estt/CJ/ 3623-25  
Dated: 04 /01/2023.

Subject: Order Dated:30.08.2022 passed by Hon'ble National Green Tribunal, Principal Bench, New Delhi in O.A. No.338/2021 titled Himanshu Sharma Vs UT of J&K and Others-reg.  
Reference: HUD-Lit0Misc/26/2021 (C No. 9019) dated:28.12.2022.

Sir,

Kindly refer to the subject cited above. In this context, point wise reply is attached for your information please.

Yours faithfully


  
04.01.2023  
(Er. Naseer Ahmad Kakroo)  
Chief Engineer

Copy to:

1. Additional Secretary, H&UDD, Civil Secretariat Jammu for information.
2. Senior Law Officer, H&UDD, Civil Secretariat Jammu for information.
3. File concerned.

In the matter of OA No.338/2021 Himanshu Sharma v/s UT of J&K NGT order dated 30-08-2022.

S.No	ACTION POINT	ACTION TAKEN
V.	Further action on proposed DPR at a cost of Rs. 95.69 lakhs to set up two STPs having capacity of 1.2 MLD and 4.50 MLD to treat the entire sewage generated from the area of Katra and SMVDSB. It is stated that it has been submitted to NRCD for approval / financial concurrence and for sanction of MoJS.	<p>The project continues to be at an advanced stage of approval in the Ministry of Jal Shakti, Gol for consideration of funding under NRCP. Pending approval by MOJS and with a view to start enabling works like engagement of PMC and acquisition of land for STPs/ IPS's, the scheme was included in Capex Budget of 2022-23 with an outlay of Rs. 9.659 Cr under Sewerage Sector but due to non-availability of administrative approval which was to be accorded by the UT Administrative Council, no action on implantation of the project was possible. However, the status of few activities related to the project initiated by UEED during the current financial year is as follows:</p> <ol style="list-style-type: none"><li>1. Tenders for engagement of project Management Consultants stand received.</li><li>2. MoU for use of SMVDSB land for construction of 1.2 MLD STP stands signed. However, 12 Kanals of land identified for construction of 4.5 MLSD STP belonging to KDA, Katra is available and is in the process of transfer to UEED for the purpose.</li><li>3. The matter of land acquisition for construction of 5 IPSs stands taken up with Deputy Commissioner, Reasi and is under the process of acquisition.</li></ol>

  
04.01.2023





Winter office: November-April  
Parvesh Bhawan, Giladui,  
Transport Nagar, Narwal,  
Jammu. (J&K) 180006.  
Ph./Fax. 0191-2476923

Government of Jammu and Kashmir  
**J&K Pollution Control Committee**  
Jammu

Summer Office: May-October  
Sheikh-ul-Alam Campus,  
Behind Govt. Silk Factory,  
Bajbagh, Srinagar (J&K) 190008  
Ph./Fax. 0194-2311165

Email: membersecretaryjkspcb@gmail.com

**The Principal Secretary to Government,  
Housing & Urban Development Department,  
Civil Secretariat,  
Jammu.**

No:- JKPCC/NGT//2021/ 847-48

Date:- 11-01-2023.

Sub:- Original Application No. 338/2021 titled Himanshu Sharma Vs Union Territory of J&K.

Ref:- J&K HUDD No. HUD/Lit/NGT/2022(e-162456 dt. 04-01-2023.

Sir,

Apropos to the subject cited above, I am directed to enclose herewith the action taken report w.r.t J&K Pollution Control Committee, in OA 338/2021 titled Himanshu Sharma Vs Union Territory of J&K for favour of information and necessary action.

Yours faithfully,

Encl:- As above.

(K. Ramesh Kumar) IFS  
Member Secretary  
J&K Pollution Control Committee,  
Jammu

Copy to the:-

1. P.A to Chairperson J&K Pollution Control Committee for kind information the Chairperson.





Government of Jammu and Kashmir  
J&K POLLUTION CONTROL COMMITTEE  
**OFFICE OF THE REGIONAL DIRECTOR - JAMMU**  
Parivesh Bhawan, Forest Complex, Gladni, Transport Nagar, Narwal, Jammu.  
Email: regionaldirectorjkspcbjmu@gmail.com.Tel/Fax 0191-2476926

The Member Secretary,  
J&K PCC,  
Jammu.

No: PCC/RDJ/SA-NGT/2023/ 4682

Dt: 11/01/2023

Subject: Status report in case of Hon'ble NGT matter titled Himanshu Sharma Vs UT of J&K regarding pollution of Ban Ganga River at Katra.

Ref.: (i) O.A No. 338/2021.  
(ii) Hon'ble NGT Order dt. 30.08.2022.

Sir,

In continuation to this office letter No. PCC/RDJ/2023/SA/NGT/4534 dt: 03.01.2023, the detailed status report and action taken in the matter, as reported by DO PCC Reasi vide No. PCC/DO/Reasi/357 dt. 10.1.2023, is given as under:

- 1) There are 2 hotels under Red Category in Katra and both are consented.
  - 2) 90 hotels under Orange Category have obtained consent from this Committee and 14 hotels have complied with the directions and have installed STPs. However closure proceedings are under process in case of 10 non-complying hotels. Furthermore, as reported by DO, 06 cases have been recommended for levying of Environmental Compensation.
  - 3) 80 hotels under Green Category have valid consent from this committee and 09 hotels have replied to the legal notices and sought time period of 6 months for installation of required Septic Tanks.
  - 4) Out of 16 Bulk Waste Generating hotels 09 have installed Organic Waste Converters.
  - 5) Closure orders against 04 Scrap Dealers have already been issued and only 01 unit has been closed down by District Administration, till date. However, DO has reported that some remedial measures have been adopted by the rest 03 units to prevent littering of waste into Ban Ganga River.
  - 6) 01 Piggery unit established on the bank of Ban Ganga River after serving legal notice has adopted some remedial measures.
- Hence submitted for kind information and further necessary action in the matter.

Yours faithfully,

Encl: Report of DO (1 leaf).

(Sat Paul), IFS  
Regional Director

Government of Jammu and Kashmir  
J&K POLLUTION CONTROL COMMITTEE  
OFFICE OF THE DIVISIONAL OFFICER  
REASI

**The Regional Director,**  
Pollution Control Committee,  
Jammu.

No: PCC/DO/Reasi/ 357

Date: 10.1.2023

Subject: Status report in case of Hon'ble NGT matter titled Himanshu Sharma Vs UT of J&K O.A. No. 338/2021.

Ref: PCC/RDJ/SA-NGT/2021/4632-33 dated 7.1.2023.

Sir,

In compliance to the above referred letter regarding the subject, the detailed status report is submitted as under for kind information and necessary action :

- 1) Under Red Category there are 2 hotels in Katra and both are consented.
- 2) 90 hotels under Orange Category have obtained consent from this Committee and 14 hotels have complied with the directions and have installed STPs. However closure proceedings are under process in case of 10 non-complying hotels. Furthermore, 06 cases of previously non-complying hotels, which have now fulfilled the deficiencies, have been recommended for levying of Environmental Compensation.
- 3) Under Green Category 80 hotels have valid obtained consent and 09 hotels have replied to the legal notices and sought time period of 6 months for installation of required Septic Tanks.
- 4) Out of 16 Bulk Waste Generating hotels 09 have installed Organic Waste Converters.
- 5) Closure orders against 04 Scrap Dealers have already been issued and only 01 unit has been closed down by District Administration, till date. Moreover some remedial measures have been adopted by the rest 03 units to prevent littering of waste into Ban Ganga River.
- 6) 01 Piggery unit established on the bank of Ban Ganga River after serving legal notice has adopted some remedial measures.

Hence submitted for kind information and further necessary action.

Encl: Nil.

Yours faithfully,

  
(Angraz Singh)  
Divisional Officer





Government of Jammu and Kashmir  
**J&K POLLUTION CONTROL COMMITTEE**  
**OFFICE OF THE REGIONAL DIRECTOR - JAMMU**  
 Parivesh Bhawan, Forest Complex, Gladni, Transport Nagar, Narwal, Jammu.  
 Email: regionaldirectorjkspcbmu@gmail.com Tel/Fax 0191-2476926

The Member Secretary,  
 J&K Pollution Control Committee,  
 Jammu.

No: PCC/RDJ/2023/SA/NGT/ **4534**.

Dt: **03/01/2023**

Subject: Monitoring/status report in case of Hon'ble NGT matter titled Himanshu Sharma Vs. UT of J&K & Ors.

Reference : Hon'ble NGT order dated 30.08.2022 in OA No. 338/2021.

Sir,

In compliance to the directions of Hon'ble NGT passed vide order referred above; the status report of the case is given as under:


- 1) That there are **2** hotels under **Red** category and both have obtained consent from this committee.
- 2) That **71** hotels under **Orange** category have obtained mandatory consent from this committee. Moreover out of 34 hotels (including dharamshalas) which were not complying earlier, 14 have complied with the directions of J&K PCC and installed required STPs in their respective hotels besides 10 more hotels have sought time period of 3-12 months for installation of STPs and closure proceedings have been recommended against the rest of 10 non-complying hotels.
- 3) That in case of hotels/guest houses under **Green** category, **79** hotels have sought mandatory consent, 9 hotels have replied to the legal notices and sought time period upto 6 months for installation of required Septic Tanks.
- 4) That closure orders in case of 04 scrap dealers, which were found operating in violation of provisions of SWM Rules, 2016, have already been issued by J&K PCC.

It is further to submit that Water Quality Monitoring of Banganga Katra is being carried out on regular basis since 2021 and the quarter wise reports are attached herewith for information and further necessary action.

The report is, as such, submitted for kind information and further necessary action.

Encl: **3** leaves.

Yours faithfully,

  
**(Sat Paul) IFS**  
 Regional Director



Jammu & Kashmir Pollution Control Committee, Jammu  
Parvesh Bhawan, Gdhn. Transport Nagar, Narwal, Jammu  
Water Laboratory  
ISO 9001:2015 Certified  
ISO 45001:2018 Certified

Analysis Report

Physico-chemical results of Holy Stream Banganga for the months of (Sept.-Nov.- 2022)

S.No	Parameters	September 2022		October 2022		November 2022		Standard Permissible limit for 'B' Class of Rivers
		NWMP Station Code	2755	NWMP Station Code	2756	NWMP Station Code	2755	2756
1.	Temperature	2755	2756	2755	2756	2755	2756	
2.	Dissolved Oxygen	20	21	20	21	13	14	>5.0 mg/l
3.	pH	5.6	4.8	5.5	4.6	5.6	4.6	6.5-8.5
4.	Conductivity (µS/cm)	406	8.15	7.96	8.15	8.40	8.20	
5.	BOD	380	392	380	392	326	358	< 3.0 mg/l
6.	Turbidity	1.6	1.8	1.4	1.5	1.3	1.6	
7.	TDS	88	86	78	86	65	78	
8.	Chloride	220	228	220	228	190	208	500 mg/l
9.	Total Alkalinity (mg/l as CaCO <sub>3</sub> )	8.1	8.2	7.1	8.0	6.7	8.1	
10.	Hardness (mg/l as CaCO <sub>3</sub> )	220	240	232	248	260	272	250mg/l
11.	Cadmium (mg/l as CaCO <sub>3</sub> )	188	204	188	204	194	198	
12.	Magnesium (mg/l as CaCO <sub>3</sub> )	32	36	32	36	46	56	
13.	Chloride	30	32	30	32	32	38	250mg/l

Note (1) All the concentrations are expressed in mg/l except pH, Conductivity (µS/cm), Turbidity (NTU) and Temperature (°C)

2) Monitoring Locations : i) Banganga near Bathing Ghat (Stn Code 2755) ii) Banganga near Rensi Bridge (Stn Code 2756)

Dr. Yashpal, 30/01/2023

# UNION TERRITORY OF JAMMU AND KASHMIR

## Pollution Control Committee Jammu (Water Laboratory)

ISO 9001:2015 Certified

Registration No. 14

### Water Quality Status of Banganga Katra during-2021

Monitoring Location		Bathing ghat- Katra Stn code:-2755					Below Reasi Bridge Stn code:-2756					Water Quality Criteria for different uses specified by CPCB/BIS Standards- 1982 for Surface Water
S.No	Parameter	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Avg	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Avg	
1	Temperature	13	12.6	20	19	16.1	21.6	22	15	15	18.4	
2	Dissolved oxygen (DO)	6.6	6.7	6.6	6.7	6.65	7.04	7.2	7.1	6.9	7.06	>6.0 mg/l
3	pH	8.55	8.50	8.55	8.50	8.53	8.48	8.30	8.50	7.98	8.31	6.5-8.5
4	Conductivity	376	367	390	43.1	294	353	348	366	359	356.5	-
5	BOD (mg/l)	1.1	1.6	1.44	1.7	1.49	1.7					<2.0 mg/l
6	Nitrite -N(mg/l)	0.056	0.031	0.035	0.06	0.04	0.03	0.05	-	-	0.04	=
General Parameters												
1	Turbidity (NTU)	38	41	63.5	71	53.3	52	56	33	11	38	-
2	TDS	221	211	230	233	223.5	206	206	213	209	208.5	500 mg/l
3	Ammonia-N	0.25	0.24	0.58	0.63	0.42	0.65	0.74	-	-	0.695	-
4	Phosphate-P	0.04	0.12	0.029	0.113	0.076	0.024	0.192	-	-	0.108	-
5	COD	5.7	6.5	7.65	8.6	7.11	8.5	11	13.5	16.3	12.36	-
6	Total Alkalinity as CaCO <sub>3</sub>	257	250	239	334	270	240	237	200	197	218.5	-
7	Hardness as CaCO <sub>3</sub>	238	234	306	306	271	177	365	203	194	234.7	-
8	Calcium as CaCO <sub>3</sub>	163	165	227	229	195.5	196	179	140	148	165.7	-
9	Magnesium as CaCO <sub>3</sub>	75	66	79	80	75	44	64	54	46	52	-
10	Sodium(mg/l)	18	19.5	-	-	18.7	-	-	-	-	-	-
11	Potassium(mg/l)	16	2.2	-	-	9.1	-	-	-	-	-	-
12	Sulphate	35	40	38	44	39.3	32	38	-	-	35	-
13	Chloride	23	24	33	34	28.5	31	30	29	26	29	250 mg/l

Note:-

- Quarterly data average is on the basis of monthly monitored data for the calendar year.
- Majority of the parameters monitored are within prescribed limits specified by CPCB/BIS for surface water except slightly rise in pH level at bathing ghat due to bathing and allied activities and slight rise in the level of BOD at a location d/s to bathing ghat i.e. at below Reasi bridge may be due to untreated sewage and other discharges at said location.

*Dr. Yashwanth*

Annexure C(iii)

# UNION TERRITORY OF JAMMU AND KASHMIR

Pollution Control Committee Jammu

( Water Laboratory )

(SLO/J&K/PST/2023/2022)

(SLO/J&K/PST/2023/2022)

## Water Quality Status of Banganga Katra during-2022 ( 1st Quarter)

Monitoring Location		Bathing ghat- Katra Stn code:-2755	Below Reasi Bridge Stn code:-2756	Water Quality Criteria for different uses specified by CPCB/BIS Standards-1982 for Surface Water
S.No	Parameter	Quarter1	Quarter1	
1	Temperature	18	18.1	
2	Dissolved oxygen (DO)	7.4	6.7	>6.0 mg/l
3	pH	8.55	8.75	6.5-8.5
4	Conductivity	390	398	-
5	BOD (mg/l)	1.7	2.1	<2.0 mg/l
General Parameters				
1	Turbidity (NTU)	24	28	-
2	TDS	226	230	500 mg/l
3	Ammonia-N	0.29	0.56	-
4	Phosphate-P	0.24	0.86	-
5	COD	8.7	10.4	-
6	Total Alkalinity as CaCO <sub>3</sub>	248	236	-
7	Hardness as CaCO <sub>3</sub>	240	248	-
8	Calcium as CaCO <sub>3</sub>	158	152	-
9	Magnesium as CaCO <sub>3</sub>	82	96	-
10	Sodium(mg/l)	19	21	-
11	Potassium(mg/l)	17	18	-
12	Sulphate	44	68	-
13	Chloride	29	62	250 mg/l

Note:-

- i) Quarterly data average is on the basis of monthly monitored data for the calendar year.

Scientist -A  
I/c Water Lab

Dr.Yash Paul  
Head Labs,PCC-Jammu



## Status of Red Category hotels / commercial establishments at Katra

S.No.	Name of Hotels / Motels / Banquets / Restaurants with complete Address	Capacity		Category	Consent status		Compliance status w.r.t. Installation of Pollution Control Devices	Notice issued if any to non complying hotel	Remarks
		Rooms							
1	Hotel Simm Samm, Reasi road, Katra	199		Red	CTOQR ) valid upto June 2024		STP , ETP and Organic Waste Converter installed	N/A	The hotel falls under the Category of bulk waste generators
2	Trikuta Bhawan (Owned by Shri Mata Vaishno Devi Shrine Board) Counter No. 2, Katra	Single Beds in Dormitory = 690		Red	Without Consent		STP installed, Vermi -Composting facility provided separately	Yes	The facility falls under the Category of bulk waste generators
3	Niharika Complex (Owned by Shri Mata Vaishno Devi Shrine Board), Bus Stand, Katra	D/Bed=65 Four bed=32 S/Bed in Dormitory = 895		Red	Without Consent		STP installed, Vermi -Composting facility provided separately	Yes	The facility falls under the Category of bulk waste generators

10/1

**List of Orange Category hotels / Dharamshalas at Katra**

S.No.	Name of Hotels / Motels / Banquets / Restaurants with complete Address	Capacity		Category	Consent status	Compliance status w.r.t. installation of Pollution Control Devices	Notice issued if any to non complying hotel	Remarks
		Rooms	Rest. Seats					
1	American Hotels & Rest. Pvt. Ltd. C/o Country Inn hotels & Suits (By Carlson) Maghral, Katra	77	46 seats	Orange	CTO(R) valid upto March 2029	STP, ETP & Organic Waste Converter installed	N/A	The hotel falls under the Category of bulk waste generators
2	Hotel Asia Vaishnodevi, Jammu road, Katra	37	72 seats	Orange	CTO(R) valid upto May 2024	STP installed	N/A	
3	Hotel Asia Shripati, Jammu road, Katra	49	40 seats	Orange	CTO(R) valid upto Sep. 2026	STP installed	N/A	
4	Hotel Amar, Jammu road, Katra	33	44 seats	Orange	Without valid Consent to operate	STP installed	N/A	
5	Hotel Anurag, Counter No.2, Pujari Market, Katra	35	16 seats	Orange	Without Consent	STP partially installed / under installation	N/A	
6	Hotel Atul Regency, Jammu road, Katra	46	36 seats	Orange	CTO(R) valid upto Dec. 2026	STP installed	N/A	
7	Hotel Authi International, Jammu road, Katra	29	30 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
8	Hotel A J International, Kashmir road, Katra	37	—	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
9	Hotel Akash Ganga, Paharganj, near Bus Stand, Katra	35	42 seats	Orange	CTO(R) valid upto June 2029	STP installed	N/A	
10	Hotel Aashirwad, Jammu road, Katra	24	—	Orange	Without Consent	STP installed	Notice issued for non possession of valid CTO	
11	Hotel Ambica, Jammu road, Katra	58	36 seats	Orange	CTO(R) valid upto July 2024	STP installed	N/A	
12	Hotel Ambassador, opp. KIDA Office Railway Station, Katra	27	—	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
13	Anil Guest House, W.No. 2, Tea Garden, Katra	24	—	Orange	Without Consent	STP installed	EC amount under review by TAC	
14	Hotel Arhant Palace, Kundrolian, Railway road, Katra	30	28 seats	Orange	CTO(F) valid upto Dec. 2022	STP installed	N/A	



15	Hotel Amreshwar, W.No.3, Nangal road, Kundrorian, Katra	31	40 seats	Orange	CTO(F) valid upto Apr. 2023	STP installed	N/A	—
15	Hotel Bhawani International Pvt. Ltd., Bus Stand, Katra	51	40 seats	Orange	CTO(R) valid upto Apr. 2029	STP installed	N/A	
17	Hotel Bhargav, Railway road, Katra	33	58 seats	Orange	CTO(R) valid upto Oct. 2022	STP installed	N/A	
18	Hotel Bhuwani Z Paradise, Jammu road, Katra	82	100 seats	Orange	CTO(R) valid upto Apr. 2022	STP installed	Notice issued for non possession of valid CTO	The hotel falls under the Category of bulk waste generators
19	Bali Palace, Jammu road, Katra	23	—	Orange	CTO(R) valid upto Jan. 2023	STP installed	N/A	
20	Hotel Bandu Palace, Panthal road, Katra	30	—	Orange	Without Consent	STP installed	The hotel is presently not operational	
21	Hotel Bali Resorts, near Toll Barrier, Katra	46	30 seats	Orange	CTO(R) valid upto Jan. 2026 for existing capacity, however CTO (F) not granted for expanded capacity or 23 rooms and 65 seats of Rest.	STP installed but Organic Waste Converter not installed	Recommended for issuance of notice for non installation of OWC	The hotel falls under the Category of bulk waste generators
22	Hotel Blue Sapphire, Railway road, Kundrorian, Katra	24	30 seats	Orange	CTO(F) valid upto Apr. 2023	STP installed	N/A	
23	Baba Banda Bahadur Dharamshala, Kalka Nagar, Katra	More than 20	—	Orange	Without Consent	STP installed	Notice issued for not applying for CTO	
24	Hotel Ching International, Jammu road, Katra	36	—	Orange	CTO(R) valid upto June 2026	STP installed	N/A	—
25	Hotel Chinar, Jammu road, Katra	22	—	Orange	The case for CTO(R) is under process	STP installed	N/A	
26	Hotel Chinpurni International, Railway road, Katra	34	32 seats	Orange	CTO(R) valid upto July 2029	STP installed	N/A	
27	Chintamani Mandir Trust (Dharamshala), near Shalimar Park, Chintamani, Katra	Rooms=45 Dormitory (06 nos.) having capacity of 300 persons	—	Orange	Without Consent	<b>STP not installed</b>	Final notice under Env. Laws issued	
28	Hotel Chinpurni, Upper Bazar, Katra	35	—	Orange	Without Consent	STP installed	Notice issued for not applying for CTO	



29	Hotel Continent Panchvati (A unit of Magotra & Manhas Hotels Pvt. Ltd.), Jammu road, Katra	Double Bed = 60 Quad Bed = 08	56 seats	Orange	Without valid Consent to operate	STP installed, but Organic Waste Converter not installed	Notice issued for non possession of valid CTO	The hotel falls under the Category of bulk waste generators
30	Dev Bhoorni Guest House, Ward No. 05, Katra.	26	—	Orange	CTO(R) valid upto Nov. 2024	STP installed	N/A	
31	Hotel Durga Residency, W.No. 4 Railway road, Katra.	40	—	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
32	Durga Yatri Niwas, Bus Stand Katra	26	—	Orange	Without Consent	STP installed	Notice issued for non possession of valid CTO	
33	Hotel Devi Mahal, Railway road, Katra	35	40 seats	Orange	Without valid Consent to operate	STP installed	Recommended for issuance of notice for non possession of valid CTO	
34	Devi Ashirwad Resorts Pvt. Ltd. (Hotel Devi Grand ), Kundroliyan, Reasi road, Katra	71	75 seats	Orange	Without valid Consent to operate	STP installed, Organic Waste Converter not installed	Notice issued for non possession of valid CTO & non installation of OWC	The hotel falls under the Category of bulk waste generators
35	Hotel Durga, Fabbara Chowk, Near Bus Stand Katra	35	—	Orange	CTO(R) valid upto May 2023	STP installed	N/A	
36	Hotel Durga Palace, Jammu road, Katra	49	46 seats	Orange	CTO(R) valid upto Feb. 2029	STP installed	N/A	
37	Hotel Dolphin, Railway road, Katra	40	48 seats	Orange	CTO(R) valid upto June 2029	STP installed	N/A	
38	Hotel Devi Empire, opp. Railway Station Exist Gate, Katra	More than 20	—	Orange	Without Consent	In adequate STP	Notice issued for operation of the hotel without adequate STP and CTO	
39	Durga Bhawan (Dharmshala), Panihal road, Katra	30 rooms and 01 hall	—	Orange	Without Consent	STP not installed	Notice issued for operation of Dharmshala without STP and CTO	
40	Ganpati Hotel, Jammu road, Katra	40	20 seats	Orange	CTO(R) valid upto Nov. 2029	STP installed	N/A	

41	Hotel Gupta Palace, Hospital road, Katra	30	—	Orange	CTO(R) valid upto Jan. 2024	STP installed	N/A	
42	Hotel Green Valley, Railway road, Katra	32	25 seats	Orange	CTO(R) valid upto July 2023	STP installed	N/A	
43	Hotel Holy Shrine, Dak Bangalow, Katra	33	—	Orange	CTO(R) valid upto July 2023	STP installed	N/A	
44	Hotel Hart Resort, Upper Bazar near Power House, Katra	33	25 seats	Orange	CTO(R) valid upto July 2023	STP installed	N/A	
45	Hotel Heera Heritage, Hospital road, Katra	33	—	Orange	Without Consent	STP installed	Final notice issued for non possession of CTO	
46	Hotel Holiday, Jammu road Katra	31	32 seats	Orange	Without Consent	STP not installed	Final notice under Env. Laws issued for operation of hotel without STP & CTO	
47	Hotel Indraprasth, Jammu road, Katra	23	—	Orange	Without Consent	STP not installed	Final notice under Env. Laws issued for operation of hotel without STP & CTO	
48	Hotel Ishan, near Police Station, Bus Stand, Katra	36	32 seats	Orange	The case for CTO(R) is under process	STP installed	N/A	
49	Hotel India Pride, Atri road, Katra	37	—	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
50	Hotel Imperial (A unit of A-One Guest House) Railway road, Katra	31	40 seats	Orange	The case for CTO (R) is under process	STP installed	N/A	
51	Hotel Ishwar, Jammu road Katra	33	32 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
52	Hotel JMK International, Railway road, Katra	50 and a banquet hall facility	32 seats	Orange	Without Consent	STP installed, but Organic Waste Converter not installed	Notice issued for non possession of CTO	The hotel falls under the Category of bulk waste generators
53	Hotel Jagdamba, Railway road, Katra	55	32 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	



54	Hotel Jai Manu Inn, Panthal road, Katra	48	38 seats	Orange	Applied for CTO(R)	STP installed	N/A	
55	Hotel Jagdish Residency, Kashmir road, Katra	27	32 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
56	Hotel Jannana Palace, Jammu road, Katra	28	—	Orange	CTO(R) valid upto Nov. 2026	STP installed	N/A	
57	Jai Manu Di Guest House, Railway road, Katra	30	20 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
58	Jewels Fast Food & Restaurant, Main Chowk, Katra	—	152 seats	Orange	CTO(R) valid upto July 2026	STP installed	N/A	
59	Jai Deva Residency, Panthal road, Katra	35	35 seats	Orange	CTO(R) valid upto Sep. 2029	STP installed	N/A	
60	Hotel Jania, Kashmir road, Katra	40	140 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
61	Hotel Jagan, upper Bazar, Katra	27	—	Orange	Without Consent	STP not installed	Final notice under Env. Laws issued for operation of hotel without STP & CTO	13
62	JKTDC Ltd. Hotel Saraswati Tourist Bungalow, Chintamani, Katra	39	40 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
63	(JKTDC Tourist retiring Centre) Hotel City Residency Tourist Reception Centre, Fabbura Chowk, Katra	D/Bed rooms = 16, Dormitory = 24 (124 bed strength)	Halls = 05 (Capacity 50 persons)	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
64	JKTDC Ltd. Yatri Niwas Counter No.2, Katra	32	16 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
65	Hotel Krishna, Bus Stand Katra	36	36 seats	Orange	CTO(F) valid upto June 2023	STP installed	N/A	
66	Hotel Kania International, Kundroliam, Railway road, Katra	56 and a banquet hall facility	50 seats	Orange	Without valid Consent to operate	STP installed, but Organic Waste Converter not installed	Recommended for issuance of notice for non possession of valid CTO	The hotel falls under the Category of bulk waste generators



67	Hotel K.S. International, Railway road, Katra	36	18 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
68	Hotel Kerni Palace, Jammu road, Katra	56	52 seats	Orange	CTO(R) valid upto July 2023	STP installed	N/A	
69	K.C. Residency (A unit of KC Hotels Pvt. Ltd.) Reasi road, Katra	57	84 seats	Orange	CTO(R) valid upto March 2026	STP and Organic Waste Converter installed	N/A	The hotel falls under the Category of bulk waste generators
70	Hotel Kings, Banganga road, Katra	26	—	Orange	Without valid Consent to operate	STP installed	Notice issued non possession of valid CTO	
71	Hotel Kashmir Residency, Jammu road, Katra	40	32 seats	Orange	CTO(R) valid upto Nov. 2029	STP installed	N/A	
72	Hotel Katra Continental, Jammu road, Katra	30	108 seats	Orange	CTO(R) valid upto March 2023	STP installed	N/A	
73	Kalka Royal Guest House, Opp. Railway Station, Katra	45	34 seats	Orange	CTO(R) valid upto Oct. 2025	STP installed	N/A	
74	Hotel Katra Residency, near Shalimar Park, Katra	27	24 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
75	Hotel Keshav Concerns, Banganga road, Katra	23	—	Orange	Without Consent	STP not installed	Notice issued for operation of hotel without STP	
76	Hotel Le Royal, Railway road, Katra	62	35 seats	Orange	CTO(F) valid upto June 2023	STP installed	N/A	
77	Hotel Mount View, Jammu road, Katra	41	60 seats	Orange	CTO(R) valid upto June 2029	STP installed	N/A	
78	Maha Mai Sewa Nyas, Jammu road, Katra	Rooms = 80 Dormitory (03 nos.) having capacity of 130 persons	—	Orange	Without Consent	STP & Organic Waste Converter installed	Notice issued for non possession of CTO	The Dharamshala falls under the category of bulk waste generators
79	Maa Gayatri India Guest House & Rest., Railway road, Katra	50	30 seats	Orange	CTO(R) valid upto June 2029	STP installed	N/A	
80	Hotel Mahi Palace, Panthal road, Katra	36	—	Orange	The hotel is presently not operational due to renovation	STP installed	N/A	

81	Hotel Mount View International, Jammu road, Katra	63	36 seats	Orange	CTO(R) valid upto Aug. 2028	STP installed	N/A	
82	Hotel Mahariya Inn, near Shrine Board Office, Jammu road, Katra	48	26 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
83	Hotel Meridian, Kashmir road, Katra	57	24 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of CTO	
84	Hotel Mahindra Palace, Paharganj, Bus Stand, Katra	30	—	Orange	Without Consent	STP not installed	Final notice under Env. Laws issued for operation of hotel without STP & CTO	
85	Hotel Maan, Banganga road, Katra	23	—	Orange	CTO(F) valid upto March 2026	STP installed	N/A	
86	Hotel Mayur, Panthal road, Katra	35	50 seats	Orange	CTO(R) valid upto Nov. 2028	STP installed	N/A	
87	Mangal Bhawan Dharamshala, Katra Vaishnodevi	64	20 seats	Orange	Without valid Consent to operate	STP installed but Organic Waste Converter not installed	Notice issued for non possession of valid CTO	The Dharamshala falls under the Category of bulk waste generators
88	Hotel Maan Trivani Palace, (a unit of Jolly Plaza) Jammu road, Katra	24	22 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
89	Hotel Madhu Palace, Panthal road, Bemani Gali, near Rahul Car Parking, Katra	22	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
90	Hotel Maan Saraswati, Railway road, Katra	22	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
91	National Guest House, Jammu road, Katra	38	—	Orange	CTO(R) valid upto June 2026	STP installed	N/A	
92	Hotel New Natraj, Bus Stand, Katra	24	—	Orange	The case for grant of CTO(F) is under process	STP installed	N/A	
93	Hotel Neel Kanth, Jammu road, Katra	32	30 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
94	Hotel New Chintpurni, Ward No. 5, Upper Bazar, Katra	25	27 seats	Orange	CTO(R) valid upto Apr. 2027	STP installed	N/A	



95	Hotel Nek, Panthal road, Katra	45 and banquet hall facility	16 seats	Orange	Without valid Consent to operate	STP installed but Organic Waste Converter not installed	Notice issued for non possession of valid CTO	The hotel falls under the Category of bulk waste generators
96	Hotel New Ashok, Panthal road, Katra	51 and a banquet hall facility	38 seats	Orange	Without valid Consent	STP installed but Organic Waste Converter not installed	Notice issued for non possession of valid CTO	The hotel falls under the Category of bulk waste generators
97	Hotel New Shradha, Railway road, Kundorian, Katra	35	66 seats	Orange	Without Consent	Non operational STP	Final notice issued for non operational STP and non possession of CTO	
98	New Sham Guest House, Jammu road, Katra	35	—	Orange	Without Consent	STP installed	The case for issuance of EC order is under process	
99	Hotel New Green View, near Kalika Mandir, Jammu road, Katra	28	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP and CTO	
100	Hotel New Shanti Kunj Guest House, Panthal road Katra	30	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP and CTO	
101	Hotel New Akash Ganga, Paharganj, new Bus Stand Katra	22	—	Orange	Without Consent	STP installed	The case for issuance of EC order is under process	16
102	Nav Durga Mandir Trust (Dharamshala) Opp. Shalimar Park, Chintamani, Katra	30	—	Orange	Without Consent	STP not installed	Final notice issued for operation of Dharamshala without STP and CTO	
103	Hotel Om Palace, Near Rahul Car Parking, Bhimani Gali, Panthal road, Katra	—	—	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
104	Hotel Parbhat Palace, Post Office Lane, Katra	25	—	Orange	Without Consent	In adequate STP	Final notice issued for operation of hotel with in adequate STP & CTO	
105	Hotel Parkash, opp. Shalimar Park, Katra	29	—	Orange	CTO(F) valid upto Nov. 2025	STP installed	N/A	
106	Hotel Preet International, Jammu road, Katra	32	25 seats	Orange	Applied for CTO(F)	STP installed	N/A	



107	Hotel Partap Resort, Railway road, Katra	30	40 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
108	Hotel Pushap Villa, lane opp. J&K Bank, Saraswati Chowk, Katra	27	—	Orange	Without Consent	<b>STP not installed</b>	Notice issued for operation of hotel without STP and CTO	
109	Hotel Rama Trident Railway road, Katra	40	26 seats	Orange	CTO(R) valid upto March 2029	STP installed	N/A	
110	Hotel Regal, New Bus Stand, Katra	26	—	Orange	CTO(F) valid upto March 2023	STP installed	N/A	
111	Hotel Rani Man, near Railway Station, Katra	70	54 seats	Orange	CTO(R) valid upto Oct. 2026	STP & Organic Waste Converter installed	N/A	The hotel falls under the Category of bulk waste generators
112	Radison Guest House, Tea Garden, Katra	36	—	Orange	Without Consent	Non operational STP	Final notice issued for operation of hotel with non functional STP & CTO	
113	Hotel Riviera (Welcom Hotel by ITC) Katra Reasi road, Katra	83 and a banquet hall facility	120 seats	Orange	CTO(F) valid upto June 2023	STP, ETP & Organic Waste Converter installed	N/A	The hotel falls under the Category of bulk waste generators
114	Hotel Sharma Bhawan, Railway road, Katra	56	40 seats	Orange	CTO(R) valid upto May 2023	STP installed	N/A	
115	Hotel Shankutla, near Shiv Mandir, Bhimani, Katra	33	—	Orange	Without Consent	STP under installation	Notice issued for non possession of CTO	
116	Shalimar Lodge, near Chintamani Mandir, Katra	23	—	Orange	CTO(R) valid upto June 2023	STP installed		
117	Shalimar Bhojanalya, near Chintamani Mandir, Katra	—	52 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
118	Hotel Sunrise, Bus Stand Katra	41	—	Orange	Without Consent	<b>STP not installed</b>	Final notice issued for operation of hotel without STP and CTO	
119	Hotel Shree Palace, Railway road, Katra	36	40 seats	Orange	Without valid Consent	STP installed	Notice issued for non possession of valid CTO	
120	Hotel Swastik, Panthal road, Katra	35	—	Orange	Applied for CTO(R)	STP installed	N/A	

121	Hotel Shivvaik, Kashmir road, Katra	28	—	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
122	Hotel Satya Shree, Panchal road, Katra	44	22 seats	Orange	Without Consent	STP installed	Notice issued for non possession of valid CTO	
123	Sai Madhuban Hospitality Pvt. Ltd., Jammu road, Katra	—	82 seats	Orange	Without Consent	STP installed	Notice issued for non possession of valid CTO	
124	Hotel Sahil, W.No.1, Jammu road Katra	40	36 seats	Orange	CTO(R) valid upto Nov. 2022	STP installed	N/A	
125	Shri Vaishno Seva Sangh of Rawalpindi Trust (Regd.), Jammu road, Katra	35	—	Orange	Without Consent	In adequate STP	Notice issued for operation of Dharamshala without adequate STP and CTO	
126	Hotel Samrat, Paharganj, Bus Stand, Katra	33	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
127	Hotel Shree Hari Niwas, Opp. ICICI Bank, Katra	37	42 seats	Orange	CTO(R) valid upto March 2023	STP installed	N/A	
128	Shri Dharambir Dharamshala Trust, Udhampur road, Katra	48	—	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
129	Hotel Shanker Palace, Jammu road, Katra	47	30 seats	Orange	Without Consent	STP installed	Notice issued for operation of hotel without CTO	
130	Hotel Subash International Banganga road, Katra	53	50 seats	Orange	CTO(R) valid upto May 2024	STP installed	N/A	
131	Hotel Swing High, Jammu road, Katra.	48	46 seats	Orange	CTO(R) valid upto Nov. 2027	STP installed	N/A	
132	Hotel Swastik Resorts, Railway road, Katra.	58	45 seats	Orange	CTO(R) valid upto July 2022	STP installed, but Organic Waste Converter not	N/A	The hotel falls under the Category of bulk waste generators
133	Hotel Surya Palace, Jammu road, Katra	55	50 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
134	Shri Sai Cateres (A unit of Sagar Ratna Rest. Pvt. Ltd.), Banganga road Katra.	—	95 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	



135	Sanjeev Guest House, Opp. Shalimar Park, Katra	30	18 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
136	Hotel Shivam, Bus Stand Katra	31	—	Orange	Without Consent	Non operational STP	Final notice issued for operation of hotel without operational STP and CTO	
137	Hotel Shakti Residency, near Shalimar Park, Chintamani, Katra	27	20 seats	Orange	CTO(F) valid upto June 2023	STP installed	N/A	
138	Hotel Shree Ram, Railway road, Katra	44	32 seats	Orange	Without Consent	STP installed	Notice issued for non possession of valid CTO	
139	Hotel Shraddha, new Bus Stand, Katra	30	42 seats	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
140	Shaan Guest House, Jammu road, Katra	26	—	Orange	CTO(R) valid upto July 2026	STP installed	N/A	
141	Hotel Shrine View, Panthal road, Katra	More than 20	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	19
142	Hotel Sandoor Palace, Paharganj, new Bus Stand, Katra	21	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
143	Hotel Sai Mahal, near Hospital road, Katra	More than 20	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
144	Hotel Shree Guest House, Hospital road, Katra	More than 20	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
145	Hotel Sham Palace, near Shalimar Park, Katra	More than 20	—	Orange	Without Consent	STP not installed	Final notice issued for operation of hotel without STP & CTO	
146	Shree Annapurna Mandir Charitable Trust (Dharamshala), Mayyal, opp. Petrol Pump, Panthal road, Katra	Rooms= 24 Dormitory (02 nos.) Capacity of 120 persons	—	Orange	Without Consent to Operate	STP not installed	Final notice issued for operation of Dharamshala without STP & CTO	



147	Shridhar Sabha (Regd.) Dharamshala, Near Fabbura Chowk, Panthal road, Katra	Rooms = 45 Halls (02 Nos.) Persons = 70	—	Orange	CTO(F) valid upto June 2023	STP installed	N/A	
148	Hotel S.S. Plaza, Manoranjan Gali, W.No.1, Main Bazar, Katra	Rooms = 27	—	Orange	Without Consent to Operate	STP not installed	Notice issued for operation of hotel without STP & CTO	
149	Hotel Today, Railway road, Katra	30	—	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
150	Hotel Tridev Pvt. Ltd., Bus Stand, Katra	48	30 seats	Orange	CTO(F) valid upto Jan. 2023	STP installed	N/A	
151	Hotel The Vaishno Devi Hills, W.No.1, Katra	35	40 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
152	Hotel The Vaishno Devi, Adjacent to the Office of CEO, Shri Mata Vaishno Devi Shrine Board, Katra	30	40 seats	Orange	CTO(R) valid upto March 2024	STP installed	N/A	
153	Hotel Tulip Tree, Railway road, Katra	55	32 seats	Orange	CTO(R) valid upto Dec. 2027	STP installed	N/A	
154	Hotel The Royal Krishna, Panthal road, Katra	45	40 seats	Orange	CTO(R) valid upto Nov. 2025	STP installed	N/A	
155	Hotel The Nexus, Railway road, Katra	27	40 seats	Orange	Without Consent	STP installed	Notice issued for non possession of CTO	
156	Hotel The Royal Bhumes, Asia Chowk, Jammu road, Katra	24	—	Orange	Without Consent	STP under installation	Notice issued for non possession of CTO	
157	Hotel Vaishno Devi Heights, Arli road, Katra	31	26 seats	Orange	CTO(R) valid upto July 2027	STP installed	N/A	
158	Vaishnavi Guest House, Post office lane, Jammu road, Katra	30	—	Orange	Without Consent	In adequate STP	Notice issued for operation of hotel without adequate STP & CTO	
159	Hotel Varun, Panthal road, Katra	28	32 seats	Orange	Without valid Consent to operate	STP installed	Notice issued for non possession of valid CTO	
160	Hotel Vishal, Behind Durga Bhawan, Arli road, Katra	35	48	Orange	Without valid Consent to operate	STP installed	Recommended for issuance of notice for non possession of valid CTO	

63/1

161	Hotel Vipul Palace, Kashmir road, Katra	25	—	Orange	CTO(R) valid upto Oct. 2022	STP installed	N/A	
-----	---	----	---	--------	-----------------------------	---------------	-----	--

ANNEXURE - 'C'

List of Green Category hotels / guest houses at Katra

S. No.	Name and address of the hotel / guest house	No. of rooms	Category	Compliance status w.r.t. construction of mandatory Septic tank	Notice issued if any for non complying hotel (non existence of Septic tank)	Remarks	
1	Anoop Palace Guest House, Saranswati Chowk, Railway road, Katra	10	Green	Septic tank Constructed			
2	Apna Ghar Guest House, Hospital road, Katra	16	Green	Septic tank Constructed			
3	Hotel Ashiana, Hospital road, Katra	17	Green	Septic tank Constructed			
4	Adarsh Palace, Guest House, Railway road, Katra	18	Green	Septic tank Constructed			
5	Anur Palace Guest House (Broadway), Railway road Kundorian, Katra	17	Green	Septic tank Constructed			
6	Ambica Guest House, Chintamani, Katra	09	Green	Septic tank Constructed			
7	Amber Court Pawan Guest House, opp. Shalimar Park Katra	12	Green	Septic tank Constructed			
8	Hotel Agniya, near Shiva Temple, Banganga road, Katra	16	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
9	Hotel Ambulika, Jammu road, Katra	14	Green	Septic tank Constructed			
10	Aditya Guest House, Opp. Jy Chowk, Nangul road, Katra	11	Green	Septic tank Constructed			
11	Hotel Ashoka International, Railway road, Katra	19	Green	Septic tank Constructed			
12	Ashok Guest House, near Kalka Mandir, Jammu road, Katra	08	Green	Septic tank Constructed			
	Ashary Lodge, W. No 8, Chintamani, Katra	17	Green	Septic tank Constructed			
	Hotel AAA Continental, near Railway Station Exist Gate, Katra	12	Green	Septic tank Constructed			
	Adarsh Yatri Niwas, Main Bazar, Katra	10	Green	Septic tank Constructed			



16	Ahrol Residency, W No 2, Tea Garden, Near Post Stand, Katra	14	Green	Septic tank Constructed			
17	Hotel Abhinandan, Banganga road, Katra	14	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
18	Ankush Guest House, Main Bazar, Katra	08	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
19	Anan Guest House, Main Bazar, Katra	05	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
20	Aashla Guest House, Ardi road, Katra	10	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
21	Hotel Akriti Inn, Krishna Gali, Panthal road, Katra	18	Green	Septic tank Constructed			
22	Anup Palace, Jij Chowk, Railway road, Katra	10	Green	Septic tank Constructed			
23	Hotel Ashoka Residency, Jij Chowk, Railway road, Katra	08	Green	Septic tank Constructed			
24	Hotel Anant Residency, Jij Chowk, Railway road, Katra	11	Green	Septic tank Constructed			
25	Aashla Guest House, Ardi road, Katra	10	Green	Septic tank Constructed			
26	A-One Guest House, Near Chintamani Mandir, Katra	08	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
27	Hotel Basera, Jammu road Katra	19	Green	Septic tank Constructed			
28	Ekavini Guest House, Opp. Tourist Dak Banglow, Katra	10	Green	Septic tank Constructed			
	Hotel BIDD International, Main Bazar, Katra	18	Green	Septic tank Constructed			
	Bansi Da Dera Guest House, Main Bazar, Katra	19	Green	Septic tank Constructed			
	Hotel Bhindwaj Guest House, Main Bazar, Katra	08	Green	Septic tank Constructed			

*Handwritten signature*

32	BHK Guest House, Main Bazar, Katra	08	Green	Septic tank Constructed			
33	Shawani Lodge, Main Bazar, Katra	15	Green	Septic tank Constructed			
34	Hotel Chenub View, TRC, Seela Baradari, Reasi	14	Green	Septic tank Constructed			
35	Chinar Guest House, Jammu road, Katra	18	Green	Septic tank Constructed			
36	Hotel City Centre, Pantul road, Katra	19	Green	Septic tank Constructed			
37	Dharmia Guest House, Upper Bazar, Katra	10	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
38	Hotel Jamini, Palsarganj, Bus Stand, Katra	19	Green	Septic tank Constructed			
39	Durga Bhawan Bhandhar Guest House, Palsarganj Bus Stand, Katra	08	Green	Septic tank Constructed			
40	Dewan Paradise Guest House, Railway road, Katra	13	Green	Septic tank Constructed			
41	Hotel Dubeys, W.No.1, Near Ramu Palace, Katra	19	Green	Septic tank Constructed			
42	Hotel Darys Paradise, Hospital road, Katra	17	Green	Septic tank Constructed			
43	Dubey Yatri Niwas, Bhimani Gali, Pantul road, Katra	12	Green	Septic tank Constructed			
44	Dryva Guest House, Railway road, Katra	18	Green	Septic tank Constructed			
45	Dhan Shiv Lahari Guest House, Banganga road, Katra	16	Green	Septic tank Constructed			
46	Durga Guest House, Girls High School Lane, Katra	11	Green	Septic tank Constructed			
47	Dimple Guest House, Jammu road, Katra	12	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank	Reply received, sought two months time to construct Septic tank	
48	Daya Bhawan Guest House, Near Govt. Girls High School, Banganga road, Katra	12	Green	Septic tank Constructed			
49	Darshan Guest House, near Govt. Girls High School, Banganga road, Katra	09	Green	Septic tank Constructed			





50	Darkey Guest House, Nangal road, Katra	19	Green	Septic tank Constructed			
51	Galaxy Guest House, Panthal road, Katra	14	Green	Septic tank Constructed			
52	Garden Resort Guest House, near Yatri Niwas Complex, Katra	18	Green	Septic tank Constructed			
53	Gh. Kausalya Inn, Main Bazar, Katra	10	Green	Septic tank Constructed			
54	Hotel Gordon House, Tea Garden, Katra	18	Green	Septic tank Constructed			
55	Hotel Ginnar Palace, Saraswati Chowk, near Railway Station, Katra	13	Green	Septic tank Constructed			
56	Gupta Guest House, Shiv Gali, Banganga road, Katra	Less than 20 rooms	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
57	Gulab Guest House, Main Bazar, Katra	08	Green	Septic tank Constructed			
58	Goldy Guest House, Krishna Gali, Panthal road, Katra	12	Green	Septic tank Constructed			
59	Gulla Yatri Niwas (Dharamshala), Nangal road, Katra	16	Green	Septic tank Constructed			
60	Hotel Hill Top, near Counter No.2, W.No.10, Katra	18	Green	Septic tank Constructed			
61	Harri Bhawan Guest House, Manoranjan Gali, Main Bazar, Katra	07	Green	Septic tank Constructed			
62	Himani Guest House, Puharganj, near Bus Stand, Katra	11	Green	Septic tank not Constructed	Notice issued, for operation of hotel without mandatory Septic tank		
63	Harri Guest House, Main Bazar, Katra	07	Green	Septic tank Constructed			
64	Hestra Guest House, Main Bazar, Katra	10	Green	Septic tank Constructed			
65	Indira Palace Guest House, Post Office Street, Katra	11	Green	Septic tank Constructed			
66	Hotel Ishaan International, Main Bazar, Katra	11	Green	Septic tank Constructed			
67	Janta Palace Guest House, Bhimnagar, W.No.4, Katra	14	Green	Septic tank Constructed			

25



68	Jai Mata Yatri Niwas, Jammu road, Katra	08	Green	Septic tank Constructed			
69	Janta Yatri Niwas Guest House, near Shiv Temple Bhinamani, Pandhal road, Katra	17	Green	Septic tank Constructed			
70	Jai Deva Guest House, Pandhal road, Katra	13	Green	Septic tank Constructed			
71	Hotel Jij Block - A, Railway road, Kundorian, Katra	14	Green	Septic tank Constructed			
72	Hotel Jij Block - B, Railway road, Kundorian, Katra	14	Green	Septic tank Constructed			
73	Hotel Jij Block - C, Railway road, Kundorian, Katra	14	Green	Septic tank Constructed			
74	Hotel Jij Block - D, Railway road, Kundorian, Katra	14	Green	Septic tank Constructed			
75	Hotel J.P International, Railway road, Katra	15	Green	Septic tank Constructed			
76	J.M.C. Palace, Saraswati Chowk, near Railway Station, Katra	16	Green	Septic tank Constructed			
77	Jai Mata Guest House, Main Bazar, Katra	08	Green	Septic tank Constructed			
78	Jai Durga Guest House, Main Bazar, Katra	07	Green	Septic tank Constructed			
79	Jyoti Yatri Niwas, Palangani, near Bas Simal, Katra	06	Green	Septic tank not Constructed	Notice issued, for operation of hotel without mandatory Septic tank	Reply received, sought 45 days time to construct Septic tank	
80	Jagan Guest House, Main Bazar, Katra	18	Green	Septic tank Constructed			
81	Jai Gopal Yatri Niwas, Main Bazar, Katra	08	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
82	Hotel Jayanti Palace, Main Bazar, Katra	07	Green	Septic tank Constructed			
83	Jamwal Yatri Niwas, Nangal road, Backside of Durga Bhawan, Katra	14	Green	Septic tank Constructed			
84	Jodhmal Palace, Near Jij Chowk, Nangal road, Katra	10	Green	Septic tank Constructed			

26

85	Kohli inn Guest House, Pantul road, Katra	18	Green	Septic tank Constructed			
86	Karnal Guest House, Atri road, Katra	15	Green	Septic tank Constructed			
87	Khajuria Guest House, W.No.1, Main bazar Katra	16	Green	Septic tank Constructed			
88	Hotel Kumar, Main Bazar Katra	16	Green	Septic tank Constructed			
89	Kanshi Vishwanath Guest House, Banganga road, Katra	19	Green	Septic tank Constructed			
90	Khadota Palace Guest House, W.No.3, Mangal road, Katra	16	Green	Septic tank Constructed			
91	Hotel Kapoor Palace, Main Bazar, Katra	19	Green	Septic tank Constructed			
92	Kingsley Guest House, Chintamani road, Upper Bazar, Katra	18	Green	Septic tank Constructed			
93	Hotel Krishna Palace, Ist Street Banganga road, Katra	15	Green	Septic tank Constructed			
94	Krishna Guest House, Shiv Gali, Banganga road, Katra	11	Green	Septic tank Constructed			
95	Hotel Krishna Deluxe, Pantul road, Katra	19	Green	Septic tank Constructed			
96	Kerni Guest House, Palangani, near Bus Stand, Katra	10	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
97	Hotel Kedar, Banganga road, Katra	08	Green	Septic tank Constructed			
98	Hotel Katra Heights, Atri road, Katra	16	Green	Septic tank Constructed			
99	Hotel Katra Orchard, Adjacent to Hotel Vaishno Devi Heights, Atri road, Katra	17	Green	Septic tank Constructed			
100	Krishna Niwas, Near Shiv mandir, Samswati Chowk, Katra	12	Green	Septic tank Constructed			
101	Laxmi Guest House, Jammu road, Katra	14	Green	Septic tank Constructed			
102	Laxmi Guest House Block-B, Jammu road, Katra	12	Green	Septic tank Constructed			
103	Love Kush Guest House, Palangani, near Bus Stand, Katra	07	Green	Septic tank not Constructed	Notice issued, for operation of hotel without mandatory Septic tank		

27



104	Hotel Lafia, W.No.4, Main Bazar, Katra	12	Green	Septic tank Constructed			
105	Muslim Palace, Main Bazar, Katra	15	Green	Septic tank Constructed			
106	Moham Guest House, Dak Bungalow road, Katra	11	Green	Septic tank Constructed			
107	Maa Vaishno Palace, Panthul road, Katra	12	Green	Septic tank Constructed			
108	Maha Luxmi Guest House, Rensi road, Katra	16	Green	Septic tank Constructed			
109	Maa Trikuta Palace Guest House, Jammu road, Katra	19	Green	Septic tank Constructed			
110	Maa Luxmi Palace, W.No.13, Aali Ansali, Katra	14	Green	Septic tank Constructed			
111	Mamta Palace, Railway road, Katra	19	Green	Septic tank Constructed			
112	Malabar Inn Guest House, Panthul road, Katra	17	Green	Septic tank Constructed			
113	Hotel Madhuban, Panthul road, Katra	18	Green	Septic tank Constructed			
114	Maa Durga Inn Guest House, W.No.2, near Post Office, Katra	14	Green	Septic tank Constructed			
115	Mahashakti Divine Guest House, Post Office Lane, Jammu road, Katra	14	Green	Septic tank Constructed			
116	Maa Saraswati Lodge / Proch Guest House, behind Yatra Counter No.2, Katra	11	Green	Septic tank Constructed			
117	Hotel Mahadev Hills, Jammu road, Katra	19	Green	Septic tank Constructed			
118	Hotel Mahatma, Banganga road, Katra	12	Green	Septic tank Constructed			
119	Maneshwari Guest House, Banganga road, Katra	14	Green	Septic tank Constructed			
120	Mandir View Lodge, Main Bazar, Katra	07	Green	Septic tank Constructed			
121	Manoj Guest House, Main Bazar, Katra	10	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		

28



122	Manasa Palace, Arli road, Katra	16	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
123	Mid Town Residency Guest House, Mangal road, Katra	12	Green	Septic tank Constructed			
124	Hotel Mannama Residency, Arli road, Katra	11	Green	Septic tank Constructed			
125	Magotra Palace, Near Jy Chowk, Railway road, Katra	11	Green	Septic tank Constructed			
126	Hotel Natriji, Banganga road, Katra	10	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
127	Hotel New Prem, Panthal road, Katra	17	Green	Septic tank Constructed			
128	New Atul Regency Guest House, Railway road, Katra	11	Green	Septic tank Constructed			
129	Nagina Inn Guest House, opp. Railway Station, Kundorian, Katra	19	Green	Septic tank Constructed			
130	New Saraswati Lodge, Main Bazar, Katra	10	Green	Septic tank Constructed			
131	Hotel New Vivek, Main Bazar, Katra	18	Green	Septic tank Constructed			
132	New Thakur Guest House, Jammu road, Katra	13	Green	Septic tank Constructed			
133	Hotel New Kamla Palace, Main Bazar, Katra	19	Green	Septic tank Constructed			
134	Nirmal Guest House, Court road, Katra	19	Green	Septic tank Constructed			
135	New Jai Deva Guest House, Panthal road, Katra	14	Green	Septic tank Constructed			
136	New Raj Palace Guest House, W No.3, Mangal road, Katra	16	Green	Septic tank Constructed			
137	Nikhil Palace Guest House, Panthal road, Katra	18	Green	Septic tank Constructed			
138	Hotel Narayan, Main Bazar Katra	18	Green	Septic tank Constructed			
139	Nirmal Guest House, Panthal road, Katra	09	Green	Septic tank Constructed			

29

140	Hotel New Trikuta, Pantlul road, Katra	15	Green	Septic tank Constructed			
141	New Sati Guest House, Near Girls High School, Banganga road, Katra	18	Green	Septic tank Constructed			
142	New Bawa Guest House, Prashar Gali, Main Bazar, Katra	13	Green	Septic tank Constructed			
143	New Holiday Guest House, Paharganj, near Bus Stand, Katra	16	Green	Septic tank not Constructed	Notice issued, for operation of hotel without mandatory Septic tank	Reply received, sought 03 months time to construct Septic tank	
144	New Gampati Guest House, Paharganj, near Bus Stand, Katra	12	Green	Septic tank not Constructed	Notice issued, for operation of hotel without mandatory Septic tank		
145	New Deepak Yatri Niwas, near Govt. Girls High School, Banganga road, Katra	09	Green	Septic tank Constructed			
146	New Rohit Guest House, Opp. Govt. Hr. Secondary School, Banganga road, Katra	09	Green	Septic tank Constructed			
147	Hotel New Om, Banganga road, Katra	09	Green	Septic tank Constructed			
148	Hotel New Shanker, Banganga road, Katra	14	Green	Septic tank Constructed			
149	New Vijay Guest House, Main Bazar, Katra	12	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
150	Naseeb Palace, Arh road, Katra	08	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
151	Hotel New Sundaram, Ward no.3, Nangal road, Katra	16	Green	Septic tank Constructed			
152	New Kumar Guest House, Near Chintamani Mandir, Upper Bazar, Katra	07	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
153	Old Hotel Dubey, near Auto Stand, Main Bazar, Katra	16	Green	Septic tank Constructed			
154	Om Shree Guest House, Saraswati Chowk, Railway road, Katra	18	Green	Septic tank Constructed			
155	Om Hari Residency, Railway road, Katra	12	Green	Septic tank Constructed			
156	Hotel Om Karan Residency Railway road, Katra	18	Green	Septic tank Constructed			

30



174	R.P. Residency Guest House, Suraswari Chowk, Kumbhoriya, Katra	11	Green	Septic tank Constructed			
175	Hotel Raj Palace, Post Office Lane, Katra	19	Green	Septic tank Constructed			
176	Ram Bhawan Yatri Niwas, Prashar Gali, Main Bazar, Katra	14	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
177	Raj Shree Guest House, Manoranjan Gali, Main Bazar, Katra	14	Green	Septic tank Constructed			
178	Hotel Ruler Palace, Prashar Gali, Main Bazar, Katra	14	Green	Septic tank Constructed			
179	Rameshwar Guest House, Banganga road, Katra	12	Green	Septic tank Constructed			
180	Rudhey Thakur Guest House, Banganga road, Katra	08	Green	Septic tank Constructed			
181	R.P. Palace, Main Bazar, Katra	08	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
182	Ram Krishan Guest House, Main Bazar, Katra	06	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
183	Hotel Kohli, Near PHE Office, Panthial road, Katra	18	Green	Septic tank Constructed			
184	R.N. Dubey Guest House, Krishna Gali, Panthial road, Katra	10	Green	Septic tank Constructed			
185	Rajbanti Guest House, Atri road, Katra	09	Green	Septic tank Constructed			
186	Hotel Royal Palace, Near Jij Chowk, Railway road, Katra	08	Green	Septic tank Constructed			
187	R.V. Palace, Ward no.3, Nangal road, Katra	16	Green	Septic tank Constructed			
188	Hotel Seema Palace, Post Office Lane, Jammu road, Katra	14	Green	Septic tank Constructed			



189	Shree Palace Guest House, Opp. Jy Lipok, Mangal road, Katra	07	Green	Septic tank Constructed			
190	Shree Shankar Guest House Jammu road, Katra	18	Green	Septic tank Constructed			
191	Hotel Subash, Near Hospital Lane, Main Bazar, Katra	19	Green	Septic tank Constructed			
192	Shankar Guest House, Near Bus Stand, Katra	19	Green	Septic tank Constructed			
193	Satyam Guest House Hospital road, Katra	09	Green	Septic tank Constructed			
194	Shirdhar Guest House, Near Post Office lane, Jammu road, Katra	12	Green	Septic tank Constructed			
195	Hotel Shree Shakti, Saraswati Chowk, Railway road, Katra	13	Green	Septic tank Constructed			
196	Somay Guest House, Jammu road, Katra	16	Green	Septic tank Constructed			
197	Saroj Guest House, Atri road, Katra	17	Green	Septic tank Constructed			
198	Sai Paul Guest House, near PHE Office, Puntal road, Katra	10	Green	Septic tank Constructed			
199	Shamla Guest House, Opp Guru Nanak Dev Ji Parking Jammu road, Katra	13	Green	Septic tank Constructed			
200	Shree Shri Guest House, W.No.2, Post Office Lane, Katra	08	Green	Septic tank Constructed			
201	Hotel Sitara International, Railway road, Katra	16	Green	Septic tank Constructed			
202	Shree Shakti Residency, W.No.13, Kashmir road, Katra	13	Green	Septic tank Constructed			
203	Shree Dharm Guest House, W.No.4, Hospital road, Katra	16	Green	Septic tank Constructed			
204	Surya Guest House, opp, Chintamani Temple, Katra	19	Green	Septic tank Constructed			
205	Shree Mata Palace, Tea Garden, Jammu road, Katra	09	Green	Septic tank Constructed			

206	Sarvodaya Guest House, Jammu road, Katra	14	Green	Septic tank Constructed			
207	Hotel Sam Palace, Jhosemuni Gali, Panthal road, Katra	16	Green	Septic tank Constructed			
208	Hotel Sagar Palace, Main Bazar, Katra	18	Green	Septic tank Constructed			
209	Shree Durga Ji Palace Guest House, near Jagan Sweet Shop, Main Bazar, Katra	15	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
210	Hotel Sai Dham Plaza, Main Bazar, Katra	18	Green	Septic tank Constructed			
211	Sagar Guest House, W.No.4, Main Bazar, Katra	07	Green	Septic tank Constructed			
212	Hotel Sarveshwari Palace, Banganga road, Katra	12	Green	Septic tank Constructed			
213	Hotel Shri Sai Basera, Banganga road, Katra	16	Green	Septic tank Constructed			
214	Santosh Guest House, near Govt. Girls High School, Banganga road, Katra	12	Green	Septic tank Constructed			
215	Shri Dubey Guest House, Pularganj, near Bus Stand, Katra	17	Green	Septic tank not Constructed	Notice issued, for operation of hotel without mandatory Septic tank		
216	Shanti Kanti Guest House, W.No.1, Main Bazar, Katra	10	Green	Septic tank Constructed			
217	Shiva Guest House, Prashar Gali, Main Bazar, Katra	08	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
218	Shay Inn, Main Bazar, Katra	09	Green	Septic tank Constructed			
219	Shanti Bhawan Guest House, Main Bazar, Katra	14	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
220	Shree Ganga Guest House, Main Bazar, Katra	06	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
221	Hotel Shiva Inn, Bus Stand, Katra	18	Green	Septic tank Constructed			
222	Shanti Palace Guest House, Railway road, Katra	15	Green	Septic tank Constructed			



223	Hotel Sai Varika, Backside of Durgam Chikwan, Nangal road, Katra	17	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
224	Hotel Shri Sai Suraj, Backside of Hotel Sai Varika, Nangal road, Katra	17	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
225	Shradhanu Niwas, Ward no.3, Behind Hotel Vishal, Atri road, Katra	16	Green	Septic tank Constructed			
226	Hotel Sahani Palace, Atri road, Katra	07	Green	Septic tank Constructed			
227	Singham Palace, Near J&K Bank, Saraswati Chowk, Katra	09	Green	Septic tank Constructed			
228	Hotel Sangam Palace, Opp. Smile Kids School, Near Shiv Mandir, Saraswati Chowk, Katra	07	Green	Septic tank Constructed			
229	Hotel Shree Anceer Palace, Near Shiv Mandir, Saraswati Chowk, Katra	12	Green	Septic tank Constructed			
230	Hotel Shyam Residency, Jij Chowk, Railway road, Katra	13	Green	Septic tank Constructed			
231	Hotel Sai Sunder Inn, Jij Chowk, Railway road, Katra	11	Green	Septic tank Constructed			
232	Hotel Sharma Palace, Near Jij Chowk, Railway road, Katra	08	Green	Septic tank Constructed			
233	Hotel Shiy Inn, Nangal road, Katra	10	Green	Septic tank Constructed			
234	Sharma Yatri Niwas, Ward no.3, Nangal road, Katra	12	Green	Septic tank Constructed			
235	Saunhyal Paradise, Nangal road, Ward no.3, Katra	06	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
236	Hotel Trikuta Standard, Panthal road, Katra	18	Green	Septic tank Constructed			
237	Hotel Triund Regency, Panthal road, Katra	19	Green	Septic tank Constructed			
238	The Golden Castle Guest House, Panthal road, Katra	19	Green	Septic tank Constructed			
239	Hotel The Leaf, Railway road, Katra	17	Green	Septic tank Constructed			



240	Thakur Guest House, Nangal road, Katra	18	Green	Septic tank Constructed			
241	Hotel Tara Deluxe, Panthal road, Katra	19	Green	Septic tank Constructed			
242	Tara Palace, W.No. 2, Jammu road, Katra	16	Green	Septic tank Constructed			
243	Hotel Three W, W.No.6, Main Bazar, Katra	15	Green	Septic tank Constructed			
244	Hotel The Divine Oak W.No.3, Aih road, Katra	17	Green	Septic tank Constructed			
245	Trikota Palace Guest House, Prashar Gali, Main Bazar, Katra	12	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
246	Hotel Triple Crown, Nangal road, Backside of Durga Bhawan, Katra	12	Green	Septic tank Constructed			
247	Hotel Tara Palace, Saraswati Chowk, Katra	10	Green	Septic tank Constructed			
248	Hotel The Royal Inn, Near Shiv Mandir, Saraswati Chowk, Katra	17	Green	Septic tank Constructed			
249	Hotel The Nest, Near Jij Chowk, Upper Gali, Katra	11	Green	Septic tank Constructed			
250	Hotel The Turnant, Nangal road, Katra	11	Green	Septic tank Constructed			
251	Hotel Umang, Kunduram Jammu road, Katra	19	Green	Septic tank Constructed			
252	Hotel Uma Palace, Banganga road, Katra	15	Green	Septic tank Constructed			
253	Vidya Lodge, Naya Bazar Shopping Arcade, Katra	11	Green	Septic tank Constructed			
254	Vaishnavi Paradise Parthat Guest House, W.No.7 (near Chaita Mani, Upper Bazar, Katra	11	Green	Septic tank Constructed			
255	Van Durga Cottage, Kotli Bajalan, Noman, Katra	14	Green	Septic tank Constructed			
256	Hotel Vivek, Bus Stand, Katra	16	Green	Septic tank Constructed			
257	Vikas Lodge, W.No.2, Tea Garden, Katra	19	Green	Septic tank Constructed			



258	Vivek Inn Guest House, Railway road, Katra	11	Green	Septic tank Constructed			
259	Vinayak Guest House, Banganga road, Katra	16	Green	Septic tank Constructed			
260	Hotel Vaishnavi Palace, Banganga road, near Darshan Gate, Katra	08	Green	Septic tank Constructed			
261	Hotel Vijay International, Near Railway Station Exit Gate, Katra	18	Green	Septic tank Constructed			
262	Vishwa Guest House, behind Yatra Counter No.2, Katra	08	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
263	Vikas Guest House, near Govt. Girls High School, Banganga road, Katra	10	Green	Septic tank Constructed			
264	Hotel Vaishnavi Residency, Main Bazar, Katra	07	Green	Septic tank not Constructed	Notice issued for operation of hotel without mandatory Septic tank		
265	Vaishnavi Guest House, Krishna Gali, Pandhal road, Katra	10	Green	Septic tank Constructed			

36



ANNEXURE-2

Office of the Divisional Officer, J&K Pollution Control Committee, Mini Secretariat, Reasi

Status of Environment Compensation imposed

S.No.	Name and address of the Unit	E.C imposed		Whether EC deposited (Yes/No)	Reason for imposition of EC	Remarks
		Amount	Order No. / Date			
1.	M/s Hotel Meridian, Panthal road, Katra	56,142/-	34 – PCB of 2020 02-11-2020	Yes	Operation of hotel without STP in the reported period	STP now installed
2.	M/s Hotel Kings, Banganga road, Katra	33,436/-	42 – PCB of 2021 21-01-2021	Yes	Operation of hotel without STP in the reported period	STP now installed
3	M/s New Sham Guest House, Jammu road, Katra	—	Recommended for levying of EC. However EC Order not yet issued	—	Operation of hotel without STP in the reported period	STP now installed
4.	M/s Anil Guest House, W.No. 2, New Bus Stand, Katra	2,19,348/-	12 – JKPCC of 2021 03-12-2021	EC amount under review by TAC after submission of representation by the hotel owner followed by recommendation of D.O PCC Reasi	Operation of hotel without STP in the reported period	STP now installed
5	M/s Shridhar Sabha (Regd.) Dharamshala, Near Fabbara Chowk, Panthal road, Katra	—	—	Exemption granted by the Competent Authority in view of non-commercial status of said establishment, being a Dharamshala operated by religious Trust	Operation of Dharamshala without STP in the reported period	STP now installed
6.	M/s Hotel Maa, Banganga road, Katra	9,476/-	48 – JKPCB of 2021 10-03-2021	Yes	Non operational STP in the reported period	
7.	M/s Hotel Krishna, Bus Stand, Katra	9,842/-	11 – JKPCC of 2021 03-12-2021	Yes	Non operational STP in the reported period	
8.	M/s Hotel New Natraj, Bus Stand, Katra	9,612/-	10 – JKPCC of 2021 03-12-2021	Yes	Non operational STP in the reported period	
9.	M/s National Guest House, Jammu road, Katra	10,137/-	13 – JKPCC of 2021 08-12-2021	Yes	Non operational STP in the reported period	
10.	M/s Hotel Chirag International, Jammu road, Katra	10,137/-	13 – JKPCC of 2021 08-12-2021	Yes	Non operational STP in the reported period	
11	M/s Shaan Guest House, Jammu road, Katra	10,137/-	13 – JKPCC of 2021 08-12-2021	Yes	Non operational STP in the reported period	
12.	M/s Hotel Prem International, Jammu road, Katra	11,232/-	15 – JKPCC of 2021 08-12-2021	Yes	Non operational STP in the reported period	




3	M/s Hotel Shree Hari Niwas, Opp. ICICI Bank, Katra	11,639/-	14 – JKPC of 2021 08-12-2021	Yes	Non operational STP in the reported period	
14.	M/s Simm Samm Hotels, Katra Reasi road, Katra	15,150/-	18 – JKPC of 2021 24-12-2021	Yes	Non operational STP in the reported period	
15	M/s Hotel Holy Shrine, Dak Bunglow road, Katra	2,873/-	46 – PCB of 2021 15-02-2021	Yes	Non operational STP in the reported period	
16	M/s Hotel New Akash Ganga, Paharganj, Bus Stand, Katra	—	Recommended for issuance of order for levying of EC, after rectification of shortcomings by hotel owner	N/A	Without STP in the reported period	
17	M/s Hotel Jai Maa Inn, Panthal road, Katra	—	Recommended for issuance of order for levying of EC, after rectification of shortcomings by hotel owner	N/A	Non operational STP in the reported period	

*Handwritten signature*

**Total no. of hotels/ dharamshalas/ guest houses/ in Katra = 429**

S. no.	Category of hotels/ dharamshalas/ guest houses	No. of such hotels/ dharamshalas/ guest houses	No. of complying hotels w.r. to installation of req. PCDs (STP for Orange category hotels / Septic tank for Green category hotels)	No. of non-comply ing hotels w.r. to installation of req. PCDs (STP for Orange category hotels / Septic tank for Green category hotels)	No. of hotels served with notices under environmental laws	No. of hotels on which E C has been imposed in last two years
1.	Red	03	03	0	0	01
2.	Orange	161	139	22	22	12 (Action under process in 05 additional cases)
3.	Green	265	227	38	38	0

- No. of hotels under Green category is subject to change, as survey of some new hotels/ guest houses in interior lanes of Katra town is presently being undertaken and the same is likely to be completed in a week's time. Also, the Green category list of hotels/ guest houses does not include hotels/ guest houses having room capacity up to 06 rooms, unless such hotels are operational without Septic tank. Hotels having room capacity up to 06 rooms are exempted from the purview of Consent mechanism of J & K PCC vide order SPCB/ PS/ MS/ 10/ 111-19 Dated 21-04-2010.





No. of Bulk Waste generators in Katra = 16

No. of Bulk waste generators having installed Organic Waste Converters = 06

No. of Bulk waste generators having not installed Organic Waste Converters = 10

### List of Bulk Waste Generators in Katra Tehsil

S. no.	Name of Hotel/ Banquet Hall/ Dharamshala	No. of rooms/ Restaurant seats/ Banquet hall hosting capacity	Category of Hotel/ Banquet Hall/ Dharamshala	Whether Organic Waste Converter installed (Yes/ No)
1.	M/s Simm Samm Hotels, Katra-Reasi road, Katra	1) No. of rooms = 199 2) Restaurant seats = 127 3) Banquet Hall capacity = 200 PAX	Red	Yes
2.	M/s Hotel Riviera (Welcom Hotel by ITC), Katra-Reasi road, Katra	1) Rooms = 83 2) Restaurant = 120 seats 3) Banquet Hall capacity = 250 PAX	Orange	Yes
3.	M/s Devi Aashirwad Resorts Pvt. Ltd. (Hotel Devi Grand), Katra-Reasi road, Katra	1) Rooms = 71 2) Restaurant seats = 76 3) Banquet hall capacity = 160 PAX	Orange	No
4.	M/s Hotel Bali Resorts, Katra- Reasi road, Katra	1) Rooms = 73 (after expansion) 2) Restaurant seats = 95 (after expansion)	Orange	No
5.	M/s Hotel K C Residency, Katra-Reasi road, Katra	1) Rooms = 57 2) Restaurant seats = 84	Orange	Yes
6.	M/s Hotel Continent Panchvati, Jammu road, Katra	1) Rooms = 68 2) Restaurant seats = 56	Orange	No
7.	M/s Hotel Rani Maa (Lemon Tree), Near Railway Station, Katra	1) Rooms = 70 2) Restaurant seats = 54	Orange	Yes

8.	M/s Hotel Nek, Panthal road, Katra	1) Rooms = 45 2) Restaurant seats = 20 3) Banquet hall capacity = 300 PAX	Orange	No
9.	M/s Hotel New Ashok, Panthal road, Katra	1) Rooms = 51 2) Restaurant seats = 16 3) Banquet Hall & Lawn capacity = 500 PAX	Orange	No
10.	M/s Hotel Swastik Resorts, Railway road, Katra	1) Rooms = 66 2) Restaurant seats = 46	Orange	No
11.	M/s Mahamai Sewa Nyas Yatri Niwas, Jammu road, Katra	1) Rooms = 80 2) Dormitories (3 nos.) having accommodation capacity = 130 PAX	Orange	Yes
12.	M/s Mangal Bhawan Dharamshala, Jammu-Katra road, Katra	1) Rooms = 64 2) Bhaojanalya seats = 60 3) Dormitory having accommodation capacity = 30 PAX	Orange	No
13.	M/s American Hotels and Restaurant Pvt. Ltd.(Country Inn Hotels & Suites), Village Maghal, Tehsil Katra.	1) Rooms = 77 2) Restaurant seats = 46 3) Banquet Hall capacity = 80 PAX	Orange	Yes
14.	M/s Hotel Bhawani Z Paradise, Jammu road, Katra	1) Rooms = 82 2) Restaurant Seats = 32	Orange	No
15.	M/s Hotel Kanta International, Kundrorian, Railway road, Katra	1) No. of rooms = 56 2) Restaurant Seats = 18 3) Banquet hall & Lawn capacity = 300 PAX	Orange	No
16	M/s Hotel JMK International, Railway road, Katra	1) No. of rooms = 50 2) Restaurant Seats = 32 3) Banquet hall & Lawn capacity = 300 PAX	Orange	No

...

*[Handwritten signature]*

**Total no. of hotels/ dharamshalas/ guest houses/ in Katra = 429**

S. no.	Category of hotels/ dharamshalas/ guest houses	No. of such hotels/ dharamshalas/ guest houses	No. of complying hotels w.r. to installation of req. PCDs (STP for Orange category hotels / Septic tank for Green category hotels)	No. of non-comply ing hotels w.r. to installation of req. PCDs (STP for Orange category hotels / Septic tank for Green category hotels)	No. of hotels served with notices under environmental laws	No. of hotels on which E C has been imposed in last two years
1.	Red	03	03	0	0	01
2.	Orange	161	139	22	22	12 (Action under process in 05 additional cases)
3.	Green	265	227	38	38	0

- No. of hotels under Green category is subject to change, as survey of some new hotels/ guest houses in interior lanes of Katra town is presently being undertaken and the same is likely to be completed in a week's time. Also, the Green category list of hotels/ guest houses does not include hotels/ guest houses having room capacity up to 06 rooms, unless such hotels are operational without Septic tank. Hotels having room capacity up to 06 rooms are exempted from the purview of Consent mechanism of J & K PCC vide order SPCB/ PS/ MS/ 10/ 111-19 Dated 21-04-2010.

*[Handwritten signature]*



No. of Bulk Waste generators in Katra = 16

No. of Bulk waste generators having installed Organic Waste Converters = 06

No. of Bulk waste generators having not installed Organic Waste Converters = 10

### List of Bulk Waste Generators in Katra Tehsil

S. no.	Name of Hotel/ Banquet Hall/ Dharamshala	No. of rooms/ Restaurant seats/ Banquet hall hosting capacity	Category of Hotel/ Banquet Hall/ Dharamshala	Whether Organic Waste Converter installed (Yes/ No)
1.	M/s Simm Samm Hotels, Katra-Reasi road, Katra	1) No. of rooms = 199 2) Restaurant seats = 127 3) Banquet Hall capacity = 200 PAX	Red	Yes
2.	M/s Hotel Riviera (Welcom Hotel by ITC), Katra-Reasi road, Katra	1) Rooms = 83 2) Restaurant = 120 seats 3) Banquet Hall capacity = 250 PAX	Orange	Yes
3.	M/s Devi Aashirwad Resorts Pvt. Ltd. (Hotel Devi Grand), Katra-Reasi road, Katra	1) Rooms = 71 2) Restaurant seats = 76 3) Banquet hall capacity = 160 PAX	Orange	No
4.	M/s Hotel Bali Resorts, Katra- Reasi road, Katra	1) Rooms = 73 (after expansion) 2) Restaurant seats = 95 (after expansion)	Orange	No
5.	M/s Hotel K C Residency, Katra-Reasi road, Katra	1) Rooms = 57 2) Restaurant seats = 84	Orange	Yes
6.	M/s Hotel Continent Panchvati, Jammu road, Katra	1) Rooms = 68 2) Restaurant seats = 56	Orange	No
7.	M/s Hotel Rani Maa (Lemon Tree), Near Railway Station, Katra	1) Rooms = 70 2) Restaurant seats = 54	Orange	Yes

8.	M/s Hotel Nek, Panthal road, Katra	1) Rooms = 45 2) Restaurant seats = 20 3) Banquet hall capacity = 300 PAX	Orange	No
9.	M/s Hotel New Ashok, Panthal road, Katra	1) Rooms = 51 2) Restaurant seats = 16 3) Banquet Hall & Lawn capacity = 500 PAX	Orange	No
10.	M/s Hotel Swastik Resorts, Railway road, Katra	1) Rooms = 66 2) Restaurant seats = 46	Orange	No
11.	M/s Mahamai Sewa Nyas Yatri Niwas, Jammu road, Katra	1) Rooms = 80 2) Dormitories (3 nos.) having accommodation capacity = 130 PAX	Orange	Yes
12.	M/s Mangal Bhawan Dharamshala, Jammu-Katra road, Katra	1) Rooms = 64 2) Bhaojanalya seats = 60 3) Dormitory having accommodation capacity = 30 PAX	Orange	No
13.	M/s American Hotels and Restaurant Pvt. Ltd.(Country Inn Hotels & Suites), Village Maghal, Tehsil Katra.	1) Rooms = 77 2) Restaurant seats = 46 3) Banquet Hall capacity = 80 PAX	Orange	Yes
14.	M/s Hotel Bhawani Z Paradise, Jammu road, Katra	1) Rooms = 82 2) Restaurant Seats = 32	Orange	No
15.	M/s Hotel Kanta International, Kundrorian, Railway road, Katra	1) No. of rooms = 56 2) Restaurant Seats = 18 3) Banquet hall & Lawn capacity = 300 PAX	Orange	No
16.	M/s Hotel JMK International, Railway road, Katra	1) No. of rooms = 50 2) Restaurant Seats = 32 3) Banquet hall & Lawn capacity = 300 PAX	Orange	No

\*\*\*



**(UT of Jammu & Kashmir)**  
**Office of the Sub Divisional Magistrate Katra**

Deputy Commissioner

Reasi.

No. SDM/K/2022-23/2123-25

Dated: 19-01-2023

**Subject: Violation of E-Waste (Management and Handling) Rules, 2016 as amended in 2018**

**Reference: Order No. 63 JKPCC 2022 dated 07-09-2022 of the JK Pollution Control Committee.**

Respected Madam,

Kindly refer the subject and reference cited above, in this context kindly find action taken report against the directions issued by your worthy office and J&K Pollution Control Committee, Jammu to close down the E-waste dismantler unit of M/S Radhika Scrap Yard, Railway Road Katra and Sh. Subash Sharma and Sons, Katra-Reasi road District Reasi.

A joint team of revenue, Municipality Katra and Police Department visited spot on 19-01-2022 wherein, the team has closed down E-waste dismantler unit of Sh. Subash Sharma and Sons situated at Katra-Reasi road (Geo tagged photograph enclosed).

Whereas E-waste dismantler unit of M/S Radhika Scrap Yard, Railway Road Katra has closed down their operations after receiving order of JK Pollution Control Committee. Further during today's joint inspection the site of M/S Radhika Scrap Yard dealer was found locked/closed.

Hence, submitted for kind information.


Yours faithfully

  
Angrej Singh (JKAS)  
Sub Divisional Magistrate Katra

Copy to the:

1. Member Secretary, J&K Pollution Control Committee for kind information.
2. PA to Principal Secretary H&UDD for kind information of worthy Principal Secretary (H&UDD).










GPS Map Camera



Google


Katra, null, null  
Sherpur, Katra, 182320

Lat 32.989569°

Long 74.92228°



19/01/23 10:47 AM GMT +05:30





**Pre and post scenario of legacy waste dumped on the bank of Banganga rivulet**





**Pre and post images showing works of sewage drain along bank of Banganga rivulet**

Annexure C(iv)

# UNION TERRITORY OF JAMMU AND KASHMIR

Pollution Control Committee Jammu

(Water Laboratory)

(ISO 9001:2015 Certified)

(ISO 45001:2018 Certified)

## Water Quality Status of Banganga Katra during-2022 ( 1st Quarter)

Monitoring Location		Bathing ghat- Katra Stn code:-2755	Below Reasi Bridge Stn code:-2756	Water Quality Criteria for different uses specified by CPCB/BIS Standards-1982 for Surface Water
S.No	Parameter	Quarter1	Quarter1	
1	Temperature	18	18.1	
2	Dissolved oxygen (DO)	7.4	6.7	>6.0 mg/l
3	pH	8.66	8.78	6.5-8.5
4	Conductivity	390	398	-
5	BOD (mg/l)	1.7	2.1	<2.0 mg/l
General Parameters				
1	Turbidity (NTU)	24	28	-
2	TDS	226	230	500 mg/l
3	Ammonia-N	0.29	0.56	-
4	Phosphate-P	0.24	0.86	-
5	COD	8.7	10.4	-
6	Total Alkalinity as CaCO <sub>3</sub>	248	236	-
7	Hardness as CaCO <sub>3</sub>	240	248	-
8	Calcium as CaCO <sub>3</sub>	158	152	-
9	Magnesium as CaCO <sub>3</sub>	82	96	-
10	Sodium(mg/l)	19	21	-
11	Potassium(mg/l)	17	18	-
12	Sulphate	44	68	-
13	Chloride	29	62	250 mg/l

Note:-

- i) Quarterly data average is on the basis of monthly monitored data for the calendar year.

Scientist -A  
I/c Water Lab

Dr.Yash Paul  
Head Labs,PCC-Jammu