

Item No. 02

(Court No. 1)

**BEFORE THE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 135/2021

Mahesh Chandra Saxena

Applicant

Versus

The Chief Secretary, Govt. of NCT  
of Delhi & Ors.

Respondent(s)

Date of hearing: 28.06.2021

**CORAM: HON'BLE MR. JUSTICE ADARSH KUMAR GOEL, CHAIRPERSON  
HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER  
HON'BLE MR. JUSTICE M. SATHYANARAYANAN, JUDICIAL MEMBER  
HON'BLE MR. JUSTICE BRIJESH SETHI, JUDICIAL MEMBER  
HON'BLE DR. NAGIN NANDA, EXPERT MEMBER**

**ORDER**

Prayer in this application is for a direction to finalize the design of rain water harvesting system in the light of the opinion of the experts mentioned in the application. According to the applicant, the rain water harvesting systems now being used by the South Delhi Municipal Corporation and the Delhi Jal Board are not of proper design, resulting in water contamination.

We are not inclined to entertain the application. Effectiveness of a particular design to be used for rain water harvesting system is a matter which can be dealt with by the concerned statutory regulatory authorities on merits.

The application is accordingly disposed of.

Adarsh Kumar Goel, CP

Sudhir Agarwal, JM

M. Sathyanarayanan, JM

Brijesh Sethi, JM

Dr. Nagin Nanda, EM

June 28, 2021  
Original Application No. 135/2021  
A