

**BEFORE THE NATIONAL GREEN TRIBUNAL**  
**PRINCIPAL BENCH, NEW DELHI**  
Original Application No. 214 of 2021

**IN THE MATTER OF:**

SHAILESH SINGH

...Applicant

VERSUS

CENTRAL POLLUTION CONTROL BOARD  
AND OTHERS

...Respondents

**INDEX**

S.NO.	PARTICULARS	PAGE NO.
1	Objection by applicant to the Joint Inspection Report filed by DPCC	2 - 10
2	<b>Annexure A1</b> Copy of the RTI reply dated 23-05-2022 alongwith DPCC closure order dated 05.12.2018	11 - 16
3	<b>Annexure A2</b> Copy of the RTI reply dated 27.08.2021 and 09.02.2022 of EDMC	17 - 20
4	<b>Annexure A3</b> Copy of the RTI reply dated 05.10.2021 of DPCC alongwith the showcause notices issued to respondent unit	21 - 27

Applicant



Shailesh Singh

Filed by:

Preeti Singh

Advocate for the Applicant

Mob: 9312411311

Add: 13 Babar Road, Bengali

Market, New Delhi- 110001

E-mail: [preetisingh1324@gmail.com](mailto:preetisingh1324@gmail.com)

**BEFORE THE NATIONAL GREEN TRIBUNAL**  
**PRINCIPAL BENCH, NEW DELHI**  
 Original Application No. 214 of 2021

**IN THE MATTER OF:**

SHAILESH SINGH

...Applicant

VERSUS

CENTRAL POLLUTION CONTROL BOARD  
 AND OTHERS

...Respondents

**OBJECTIONS BY APPLICANT TO THE JOINT INSPECTION  
 REPORT FILED BY DELHI POLLUTION CONTROL COMMITTEE**

1. That the present original application has been filed by the applicant concerned with the pollution and contamination of water/ ground water caused by the slaughter house in Ghazipur, Delhi and the Slaughterhouse, in the name of development, has become an industrial hub at the cost of causing destruction to the environment. That the respondent slaughter house running in the Ghazipur Delhi even after expiry of the lease agreement, is operating secretly and further it discharges their effluent waste/ carcass residue (blood, fat and other harmful elements which increases the amount of nitrogen) into the ground water, drains. The ground water is used by the residents for the drinking purposes and other everyday use. It is also a pivotal fact to mention herein that these unauthorized slaughter houses have no requisite permissions that are required to run a Slaughterhouse and are openly violating several environmental norms from past several years.
2. That this Hon'ble Tribunal vide its order dated 13.05.2022 passed the following order:

*From the above, it is seen that while ETP is said to be now working with the proposed Irrigation Management Plan for use*

*of treated water, treated water is being used for suppression of dust, action has been initiated for illegal extraction of groundwater without permission of DJB which is the competent authority, four borewells have been sealed, borewell water was being used for floor washing and tanker water was being used for meat washing. Thus, it remains undisputed that there is no availability of water, if illegal extraction of groundwater is to be discontinued. Though the report of DPCC mentions that validity of consent exists till 13.09.2022, it has not been made clear whether the consent conditions are complied. In fact non compliance is shown by illegal extraction of groundwater in area which is 'Over Exploited' in terms of availability of groundwater.*

*8. In view of above, we direct that the PP may not be allowed to operate the plant unless a Joint Committee of CPCB and DPCC certifies that the project can be operated in accordance with the consent conditions and environmental norms. In case the project is to be permitted, the Committee may ensure 100% recirculation of treated water and the adoption of ZLD system. The statutory regulators may fix accountability for past violations, following due process of law. Payment of assessed compensation, to be used for restoration of the environment, will be condition precedent for permitting the project.*

*The application is disposed of accordingly.*

*A copy of this order be forwarded to CPCB and DPCC by e-mail for compliance.*

3. That the matter was first listed on 31.08.2021 then the matter got adjourned three times due to non submission of the compliance report by the official respondents, thereafter the matter got listed on



13.05.2022 and this Ld. Tribunal passed the abovementioned directions.

4. Subsequently the Delhi Pollution Control Committee has filed an inspection report dated 20.06.2022 in the above captioned matter reveals the deplorable state of affairs moreover it further proves that the respondent unit is causing pollution and violating environmental norms and the issues raised by applicant are extremely severe & need prompt immediate action or else if no action is taken, it will result in gigantic catastrophe. But the applicant by the present application is putting forward some issues which are missing in the joint inspection report and are necessary to look before final adjudicating the present matter.
5. That the present inspection report is the sole and most important element in adjudicating this present application and the inspecting officers should take care of the transparency and welfare of the public at large but here in the present matter the inspection report has prepared one sided report in order to save the respondent unit. Few things should have been given in the present inspection report which are:-
  - a) Closure order issued by DPCC dated 05.12.2018 and it never revoked, and RTI reply of DPCC also reveals that consent never get renewed.
  - b) More than 115 Crore Liter effluent has been discharged in 45 months into the river Yamuna.
  - c) More than 37 lakh animals have been slaughtered illegally.
  - d) Air and Ground Water quality of East Delhi is not safe.
  - e) Record of patients and deaths occurred in East Delhi, most of the hospitals has the record of the same still the patients are

not getting any compensation nor the officers have ever recommended for the same.

f) Condition of River Yamuna in East Delhi.

g) Closure order was kept hidden for 10 months, it was not filed before the Ld. Tribunal and same thing is happening with discharge of effluent waste. Neither the vehicle numbers of the tankers nor the CCTV Footage of front gate are being provided.

6. That M/s Allana illegally slaughtered 28.23 lakh buffaloes, sheep and goats of 4490 crores from 05.12.2018 to 04.03.2021 and did a profit of 900 crore and M/s Qureshi illegally slaughtered 8.60 lakh buffaloes, sheep and goat of 1350 crore from 05.03.2021 to December 2021 and did a profit of 270 crore and therefore it is necessary to recover that amount from the unit and to take strict action against the officers who allowed this illegal activity for 45 months in Delhi.
7. That the DPCC has issued a closure order on 05.12.2018 and asked the SDM East Delhi to execute the closure order and informed that the consent of the unit has been cancelled on 26.03.2018 and ordered the DJB to stop the supply of water through tankers and to cut off the water connection of the Food Processing Complex Meat and Rendering and also to cut off the electricity connection. It is surprising to note herein that the DJB is providing water supply to the unit even after the clear order to stop the water supply of the unit. Copy of the RTI reply dated 23-05-2022 alongwith DPCC closure order dated 05.12.2018 as annexed as **Annexure A1**.
8. That the DPCC in the abovesaid inspection report has mentioned that the lease agreement between EDMC and M/s Frigorifico Allana



Pvt. expired but it is nowhere mentioned in the report that when the lease got expired and how the lease got extended for a long period after noticing illegal activities of the slaughter house. It is submitted that the lease agreement of the respondent unit expired in May 2019 and the rent was paid by the Allana slaughter house was upto May 2019. It is nowhere mentioned in the inspection report that during the period June 2019 to March 2021 in what capacity the slaughter house was running and who are those officials who allowed this illegal activity, more than 22 lakhs animals (5 lakh buffaloes and 17 lakh sheep/goat) slaughtered during this tenure illegally due to which the industrial unit did a business of approx 4,000 crores (Four Thousand crores) which should be recovered. It is further submitted that the respondent unit has neither deposited the slaughtering fees in the account of EDMC and interestingly the unit M/s Qureshi International deposited the rent of Rs. 1,32,704 for 10 months i.e. from 05 March 2021 to 31.12.2021. Copy of the RTI reply dated 27.08.2021 and 09.02.2022 of EDMC depicting the abovesaid fact are collectively annexed herewith as **Annexure A2**.

9. That the present inspection report also denotes that the slaughter house have the Consent to operate till the year 2022, surprisingly the Delhi Pollution Control Committee had earlier imposed a fine of Rs. 50 lakhs upon the respondent unit in the year 2019 for non complying with the conditions of consent to operate and the respondent department had several times issued show cause notices between the year 2015 to 2017 to the respondent, still the consent to operate never revoked by the DPCC despite the fact that it is one of the condition of the CTO that if the unit founds non complying with any of the condition the consent to operate will automatically stands rejected/revoked. It is also submitted that the

respondent unit has not yet deposited the compensation earlier imposed upon the unit which can be verified from the RTI reply dated 05.10.2021 by the respondent department.

Copy of the RTI reply dated 05.10.2021 of DPCC alongwith the showcause notices issued to respondent unit are collectively annexed herewith as **Annexure A3**.

10. That this Hon'ble Tribunal in the matter of Shailesh Singh vs. M/s Al-Dua Food Processing Pvt. Ltd, O.A. no. 348/2017 issued some directions that:-

*"The CPCB has prepared guidelines for utilization of treated effluents in irrigation by ZLD units. Such units must provide for recycling of effluents in the same process instead of discharging effluents on land or in water. Further guideline is that an agricultural scientist should be engaged for utilization of effluents in irrigation and preparing an Irrigation Management Plan. Treated effluents should meet the prescribed standards. Ground water quality should be monitored. The CPCB may circulate its guidelines to all PCBs/PCCs which should be required to be followed in every consent to establish as a condition for such consent."*

That the respondent unit is not complying with the directions given by this Hon'ble Tribunal on 26.09.2019, the respondent unit is openly violating the order passed by this Ld. Tribunal 28 months back and the official respondents i.e. CPCB, DPCC and EDMC has till take not taken any action against the unit.

11. That the area where the respondent unit is located comes under "Over Exploited Category" still the respondent unit is running illegally



without having any valid ground water permission from the concerned authorities.

12. That both of the units are guilty under Section 25, 26, 27, 28 and 30 of the National Green Tribunal Act 2010.
13. It is surprising to note that despite noticing the violation of Environment norms and non completion of previous recommendations, the officials have not taken any action against the unit except mere paper formality working hand in gloves with polluting units which requires urgent actions from this Hon'ble Tribunal. That the inspection report filed by the respondent illustrates and proves that the unit is a non-compliant unit.
14. The aforesaid inspection report given by the Respondent DPCC is not satisfactory to the applicant for other following reason:
  - i. That there is no proof of inspection provided along with the inspection report. No C.C.T.V. footage in a compact disk along with additional details is provided.
  - ii. The nearby villagers/residing locals, who were aggrieved by the acts of this unit, their objections, suggestions and recommendations were not mentioned in the inspection report. The applicant would like state herein that the inspection done by the officers is a mere documentation.
  - iii. The inspection done is not in accordance with the order passed by this Hon'ble Tribunal or not in accordance with the allegations put up by the applicant.
  - iv. The respondent unit is causing damage to the entire area since long still the govt. agencies have not taken any step against respondent unit, have not filed any case/complaint under Air and



Water Act, knowing the fact that violation of air and water act is a punishable offence.

- v. The inspection committee/govt. agencies have not rejected the NOCs issued under air and water act to respondent unit.
- vi. The official respondents have failed to comply with the directions issued by this Hon'ble Tribunal 28 months back and nor taken any action against the respondent unit which is a punishable offence under Section 26,27 and 28 of the NGT Act.

In the light of above submission, the applicant is praying before this Hon'ble Tribunal for suitable actions in order to prevent further environmental damage/to direct the closure of aforesaid respondent unit immediately and to impose heavy fine under the polluter pay principle.

Applicant



Shailesh Singh

Filed by:

Preeti Singh

Advocate for the Applicant

Mob: 9312411311

Add: 13 Babar Road, Bengali

Market, New Delhi- 110001

E-mail: [preetisingh1324@gmail.com](mailto:preetisingh1324@gmail.com)

**BEFORE THE NATIONAL GREEN TRIBUNAL**  
**PRINCIPAL BENCH, NEW DELHI**  
 Original Application No. 214 of 2021

**IN THE MATTER OF:**

SHAILESH SINGH

...Applicant

VERSUS

CENTRAL POLLUTION CONTROL BOARD  
 AND OTHERS

...Respondents

**AFFIDAVIT**

I, Shailesh Singh S/o Sh. Babu Singh, Aged about 54 years, office at:- 2AB, Regal Building, Sansad Marg, Connaught Place, New Delhi-110001, do hereby solemnly affirm and declare as under:-

1. That I am the applicant in the accompanying OA and as such am well conversant with the facts and circumstances of the case and am competent to swear this Affidavit.
2. That the contents of the accompanying Application have been drafted by my counsel under my instructions and the same have been explained to me in vernacular language, which are true and correct to the best of my knowledge, the contents of the same be read as part and parcel of this affidavit and the same are not being repeated herein for the sake of brevity.

Identify the Deponent who has  
 Signed at T.I. & in my presence



DEPONENT

**VERIFICATION**

21 JUN 2022



Verified at New Delhi on this \_\_\_\_\_ day of June, 2022 that the contents of my Affidavit are true and correct and nothing material has been concealed there from and no part of it is false.

Before me read  
 over & explained to the deponent  
 Admitted to be correct

Oath Commissioner, New Delhi




DEPONENT

21 JUN 2022

Speed Post  
ID-5703

Dated: 21.02.2022



F. No. DPCC/SPIO/RTI/5703/2022/ 106

Dated: 23/05/22

To,

✓ Sh. Shailesh Singh,  
2AB, Regal Building,  
Sansad Marg, Connaught Place,  
New Delhi- 110001

**Subject : Information under Right to Information Act, 2005, sought by  
Sh. Shailesh Singh, 2AB, Regal Building, Sansad Marg,  
Connaught Place, New Delhi- 110001 (ID- 5703 dated 21.02.2022)**

Sir,

Please find enclosed herewith the documents ( 8 No. of Pages) as in  
reference to your RTI application received on 21/02/2022.

If you are not satisfied with the information as provided to you ,you  
may file an appeal under section 19 of the RTI Act, 2005 to the first  
Appellate Authority, whose particulars are as under:  
"Member Secretary, DPCC, 5<sup>th</sup> Floor, ISBT Building, Kashmere Gate,  
Delhi-110006".

Yours faithfully,

  
SPIO, DPCC

Encl: As above



	<b>By Speed Post</b>
	<b>DELHI POLLUTION CONTROL COMMITTEE</b>
	<b>DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)</b>
	4 <sup>th</sup> & 5 <sup>th</sup> FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6 ( visit us at website : <a href="http://dpcc.delhigovt.nic.in/">http://dpcc.delhigovt.nic.in/</a> )
F.No.DPCC/BMW/2018/ 8816	
Dated: 5/12/2018	

**Subject:- Show Cause Notice u/s 27 of Water (Prevention and Control of pollution) Act, 1974 and u/s 21 of Air (Prevention and Control of pollution) Act, 1981 for Refusal of Consent and u/s 33 (A) of Water (Prevention and Control of pollution) Act, 1974 & u/s 31(A) of Air (Prevention and Control of pollution) Act, 1981 for closure of the Unit as amended to date.**

Whereas, Central Pollution Control Board is the State Board for all the Union Territories to exercise powers and perform functions under the Water (Prevention and Control of Pollution) Act, 1974 as amended to date.

And whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air pollution control area under Sub-Section (I) of section 19 of Air (Prevention and Control of pollution) Act, 1981 vide notification no GSR 106 (E) dated 22.02.1987.

And whereas, as per mandatory provisions u/s 21/22 of Air (Prevention and Control of pollution) Act, 1981 no person without the previous consent of DPCC shall establish any industrial unit in anywhere in Union Territory of Delhi being declared as the air pollution control area.

And whereas, as per mandatory provisions u/s 25/26 of the water (Prevention & Control of Pollution) Act, 1974 no person without the previous consent of DPCC shall Establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent in to a stream or on land.

And whereas you, M/s Delhi Food Processing Complex (Meat) MCD Gazipur, Delhi -110096 (herein after referred as the Addressee) are engaged in the activity of slaughter of sheep, goat and buffalo.

And whereas, you the addressee have been granted Consent to Establish vide letter order dated 14.09.2009.

And whereas, you the addressee have been issued Consent to Operate vide order dated 01.02.2010 which was valid upto 18.10.2012.

And whereas, you the addressee have been granted Consent to Operate (Renewal) from time to time latest being granted vide order dated 26.03.2018 which is valid upto 13.09.2022.

And whereas, as per condition No. 20 of Consent to Establish granted on 14.09.2009, you had to install a suitable Bio-Methanation plant at the time of commissioning of the plant, to produce bio-gas from the huge quantity of dung.

Contd. on 2..

..2..

And whereas, you were directed to install Bio-Methanation plant vide notices/ letters dated 11.02.2015, 5.5.2015, 13.4.2016 and 24.01.2017.

And whereas, you the addressee have given various assurances for installation of Bio-Methanation plant, latest being vide letter dated 07.03.2018.

And whereas, you were again issued a show cause notice for refusal of consent on 01.10.2018 for not installing Bio-Methanation plant

And whereas, you the addressee have failed to install the Bio-Methanation plant even after a passage of eight long years and much persuasion.

And whereas, you also have failed to submit any time bound action plan for the installation of Bio-Methanation plant to the satisfaction of the Competent Authority in DPCC.

And whereas, an inspection was conducted by the officials of DPCC on 1.11.2018 and following deficiencies were observed:

1. Following units/components of ETP were found non-operational/defunct:
  - One out of two Equalization tank was found filled with dung ,
  - One out of three Upflow Anaerobic Sludge Blanket Reactor (UASB) found operational and rest 02 found non operational/ dysfunctional.
  - All 03 centrifuge, 02 DAF, 02 Reaction Tanks and Sludge Thickener found non operational/ dysfunctional.
  - 02 HCL, 02 NaOH and 02 Dosing Tanks were found empty and were not in use.
  - Anaerobic Sludge Holding Tank found dysfunctional/ non operational
  - Bio gas holder found dysfunctional.
  - Only one out of three streams consisting of Aeration Tank & Settling Tank found Operational.
  - In the operational stream of aeration tank no MLSS was observed in the Aeration Tank depicting improper operation of Aeration tank.
2. Flow meter found installed at 03 UASB, were found nonfunctional.
3. No flow meter found installed at the inlet of ETP.
4. As informed treated effluent is used for floor washing at slaughter house & gardening however no supporting document/ mass balance of water was provided.
5. No sludge other than the dung in one of the equalization tank was observed at the ETP site. It was informed that the dung in the equalization tank was given to farmers.
6. Calibration details of Online Monitoring System were not provided.
7. It was informed that installation of bio-methanation plant is under process for paunch waste and dung.
8. Separate Effluent Treatment Plant (ETP) of 250 KLD capacity has been installed for the treatment of wastewater generated from rendering plant. ETP consists of Equalization tank, sludge drying beds, UASB, Aeration tank and settling tanks etc. However MLSS not observed in Aeration tank indicating improper operation of Aeration tank. Treated effluent in reportedly being used in floor washing / irrigation/ horticulture / road sweeping etc.
9. In house conditions needs improvement both in Slaughter House Complex (particularly w.r.t dung management) and in Rendering plant (particularly w.r.t

Contd on ..3



..3..

incoming waste handling (intestine / other parts).

10. Boilers in Slaughter House section have not been converted into PNG/ Approved fuel as per notification of DPCC regarding the same.

Now therefore in view of the above the Competent Authority, in Delhi Pollution Control Committee, in exercise of powers conferred upon it u/s 33 (A) of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 31 (A) of Air (Prevention and Control of pollution) Act, 1981 as amended to date proposes to issue the following directions:-

1. That the Consent to Operate (Renewal) issued to you vide order dated 26.03.2018 which is valid till 13.09.2022 shall stand revoked with immediate effect.
2. That you (the addressee) shall close your unit with immediate effect.
3. That the concerned authority in BSES Rajdhani Power Limited/Tata Power Delhi Distribution Limited shall disconnect the electricity supply to the addressee unit with immediate effect.
4. That the concerned authority in DJB shall disconnect the water supply/discontinue the supply of water through tankers to the unit with immediate effect.
5. That the concerned Sub-Divisional Magistrate (SDM) shall take necessary action to ensure the effective closure of the Addressee unit with immediate effect.

By way of this notice, you (the Addressee) are hereby called upon to show cause, as to why the above said proposed directions should not be confirmed. Your reply, if any, should reach to this office **within 20 days from the date of issue of this notice**. In case of failure, it will be presumed that you have nothing to say in this regard and the aforementioned proposed directions shall be confirmed without any further reference to you.

This shall also be treated as last opportunity of being heard as per the provisions of the Air (Prevention and Control of pollution) Act, 1981.

This issue with the approval of the Competent Authority in DPCC.

*[Signature]*  
Sr. Env. Engineer  
WMC-I

To,  
Incharge,  
Delhi Food Processing Complex (Meat and Rendering ),  
MCD Gazipur , New Delhi-110096

Copy to-  
Master File of WMC-I

*[Signature]*  
Env. Engineer  
WMC-I, DPCC



Speed Post

ID-5703

Dated: 21.02.2022



DELHI POLLUTION CONTROL COMMITTEE  
DEPARTMENT OF ENVIRONMENT, GOVT. OF NCT OF DELHI  
5TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-1100006  
visit us at : <http://dpcc.delhigovt.nic.in>

P. No. DPCC/SPIO/RTI/5703/2022/8078

Dated: 22/03/22

To,

Sh. Shailesh Singh,  
2AB, Regal Building,  
Sansad Marg, Connaught Place,  
New Delhi- 110001

Subject : Information under Right to Information Act, 2005, sought by  
Sh. Shailesh Singh, 2AB, Regal Building, Sansad Marg,  
Connaught Place, New Delhi- 110001 (ID- 5703 dated 21.02.2021)

Sir,

Please find enclosed herewith the information sought by you vide RTI application received on 21.02.2022. Please pay an amount of Rs. 16 for 8 pages @ Rs. 2 per page for obtaining the documents.

If you are not satisfied with the information as provided to you, you may file an appeal under section 19 of the RTI Act, 2005 to the first Appellate Authority, whose particulars are as under:

"Member Secretary, DPCC, 5<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006".

Yours faithfully,

SPIO, DPCC

Encl: As above



ID No. 5703

Sub: Information under RTI Act, 2005 sought by Sh. Shailesh Singh, R/o, 2 AB Regal Building, Sansad Marg, Connaught Place, New Delhi-110001

1. Treated effluent from EDMC's Slaughter House is not used for the purpose of irrigation. It is not a ZLD unit.
2. Order of Hon'ble NGT in OA No. 348/2017 is not applicable on unit in question.
3. , 4. & 5. Copy of the SCN dated 01.10.2018 & 05.12.2018, Direction dated 16.04.2019 and D.O. dated 14.08.2020 issued to EDMC enclosed.

Incharge WMC -10  
SP 20

5983/WMC 11  
17-03-22

RTI 10/10184  
22/03/22

R91

16/03/22

T.C.



East Delhi Municipal Corporation  
Veterinary Services Department  
Office of the Addl. Director (VS)  
Ghazipur Slaughter House  
E-mail:-slaughterhousegzp@gmail.com

No. E.D.M.C./VS/GSH/2021/783

Dated: - 27.08.21

Sub: - Reply to transfer RTI application ID No. 293/PIO/EDMC/HQ/2021 dated 18.08.2021 through Director (VS) vide No. 201/PIO(VS)/EDMC/HQ/2021 dated 19.08.2021 received in this office vide diary No. 03/RTI/ADV5/2021 dated 19.08.2021 of Sh. Shailesh Singh.

With reference to your application under RTI Act, 2005. The point wise information is as under:

1. Year wise total fees deposited by the Ghazipur Slaughter House aka M/S Frigorifico Allana Pvt. Ltd. 2009 to 04.03.2021 is attached herewith.
2. As above
3. Total rent paid by M/S Frigorifico Allana Pvt. Ltd. to EDMC of Ghazipur Slaughter House and Rendering Plant w.e.f. 04.08.2009 to 04.03.2021 is attached herewith.
4. No such information is available in this office.
5. The total number of buffaloes and sheep/goat slaughtered since August 2009 to 04.03.2021 is attached herewith.
6. The lease agreement of M/S Frigorifico Allana Pvt. Ltd. was expired and a new lessee for the maintenance and operation of Ghazipur Slaughter House and Rendering Plant was selected through global tendering. This time the work of maintenance and operation of Ghazipur Slaughter House and Rendering Plant has been awarded M/S Qureshi International DS-Max-FNF Consortium.
7. No such lease agreement was made between EDMC and M/S Frigorifico Allana Pvt. Ltd. between 2020-21 however the time period of lease agreement was extended by approval of competent authority of EDMC.
8. No such record is available in this office.

If you are not satisfied, you may appeal to Ist Appellate, Director (VS)/EDMC, 419, Udyog Sadan, Patparganj Industrial Area, Delhi - 110092 within 30 days.

*Praveen*  
27/8/2021  
PIO/Veterinary Officer (Incharge)  
Ghazipur Slaughter House, EDMC

✓ Sh. Shailesh Singh  
R/o 2AB, Regal Building, Sansad Marg,  
Connaught Place, Delhi - 110001

Copy to:-  
PIO(VS)EDMC



FOR RTI PURPOSE

Sub: - Detail of Income record for M/S FAPL w.e.f. August 2009 to 04 March 2021.

Year	Royalty payment of Slaughter House	Lease Rent of Slaughter House	Royalty payment of Rendering Plant	Lease Rent of Rendering Plant	Total
2009-10	2,50,00,000.00	1,58,548.00	--	--	2,51,58,548.00
2010-11	5,00,00,000.00	1,39,783.00	20,80,000.00	22,065.00	5,22,41,848.00
2011-12	5,00,00,000.00	1,39,783.00	64,48,000.00	20,650.00	5,66,08,433.00
2012-13	5,50,00,000.00	1,39,783.00	70,92,800.00	20,650.00	6,22,53,233.00
2013-14	6,00,00,000.00	1,39,783.00	78,02,080.00	20,650.00	6,79,62,513.00
2014-15	6,00,00,000.00	1,39,783.00	85,82,288.00	20,650.00	6,87,42,721.00
2015-16	6,50,00,000.00	1,39,783.00	93,21,407.00	20,650.00	7,44,81,840.00
2016-17	7,00,00,000.00	1,39,783.00	1,15,57,024.00	20,650.00	8,17,17,457.00
2017-18	7,00,00,000.00	1,39,783.00	1,21,55,843.00	20,650.00	8,23,16,276.00
2018-19	7,50,00,000.00	1,39,783.00	1,52,84,164.00	20,650.00	9,04,44,597.00
2019-20	8,00,00,000.00	58,243.00	1,75,76,788.00	8,604.00	9,76,43,635.00
2020-21 (upto 04 March 2021)	2,00,00,000.00	81,540.00	--	12,046.00	2,00,93,586.00
<b>G. Total</b>	<b>68,00,00,000.00</b>	<b>1556378.00</b>	<b>9,79,00,394.00</b>	<b>2,07,915.00</b>	<b>77,96,64,687.00</b>

(₹ Seventy seven crores ninety six lakhs sixty four thousand six hundred and eighty seven only)

Dr. PRAVEEN K. SHAMBA  
Vety. Officer / Incharge  
Ghaziipur Sl. House, EDMC


FOR RTI PURPOSES

**Sub: - Detail of slaughtered animals sheep/goat and buffalo w.e.f. August 2009 to 04 March 2021**

Year	Sheep/goat	Buffalo
Aug 09 to Dec 09	131448	39444
Jan 10 to Dec -10	978186	206302
Jan 11 to Dec -11	1002281	277940
Jan 12 to Dec 12	1135004	282822
Jan 13 to Dec 13	1167380	321249
Jan 14 to Dec 14	1342645	285518
Jan 15 to Dec 15	1023724	218498
Jan 16 to Dec 16	1016341	272751
Jan 17 to Dec 17	1213689	267071
Jan 18 to Dec 18	1281737	379099
Jan 19 to Dec 19	1139608	355602
Jan 20 to Dec 20	796973	214524
Jan 21 to 04 Mar 21	257915	68086

Dr. PRAVEEN KR. JHAMB  
 Vety. Officer / Incharge  
 Ghazipur Sl. House, EDMC





**East Delhi Municipal Corporation**  
**Veterinary Services Department**  
**Office of the Addl. Director (VS)**  
**Ghazipur Slaughter House**  
**E-mail:-slaughterhousegzp@gmail.com**



**No. E.D.M.C./VS/GSH/2022/1267**


**Dated: - 09/02/2022**

**Sub: - Reply to RTI application received from Sh. Shailesh Singh seeking information under RTI Act, 2005 received through PIO/EDMC/HQ/ vide their letter M/PIO/HQ/RTI Cell/EDMC/2021/1852 dated 30.12.2021 vide I.D. M/EDMC/1726/PIO/EDMC/HQ/2021 dated 30.12.2021.**

With reference to the above mentioned subject matter RTI received in this office on dated 13.01.2022 in this regard the desired information is as under:-

1. No slaughtering fees of animals is deposited in the account of EDMC.
2. Same as above.
3. a) Total rent paid by private firm i.e. M/S Frigorifico Allana Pvt. Ltd. since January 2021 to 04 March 2021 i.e. Nil  
b) Total rent paid by private firm i.e. M/S Qureshi International DS-Max-FNF Consortium since 05 March 2021 to 31.12.2021 i.e. Rs. 1,32,704/-
4. No such information is available in this office.
5. a) Total number of buffaloes slaughtered since January 2021 to December 2021 = 184524 Nos.  
b) Total number of sheep/goat slaughtered since January 2021 to December 2021 = 560946 Nos.
6. Lease agreement August, 2009 between erstwhile MCD and M/S FAL was extended with approval of competent authority from August 2019 to February 2021.
7. To obtain photocopy of lease agreement of lessee with EDMC between March 2021, you are requested to deposit Rs. 2/- per copy in CSB counter, Zonal Building, Shahdara South Zone EDMC and after the submitted the receipt the desired copies of the agreement will be supplied the agreement having 59 pages.
8. The reply of question no. 8 is already given in question no. 7.
9. EDMC on its own has not installed CCTV.

If you are not satisfied, you may appeal to the first appellate i.e. the Director (VS)/EDMC, 419, Udyog Sadan, Patparganj Industrial Area, Delhi - 110092 within 30 days.

  
**PIO/Veterinary Officer (Incharge)**  
**Ghazipur Slaughter House**

✓ **Sh. Shailesh Singh**  
 2, AB Regal Building, Sansad Marg,  
 Connaught Place, New Delhi - 110001

**Copy for kind information to:-**  
**Director (VS)**

**"STOP CORONA- WEAR MASK, FOLLOW PHYSICAL DISTANCING, MAINTAIN HAND HYGIENE"**


  
**T.C.**



ANNEXURE - A3

21

Speed Post  
ID-5522  
Dated: 06.09.2021



DELHI POLLUTION CONTROL COMMITTEE  
DEPARTMENT OF ENVIRONMENT, GOVT. OF NCT OF DELHI  
5TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-1100006  
visit us at : <http://dpcc.delhigovt.nic.in>

F. No. DPCC/SPIO/RTI/5522/2021/7731

Dated: 05/10/21

To,

✓ Sh. Shailesh Singh,  
2AB, Regal Building,  
Sansad Marg, Connaught Place,  
New Delhi- 110001

**Subject : Information under Right to Information Act, 2005, sought by  
Sh. Shailesh Singh, 2AB, Regal Building, Sansad Marg,  
Connaught Place, New Delhi- 110001 (ID- 5522 dated 06.09.2021)**

Sir,

Please find enclosed herewith the information sought by you vide RTI application received on 06.09.2021. Please pay an amount of Rs. 10 for 5 pages @ Rs. 2 per page for obtaining the documents.

If you are not satisfied with the information as provided to you, you may file an appeal under section 19 of the RTI Act, 2005 to the first Appellate Authority, whose particulars are as under:  
"Member Secretary, DPCC, 5<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006".

Yours faithfully,

SPIO, DPCC

Encl: As above

ID No. 5522  
Dated- 09/09/21

**Subject – Information under RTI Act 2005, Sought by Sh. Shailesh Singh, 2AB Regal Building, Sansad Marg, Cannught Place, New Delhi-110001.**

S. No.	Question	Answer
1	Please Provide the information with proof of the action taken against the Ghazipur slaughter house aka Frigorifico Allana in the year 2015 to 2021 till date.	Letter issued to EDMC for removal of deficiencies observed during inspection on 30.12.2014. SCN for revocation of Consent issued to EDMC vide letter dated 13.4.2016. Vide letter dated 24.1.2017, SCN issued to EDMC for revocation of consent. EDMC was issued a letter for deposition of Environmental Compensation.
2	Provide information with proof/ photocopies of all the notices (dated 11.02.2015, 13.04.2016, 24.01.2017, July-Aug 2019) issued by DPCC till date to the above said slaughter house.	Copies of the letters sought by the applicant are enclosed.
3	Pleas provide the information with proof/ photocopy of letter written by North Delhi Municipal Corporation in the year 2019 to DPCC along with the action taken by the DPCC on the above said letter.	No information is available with WMC-III, DPCC.
4	Please provide information with proof/ photocopy of renewal of consent issued to the Ghazipur slaughter house aka Frigorifico Allana issued in the year 2019-20 and 2021	No consent has been issued to M/s Frigorifico Allana Pvt. Ltd.
5	Please provide the information/ details of compensation imposed and deposited by the Ghazipur slaughter house aka Frigorifico Allan or EDMC between 2015 to 2020, in the account of DPCC.	Environmental Compensation of Rs. 50 lakhs imposed on EDMC for not installing bio-methanation plant in the Slaughter House. The amount has not been deposited by EDMC.
6	Please provide CCTV Footage of the main gate of Ghazipur slaughter house aka Firgorifico Allana of the month July 2021.	Not available with WMC-III, DPCC.

*beny 05/10/21*



By Speed Post



**DELHI POLLUTION CONTROL COMMITTEE**  
**DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)**  
 4<sup>th</sup>, 5<sup>th</sup> & 6<sup>th</sup> FLOOR, ISBT BUILDING, KASHIMERE GATE, DELHI-6  
 visit us at : <http://dpcc.delhigovt.nic.in>

F. No. DPCC/WMC-I/2017/5141-5145

Dated: 24/01/2017

**Subject:-Show Cause Notice for revocation of consent under Air (Prevention and Control of Pollution) Act, 1981 and Water (Prevention and Control of Pollution) Act, 1974 as amended to date.**

Whereas, Central Pollution Control Board is the State Board for all the Union Territories to exercise powers and performs functions under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, as amended to date.

And whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, in respect of Union Territory of Delhi to Delhi Pollution Control Committee (DPCC) Vide Notification Dated 15.03.1991.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control Area, under sub section (1) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981, vide notification no. GSR 106 (E) Dated 20.02.1987.

And whereas, it is mandatory provisions under u/s 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall Establish an industrial unit in an Air Pollution Control Area of Union territory of Delhi.

And whereas, it is mandatory provisions under u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 that no person without the previous consent of the DPCC shall Establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land.

And whereas, you M/s Delhi Food Processing Complex, East Delhi Municipal Corporation ( Department of Veterinary Services), Slaughter House at Ghazipur, Delhi-110096 (herein after referred as the addressee) is engaged in the activity of slaughter of Sheep, Goat and Buffalo.

And whereas, the addressee has been granted Consent to Establish vide letter dated 14.09.2009 valid for a period of one year for the said activity

And whereas, the addressee has been issued the Consent to Operate under u/s 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 & u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under orange category on 16.11.2012 valid upto 27.09.2017.

And whereas, you the addressee have repeatedly been requested vide this office letters dated 11.02.2015 and 05.05.2015 regarding collection of blood separately & converting it to valuable product and to install Bio-Methanation plant but no compliance has been done by you so far. "

DEPARTMENT OF ENVIRONMENT  
 GOVT. OF NCT OF DELHI  
 4<sup>th</sup>, 5<sup>th</sup> & 6<sup>th</sup> FLOOR, ISBT BUILDING, KASHIMERE GATE, DELHI-6

*hury*



And whereas, the addressee was issued a Show Cause Notice (SCN), on 13.04.2016 for revocation of consent under Air (Prevention & control of pollution) Act, 1981 and under Water (Prevention & Control of Pollution) Act, 1974 as amended to date.


And whereas, the addressee has submitted a reply to the SCN vide letter dated 17.5.2016 stating that the addressee has selected IL & FS for establishing Bio-Methanation plant and the issue of separation of blood and its processing is under active consideration.

And whereas, the slaughter house was inspected by the officers of DPCC on 20.12.2016 along with the officials of water lab and samples of effluent at the inlet as well as the outlet of the wastewater treatment plant collected. During the inspection, it was observed that the no progress has been made in respect of Bio-Methanation plant and blood separation unit on the ground.

Now, therefore, by way of this Notice, you are hereby called upon to SHOW CAUSE as to why your Consent under Air (Prevention & control of pollution) Act, 1981 and under Water (Prevention & Control of Pollution) Act, 1974 as amended to date should not be revoked for continuous failure to comply with the conditions laid down by this office w.r.t the issues related to Bio-Methanation plant and blood separation plant in a time bound manner.

Your reply, if any, along with full compliance report should be submitted to this office within 15 days, failing which it shall be presumed that you have nothing to say in this regard and further action including prosecution proceedings shall be initiated under the provisions of the Air Act, 1981 & Water Act, 1974 without any further reference to you.

This is being issued as per the decision taken by the Competent Authority.




SEE(CDC), WMC-I & III

**The Addl. Director (Veterinary Science)**  
**Ghazipur Slaughter House,**  
**East Delhi Municipal Corporation,**  
**Delhi-110096**

Dr. DMS REDDY  
 Sr. Env. Engineer (CDC)  
 Delhi Pollution Control Committee

**Copy to:-**


1. The Commissioner, East Delhi Municipal Corporation (EDMC), 419, F.I.E. Udyog Sadan, Patparganj Industrial Area, New Delhi-110092.
2. The Director (Veterinary Science), Veterinary Department, East Delhi Municipal Corporation (EDMC) 419, F.I.E. Udyog Sadan, Patparganj Industrial Area, New Delhi-110092.
3. M/s Frigorifico Allana Private Limited, MCD Slaughter House, Behind Fish & Poultry Market, Food Processing Complex, Pocket-B, Ghazipur, Delhi-110096.
4. Master File.



EE(CDC), WMC-I & III

Dr. SIDDHARTHA GAUTAM  
 Env. Engineer (CDC)  
 Delhi Pollution Control Committee  
 4th & 5th Floor, ISBT Building,  
 Keshmere Gate, Delhi-06



	<b>DELHI POLLUTION CONTROL COMMITTEE</b> <b>DEPARTMENT OF ENVIRONMENT, GOVT. OF NCT OF DELHI</b> <b>4TH FLOOR, ISBT BUILDING, KASHIMERE GATE, DELHI-6</b> visit us at : <a href="http://dpcc.delhigovt.nic.in">http://dpcc.delhigovt.nic.in</a>
	By Speed Post

F. No. DPCC/WMC-II/2016/745 To 750

Dated: - 13/4/2016

To,

1. The Addl. Director (Veterinary Science)  
Ghazipur Slaughter House,  
East Delhi Municipal Corporation,  
Delhi-110096
2. M/s Delhi Food Processing Complex,  
East Delhi Municipal Corporation (Department of Veterinary Services),  
Slaughter House at Ghazipur, Delhi-110096

**Subject: - Show Cause Notice for revocation of Consent under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974, as amended to date.**

Whereas, Central Pollution Control Board is the State Board for all the Union Territories to exercise powers and perform functions under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended to date.

And whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee vide notification No. S.O. 198 (E) dated 15.03.1991.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under u/s 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall Establish an industrial unit in an Air Pollution Control Area of Union Territory of Delhi.

And whereas, it is mandatory u/s 25/26 of the water (Prevention & Control of Pollution) Act 1974 that no person without the previous consent of DPCC shall Establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent in to a stream or on land.

And whereas, you M/s Delhi Food Processing Complex, East Delhi Municipal Corporation (Department of Veterinary Services), Slaughter House at Ghazipur, Delhi-110096 (hereinafter referred as the addressee) is engaged in the activity of slaughter of Sheep, Goat, Buffalo and Buffalo Calves.

And whereas, the addressee has obtained renewal of Consent to Operate under u/s 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 & u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under Orange category on 16.11.2012 which is valid upto 27.09.2017.

And whereas, you (the addressee) have repeatedly been requested vide this office letters dated 11.02.2015 and 05.05.2015 regarding collection of blood separately & converting it to valuable product and to install Bio Methanation plant but no compliance has been done by you so far.


And whereas this issue has been also taken up in the State Level Committee constituted in compliance of Hon'ble Supreme Court in WP(C) No. 309/2003 titled as Laxmi Narain vs. Union of India and Ors. under the Chairmanship of Secretary, Urban Development, Govt. of NCT Delhi.

And whereas, your case was taken up by the Competent Authority and it was decided to issue Show Cause Notice for Revocation of Consent under Air (Prevention and control of Pollution) Act, 1981 and under Water (Prevention and control of Pollution) Act, 1974 as amended to date.

Now, therefore, by way of this notice, you are hereby called upon to SHOW CAUSE as to why your Consent under Air (Prevention and control of Pollution) Act, 1981 and under Water (Prevention and control of Pollution) Act, 1974 as amended to date should not be revoked.

Your reply, if any, along with full compliance report should be submitted to this office within 15 days from the service of this notice, failing which it shall be presumed that you have nothing to say in this regard and further action including prosecution proceedings shall be initiated under the provisions of the Air Act, 1981 and Water Act, 1974 without any further reference to you.

This is being issued as per the decision taken by the Competent Authority.



**Sr. Environmental Engineer  
Waste Management Cell-II**

**B. L. CHAWLA**

**Sr. Env. Engineer (CDC)  
4th & 5th Floor, 1st Bldg.  
Kashmere Gate, New Delhi-110006**

Copy to:

1. The Commissioner, East Delhi Municipal Corporation (EDMC), 419, F.I.E., Udyog Sadan, Patparganj Industrial Area, New Delhi - 110092.
2. The Director (Veterinary Science), Veterinary Department, East Delhi Municipal Corporation (EDMC), 419, F.I.E., Udyog Sadan, Patparganj Industrial Area, New Delhi - 110092.
3. M/s Frigorifico Allana Private Limited, MCD Slaughter House, Behind Fish & Poultry Market, Food Processing Complex, Pocket -B, Ghazipur, Delhi-110096.
4. Master file



27

(1)

C/428

By Sp



DELHI POLLUTION CONTROL COMMITTEE  
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)  
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110025  
visit us at : <http://dpcc.delhigovt.nic.in>

F.No: DPCC/WMC-II/ 2015/ 51-2/432

Date: 11/04/15

To,

The Addl. Director, Veterinary Science,  
Ghazipur Slaughter House,  
East Delhi Municipal Corporation,  
Ghazipur, Delhi-110096

**Subject: - Removal of Deficiencies observed during Inspection on 30.12.2014**

This has reference to the inspection conducted on 30.12.2014. During the inspection, it was observed that following work is still to be undertaken:-

1. No provision to collect blood separately & convert it to valuable product.
2. Bio methanation plant has not been installed.

You are hereby requested to submit time targeted action plan for installation of the above within 15 days of issuance of this letter.

Yours Sincerely,

*(Signature)*

10/4/15

(Kulanand Joshi)  
Member Secretary

01

*(Signature)*

T.C.