



क्षेत्रीय कार्यालय-उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद
Regional Office, U.P. Pollution Control Board, Ghaziabad
Website- www.uppcb.com, e-mail:roghaziabad@uppcb.in

संदर्भ संख्या : २१३८ /NGT-143/OA-196/22/2022

दिनांक २१/११/२०२२

To,

The Registrar,
The National Green Tribunal,
Principal Bench,
New Delhi
E-mail- judicial-ngt@gov.in & ngt.filling@gmail.com

Sub: Report of the Joint Committee submitted in compliance to Hon'ble National Green Tribunal (NGT), Principal Bench, New Delhi Order dated 11.03.2022 in OA No-196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni & Onr.

Respected Sir,

With reference to the above subject mentioned above the joint committee inspected the site in compliance of Hon'ble National Green Tribunal order dated 11.03.2022 in OA No-196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni & Onr. joint Committee's report is hereby submitted for kind perusal and necessary action please.

Enclosure: Joint report.

Yours Sincerely

(Utsav Sharma)
Regional Officer

Copy to:

- 1- Member Secretary, Central Pollution Control Board, New Delhi for information.
- 2- Member Secretary, U.P. Pollution Control Board, Lucknow for information.
- 3- Shri Pradeep Misra, Advocate, Hon'ble Supreme Court/NGT, New Delhi for perusal and necessary action please.
- 4- Law Officer-I, U.P. Pollution Control Board, Lucknow for information.
- 5- Chief Environmental Officer, Circle-1, U.P. Pollution Control Board, Lucknow for information.

Regional Officer

क्षेत्रीय कार्यालय : आई0एन0एस0-2, सेक्टर-16, वसुन्धरा, गाजियाबाद-201012 फोन-0120-4160108
मुख्यालय : TC-12V, विभूति खण्ड, गोमती नगर, लखनऊ 226010

Compliance Report

In

Original Application No. 196/2022

Hariom Gupta & Ors.

Versus

Nagar Palika Parishad, Loni & Ors.

Order Date – 11.03.2022

Filed on Behalf of:

Uttar Pradesh Pollution Control Board

1. Background

Hon'ble NGT passed order on 11.03.2022 in O.A. No. 196/2022 in the matter of Hariom Gupta & Ors. Vs Nagar Palika Parishad, Loni & Ors. and relevant paras of the Order dated 11.03.2022 are reproduced below: -

"1. Grievance of the applicant Mr. Hariom Gupta is regarding dumping of hazardous sewerage of surrounding Nagar Palika area to the Green Belt, NH-709B, opposite Ansal State End., Sector C-1, Trans Delhi Signature City, Loni Ghaziabad. It is submitted that sewerage is filed in the Green Belt and when it over flows, it enters into Ansal State End and in temple area. It is further submitted that due to poisonous water of sewerage, hundreds of large trees have died. It is also submitted that this hazardous sewerage is also entering into the underground water streams, polluting the ground water and harming the environment at large.

2. Having regard to the allegations of the appellant, it appears necessary to ascertain the factual position in the matter through a Joint Committee of the State PCB, District Magistrate & DFO, Ghaziabad, Uttar Pradesh. The State PCB will be the Nodal agency for coordination and compliance. The Joint Committee may meet within four weeks and undertake site visit and look into the grievance of the applicant. Factual and action taken report may be furnished before the Ld. Registrar General, NGT, Principal Bench, Delhi within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF, who may, if necessary, put up the matter before the Bench for directions....."

2. Action taken by the Joint Committee:

In compliance of Hon'ble Tribunal's orders dated 11.03.2022, Joint inspection of was carried out in presence of complainer by the Joint Committee comprising of following officials:

- a. Shri Shiv Naresh Singh, Tehsildar, Tehsil- Loni, Ghaziabad
- b. Shri B.K. Singh, EE, U.P. Pollution Control Board, Ghaziabad
- c. Shri Ashutosh Pandey, Sub divisional forest officer, Forest department, Ghaziabad
- d. Shri N.K. Pandey, AEE, U.P. Pollution Control Board, Ghaziabad

It was informed by complainer that green belt area, Ansal estate, Mandir area in front of Ansal State of NH-709, Sector C-1, Trans Delhi Signature City, Loni, Ghaziabad is filled with hazards sewage, due to which about 100 trees have dried up.

During the inspection the following facts were found by the committee at the site:

- I. Water logging was found at the site from Pavi Sadakpur, Puja Colony to Ansal Sector C-1.
- II. It was informed by the representative of the Municipal Council that the said sewage comes from Pooja colony, which remains full at the said place due to no drainage system.
- III. During inspection, water logging was found in the said area and a large number of trees were found dry.
- IV. Garbage was also found dumped by the municipality on the said green belt. It was informed by the representative of Nagar Palika Parishad, Loni that after screening, the said garbage is being used for filling in the low-line area.

- V. It was also observed by the committee that the said water logging is there for a long time.
- VI. 01 sample of effluent/sewer at said site and ground water samples from both side of NH- 709 were collected by the committee and submitted in regional laboratory, U.P. Pollution Control Board, Ghaziabad for analysis, Analysis reports are enclosed as **annexure -1**.

3. Recommendations of the Joint Committee:

- i. Sewage coming from residential area should be dispose of in nearby sewage treatment plant through the drainage system.
- ii. Municipal solid waste should not be disposed of on the said green belt and the waste already dumped should be disposed of at any other safe place as per the Municipal Solid Waste Rules, 2016.
- iii. Proper sewer line should be established for the disposal of sewage coming from the residential area, so that there is no sewage/water logging in the said area.
- iv. Road sweeping and sprinkling should be done regularly on the road from Pavi Pusta to Durgawali.

Further, Regional officer, UPPCB, Ghaziabad vide letter dated 27.06.2022 has sent a letter to Executive Officer, Nagar Palika Parishad- Loni, Ghaziabad for execution of above recommendation made by the Joint Committee.

Report is being submitted for kind perusal and necessary action.



(N. K. Pandey)
Assistant Environmental Engineer
UPPCB
Ghaziabad



(B.K. Singh)
Environmental Engineer
UPPCB
Ghaziabad

ANNEXURE-I

U.P. Pollution Control Board, Ghaziabad


Analysis Report of Ground Water

Sample Collected by:- B.K.Singh (E.E) and N.K. Pandey (A.E.E)


S. No.	Name of the source & address	Date	Colour	Odour	pH	B.O.D mg/L	C.O.D mg/L	T.S. mg/L	T.D.S mg/L	T.S.S mg/L
1.	Infront of East end Ansal Sec-C-1 Collected sewage	21.06.22	Turbid	Faint	7.14	75.0	108.0	852.0	732.0	119.0



Scientific Assistant



Scientific Officer



Regional Officer

U.P. Pollution Control Board, Ghaziabad


Analysis Report of Ground Water

Sample Collected by:- B.K.Singh (E-E) and N.K. Pandey (A.E.E)

S. No.	Name of the source & address	Date	Colour	Odour	pH	Cond µmhos /cm	T.D.S. mg/l	Hard mg/l	Ca. Hard mg/l	Mg. Hard mg/l	Chloride mg/l	Alkalinity mg/l
1.	Borewell of east end Ansal Sec- C-1, Tronica city, Loni	21.06.22	colorless	Odorless	8.14	1193.0	706.0	235.0	178.0	57.0	706.0	200.0
2.	Borewell of Raju Ply wood Paint, Tronica city, Loni	21.06.22	colorless	odorless	7.88	1231.0	746.0	281.0	184.0	97.0	622.0	180.0
	Standards BIS-10500		Colourless	Odourless	6.5- 8.5	—	500	200-600	75-200	30-100	250- 1000	200- 600



Scientific Assistant



Scientific Officer



Regional Officer

मा0 राष्ट्रीय हरित अधिकरण मे योजित ओ0ए0 संख्या 196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni & Ors. मे पारित आदेश दिनांक 11.03.2022 के सम्बन्ध मे अनुपालन आख्या।

मा0 राष्ट्रीय हरित अधिकरण मे योजित ओ0ए0 संख्या 196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni & Ors. मे पारित आदेश दिनांक 11.03.2022 को निम्न आदेश पारित किये गये है:-

"1. Grievance of the applicant Mr. Hariom Gupta is regarding dumping of hazardous sewerage of surrounding Nagar Palika area to the Green Belt, NH-709B, opposite Ansal State End., Sector C-1, Trans Delhi Signature City, Loni Ghaziabad. It is submitted that sewerage is filed in the Green Belt and when it over flows, it enters into Ansal State End and in temple area. It is further submitted that due to poisonous water of sewerage, hundreds of large trees have died. It is also submitted that this hazardous sewerage is also entering into the underground water streams, polluting the ground water and harming the environment at large. 2. Having regard to the allegations of the appellant, it appears necessary to ascertain the factual position in the matter through a Joint 2 Committee of the State PCB, District Magistrate & DFO, Ghaziabad, Uttar Pradesh. The State PCB will be the Nodal agency for coordination and compliance. The Joint Committee may meet within four weeks and undertake site visit and look into the grievance of the applicant. Factual and action taken report may be furnished before the Ld. Registrar General, NGT, Principal Bench, Delhi within three months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF, who may, if necessary, put up the matter before the Bench for directions.."

उक्त आदेश मे मा0 राष्ट्रीय हरित अधिकरण द्वारा जिलाधिकारी महोदय, गाजियाबाद, वन विभाग एवं उ0प्र0 प्रदूषण नियंत्रण बोर्ड के सदस्यों को नामित किया गया है। तत्कम मे निम्नलिखित अधिकारियों की समिति द्वारा स्थल निरीक्षण दिनांक 21.06.2022 को किया गया।

1. श्री शिव नरेश सिंह, तहसीलदार लोनी, गाजियाबाद।
2. श्री बी0के0 सिंह, पर्यावरण अभियंता, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद।
3. श्री आशुतोष पाण्डेय, उप प्रभागीय वनाधिकारी, गाजियाबाद।
4. श्री एन0के0 पाण्डेय, सहायक पर्यावरण अभियंता, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद।

उपरोक्त के अतिरिक्त निरीक्षण के समय श्री दिनेश, नगर पालिका परिषद, लोनी, गाजियाबाद उपस्थित थे।

अवगत कराया गया कि शिकायतकर्ता द्वारा एन0एच-709 की अंसल स्टेट के सामने सेक्टर सी-1, ट्रांस दिल्ली सिग्नेचर सिटी, लोनी, गाजियाबाद पर हैजार्डस सीवेज से ग्रीन वेल्ट क्षेत्र, अंसल स्टेट, मंदिर क्षेत्र मे भरा रहता है, जिससे लगभग 100 पेड सूख गये है।

निरीक्षण के समय समिति द्वारा स्थल पर निम्नलिखित तथ्य पाये गये:-

1. स्थल पर पावी सदकपुर, पूजा कॉलोनी से अंसल सेक्टर सी-1 तक जल भराव पाया गया।
2. नगर पालिका परिषद प्रतिनिधि द्वारा अवगत कराया गया कि उक्त सीवर पूजा कॉलोनी से आता है, जिसकी निकासी न होने के कारण उक्त स्थल पर भरा रहता है।



3. निरीक्षण के दौरान उक्त क्षेत्र में जल भराव पाया गया एवं काफी संख्या में पेड़ सूखे पाये गये।
4. उक्त ग्रीन बेल्ट पर नगर पालिका द्वारा कूड़ा भी डाला हुआ पाया गया। नगर पालिका परिषद, लोनी के प्रतिनिधि द्वारा बताया गया है कि उक्त कूड़ा स्कीनिंग के पश्चात उक्त क्षेत्र के लो-लाईग एरिया में भराई हेतु डाला गया है।
5. समिति द्वारा यह भी अवलोकन किया गया कि उक्त जल भराव काफी समय से है।
6. समिति द्वारा एकत्रित जल/सीवर का नमूना एवं एन0एच0-709 के दोनों तरफ से भूगर्भ जल का नमूना एकत्र कर विश्लेषण हेतु जमा कराया गया। निरीक्षण के समय लिये गये फोटोग्राफ निम्नवत हैं:-









समिति की संस्तुति:-

1. आवासीय क्षेत्र से जनित सीवेज हेतु ड्रेनेज सिस्टम के द्वारा निकटतम एस0टी0पी0 में शुद्धिकृत कर निस्तारित किया जाये।
2. उक्त ग्रीन वेल्ड पर नगरीय ठोस अपशिष्ट का निस्तारण न किया जाये एवं पहले से डाले गये वेस्ट को अन्य किसी सुरक्षित स्थान पर नगरीय ठोस अपशिष्ट नियम के अनुसार निस्तारण किया जाये।
3. आवासीय क्षेत्र में सीवेज के निस्तारण हेतु उचित सीवर लाईन स्थापित की जाय, जिससे उक्त क्षेत्र में सीवेज/जल का भराव न हो।
4. पावी पुस्ता से दुर्गावली तक सड़क पर रोड स्वीपिंग एवं सिप्रंकलिंग नियमित की जाय।

की गयी कार्यवाही का विवरण।

कार्यालय के पत्र संख्या 905/एनजीटी-143/ओए-196/2022/2022 दिनांक 27.06.2022 द्वारा अधिशासी अधिकारी, नगर पालिका परिषद, लोनी को समिति द्वारा की गई संस्तुति के क्रियान्वित हेतु पत्र प्रेषित किया गया, (छायाप्रति संलग्न)

(एन0के0 पाण्डेय)
सहायक पर्यावरण अभियंता,
उ0प्र0 प्रदूषण नियंत्रण बोर्ड,
गाजियाबाद।

(आशुतोष पाण्डेय)
उप प्रभागीय वनाधिकारी,
गाजियाबाद।

(बी0के0 सिंह)
पर्यावरण अभियंता,
उ0प्र0 प्रदूषण नियंत्रण बोर्ड,
गाजियाबाद।

(शिव नरेश सिंह)
तहसीलदार
लोनी, गाजियाबाद।