BEFORE THE NATIONAL GREEN TRIBUNAL PRINCIPAL BENCH, NEW DELHI

Original Application No. 806 of 2017 (M.A. No. 1535 of 2017)

D.S. Kauntae Vs. Delhi Institute of Fire Engineering & Ors.

CORAM: HON'BLE MR. JUSTICE U.D.SALVI, JUDICIAL MEMBER HON'BLE DR. NAGIN NANDA, EXPERT MEMBER

Present: Applicant/Appellant(s)

Respondent No. 3 : Mr. Mukul Singh, Adv. for Ministry of

Environment, Forest and Climate

Change

Respondent No.6-10,12 : Mr. Tarunvir Singh Khehar, Mrs. Guneet

Khehar and Mr. Sandeep Mishra, Advs.

| Date and Remarks | Orders of the Tribunal |
|---------------------|--|
| Item No. 04 | Heard. Perused record. |
| December 21, 2017 | The applicant is making grievances about the |
| | institute of fire engineering located at G-579, Raj Nagar-II, |
| 3 | N <mark>ear Dada</mark> Dev. Mandir, Palam, Sector-7, Dwarka-110077, |
| E L | posing threat of environmental pollution on account of |
| 11.11.2 | their fire fighting activities and storage of hazardous |
| A / S | substances. |
| 100 | The applicant appearing in person submits that he |
| 3 | has approached the Delhi Pollution Control Committee |
| | through the representation dated 14th July, 2017. Copy |
| | annexed at annexure A-15 and there has been no |
| | response from the Respondent No. 4 – Delhi Pollution |
| | Control Committee. |
| | The Learned counsel appearing for the Respondent |
| | No. 4 – Delhi Pollution Control Committee shall consider |
| | the representation of the applicant within a month and |
| | take action in accordance with law. |
| | Nothing further survives in this application. |

Item No. 04

December 21, 2017

Therefore, Original Application No. 806 of 2017 stands disposed of.

M.A. No. 1535 of 2017

This application does not survive for consideration as the main application itself stands disposed of.

The M.A. No. 1535 of 2017 stands disposed of accordingly.

....,JM (U.D. Salvi)

(Dr. Nagin Nanda)

