

**Item No.
08**

**July 21,
2017
sn**

devices as well as surveillance mechanism operates without default and efficiently.

3. The UPPCB shall keep a strict vigilance and regularly inspect the industry to ensure that the industry does not cause any pollution and is compliant.

4. Within one month of starting its manufacturing activity, the industry shall be subjected to joint inspection by the Central Pollution Control Board and UPPCB and a joint inspection report be submitted to the Tribunal. The inspection shall be conducted at the cost of the industry.

5. The industry would operate strictly in terms of the conditions of the consent to operate.

6. The industry shall pay a sum of Rs. 15 lakhs as environmental compensation. The environmental compensation shall be paid within two week from today to the UPPCB which in term would pay the requisite share as per the order of the Tribunal to the Central Pollution Control Board.

With the above direction, M.A. No. 885 of 2017 stands disposed of. There shall be no order as to cost.

The industry shall within a period of three months from today install in an open area an RO Plant in discharge of its corporate social responsibility to ensure that the villagers around that area can get the water which is portable and can safely be consumed by the residents residing in that area. This RO shall be installed by the industry on its boundary wall and the drinking water outlet would be outside the boundary wall of the

	<p>Item No. 08</p> <p>July 21, 2017 sn</p>	<p>industry premises. The maintenance of the RO shall be the responsibility of the industry.</p> <p>.....,CP (Swatanter Kumar)</p> <p>.....,JM (Raghuvendra S. Rathore)</p> <p>.....,EM (Bikram Singh Sajwan)</p>
--	--	---

